

+

## REFERENCES

Abdallah, N. S.; El Gengaihi and E. Sedrak (1978):

The effect of fertilizer treatments on yield and volatile oil of fennel (*Foeniculum vulgare* Mill) Pharmazia, 33 (9) 607-608. (En, 12 ref, National Research Centre Dokki, Cairo Egypt. H.A 1979) 49: 1447.

Abdel-Aziz, M.A. (1971):

Effects of growth retardants on growth and flowering of Chrysanthemum hortorum.

Ph. D. Thesis Fac. Agric. Cairo Univ.

Abd-El-Aziz K.A. (1978):

Effect of spacings and fertilization on the yield of *Majorana hortensis* Mnch. during the first and second seasons.

M. Sc. Thesis Fac. of Agric. Zagazig University (1978).

Abd-El-Gafour, A. Kalinkevic, M. I. (1950):

The effect of potassium on the accumulation of essential oils in the leaves of basil Doklady Akad Nauk U.S.S.R. 1363-5. c.f.

M. Sc. Thesis Cairo Univ. (1973).

Abd-El-Kader, E.M.; Mahran, G. H. and Saber, A. H. (1964):

A study of the manuring on Datura innoxia Mill. growing in Egypt.

Bull. Fac. Pharm. 1964, 3, 131.

Abd-El-Samad, M. A.; Diab; Y. Choli, and S. El-Gendi (1980):  
Chemical composition of Roselle Seeds oil affected  
by GA<sub>3</sub> and CCC.  
Research Bulletin, 1310 June, Ain Shams Univ. Fac.  
of Agriculture Shoubra El-Kheima, Cairo, A.R.E.

Abou-El-Fadl, I. A. (1969):  
Effect of spacings and nitrogen fertilizr on seed  
and volatile oil content in fennel.  
M. Sc. Thesis, Alex. Univ.U.A.R.

Abou-El-Ghait, E. M. (1980):  
The effect of Media nutrition and growth regulators  
on propagation and growth of Lilum longiflorum.  
M.Sc. Thesis Fac. Agric. Moshtohor Zagazig Univ.

Abou-El-Ghait, E. M. (1985):  
The effect of some horticultural treatments  
combined with PBA & NBA as foliar sprays on the  
growth & flowering of some different types of  
carnations.  
Ph. D. Thesis Fac. Agric. at Moshtohor Zazig Univ.

Abou-Leila, B.H. (1978):  
Ecophysiological studies on Datura metel L.  
Ph. D. Thesis Fac. Agric. Ain Shams Univ. 1978.

Accat, E. G.; Basoccu, I and Sulis, S. (1979):  
Effect of 6-BA and other cytokinins on flower  
production of spray carnation.  
Acta Horticultural 115-119 H.A. 51-1981 (1312).

X

Agafonov, N. V.; Cubina, L. E. (1981):

Changes in physiological characteristics of apple trees under treatment with chlormequat and different fertilization levels)

Izvestiya Timiryazevskoi, Sel'skokhozya, Stvennoi Akademii (1981) No. 2, 130-138.

(Ru, en, 25 ref.) Timiryazev Academy, Moscow, USSR, H. A. 1981 Vol. 51 No.10 (7621).

Agina, A. A. (1975):

Effect of some environmental and soil factors on growth and oil production of chamomile.

Ph. D. Thesis Fac. Agric. Ain Shams Univ.

Agina, E. A. (1980):

Effect of  $CA_3$ ,  $B_9$  and urea spraying on the flowering and concret oil yield of Marigold, Tagetes Erecta L. cv. show Boat.

Moshtohor Annals of Agricultural Science, Vol. 19.

Alam, A. U. Couch, J. R. and Creeger, C. R. (1968):

The carotenoids of the marigold Tagetes erecta.  
Canad. J. Bot., 46: 1539-41.

Alam, M. M.; Saxena, S. K. and Khan, A. M. (1977):

Influence of interculture of Marigold and Margsa with some vegetable crops on plant growth and nematode population.

Acta Botanica Indica (1977) 5 (1) 33-39 (En. 29 Ref.)

Aligorn Muslim University. Aligarh India.

C.F. Hort. Abst. (1978), Vol. 48 No. 8.

Al-Ani, M.N. A. (1986):

✓ Physiological studies on the growth and flowering of Iris tingitana L.

M. Sc. Thesis Fac. Agric. Moshtohor Zagazig Univ.

Almulla, A. M.N. (1985).

Effect of some growth regulators on the growth, flowering and seed production of some ornamental plants.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Amaki, W. and Hagiya, K. (1960):

Studies of fertilizer supply to tulips, 1. The effect of varied amount of three nutrient elements on growth of plants and yield of bulbs,

Jap. Jour. Hort. Ass. 29: 157-162. H.A. Vol. 31: 2963.

Amin, F. Y. (1967):

Nutrition of Gerbera jamesonii var. suberta.

A. Effect of nitrogen, phosphorous and potassium on its growth and flowering.

Assiut Univ. Bull. Sc. and Tech. 10: 233-248.

Anand, N.; Muthukrishnan, C.R. (1974):

Effect of potassium on growth, yield and quality of tomato. Potash Review (1974) No. 819. 1-7 (En 26 ref.) Tamil Nadu Agricultural University, Coimbatere, India.

N. A. 1926. Vol. 46 No. 5 (1686).

Anna, M. and Halina, S. (1964):

The dependence upon fertilizer for the amount of essential oils contained in several plants of Labiatae family during different growth periods.

Chem. Abst. 60 (2) No. (4732) 1964.

Anon, T.W.(1965).

All-year cultivation of chrysanthemums.

Tuinderii 1965, 5: 1497-8.

(From informations dienst Weikenstephan 1966,  
No. 8, P. 113, Dutch).

H. A. March 1967 Vol. 37 No. 1 (1315).

Arinshtein, A. I. and Radchenko, N. M. (1972):

(The suty of new essential oil plants in the  
Crimean foothius).

Byulleten, vesoyuznogo ordera lenena Instituto  
Resten ievodstva imeni N. I. Varilova (1972) No.23,  
76-80.

(Ru. 6 ref.) VIR Leningrad USSR, C. F. Hort. Abst.  
(1973) Vol. 43 No. 11.

Arora, S.K.; Pandita, M.L.; K. Rti Singh (1983):

Effect of ethrel on chemical composition of  
tomato (*lycopersicon esculentum* Mill) varieties  
HS-101 and HS-102. Haryana Agricultural  
University Journal of Research (1983) 13 (2)  
254-259 (En. 17 ref.)

Haryana Agricultural University Hissar India.

H. A.Vol. 54 June 1984 No. 6 (3674).

Attia, M. S. (1956):

Effect of some cultural and fertilizer treatments  
on the early and total yields of two varieties of  
Peas for fresh market.

Ann. Agric. Sci., Fac. Agric. Ain Shams Univ. 1  
(2): 213-219.

\* Attoa, G. E. I. (1981):

The effects of some chemical and hort. practices  
on the growth flowering and essential oil content  
of sweet.

M. Sc. Thesis Fac. Agric. at Moshtohor Zagazig Univ.

Awaad, K. E.; Svab, J. Fahmy, T. and Karawy, A.M.S. (1967):

Effect of nitrogen fertilizers, spacing and picking  
on yield of Matricaria chamomilla L.

The Bulletin of Faculty of Pharmacy, Cairo Univ.  
Vol. vi. No.1, 1967, 15-32.

A

Bahdur, R.; Gupta, G.N. (1966):

Effect of various fertilizers on compositions of  
Mentha arvensis plants.

Am. Perfumer Cosmet 81.9.45.50 (Harcourt Butler  
Technol. Inst.; Kanpur, India). Soils & Fertilizer  
1967 Vol. 30 P. (308).

Balbaa, S. I.; Karawya, M. S.; Saber, A. H. (1963):

Effect of nitrogen fertilization and irrigation on  
total yield and alkaloids of Hyoscyamus muticus L.  
Agric. Res. Rev., U.A.R., 1963, 41 (4): 76-91.

Barner, J. (1938):

Dependence of essential oil content of labiatae  
and compositae on potassium, nitrogen and  
phosphate fertilizing.

Angew. Botan, 20, 62, 9.

(c.f. Chem. Abst. 33 (3) No. (5112, 1939).

Basu, S. D. Ray, S. K. (1975):

Rotylenchulus Sp. - a new ectoparasitic Nematode  
in ted soil. Two and a Bud (1975) 22 (1) 17 (En)  
Tocklai Experimental Station, Jorhat, Assam, India.  
(c.f. Hort Abst. (1976) Vol. 46 No. 8.

Belichkl, I. (1984):

Effect of mineral fertilizers on the reproductive  
performance of the tomato cultivar Triumph grown  
for early production.

Gradinarskai Lozarska Nauka (1984) 21 (6) 56-61)  
(Bg. en, ru, 10 ref.) Kompleksna optinastantsiya,  
Sandanski, Bulgaria.

H. A. 1985 Vol. 55 No. 2 (2704).

Benk, E.; Treiber, H.; Bergmann, R. (1976):

Detection of Tagetes extract in orange juice  
concentrates considering raw materials and beverages  
(Chem. Landesuntersu = chungsanst, Sigmaringen, Ger.)  
Riechst, Aromen, Koerperpflegem. 1976, 26 (10),  
216, 218, 220-1 (Ger).

CH. Ab. 1977 Vol. 86, 41902g

Beraia, Y. A.K. and Shpakova, E. G. (1975):

The effect of the rates and proportions of nutrient elements on herbage yield and essential oil accumulations in geranium hybrid. Sukhumi, USSR, Alaskara (1974) 119-126 (Ru).

Alaskara (1974) 119-126 (Ru).

From Referativnyiz hurnal (1975) 3, 55, 909.

(c.f. H. A. 1975, Vol. 45.

Besemer, and Deiser, E. (1969):

Hemmstoffe bei Schnitt-Chrysanthemen. (growth substances for Chrysanthemums grown for cut flowers). Erwerbsgartner, 1969, 23: 2348-9 (bibl, 2. illus.). H. A. September 1970 Vol. 40 No. 3 (6715).

Bhardwaj, S. D.: A. N. Kaushal, P. C. Katoch and R. Gupta (1980):

Level and time of nitrogen application to pepper mint (Mentha piperita L.) at Solan. (H.P.) Indian perfumer 24 (1): 27-30.

Bhattacharjee. T. Mukhopadhyay and T. K. Bose (1976):

Interaction of auxin and gibberellin with growth retardants on growth and flowering of *Dahlia variabilis* and *Malvaviscus Conzattii*.

Indian Agriculturist, 20 (3) 193-199. The Agric. Horticultural Society of India. Calcutta, India. H. A. 1978 (48) 3698.

Bhattacharjee, S. K. (1983):

Influence of growth regulating chemicals on *Hippeastrum hybridum* Hort. Gardens Bulletin 36 (2) 237-242.

(C.F. Hort. Abst. Vol. 54, 6340).

Bhattacharjee. S. K. (1984):

The effect of growth regulating chemicals on  
gladiolus Gratenbauwissenschaft 49 (3) 103-106.

Bianco- colomas, J (1980)

Qualitative and quantitative aspects of betalains biosynthesis in *Amaranthus Caudatus* L. var *pendula* Seedlings. *planta* (1980) 149 (2) 176-180 En, 24 ref. Facult. des Sciences et des Techniques, Parc. Valrose, F-06034 Nice- cedex, France  
H.A. 1981 Vol. 51 No. 2 (1342)

Bik, R. A., and Berg. T. J. M. Van Den (1982):

Nitrogen and potassium fertilization of the  
Alstroemeria cvs orchid and carmen grown on peat.  
Acta Horticultural No. 126, 287-292.  
(c.f. H. A. Vol. 53: 463).

Blomme, R.; & Dambre, P. (1984):

The culture of gerbera acidity and salts concentration as a function of the manurial regime.  
De teelt van gerbera. Zuurtegrad en zoutkonnieuws  
Voor de Belgische Sierteelt (1984) (28) (14)-687  
(Ni, 1 pl.) Proefstation voor de Tuinbouw - B.V.O.  
9200 Wetteren, Belgium. H. A. 1985 Vol. 55 N<sub>1</sub>: 415.

Blomme, R.; Roels, G. (1977):

(Fertilizing American Carnations with Gold N.)  
De bemesting van Amerikaans anfers door middel van  
Gold N. Verbondsnieuws voor de Belgische sierteelt  
(1977) 21 (21) 713-714 (N<sub>1</sub>) proefstation voor de  
Tuinbouw (B.V.O), 9200 Wetteren, Belgium.

Bommegowda, A.; Krishnamurthy, K.; Narayana, M. R. (1983):

Agronomic investigations of java citronella  
macronutrient studies. Indian Journal of Agronomy  
(1983) 28 (2) 115-117 (En. 7 ref.) University of  
Agricultural Science. Bangalore 560024, India from  
Medicinal & Aromatic Plants Abstracts 6, 8404-1440.  
H. A. 1985 No. 8 6342.

Bosila, K. H. A. Udalova, V.I. (1978):

Dynamics of changes in the principal essential oil components of *M. Piperita* and *M. Crispa* treated with growth regulators.

Hort. Abst. 1979 Vol. 49, No. 3: 2127.

British Pharmacopeia, (1948):

London.

Bubicz, M.; Korzen, A.; Perucka, I. (1981):

Effect of potassium fertilization on the contents of L-ascorbic acid, B-carotene and capsaicin in capsicum fruits.

Wplyw Nawozenia Potasowego na Zwartosc Kwasu L-askorbinowego, B-carotene i. Kapsaicyny w owocach panryki, Roczniki Nauk Rolniczych, A. (1981) 104 H. A. 1982 Vol. 52 No. 5 (2978).

Carpenter, W. I. and Beck, G. R. (1972):

Growth regulator induced branching of poinsettias stock plant.

Hort. Science 7 (4): 405-406-1979.

Carpenter and Carloson, W.H. (1972):

The effect of growth regulators on chrysanthemum. Journal of the Amer. Soc. for Hort.Sci. 97 (3) 349-351.

Carpenter and Carlson, W. H. (1972):

Improved geranium branching with growth regulator sprays.

Hort. Science 7 (3) 291-292. H. A. 13.1973 (2195).

Carpenter, W. J. and Rodriguez, R. C. (1971):

The effect of plant growth regulating chemicals on rose shoot development from basal and axillary buds.

Journal of the American Society for Horticultural Science 96 (3) 389-391.

(c.f. Hort.Abst. 92: 1906-1972).

17  
Carter, A. R., and Dermott, W. (1966):

Nitrogen manuring of early flowering chrysanthemum  
in unheated glass.

Exp. Hort., 1966. No. 16 pp. 12-18 bibl. 3 H.A 37  
(3) P. 626 No. 5273 (1967).

Catarino, F. M. (1964):

Some effects of kinetine on sex expression in  
*Bryophyllum crenatum* Bak (LSDE) Portugal, Acta  
Biol., 1964, 8. 262-84. bibl. 26. Mlus. H. A.  
1965, Vol. 35.

Cathey, H. M. (1965):

Using B-nine on annuals. flora. Nursery exchange  
1965. 143 (14): 28-9, bibl. 2. Illus. A. 0-5% Foliar  
spray of B-nine applied to petunias in containers  
when the main stem began to elongate reduced their  
ultimate height by a third the plants were compact  
and flowered at the usual time. Four H. A. (1965)  
Vol. 35 (6048).

Chan, G. F.; Q. Towers, G.H. N. and Mitohell, J. C. (1975):

Ultraviolet-mediated antibiotic activity of  
thiophene compounds of tagetes.

Phytochemistry (1975) 14 (10) 2295-2296 (En. 12  
ref.) British Columbia Univ. Vancourver, Canada.  
(c.f. Hort. Abst. (1976) Vol. 46, No. 7.

Chandra, V.; Singh, A. and Kapoor, L. D. (1968):

Experimental cultivation of some essential oil  
bearing plants in salin soils perfume Essential Oil  
Rec., 1968, 59: 869-73 (bibl. 8, illus.)  
H. A. 1969 No. 3, Vol. 39 (5452).

Ching, A. and Einert, A. E. (1984):

Cytokinins, gibberellins and soil calcium on  
branching of poinsettia.

Hort. Science (19): 2, 201, 1984.

Christopher, E. P. (1958):

Introductory Horticulture.

McGraw-Hill Book Company, Inc. New York.

Toronto - London, PP. 482.

Conover, C. A. (1970):

Response of pot grown chrysanthemum morifolium.  
yellow delaware to media and Fertilization levels.  
Proc. Fla. St. Hort., Soc. 1969, 1970, 82: 425-9  
bibl. 9 H. A. 41 (1) P. 211, No. 1696 (1971).

Criley, R. A. (1980):

Strmulating treated bud break on dracaena plant  
Plant propator, 26 (2) 3-5,  
(c.f. H. A. 1981 Vol. 51 No. 4, 2647).

Crittendon, C. E. (1967):

Effects of B-nine and cycocel on some anatomical  
chemical and physical factors influencing leaf  
colour and stem length of chrysanthemum morifolium  
L. cv. Criterion and Euphorbia pulcherrima willd.  
Cv. Elisabeth Eck. Diss. Abst., Sect. B. 27,  
3740, H. A. 68, 1968.

Crittendon, C. E. and Kiplinger, D. C. (1969):

Effects of B-nine and cycocel on some factors  
influencing leaf color and stem strength of  
chrysanthemum and poinsettia, ohioflor. Ass. Buill.  
1969, No. 481, PP. 2-4.  
(bibl. 9, illus).  
H. A. 1970 Vol. 40 No. 3.

Crush, J. R. (1973):

Mineral nutrition and alkaloid accumulation in  
Solanum Laciniatum and S. aviculare.N  
Nz. J. Exp. Agric. 1973, 1 (2), 187-90 Chem. Abst.  
1973, 79, 104247.

Cutting, C. V. (1961):

A note on the production of geranium oil nyasaland  
Fmr, For 5 (3): 23-4, H. A. 1961 Vol. 31.

Czabajski, T. Golcz, L. and Zatecka, M. (1973):

Introdution of the datura innoxia mill scopolamine  
form to the cultivation.  
Herba Polonica 19, P. 167.

Dafert, O. et al. (1931-1932):

Heiland gewrznplanzen. 14, 98. E. F. elzena G.

Dafert, O. et al. (1936):

Die Lendeskultur, 3: 147-163.

C.F. El Zenga, G., 1957.

Das, P.; Bose, T.K. Roy, P. K. (1975):

Effect of growth regulators on the photoperiodic response in short and long day plants.

Plant Science (1975, received 1977) 7-41-44

(En, 6 res, Agric. Horticultural society of India Calcutta, 700027, India, H. A. 1978, Vol. 48 No. 5 (4747)).

Davies, F. T.; J. R. and Moser, B. C. (1980):

Stimulation of bud and shoot development of Riger begonia leaf cuttings with cytokinins.

Journal of the American Society for Horticultural Science, 105 (1): 24-30.

Dennis, F. G. (1966):

Effects of growth retardants on Juvenile apple seedlings.

Proc. 17 th. int. Congr. Md. 1966. 1 Abst. 224, H. A. 1968 Vol. 38 No. 1.

Dey, B. B., and Choudhur, M. A. (1984):

Effect of application of N, P and K on the growth and yield of essential oil and eugenol in ocinum santctum,

Pafai Journal (1984) 6 (1) 20-24 (En, 10 ref)

Burdwan University, Burdwan 71304, West Bengal

India. From Medicial & Aromatic plants Abstracts 6, 8404-1449, H. A. 1985 No. 8 Vol. 55 (6351).

Doo, D. F. (1972):

(The influence of various crops on nematode populations) influencia de diferentes cultivos en las poblaciones de nematodos.

Nematropica (1972) 2 (2) 30-32 (Es, en 3 ref.)

Servicio shell pard el Agriculture, Cague, Venezuela from Tropical Abstracts 29-X 1019.

(c. f. Hort. Abst. (1975) Vol. 45 No. 4.

Dvorska, L. (1981):

The effect of growth regulators and temperature gradient on flowering of *Saintpaulia imantha wendi*.  
Acta Horticulturae 1979 No. 91, 507-510.  
Ornamental Hort. 7 (2) 1340.

Eid, M. N. A. (1969):

Metabolism in *Hyoscyamus muticus* (L.)  
Ph. D. Thesis Fac. Agric. Ain Shams Univ.

Eid, M.N. and Rofaeel, S. (1980):

Geranium oil as influenced by application of IAA.  
Res. Bull. 1239, January, Fac. Agric. Ain Shams Univ.  
Shubra El-Kheima, Cairo, A. R. E.

El-Beltagy, M. S. (1966):

Cultural and nutritional treatments on the production of *Majorana hortensis*.  
M. Sc. Thesis Fac. Agric. Ain Shams Univ.

★ El-Deeb, S. M. A. (1982):

Effect of some fertilization treatments on the growth and active constituents of Atropa belladonna plants.  
Ph. D. Thesis Fac. Agric. Ain Shams Univ.

El-Gamal, El-S.A. Mahmoud, M. M. and Omar, F. A. (1983):

Effect of nitrogen fertilization on the growth and yield of *Hibiscus sabdariffa* C. Annals of Agricultural Science, Ain Shams Univ. (1983) 28(2) 839-850 (En. ar, 9 ref.) Ministry of Agriculture, Dokki, Egypt, H. A. 1985 Vol. 55, No. 9.

El-Gamassy, A. M. and S. El-Shafi (1967):

Effect of the fertilizer level lime and number of dressing on the growth and flowering of rose plant in the field.  
Annals of Agric. Science Fac. of Agric. Ain Shams Univ. Cairo, Vol. XII No. (1) 1967).

\* El-Gamassy, A. M.; M. Hassib and A. I. O. Baz (1969):  
Effect of fertilization levels on growth, flowering  
and chemical composition of Gerbera jamesonii plants.  
Soc. Hort. Magazine, 14 PP 30-42.

El-Gamassy, K. M. and El-Sayed, S.A. (1977)  
Effect of foliar nutrition and spacing treatments  
on the growth and yield of coriander plants  
(Corianderum sativum).  
Res. Bul. 786 (1977 Fac. Agric. Ain Shams Univ.

El-Gengeihi, S. E. (1964):  
Effect of levels of manuring on growth and other  
extract of the aromatic plants.  
M. Sc. Thesis, Fac. Agri. Cairo Univ.

El-Ghitany, M. Y. and Khattab, M. (1969):  
Physiological studies on carnation plants.  
M. Sc. Thesis Fac. Agric. Alex. Univ.

El-Hamidi, A. and Saleh M. (1965).  
The effect of fertilizer level on growth yield  
and oil production of Matricaria Chamomilla Loyolia,  
Vol. 28, No. 3 Sept. 1965: 245-251.

El-Hamidi, A. Ibrahim, E. and El Gengihi (1968):  
The effect of different fertilizers on growth and  
essential oil production of geranium in U.A.R.  
Sonderruckaus. Die Pharmazie, Berlin, Juni  
(1968) Heft 6 (Seiten 334-335).

El-Hamidi, A. M. and S. El-Gengihi (1969):  
The effect of different fertilizer levels on growth  
and essential oil production of geranium growth in  
U.A.R. Pharmazie (1968) 23: 334-5 (bibl. 8).  
H. A. 1969 Vol. 39 (1105).

El-Hanafy, S. H. (1985):  
Effect of some growth regulators chemical fertiliza-  
tion and planting date on growth and flowering of  
Dahlia and Gladiolus plants.  
M. Sc. Thesis Fac. Agric. Cairo Univ. 1985.

El-Harrawy, A. A. (1967):

Effect of fertilization on the growth mineral uptake and flowering of *Freesia refracta*.  
M. Sc. Thesis, Fac. Agri. Ain Shams Univ.

El-Koholy, M. (1968):

Effect of fertilization and plant spacing on sweet peas (*Lathyrus odoratus* L.).  
M. Sc. Thesis Fac. Agric. Cairo Univ.

El-Labban, H. M. M. (1969):

Nutritional studies on the growth and active ingredients of datura plants.  
Ph. D. Thesis Fac. Agric. Ain Shams Univ.

El-Leboudi, A.; Maksoud, A.; Midan, A. and Mitkees, A.

(1976):

Response of snap bean plant to fertilization with P, K and Mn.

Agric. Res. Rev. (1974) 52 (5) 149-159.

(En, 12 ref. Ain Shams Univ.

Elliott, D. (1979):

Temperature-sensitive response of Red Light-dependent botacyam in synthesis.

Plant physiology (1979) 64 (4) 521-524 (En. 10 ref.)

Flinders University of South Australia. Bedford Park S. A. 5042, Australia.

El-Mansi, A. A.; Mostafa, M. Bakr, and Snobal, R. E. (1970):  
Effect of fertilization and irrigation on yield, oil content of coriander and its physicochemical properties.

Fac. Agric. Ain Shams Univ.

El-Naggar, A. I. (1980):

Physiological and nutritional studies on polianthus tuberos L.

M. Sc. Thesis Assiut Univ.

El-Sayed, A. A. (1973):

Geranium herb and oil production as affected by chemical fertilization.

M. Sc. Fac. Agri. Cairo Univ.

S. Mostafa, M. B. and Hassan, A. (1973):

The effect of some fertilization treatments date on flower and concrete oil yield of Jasmine plant.

Ain Shams Res. Bun.

El-Shamy, S.M.R. (1982).

Effect of chemical fertilization and some growth regulators on growth, flowering and concrete oil yield of cornation.

M. Sc. Thesis Fac. Agri. Cairo Univ.

El-Sharkawy, F. A. A. (1981):

Effect of some hormonal and agricultural treatments on the oil yield and chemical constituents of Majoram plants Majorana hortensis.

Ph. Thesis Fac. Agric. Ain Shams Univ. 1981.

El-Zeftawi, B. M. (1977):

Effects of ethephon and 2,4,5-T on fruit size, rind pigments and alternate bearing of imperial mandarin, Scientia Horticultural Research Station. P. O. Box 460. drymple, Victoria 3498, Australia.

M. A. 1977 Vol. 47 No. 9 (8865).

Emura, K.; Hosoya, T. (1979):

Effect of fertilizer on the quality and yield of spring-sown carrots).

Bulletin of the Saitama Horticultural Experiment Station (1979) No. 8, 13-23 (Ja, en, 15 ref.)

Saitama Horticultural Experiment Station, Rokumanbu, Kerku-shi. Saitma-Ken, Japan, H. A. 1980 Vol. 50.

No. 12 (9153).

Essa, Z. M. (1984):

Studies on the affect of foliar nutrition on some flowering ornamental plants.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Faber, W. R. and White, J. W. (1977):

The effect of pruning and growth regulator treatments on rose plant renewal,  
Journal of the American Society for Horticulture  
Science (1977) 102 (2) 223-225.  
(c.f. Hort. Abst. 47: 10707, 1977).

Farid, A. (1979):

Effect of chemical fertilization on *Mentha viridis* L.  
M. Sc. Thesis Agric. Ain Shams Univ.

Forsyth, F. R. and Samborsk, D. J. (1960):

Effects of kinetin and benzimidazole on the growth  
of etiolated pea stems and barley Coleoptiles.  
Canda - J. Bot., 1960 38: 875-81 bibl. 12. Illus  
HA Vol. 31 No. 2, 1981 (1779)

Fransen, J. W. (1963)

Chrysanten (*Chrysanthemums*) Jversl Proestat.  
Bloem. Aalsmeer, 1963, PP. 53-65 illus H. A. 1964  
Vol. 34 No. 3 (7042).

Franz, C.; Holzl, J. and Kirsch, C. (1983):

Influence of nitrogen phosphorous and potassium  
fertilization of chamomile (*chamomilla recutita*,  
Syn. *Matricaria chamomilla*). II. Effect on the  
essentile oil). Einfluss der stickstoff.,  
phosphor-und Kalidungung auf Kamill (*Chamomilla*  
*recutita* L.) Rauschert, Syn. *Matricaria chamomella*  
L.) II Beeinflussung des Atherischen ols. Garten  
Gartenbauwissenschaft (1983) 48 (1) 1722  
(De, en, fr, ru, 16 ref.) Technische Universitat  
Munchen 8060 Freising weihenstephan Federal Republic.  
H. A. (1983 Vol. 53 No. 6 (4462).

Franz, G. C. and Kirsch (1974):

Growth and flower formation by *matricaria chamomella*  
in relation to varied Nitrogen and Potassium  
nutrition.

Garten bauwissenchoft (1974) 39 (1) 9-19. H. A.  
1975, 75. No. 4 2737.

Fries, N. (1960):

The effect of adenine and kinetin on growth and differentiation of lupinus-physiol. plant 1960.  
13: 468-81 bibl. illus. H. A. Vol. 31 No. 2, 1961  
(1778).

Fritzsche, G. (1980):

Growth regulators for pot chrysanthemums) wachstums  
regulatoren bei Topf-chrysanthemen. Deutscher,  
Gartenbau (1980) 34 (4) 161-162 (De, 3 pl.)  
Institut für Zier Pflanzen unter. Glas, Munich  
German Federal Republic. H. A. 1980 No. 10 (7846).

Gabr, S.; Sharaf, A.; El-Saadany, S. (1984):

Effect of cycocel and Alar on some biochemical  
constituents in tomato plant and fruits.  
Annals of Agricultural Science. Moshtohor (1984)  
20 (3) 73-85 (En, ar, 14 ref) Zagazig University  
Egypt. H. A. 1984 Vol. 54 No. 12 (9213).

Genchev, S.; K. Drev, T.; Georgieva, V.; Rankov; Dimitrov, G.  
(1979):

(Changes in the plastid pigment content of tomatoes  
as affected by different nutrient element ratios).  
Fiziologiya na Rastenyata (1979) 5 (4) 67-74 (Bg,  
en, ru, 13 ref) Institut Po Zelenchukovi Kultuvi  
Maritsa, Plovdiv Bulgaria. H. A. 1981, Vol. 51,  
No. 3 (1968).

Gillespie, J. B. and Thomas, M. B. (1982):

Influence of nitrogen, phosphorous, potassium and  
lime on growth and flowering on potted cyclamen  
combined proceeding international plant propagators  
society 32, 383-389.  
(c.f. N. A. Vol. 54: 3752).

✓

Gindich, N. N. and Sheberstov, V. V. (1971):

Some aspects of the mineral nutrition of wild  
camomile.

Rostenii (1971) No. 3; 122-128 (3972) H. A. 1973  
Vol. 43.

Gomez, R.; Gom, F. M.; Macarulla, J. M. (1978):

Carotenoids from marigold (Tagetes erecta) petals  
and their esterified fatty acids. (Dep. Bioquim,  
Fac. Cien., Bilbao, Spain). Rev. Esp. Fisiol. 1978,  
34 (3), 253-6 (Eng.).  
CH. Abst. Vol. 89, 1978.

Gortiz, H. (1965):

Gesteuerte chrysantheme Kul true-heute, Teil 1,  
Topf chrysanthenen, Teil 11 Schnittchrysanthenen,  
Teil 111 Die rerdonklung bei chrysanthenen,  
Controlled chrysanthemum culture today part 11  
Pot chrysanthemums. Part 11 cut chrysanthemums  
part 111 The blacking-out of chrysanthemums)  
Dtsche Gartenwirt, 1965, 13: 195-Zillus; 216-19  
illus, and 252-4, illus H. A. 1966 No. 1 (1322).

Gortiz, H. (1967):

Bidrag til ernaring og vakstrontrol of styrede  
Chrysanthemum (Report on nutrition and growth  
control of regulated chrysanthemums. Nord  
Jordbrfarskn, 1967, 49: 290 (Abstract only).

Gortiz, H. (1970):

Controlling the height of pot chrysanthemums  
Erwerbsgarther 24: 545-6.  
(c.f. Hort. Abst. Vol. 40, 8757).

Gosh, M.L. and Chatterjee, S.K. (1976):

Effect of N, P, K fertilizers on growth develop-  
ment and essential oil content of *Mentha* spp.  
Indian J. Exp. Biology 14 (3) 366-368.

✓

Grob, W. Eichenderger, and R. P. Pflugshaupt (1961):  
Formation of carotenoids in leaves blossoms and  
fruit. (Univ. Bern) Chinnia (Switz.) 15, 565-6  
(1961) (in German).  
CH. Ab. Vol. 57, 1962 (1283g).

Gross, J.; Eckhardt, G.; Sonnen, H. D.; Lenz, F. (1979):  
(Effect of different nitrogen supply on Flavedo  
of Calamondin fruit).  
Einfluss unterschiedlicher Stickstoffversorgung auf  
flavedocarotinoide von calamondinen (citrus  
madurensis Lour.). Gartenbauwissenschaft (1979)  
44 (1) 45-48 (De, en, fr, ru, 17 ref.) Bonn University  
H. A. 1979 Vol. 49 No. 7 (5329).

Mugenhan, E. (1971):  
Growth inhibitors applied to annual flowers.  
Hemmstoffe bei sommerblumen. Gartenwelt (1971) 71  
(20) 450-453 (De 1 ref, 2 pl) Stuttgart Hohenheim, W  
Germany H. A. (1972) Vol. 42 No. 2 (4289).

Guenther, E. (1952):  
The essential oils D. Van Nostrand Company. Inc.  
Toronto, New York. London. Vol. 5 P. 507.

Gutmane, L. and Grivina, D. (1975):  
The effect of different kinds concentrations of  
fertilizers on the growth and development of  
gerberas and the nutrient content of the plants.  
Izvestija A. N. Latvssv (1975) No. 11, 22-26 from  
Referativnyi Zhurnal (1976) 455-1115. H.A. Vol. 47,  
No. 628, P. 23 (1977).

Hargital, L. and Vass, E. (1976):  
Studies on nitrogen metabolism and some fundamental  
problems of nitrogen supply in horticultural plants.  
Kerteszeti Egyetem Közleményei (1976) 40 (8) (1)  
69-74.  
H. A. Vol. 48 No. (1492), P. 139 (1978).

Hartwig, R. C.; Larson, M. M. (1980):

Hormone root-soak can increase initial growth of  
planted hardwood stock.

Tree planters Notes (1980) 31 (1) 29-33.

H. A. June 1984 Vol. 45 No. 6.

Haru, K.; Naito, K.; Suzuki, H. (1982):

Differential effects of benzyladenine and potassium  
on DNA, RNA, Protein and chlorophyll contents and on  
expansion growth of detached cucumber cotyledons in  
the dark and light, *physiologia plantarum* (1982)  
55 (3) 247-254 (En. 32 ref.) Tsukuba University,  
Sakura-Mura Ibaraki 305, Japan. H. A. 1982, Vol.  
52, No. 11.

Hassan, A. H.; Saleh, M. M. and Abd El-Hady, W. H. (1984):

Effect of some growth regulators and water regime  
on the growth, fruit yield and ingredients in  
capsicum sp.

Annals of Agric. Sci., Moshtohor, Vol. 21, 1984, PP.  
1027-37.

Hassanain M.A. (1985):

Effect of some growth regulators and potassium  
fertilizer on growth, yield and essential oil  
production of Geranium plants Pelargonium graveolens.  
M. Sc. Thesis Fac. Agric. Cairo Univ. (1985).

Havelka, B. (1960):

Effect of fertilizer on growth and yield of  
Chenopodium ambrosioides L. var Anthelminth. Gray.  
Sborn, Vys. Skol. Zemed. Brne A No. 3-4. 293-297  
(Czrg).

Soils & Fertilizers 1962 Vol. 25 P.

Higaki, T. and Rasmussen, H. P. (1979):

Chemical induction of adventitious shoots in  
Anthurium.

H. Science 14 (1) 64-65, 1979.

Higuchi, H. and K. Sakai (1979):

The effect of N-6-benzyladenine on the flowering  
of Derdrobium.

Nodoka Research Bulletin of the Aichi-Ken Agr.

R.C.B. (Horticulture) No. 9: 79-81.

(c.f. H. A. 49: 1379, 1979).

Hildrum, H. (1968):

The effect of light quality and B-nine on the  
growth and flowering of Campanula isophylla.

Gortenerket, 58: 578-80 and Garther Tidende,

84, 491-3 (5154).

Hiltner, L. and Boshard, K. (1923):

Heil-M. Gewurzpflanzen 6.1.

(c.f. Mauske, R. H. F. and Holmes, H. L. (1950).

Hiroyasu, T. (1970):

The effects of time of nitrogen application on the  
growth of chrysanthemum, Tech. Bull. Fac. Hort.

Chiba, 1970, No. 18, PP. 43-6 bibl. 15. H. A. 41 (4)

P. 1101 No. 9279 (1971).

Hoag, B.K.; Zubiski, J. C. I. G; Geiszler, G.N. (1968):

Effect of fertilizer treatments and row spacing on  
yield quality and physiological response of safflower.

Agron.J. 60, 198-200 (N. cent Agric. Exp. Stn. Minto.

North Dakota, U. S. A.).

Soils & fertilizers 1968, Vol. 31 P.

Holevas (1968):

Response of strawberry plants to N and K supply

in relation to their stage of growth and nutrient

status. Heggen. 11 Cologeur medit contr. Fert.

plant culti. Seville, 1968, PP. 701-16 (bibl. 9 -

illus, Spanish summary, H. A. 1971 Vol. 41 No. (4).

4

Holley, W. D.; Wagner, D. L. and Farmer, R. (1952):

The response of carnation varieties, William sim and white patrician to various levels of nitrate and soil moisture, colo, st. flowers Grs. Abst. Bull., 1951, 26: 1-3. H. A. Vol. 23 (4), No. 4134 (1953).

Hore, B. K.; Bose, T.K. (1972):

Effects of B-nine on growth and flowering in some tropical ornamental plants.

Indian Journal of Horticultural 29 (1) 93-96.

H. A. 45, 1975 (5202).

Horton, D. E. (1959):

Bulbs, A. R. Rosewarne Exp. Hort. State, 1957,

1958, PP. 19-30. H. A. 29 (1) P. 138 No. 714.

Hotin, A. A. and G. M. Segal (1968):

The effect of external conditions on the yield and essential oil accumulation chamomile, Trudy, Vses.

Nauc-issled. Inst. Lekarstv. Rast., 1968, 13: 344-51

(Russian, Form, Ref. Z. (Rasten), 1969. Abstr.

7.55.706. H. A. 1970.40.1, 1906.

Humphries, E. C. (1960):

Growth of rooted detached leaves A. R. rothamsted exp. stat. 1960, 1961, P. 102. H. A. December 1961 Vol. 31 No. 4 (5679).

Ibrahim, A.N. (1960):

Effect of inoculation and nitrogen fertilization on growth and flowering of Lathyrus odoratus.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Ickes, G. R.; Fong, H.H.; Schiff, P. L. JR. Perdue, R. E.;  
JR. Farnsworth, N. R. (1973):  
Antitumour activity and preliminary phytochemical  
examination of Tagetes minuta (compositae).  
Journal of Pharmaceutical sciences (1973) 62 (6)  
1009-1011 (En, 23 ref.) Illinois University,  
Chicago, U.S.A.  
(c.f. Hort.Abst. (1974) Vol. 44 No. 4.

Idem, C. (1981):  
Effect of exogenous growth regulators on flower  
stalk and bud development in greenhouse carnation)  
111 Pedow Rakow Kwiatowych gozdzikow szklarniowych.  
70. 84 (1981). H. A. 51, 1981.

Irulappan, I. and C. R. Muthukrishnan (1974):  
Effect of growth regulators on seed germination,  
growth yield and quality of Co 1. tomato. South  
Indian Horticulture 22 (112) 54-56.

Ismail, M. Y. (1977):  
Physiological studies on the growth and essential  
oil production of Ocimum  
M. Sc.Thesis Fac. of Agric. Ain Shams Univ.

✓Ivanova, L.N. and Gogija, V. T. (1965):  
The effect of increased rates of mineral fertilizers  
on the quantity and composition of oil in the  
geranium m. Trudy Suhum. opyt. stan. efirnomasl.  
Kul tur, No. (6) 63-74. H. A. 1968 Vol. 38.

- Jacobson, M.; Redfern, R. E. Mills, G. D. J. R. (1975):  
Naturally occurring insect growth regulators.  
11. Screening of insect and plant extracts as insect  
Juvenile hormone mimics.  
Lloydia (1925) 38 (6) 455-472 (En. 17 ref.) Agricultural  
Environmental quality Institute, ARS, USDA,  
Bettsville Maryland 20705 USA. H. A. 1976 Vol. 46,  
No. 11.
- Jana, B.K.; Roy, and Bose, T. K. (1974):  
Studies on the nutrition of ornamental plants.  
III. Effect of nutrition on growth and flowering  
of dahlia and tuberose.  
Indian Jour. Hort. 31 (2): 182-185. H. A. Vol. 46:  
3518.
- Jana, B. K.; Biswas, S. (1979):  
Effect of growth substances on growth and flowering  
of tuberose (Polianthes tuberosa L.). Haryana Journal  
of Horticultural Sciences (1979) 8 (314) 216-219 (En,  
hindi, 8 ref.) Agri. Horticultural Society of India,  
Calcutta, 700027. India.  
(c.f. Hort. Abst. Vol. 51 (1378).
- Jeffcoat, B. (1977):  
Influence of the cytokinin, 6-benzlamino-9-(tetra-  
hydropyran-2-yl)- 9 H-pruine, on the growth and  
development of some ornamental crops.  
Journal of Horticultural Science, 52 (1): 143-153.
- Johansson, J. (1970):  
Vaxtregulatorer till roser och margeriter. (growth  
regulators for roses and marguerites). Nord.)  
Jordbrforsk, 1970, 52: 123-4. H. A. 1971.

X

Johansson, J. (1977):

Main effect and interaction of N, P, K applied to greenhouse roses.

Soils and Fertilization 1980 Vol. 43 No. (2).

Jolivet, J. (1977):

(Importance of mineral nutrition in the production of capitula and essential oil of *anthemis nobilis*)  
Importance de la nutrition mineral sur le rendement de la production de camomille romain (*Anthemis nobilis* L.). en capitules et en huile essentielle  
Plants Medicinales et Phytotherapie (1977) 11  
(2/119-123) (Er. 2 ref) Faculte mixte de Medecine et de H. A. 1978 Vol. 48 No. 1 (763).

Jungk, A. (1962):

The value of chemical methods for testing substrates for pot plants. II. The relationship between growth and the N and K content of the substrate. Z. pflernahr. Dung, 1962, 99: 194-206 bibl. 12. H. A. 33 (2) P.346 No. 3330 (1963).

X

Kadam, P. Y.; Bhole, D. P.; Shirsath, N. S.; Rane, D.A.(1985):

Effects of different levels of potash on yield of chilli var. Iwala. Maharashtra Journal of Horticulture (1985) 2 (1) 70-71 (En hindi 2 ref.) College of Agriculture, Pune 411005, India. H. A. 1985 Vol. 55 No. 8.

X

Kaether, K. E. (1965):

Der einfluss der mineralischen stickstoffernahrung auf inhaltsstoffe des Affels, insbesondere auf die pigment der fruchtschale. (The influence of mineral nitrogen nutrition on the components of apples especially on the pigments of the fruit skin) (English and French summaries ip each).  
Gartenbauwiss 1965. 30: 361-402 bibl. 78 coxs orange, Goldparamane Laxtons superb and Jonathan H.A. Vol. 36, 1966 No. 1 (392).

Kalinkevic, M. L. (1950):

The effect of potassium on the accumulation on essential oils in the leaves of basel Doklady A. Kad. Nauk. USSR 1363.5.  
(c.f. M. Sc. Thesis Cairo Univ.)

Kamps, J. R. and F. A. Pokormy (1958):

The nutrition of greenhouse roses in high boron soils. III. St. Flor. Ass. Bull. No. 194. From Abst. in Bull. N. 4. St. Flower Grs. 1958, No. 156, P. 7 (c.f.) H. A. (1959) Vol. 29 No. 2.

\* Kandeel A. M. (1981):

Effect of some Agricultural treatments on the yield oil percentage of chamomile plants (Matricaria chamomilla).

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Kanter, J. H. (1977):

Personnal Comunication, W. Altee Burpee Co., Warminster, Pa.

Kapelev, I. G. (1971):

Marigolds as essential oil plants). Rasti

Rastitel'ny Resursy (1971) 7 (4) 571-574 (Ru, 2 ref.)

Nikitskii Botanicheskii Sad, Yalta, Crimea, USSR.

H. A. 1972 Vol. 42 No. 1 (4541).

X

Kaplev, I. G. (1973):

(Introduction of aromatic plants) Byulleten,  
Gosudarstrnnogo Nikitskoga Botanicheskogo sada  
(1973) No. 2 (21) 61-23 (Ru, en. 4 pl.) Yalta  
Crimea USSR.  
C.F. Hort. Abst. (1925) Vol. 45 No. 4.

Kapelev, I. G. (1975):

(Introduction of marigolds as essential oil plants)  
Trudy Po Prikladnoi Genetikei Seleksii (1975) 54  
(2) 231-235 (Ru. en, 6 ref., 2 pl.) vir leningrad,  
USSR. H. A. 1976 Vol. 46 No. 7 (11665).

Kapelev, I. G. (1978):

. Introduction of marigolds as essential oil plants.  
(Gos. Nikitsk. Bot. Sad. Kiev, USSR). In Nikitsk.  
Botan. Sad. 1978 (75), 29-43 (Russ) CH. Ab. Vol. 92,  
1980.

Karrer, P.; Jucker, E. and Steinlin, K. (1947):

Helv. Chim. Acta. 30, 531.  
C. F. Valadon et al. Carotenoids of certain  
compositae flowers, Phyto. Chem. 6. PP. 985  
(1967).

Kaseva, D.; Atanazov, Z.H.; Decheva, R.; Gargova, N. (1978):

Effect of fertilizers on the utilization and  
removal of N, P, and K by Kasanluk roses Rasteniev  
dninauki (1978) 15 (3) 107-118 (Bg-en, ru. 21 ref.)  
H. A. 1979 Vol. 49 No. 10.

Khan, M. I. (1980):

Gibberellic acid bioassay based on the inhibition  
of anthocyanin production in tomato seedlings.  
Biologia Plantarum (1980) 22 (6) 401-403 (En. 5 ref.)  
Charyounis University. P. O. Box 9480 Benghazi,  
bibya. H. A. 1981 Vol. 51 No. 6.

X  
Kher, M. A. (1973):

Effect of B-nine and Etherel on the growth retardant  
Chiflor. Ass. Bull. No. 42. P. 7 H. A. 41: 4528.

Kim, K. S. (1976):

The effect of Alar (daminozide) and cycocel  
(chlormequat) on the growth of chrysanthemum  
morifolium in pots).

Journal of the Korean Society for Horticultural  
Science (1976) 17 (1) 78-85 (Ko, en, 16 ref.)

O. H. 1977 (7630).

Kiplinger, D. C., and Tayama, H. K. (1970):

Several poinsettia cultivars as affected by growth  
retardant. Chi. Flor. Ass. Bull. No. 42. P. 7.  
(c.f. Hort. Abst. Vol. 41: 4528).

Klein, A. O., and Hagen, G. W., Jr. (1961):

Anthocyanin production in detached petals of  
impatiens balsamina L. plant.

Physiol., 1961, 36: 1-9, bibl. 22.

H. A. 1961 Vol. 31 No. 3, 4974.

Kramer, W. (1955):

A contribution to Caraway cultivation. Karl. Marx  
U. Leipzin Germany Ein. Ein Beitrag zum Kuehme  
Lanbau Pharmazie 10 (9): 550-554 (1955).  
(c.f. Biol. Abst. 31: 18549, 1957).

Kroll, U. (1962):

The effect of fertilizers, manures, irrigation  
ridging on the yield of pyrethrum E. Af. r. Agric.  
far. J. 28, 139-145.

Soils and Fertilizers 1963 Vol. 26 (211).

Kuhn, R.; Winterstein, A. and Lederer, E. (1931):

Zur Kenntriss der Xanthophyll. Z. Physiol. Chem.  
147: 141-160.

C. F. Karver, P. and Jucker, E. Carotenoids.

Elsevier Publishing Company Inc., N. Y. PP. 199  
(1950).

X  
Kumar, R.; Gill, A. P. S. (1983):

Effect of nitrogen application on the flower yield of young plants of *Jasminum sambac* Ait. South Indian Horti (1983) 31 (1) 20-21 (En. 3 ref.) Punjab Agric. Univ. Ludhiana, 141004, India. H. A. 1984 Vol. 54 No. 5.

Laborie, M. E. (1963):

Contribution a l'etude des actions de la gibberelline et du chlorure de chlorocholine sur le metabolisme des pigments foliaires. II. Actions de Lovitesses de renouvellement des pigments chloroplastiques (A contribution to the study of the effect of gibberellin and (2-chlorethyl) trimethyl ammonium chloride (CCC) on leaf pigment metabolism. II. The effects of gibberellin and CCC on the contents and rates of renewal of chloroplast pigments) (English Summary 1/2 P.) Ann. Physiol. Veg., 1963, 5: 89-113, bibl. 35. Illus. H. A. 1964 No. 2.

Lazar, M.; Brugovitzky, E.; Huzmezan, I. (1977):

(Morpho-Physiological effect of Alar on Chrysanthemums) Effectul morfo-Fiziological Alarului la planta ornamentală chrysanthemum in contrib Bot. Univ. Babes-Bolyai (1977) 209-213 (Ro de) University Babes Bolyai, Clujnapoca, Romania. From Referativnyi Zhurnal (1978) 7.55.924. H. A. 1979 No. 2.

Ledovskii, S. Y. A.; Korzun, G. A. (1972):

(The content and state of pigments in tomato leaves in relation to mineral nutrition and water regime) F. Ziologiya i Biokhimiya Kul'turnykh Rastenii (1972) 4 (2) 198-202 (Ru, en, 18 ref.) Ukrainski inil ovoshchevodstva Bakhchevodstva, Merefa, USSR.

H. A. Vol. 43 January 1973 No. 1.

X  
Lee, J. S.; Kwack, B.H. (1974):

The effect of several dwarfing agents on the growth and flowering of chrysanthemum morifolium. Journal of the Korean Society Horticultural Science, 15 (2) 168-172. Korea University. Anamdog, Seoul, S. Korea, H. A. 45, 1975.

Lees, P. D. (1961):

Bulbs, A. R. Rosewarne exp. Hort. Stat., 1959, 1960, PP. 18-25.

(c.f. H. A. Vol. 31 No. 2 (2919).

Lemper, J. (1966):

Growth inhibitors of azaleas, Garten Welt, 66: 394-6. H. A. 38, 1968.

Lindemann, A.otto , and Schikedanz (1967):

Controlled growth pot chrysanthemums and B<sub>9</sub> treatment, Zier Pflanzenbau, 7. 84-5. H. A. 37, 1976 (7271).

Loeser, H. and Essig, W. (1966):

Versuche mit wuchshemmmitteln 1966/67 (experiments with growth retarding substances. 1966/67) Otsche Gartenerborse. 1968. 68: 51-9 (illus) H. A. September 1968 Vol. 38 No.1.

Longo, G.; Longo, C.; Pedretti, M.; Rossi, G.; Servettaz, O. (1978):

The effect of short treatments with benzyladenine on the development of watermelon cotyledons.

Effetto di brevi trattamenti con benzyladenina sullo sviluppo dei cotiledoni di anguria. Giornale Botanico Italiano (1978) 112 (112) 126-127 (it) Universita di Milano, Milan Italy, H. A. 1979 Vol. 49 No. 3 (1890).

Longo, G. P.; Stopielli, B.; Rossi, G.; Longo, C.P. (1981):

Reversal of the inhibitory action of abscisic acid by benzyladenine in excised Watermelon cotyledons.

Physiologia plantarum (1981) 53 (1) 82-86.

(En, 15 ref.) istituto di scienze Botaniche, 20133 Milan, Italy, H. A. 1. 52 No. 3 (1521).

X

Lukashev, A.I.; Tishkov, N. M.; Pryadko, N. N. (1977):  
(Effect of method of localized application of  
fertilizers on seed yields quality of sunflower).  
Byulleten, Nauchnotekhnicheskoi informatsii Po  
Maslichnym Kul'turam (1977) No. 1, 48-50 (Ru) from  
Referativny zhurnal (1978) 6.55.447. S. F. June  
1979 No. 6 Vol. 42.

Maheshwari, S. K.; Yadav, S.; Gupta, R. S. (1984):  
Fertilizer needs of palmarosa oil grass  
(Cymbopogon martinii stapf var, motia) under  
rainfed conditions in Madhya Pradesh. Indian  
perfumer (1984) 28 (2) 77-81 (En. 5 ref.) Colleg  
of Agriculture, Indore 452001, India.  
H. A. 1985 No. 9 Vol. 55, 7147.

Maiko, T.K. and Yashchenko, N.P. (1980).  
Effect of retardants on tuber formation and flowering  
in Dahlias. Byulleten. Glavnogo Botanicheskogo Sada, No.  
118, 61-64. Tsentral, nyl Respublikanskil Botanicheskii  
Sadkiev, Ukrainian SSR.  
H.A. 1981 (51) 7932. X

Manitasevic, J. and Horgas, D. (1975):  
(The effect of nitrogen ( $\text{NO}_3^- \cdot \text{NH}_4$ ) on the biosynthesis  
of isomers and stereoisomers of carotenes in carrots)  
Utjecaj dusika ( $\text{NO}_3$ ,  $\text{NH}_4$ ) na biosintezu, izomerai  
stereoizomera Karotena U markvi (Daucus Carrota L.)  
Poljoprivredna Znanstvena Smotra (1975) No. 35 (45),  
71-80 (sh, en, 12 ref.) Poljoprivredni Fakultet  
Sveucilista, Zagreb, Yugoslavia.  
H. A. 1976 Vol. 46 No. 10, 9457.

Markewicz, L. Perwinkle, (1967):  
Its culture and response to growth retardants.  
Bull. N. Y. St. Flower Grs. 1967. No. 263, PP. 1,6  
(illus) H. A. June 1968 Vol. 38 No. 2 (3731).

Maximovs, S. (1985):  
Physiological studies on lathyrus odoratus plant.  
M. Sc. Thesis Fac. Agric. Zagazig Univ. (1985).

Meconnell, D. B., and Poole, R. J. (1973):

Vegetative growth modification of Scindapsus aureus by ancymidol and PBA in Proceeding of the 85<sup>th</sup> Annual Meeting of the Florida State Horticultural Society. Miami Beach, USA, 387-389.

Menhenett, R. (1979):

Interaction of growth retardants and gibberellins in stem extension and flower development in the pot chrysanthemum in opportunities for chemical plant growth regulation Crodon. UK. British Crop Protection Council. Monograph, 1978 No. 21. 187-194. H. A. 49 (9) 6884.

Michel, K. A. Gilles, J. K. Hamilton, P. A. Robers, and F. Smith (1956):

Clometric methods for determination of sugars and related substances.  
Analytical chemistry Vol. 28 No. 3.

\* Migahid, H. A. (1982):

Studies on the propagation and the effects of fertilizers and some growth regulators on the flowering and concrete oil yield of Jasminum sambac.  
M. Sc. Thesis Fac. Agric. Moshtohor Zagazig Univ.

Mikulovich, T. P. and Kukina, I. M. (1985):

(Effect of cytokinin, fusicocin and potassium on chlorophyll and carotenoid accumulation in excised pumpkin cotyledons). Fiziologiya Rastanii (1985) 32 (1) 143-152 (Ru, en, 30 ref.) Institut Fiziologii Rosteniik. A. Timiryazeva, Moscow, USSR.  
H. A. 1986 Vol. 56 No. 2, 1005.

Milbocker, D. C. (1972):

Axillary shoot stimulation in poinsettia with kinetin.

Hort. Science (7) (5) 483-484.

(c.f. Hort. Abst. 43: 4697, 1973).

Miller, P. M. (1971):

Non-chemical control of plant parasitic nematodes  
Morris Arboretum Bulletin (1971) 22 (4) 70-71,  
78-85 (En 76 ref. 7 pl) Connecticut Agricultural  
Experiment. Station New Haven, USA.  
(c.f. Hort. Abst. (1973) Vol. 43 No. 11.

Miller, P. M. (1977):

Nematodes in Connecticut lawns and gardens.  
Bulletin Connecticut Agricultural Experiment Station  
(1977) No. 768. 5 pp. (En 20 ref. 10 pl) New Haven  
Connecticut 0 6504 U.S.A.  
(c.f. Hort. Abst. (1977) Vol. 47 No. 12)

Mittlehner, A. W. (1966):

Effect of B-nine (N-dimethylamino succinamic acid)  
and Schedules on Princess Anne Chrysanthemums.  
Proc. 17<sup>th</sup> Int. Hort. Congr. Md. L., Astr. 219.  
(c.f. Hort. Abst. Vol. 38: 1414.

Mohsen, M. N. (1968):

Morphological and Physiological response of peanut  
to nitratric phosphatic, potassic and calcic  
fertilizers.  
Ph. D. Thesis, Ain Shams Univ. Cairo.

Moore, S. (1966):

Effect of gibberellic acid and B-nine on top and  
root growth of chrysanthemums.  
Proc. 17<sup>th</sup> Int. Hort. Congr. Md, 1966, 1966 ,  
Abstr. 112.  
H.A. 1968 Vol. 38 No. 1: 1415.

Morkunas, A. and Digite, S. (1974):

The effect of fertilizers on peppermint yield and  
quality. introduktsiya rast. V Botan Sadakh Pribaltiki  
Pribaltiki. Riga Latvian SSR, Zinatne (1974)  
182-187 (Ru, en/from refrativnyi zhurnal (1974),  
12.55.832.  
(C.F. H. A. Vol. 45 (7) P. 460 No. 5272 (1975).

Moshin, M. and Smith, M. S. (1972):

The influence of some growth retardants on growth and mineral composition of plants.

Pest. Sci. (3) 333-334.

H. A. Vol. 3, 2031.

Munch, J. and Fritsche, G. (1969):

Versuche mit cycocel und B-9 (B-nine) bei Topfplanzen (Experiments with cycocel and B-nine in Pot plants).

Jber. St. Lehr-u. Forschanst. Gartenb., Weihenstephan, 1967) 68, 1969, PP. 15-46 (illus).

H. A. 1970 Vol. 40 No. 3, 6666.

Mustjaca, G.I. (1969):

The effect of placement of mineral fertilizers on peppermint yields. Himija Sel. 7 (9): 24-26.

H. A. 1970 Vol. 40: 7040.

Mustyatse, G.I. and Grigorets, A. V. (1975):

The response of peppermint to fertilization under irrigated conditions.

Maslich. Kul'tur (1975) No. 3: 107-110 (Ru).

H.A. 1976 Vol. 46: 10602.

Muthoswamy, S.; Pappiah, C. M. (1977):

Nutritional studies on Jasminum.

Indian Journal of Hort. (1977) 34 (3): 289-293

(En, 4, ref.) Tamil Nadu Agricultural Univ.,

Comptore, India.

(c.f. H. A. 1978 Vol. 48).

Naguib, N. J. M. (1985):

Physiological and chemical studies on castor bean plant.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Nakayama, S.; Tobita, H. and Okumura, F. S. (1962):

Antagonism of kinetin and far-red light or indoleacetic acid in the flowering of pharabitis seedlings.

Phyton. 19: 43-48.

Natalucci and Claudia (1984):

Analysis of the floral carotenoid content of plants growing in the province of Buenos Aires (Argentina). (Fac. Cienc. Exactas, Univ. Nac. La Plata, 1900 La Plata, Argent.) Acta Farm. Bonaerense 1982,1 (1), 13-21 (Span).  
CH. Abst. Vol. 98, 1983.

Natarajan, S.; Rao, V. N. M. (1983):

Flowering and floral characters in Jasminum grandiflorum L. as affected by 'graded and split doses of fertilizers. Indian Perfumer (1983) 27 (1) 1-4 (En. 4 ref.) Tamil Nadu Agricultural University, plants Abstracts 5. 8305-2394, 8466.  
H. A. 1984 Vol. 54 No. 11.

Nauer, E. M.; Boswell, S. B. and Holmes, R. C. (1979):

Chemical treatments greenhouse temperature, and supplemental day length effect forcing and growth of newly budded orange trees.  
Hortscience, 14 (3), 229-231. H. S. 1979.

Nava, Jaime N.; Jesus Cabo and Margarita, V. P. (1954):

The cultivation of coriander influence of ammonium and phosphopotassium fertilizers.  
Mostitesus, Cabo, Torrfs, and Magaria Panmedero vidul (1954).  
Farmacognosia anaales Medrid 13 (27), 71-80 illus, 1953.

Nicholson, B. E. (1973):

The Oxford Book of Garden Flowers.  
Oxford Univ. Press. PP. 207.

Nightingale, E. A. (1979):

Bulbil formation on lilium longiflorum thunb. cv. Nellie White by Foliar application of PBA.  
H.S. 14 (1) 67-68, 1979.

Nofal, E.M. S. E. (1976):

Studies of some cultural practices and nutrient on Majorana hortensis.  
M. Sc. Thesis Fac. Agric. Al-Azhar Univ.

X

Nofal, M. A.; Marwan, A.E. (1982):

Effect of nitrogen levels on yield and quality of  
Jasmine.

Research Bulletin, Faculty of Agriculture, Ain Shams  
Univ. Cairo, Egypt.

H. A. 1983 Vol. 53 No. 6.

Noga , G. Lenz, F. (1983):

Separation of citrus carotenoids by reversed phase  
HPLC, G-Noga and F. lenz, Chrom. 17, 3, 139 (1983).

Ogawa, I.; King, R. W. (1980):

Flowering in seedlings of Pharabitis nil induced  
by BA applied under a non-inductive day length.

Plant Cell Physiology 21 (6) 1109-1116.

Plant growth regulators Vol.9.

Ohbayashi, N.; Chikaoka, I. (1973):

Studies on the control of root lesion nematodes  
(*Pratylenchus penetrans*) infesting Japanese radish  
by marigold.

Bulletin of the Kanagawa Horticulture Experiment  
Station Ninomiya-machi, Kdagawa, Japan.

(c.f. Hort. Abst. (1975) Vol. No. 12)

Osman, C. R. and Ahmed, F. A. (1983):

Biochemical studies on the effect of B-9 (growth  
regulator) on sesame plant (sesame indicum).

An. of Agric.Sci., Fac. Agric., Ain Shams Univ.

Cairo, Egypt. 28 (2). 465-1097, 1983.

Osman, O. R.; F. A. Ahmed, Hend, M. El-Nomany (1984):

The influence of the growth regulators B-9 and Pix  
on flax plants, seed oil content and oil fatty acid  
composition.

Bull. Fac.of Agric., Univ. of Cairo, Vol. 35, No. 2  
P. 899.

Othman, M. A. (1972):

Effect of some nutritional treatments on the yield  
and oil content of fennel.

M. Sc. Thesis Fac.Agric. Ain Shams Univ.

Ozava, H. and Shimoda, Y. (1958).

Experiments on the application of fertilizers to greenhouse sweet peas.

Bull. Kanagawa Agric. Exp. Stat. Hort. Branch, 1958 No. 6, PP. 63-8. H.A. 1959 Vol. 29.

Pal, P.; Maity, R. G.; Bose, T. K. (1984):

Effect of nitrogen, phosphorus and plant density on growth and yield of flower in Jasminum auriculatum L. var. single. South Indian Horticulture (1984) 32 (3) 146-150 (En, 10 ref.)

Bidhan chandra krishi viswavidyalaya, Kalyani, Nadia, West Bengal, India. H. A. 1985 Vol. 55. No. 1.

Pandev, S.; Stanev, V.; K. Drev, T. (1980):

Effect of major element deficiency in the nutrient medium on the photosynthetic productivity of capsicum) Fiziologiya na Rastenyata (1980) 6 (4) 46-55 (B<sub>9</sub>, en, ru 16 ref) institut po fiziologiya na Rastenyata, Sofia, Bulgaria. H. A. 1981 Vol. 51 No. 9 (6996).

Pathak, S. Choudhuri and Chatterjee, S. K. (1980):

Germination and flowering in different-sized bulbs of tuberose (Polianthus tuberosa L.).

Indian Journal of plant physiology 23 (1): 44-54.

Poole, R. T. (1970):

Influence of growth regulators on stem elongation and rooting response of foliage plant - in preceding of 83rd Annual Meeting of the Florida State Horticultural Society Miami Beach U.S.A., 83: 417-502. (c.f. H. A. 42, 1970).

Post, K. (1940):

Effects of mineral nutrient deficiencies and excesses upon the vegetative growth and flowering of sweet peas.

Gornell Univ. Agric. Expt. Sta. New York Bull. 745: 3-27.

Potatueva, Yu, A.; Kapaeva, M. N. (1968):

Uptake of fluorine from fertilizers by plants and its effect on yield.

Khimiya V. Sel. Skom Khozyaistue (1978) 16 (9)

40-47. (Ru, 7 ref.) Nipo udobreniyam

i inseftougitsidam, USSR.

C.F. Hort. Abst. 1979 Vol. 49 No. 4, 2600.

Puccini, G. (1956):

The influence of potassium salts on the development of perpetual flowering carnation.

(c.f. Riviera Ann. Sper. Hg. ra 10: 2071-2080.

Quackenbush, F. W. Miller, S. L. (1972):

Composition and analysis of the carotenoids of marigold petals.

Journal of the Association of Official Analytical Chemists, 55 (3) 617-621.

Radwan, A.A.S(1980)

Effect of some cultural treatments on the growth of some umbelliferae plants and their active constituents.

M. Sc. Thesis of Fac.Agric. Ain Shams Univ. (1980).

Ramachandr, A. H. A. (1978):

Effect of different levels of nitrogen and phosphorous on growth, yield and quality attributes of amaranthus (Amaranthus gangeticus Linn cv. A-25)

(Abstract) Mysore Journal of Agricultural Sciences (1978) 12 (3) 526-527 (En) University of Agricultural Sciences, Bangalore, India. H. A. 1980, Vol. 50 No. 2.

Rao, R. C. R. (1980):

Effect of growth regulators on growth and yield of irrigated ground nut (Arachis hyogaea L.) at various plant densities.

Thesis Abst. (1980) 6 (2), 89-91 (En) S. V.

Agric. Coll. Tirupati, 507-517.

Field Crop Abst. 1981, Vol. 34 No. 2.

Razinskaite, D. (1966):

Changes in essential oil of the caraway seed relative to the phase of maturity and to the mineral nutrition. (c.f. Chem. Abst., 64; 10355 d).

Reda, A.A. (1982):

Physiological studies on flowering and fruit-set of Ammi visnaga L. in relation to chromone.  
M. Sc. Thesis Fac. Ain Shams Univ.

Rivenc, Ciraldo, CT; Graham, P. H. (1976):

Comparison of nodulation and nitrogen fixation by Rhizobium in beans and soyabean.  
Acta Agronomica (1976) 26 (314) 104-115 (Es, en, 9 ref.). H. A. 1979 Vol. 49 (5030).

Rober, R. (1971):

The influence of N nutrition on flower formation and development in Chrysanthemum. Gartenbauwissenschaft (1971) 36 (2) 189-200 (De-en 9 ref.) Inst. Fur Pflanzenernahrung Technische Univesitat, Hannover, West Germany. H. A. 42 (1) P. 212 No. 1656 (1972).

Roelants, A. (1973):

Phosphorus fertilizing of carnation Dianthus Caryophyllus L. Scania Red Revue de l. Agriculture 26 (5) P. 1011-1026.  
Soils and Fert. 37 (7) P. 202 No. 2002 (1974).

Rofaeel, I. S. (1976):

Physiological studies on Hyoscyamus muticus.  
Ph. D. Thesis Fac. Agric. Ain Shams Univ.

Sakata, Y.; Ku G.A.H.; Arisumi, K. J. (1982):

Studies on the synthesis of betalains in the florescence of celosia cristata. II. The effects of light and some growth regulators.  
Bulletin of the Faculty of Agriculture. Kagoshina University (1982) No. 32, 27-33 (ja, en, 10 ref.)  
Kagoshima, Japan, H. A. Vol. 53, No.1, 1983 (448).

Saleh, M. M. (1962):

The effect of fertilization levels on the quality and quantity of Matricaria chamomilla L.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Saleh, M. M.; Swaring, T. M. and Malingre, T.H. (1984):

Annual congress on Medicinal Plant Research, Antwerp, 23-28 July, 1984.

Salem, A. M. (1984):

Effect of some growth regulators lighting and low temperature on growth and flowering of Margureite daisy (Chrysanthemum frutescens).

Ph. D. Thesis, Cairo Univ. (1984).

Samata, J.; Inozu, K.; Endo, H. (1974):

Effects of B<sub>995</sub> on double cosmos (Cosmos Bipinnatus) with special reference to the inhibitors of flower stem elongation. Bulletin of Faculty of Agriculture Tamagawa University No. 14, 51-58. H.A. 47, 1977.

Samen, W. (1971):

Anwendung von Hemmstoffen B-nine und cycocel (Application of the growth-inhibiting substances B-nine and cycocel) Gartnerpost, Nov. 1970 (reprinted in Zierpflanzenbau, 1971, 11: 455-6) H. A. 1971 (9264).

Sanderson, K. C. and Martin, W. C. Jr. (1975):

Effects of DPX 1980, PBA, and Plyphosine on shoot growth in garden Chrysanthemums Proceedings of the Florida State.

Horticultural Society, 87, 558-560.

Sebank, J.; Kopecky and K; Slaby (1979):

Effect of gibberellin, cytokinin and Ethrel on the growth and development of Tulips and Hyacinthus. (H. A. 49-2025).

Selim, S. M. (1979):

Physiological study on Rose.

M. Sc. Thesis Zag. Univ.

Sen, P. K., and Sen, S. K. (1970):

Effects of growth retarding and promoting chemicals on growth and flowering of some annuals.

Indian J. Hort., 1968, 25: 219-24.

(c.f. Hort. Abst. Vol. 40: 4229).

Shams, El-Din , S.A. (1976):

Studies on some cultural treatments on the growth and flowering of Chrysanthemum plants in the field.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Shanan, Sh. A. (1963):

The response of Cowpea to various levels of N, P and K.

M. Sc. Thesis Faculty of Agric. Cairo Univ.

Shantz, E. M.; Mears, K. and Steward, F. C. (1958):

Comparison between the growth-promoting effects on carrot-tissue of coconut milk and of kinetin and certain of its analogues from abst. in Plant Physio., 1958, 33 (suppl), Xvi. H. A. 1959 Vol. 29 (47).

Sharma, R. A. and S. N. Pande (1975):

Effect of Uracil, thymine, kinetin, 2-thiouracil, 6-9 zathymine and their interaction on metabolic drifts during flowering of Lycopersicon esculentum Linn cv. Best of All.

Sc. and Cult., 41 (4): 175-178.

X  
\* Shelton, J.E.(1976):

Effect of placement of phosphorous fertilizer and time upon growth of delicious and Golden delicious apple trees.

H. A. 1977 Vol. 47: 4273.

Shoushan, A. A. M. and Kabbel, M. T. (1956):

Studies on nitrogen, phosphorous and potassium fertilization of violet, viola odorata, var Princes of Wales.

Faculty of Agric. Cairo Unives. Bulletin 92. 3-18.

Shoushan, A. A. and Kabeel, M. T. (1957):

Studies of fertilizer treatments of tuberose, polianthus tuberosa L.

Cairo Univ. Fac. Agric. Bull. 138, 1-15.

Shoushan, A. M.; Abou Dahab, A. M.; Eldahb, R. S. and Auda, M. (1978):

Mineral nutrition of amaryllis (Hippeastrum vittatum Herb). II. Effect of fertilizers on bulb growth bulblet production and nitrogen and sugar content of leaf and bulb.

Research Bulletin Fac. Agric. Ain Shams Univ. No. 966: 11.

(c.f. H. A. Vol. 51, 495).

Singh, R. S.; Motial, V. S. and Singh, L. B. (1976):

Effect of nitrogen, phosphorous and potash fertilization on tuberose (Polinthus tuberosa L.)

Indian Jour. Hort. 33 (3-4) 289-94.

H. A. Vol. 88: 21298 k.

\* Singh, J. N.; Singh, D. P. (1969):

Effect of phosphorous deficiency and seasonal varia variation on growth and essential oil content on Japanese mint (Mentha arvensis L. var. Piperascens).

Soil Sci. P. L. Nutr. 15, 67-74 (Coll. Agric. Banaras Hindu Univ. varansi, India. Soils & Fertilizers 1970 Vol. 33 Part 1. P. 403.

X

Singh, J. N. and K. Nand (1981):

Effect of nitrogen levels and cutting interval on  
herbage and oil yield of Mentha Citral Ehrh Indian  
perfumer 25 (1) 79-81.  
H. A. 52: 5682, 1982.

Skrubis, B. G. (1964):

Effect of fertilizers on the yield of herb. and  
the yield oil composition of the peppermint plant  
perfum.  
Essent, Oil, Rec. 55-655-7.

Solovev, G. A.; Lapushkina, Yu, V. (1978):

(Changes in the contents of ascorbic acid, thimin,  
riboflavin and carotene in carrots in relation to  
the rates and ratios of mineral fertilizers).  
Nauch, Doki, Vyssh, Shkoly, Biol. Nauk (1978) No. 4,  
98-103 (Ru, 13 ref.) from Referativnyi Zhurnal (1978)  
11.55.198.  
H. A. 1979 Vol. 49 No. 4 (2669).

Stahly, E. A. and Williams, M. W. (1967):

Size control of nursery trees with N-dimethylamino-  
succinamic acid.  
Proc. Amer. Soc. Hort. Sci. 1967, 91: 792-4 (bibl. 1).  
H. A. 1968 Vol. 38 No. 3: 4895.

Staney V.; Hien, N. A.N.; Georgieva, V. (1983):

Effect of potassium supply on photosynthesis and  
biological productivity of tomatoes.  
Fiziologiya na Resteniyata (1983) 9 (1) 3-8 (Bg, en,  
ru, 11 ref.) Institut Metodi Popov. Sofia, Bulgaria.  
H. A. 1983 Vol. 53 No. 9: 6545.

Stiehl, A. (1966):

Different basic fertilization for seed freezia.  
Dtsche Gartherborse, 67, 5.  
(c.f. H. A. Vol. 37: 3345).

Stobart, A.K.; Hendry, G. A. F.; El-Hussein, S.; Kinsman, L.T.  
(1980):

The effect of potassium on amaranthin synthesis in  
seedlings of Amaranthus caudatus L. Zeitschrift fur  
fur pflanzenphysiologie (1980) 96 (3) 217-255.  
(En, 15 ref.) Bristol University, Bristol, UK.  
H. A. 1980 Vol. 50 No. 10.

Sutton and Sons (1948):

The culture of vegetables and flowers from seeds  
and roots.

Sutton & Sons Ltd. Reading England. PP. 457.

Taylor, R;F. Davis, B.H. (1975):

J. Chromatogr. 103, 327 (1975) cited in  
"separation of citrus carotenoids by reversed-phase  
HPLC, G-Noga and F. lenz.  
Chrom. 17, 3, 139 (1983).

Taylor, R.F. Ikawa, M. (1971):

Anal. Biochem. 44, 623 (1971) cited in "separation  
of citrus carotenoids by reversed-phaso HPLC, G-Noga  
and F. Lenz, Chrom. 173, 139 (1983).

Towari, R. and Chhonkur, V.S. (1967):

Studies on the effect of foliar application on  
growth yield of tomato Lycophn esculentam Mill Indian  
and Hort. (1972) (73-80) (bibl. 17).  
H. A. (1968) Vol. 38 No. (3) 5880.

Tsurushima, H.; Date, N. (1971):

The effect of nitrogen, phosphorous and potassium on the growth and flowering of bedding plants. Journal of the Japanese Society for Horticultural Science (1971) 40 (4) 407-415 (Ja, en 6, ref.) Tokyo Agricultural Experiment Station, Tachikama. (c.f. Hort. Abst. (1973) Vol. 43, No. 9.

Turbina, V. N. (1945):

Development, yield and oil content of coriander in relation to condition of mineral nutrition. Daklady voesuyiez Saveshchanyier Lizial, Rasteniz No. 2, 77-90. (1945). (c.f. Chem. Abst. Vol. 39 No. 6033).

Valadon, L. R. G. and Mummery, R. S. (1967):

Carotenoids of certain compositae flowers. Phytochemistry Vol. 6 PP. 983-988. Pergamon Press Ltd. Printed in England.

Vuurmans, J.; Grubben, G. J. H. (1977):

Effects of nitrate application on yield and composition of seven tropical leaf vegetables for Hot, Humid Tropics (1977) No. 240-43 (En, 2 ref.) Royal Tropical Institute. Amsterdam, Netherlands. H. A. 1978 Vol. 48 No. 2: 1531.

Wahab, A. S. A.; Hornok, L. (1982):

Effect of NPK fertilization on Ocimum basilicum yield and essential oil content). NPK-tragyazas hatasa a bazsalikom (Ocimum basilicum L.) termeshozamara es illoolaj-tartalmarakerteszeti Egyetem, Budapest, Hungary. H. A. 1983 Vol. 53 No. 7: 5413.

Wahba, H. E. (1983):

Effect of some growth regulators and water regime on the growth fruit yield and ingredients in Capsicum sp. M. Sc. Thesis Fac. Agric. at Moshtohor Zagazig Univ.

171  
Walker, M. E. (1973):

The effect of rate and method of application N, P and K on yield, quality and chemical composition of Spanish and runner peanut.

Dissertation Abs. International, B. 33 (7): 2896-2897.

(c.f. Field Crop. Abst. 28 (8), 1975).

Walkley, A. (1942):

Determination of zinc in plant material Australien G. Expect. Biology Medicinal Sci. 20, 139-147.

Wanasuria, S.; Kuhn, H. (1977):

Influence of Phosphate fertilizers on the uptake of Manganese and zinc of sunflowers, Peas and Gherkins grown in water culture.

(c.f. H. A. 1978 Vol. 48 No. 3: 2376).

Wanat-Krogulaska, A. (1952):

Effect of various nutritive ingredients on the yield and quality of Matricaria chamomilla

Disserations Pharm. 4: 257-275. C. A. 48: 4145.

Waters, W. E. (1963):

Effect of fertilization rates and frequencies on potted chrysanthemum production.

Proc. Fla. St. Hort. Soc. 1962, 75: 460-3 (bibl. 4)

H. A. 33 (4) P. 752, No. 7495 (1963).

Weiss, E. A. (1967):

Effect of nitrogen phosphate and time of cutting on green material and oil yields from geranium (Pelargonium hybrid) in west kenya.

H. A. 1967 Vol. 37: 7281.

Wheeler, A. W. (1958):

Biological assay of leaf growth substances A.R.

Rothamsted exp. Stat., 1958, 1959, PP. 77, 80.

H. A. 1959 Vol. 29.

White, J. W. Allen, C.; M. Strock P. (1978):

Effect of growth regulators on opuntia basilarus.

Hortscience. 13 (2) 132. H. S. 1978.

Wickson, M. and Thimann, K. V. (1958):

The antagonism of auxin and kinetin in apical dominance.

Physiol. Plant. 1958, 11: 62-74, bibl. 12.

H. A. 1959 Vol. 29: 43.

Wildern, J. A. and R. A. Criley (1975):

Cytokinins increase shoot production from leaf cutting of Begonia.

Plant Prop.; 20: 21 (4:1): 7-9.

Yang, Y. Y. (1968):

Effect of mulching materials and fertilizer levels on the yield and composition of lemongrass oil.

J. Taiwan Agric. Res. 17, N. 4, 47-50 (Ch. e)

(Taiwan Agric. Res. Inst., Taipei).

Soils & Fertilizers, 1971, Vol. 34 Part 1, P. 115.

Young, T. W.; G. A. Snyder; F. G. Martin; N. C. Hayslib (1973):

Effect of nitrogen, phosphorous and potassium of roses on oldsmar fine sand.

University of Florida IFAS Home Stead J. Amer. Soc.

H. S. Vol. 48 pp. (109).

Zderkiewicz, T. A. (1958):

Influence of mineral dressing on the alkaloid content of Hyoscyamus niger.

Ann Unishams Univ Haviae Curie-Sklodowska. Lublin-Polonia, Sect, D. 13, 69-78.

Chem. Abst. 1960, 54, 6031.

Zieslin, N. and Halevy, A. H. (1976):

Interaction between cytokinins and (CCC) in bud breaking, flower bud atrophy and the gibberellin content of roses.

Zeitschrift Fur Pflanzenphysiologie 77 (2) 160-166.

(c.f. Hort. Abst. 46: 10558, 1976).