

TABLE OF CONTENTS

	<u>Page</u>
I. INTRODUCTION.....	1
1.1.Exploring possibilities for dehydration of banana and guava fruits grown in Egypt.....	1 4
1.2. Aim of study.....	6
II. REVIEW OF LITERATURE.....	6
2.1. Banana fruits.....	6
2.1.2. General considerations.....	6
2.1.2. World utilization of banana fruits as food and processed products and in other purposes.....	8 8
2.1.2.1. Bananas as food.....	10
2.1.2.2. Banana processed products.....	10
A. Dried and dehydrated banana products.....	13
B. Other banana products.....	15
C. Utilization of banana as animal feed.....	16
2.1.3. General chemical composition of banana pulp....	21
2.1.4. Carbohydrate constituents of banana fruits.....	21
2.1.4.1. Starch.....	24
2.1.4.2. Soluble individual sugars.....	26
2.1.4.3. Celluloses and pectic substances.....	27
2.1.5. Acidity and organic acid components of bananas.	30
2.1.6. Tannins and other phenolic compounds in bananas	32
2.1.7. Polyphenoloxidase enzyme (PPO) in bananas.....	37
2.2. Guava fruits.....	37
2.2.1. General considerations.....	39
2.2.2. General chemical composition of guava fruits...	45
2.2.3. Sugar constituents of guava fruits.....	46
2.2.4. Organic acids of guava fruits.....	47
2.2.5. Phenolic compounds in guavas.....	48
2.2.6. Polyphenoloxidase enzyme (PPO) of guavas.....	49
2.3. Inedible portion and by-products of processing banana and guava fruits.....	49 49
2.3.1. Inedible portion of banana fruits.....	49
2.3.1.1. Chemical composition of banana peels.....	53
2.3.1.2. Utilization of the inedible portion of banana.....	53 55
2.3.2. Peels of guava fruits.....	55
2.3.2.1. Chemical composition of guava peels.....	56
2.3.3. Guava seeds.....	57
2.4. Processing fruits into dehydrated products.....	57
2.4.1. Sun-dried and dehydration of banana fruits.....	69
2.4.2. Dehydration of guava fruits.....	72
2.4.3. Effect of temperature on physical and chemical properties of processed fruits.....	72 73
2.4.3.1. Effect of heat treatments on processed bananas.....	73 75
2.4.3.2. Effect of dehydration on chemical charac- teristics of processed bananas.....	75 75

	<u>Page</u>
2.4.3.3. Effect of heat treatments on processed guavas.....	76
2.4.3.4. Effect of dehydration on chemical characteristics of processed guavas.....	78
2.5. Storage stability of dehydrated fruits.....	81
2.5.1. Storage stability of dehydrated banana products..	81
2.5.2. Storage stability of dehydrated guava products..	83
2.6. Effect of packaging on quality, shelf-life and stability to storage of dehydrated fruits.....	86
2.7. Rehydration characteristics of dried fruits.....	89
2.8. Microbiological aspects of dehydrated fruits.....	90
III. MATERIALS AND METHODS.....	92
3.1. Materials.....	92
3.2. Methods.....	92
3.2.1. Preparation of starting materials.....	92
3.2.1.1. Banana.....	92
3.2.1.2. Guava.....	92
3.2.2. Method of dehydration.....	93
3.2.3. Selection of optimum preparation methods of dehydrated fruit powder.....	93
3.2.3.1. Banana.....	93
3.2.3.2. Guava.....	94
3.2.4. Preparation of dehydrated fruits.....	94
3.2.4.1. Preparation of banana dry powder.....	94
3.2.4.2. Preparation of guava dry powder.....	95
3.2.4.3. Preparation for analysis.....	95
3.2.5. Storage of dehydrated fruit powder.....	95
3.2.6. Methods of analysis.....	96
3.2.6.1. Proximate chemical composition.....	96
3.2.6.2. Total soluble solids.....	96
3.2.6.3. Alcohol insoluble solids.....	96
3.2.6.4. Total acidity.....	96
3.2.6.5. pH value.....	97
3.2.6.6. Ascorbic acid.....	97
3.2.6.7. Serum colour and colour index.....	97
3.2.6.8. Residual sulfur dioxide.....	97
3.2.6.9. Chlorophylls and carotenoids.....	97
3.2.6.10. Total phenols.....	98
3.2.6.11. Total, reducing and non-reducing sugars.....	98
3.2.6.12. Starch (acid hydrolysis).....	98
3.2.6.13. Pectic substances.....	98
3.2.6.14. Drying ratio.....	99
3.2.6.15. Rehydration properties of dried fruit slices.....	99
3.2.6.16. Polyphenoloxidase enzyme activity.....	99
3.2.6.16.1. Extraction of crude enzyme extracts.....	99
3.2.6.16.2. Measurement of enzyme activity.....	100
3.2.6.17. Determination of mineral matters.....	100

	<u>Page</u>
3.2.6.17.1. Preparation of samples for analysis.....	100
3.2.6.17.2. Spectrophotometric determination of phosphorus.....	101
3.2.6.17.3. Determination of minerals by atomic absorption spectroscope.....	101
3.2.6.17.4. Calibration curves.....	101
3.2.6.17.5. Calculation.....	101
3.2.6.18. Microbiological examination.....	102
3.2.6.18.1. Total counts of bacteria.....	102-
3.2.6.18.2. Yeast and mold counts.....	102
3.2.6.19. Organoleptic evaluation.....	102
3.2.6.20. Gas liquid chromatographic analysis (GLC) ..	103-
3.2.6.20.1. Identification of quantitative deter- mination of individual sugars by GLC technique.....	103
3.2.6.20.1.1. Extraction of sugars.....	103
3.2.6.20.1.2. Silylation soluble sugars.....	103
3.2.6.20.1.3. Separation and qualitative deter- mination by GLC.....	103
3.2.6.20.2. Identification and quantitative deter- mination of organic acids by GLC technique.....	104
3.2.6.20.2.1. Extraction.....	104
3.2.6.20.2.2. Methylation.....	104
3.2.6.20.2.3. Separation and quantitative deter- mination by GLC technique.....	104
3.2.6.20.3. Identification and quantitative deter- mination of phenolic compounds.....	105
3.2.6.20.3.1. Extraction.....	105
3.2.6.20.3.2. Methylation with diazomethane.....	106
3.2.6.20.3.3. Separation and quantitative deter- mination by GLC technique.....	106
3.2.6.21. Statistical analysis.....	107
IV. RESULTS AND DISCUSSION.....	108
Part I: <u>Bananas</u> :	
4.1. Preparation and characterization of fresh bananas and their dehydrated products.....	109
4.1.1. Establishment of optimum conditions for dehyd- rating banana fruits.....	110
4.1.1.1. Application of citric acid dipping solutions	111
4.1.1.2. Application of sodium metabisulfite in the predrying dip solution.....	114
4.1.1.3. Application of sodium metabisulfite in conjunction with ascorbic acid in the pre- drying dip solutions.....	116
4.1.1.4. Application of blanching pretreatment before dehydration.....	117
4.1.1.5. Application of sodium metabisulfite in con- junction with calcium chloride in the pre- drying dip solutions.....	118

	<u>Page</u>
4.2.3. Storage stability of dehydrated guava powder...	232
4.2.3.1. Moisture content.....	232
4.2.3.2. Rehydration properties.....	235
4.2.3.3. Organoleptic evaluation.....	238
4.2.3.4. Changes in acidity.....	240
4.2.3.5. Ascorbic acid content.....	243
4.2.3.6. Changes in colour.....	246
4.2.3.7. Changes in carbohydrate constituents.....	251
4.2.3.8. Residual sulphur dioxide content.....	256
4.2.3.9. Total phenols.....	260
4.2.3.10. Polyphenoloxidase enzyme activity.....	262
4.2.3.11. Microbiological aspects.....	266
 <u>PART III: Inedible and processing residues of some fruits</u>	
4.3. Characterization of by-products of processing ripe banana and guava fruits.....	270
4.3.1. Distribution of fruit components.....	270
4.3.1.1. Peels of banana fruits.....	270
4.3.1.2. Peels, cores and seeds of guava fruits.....	272
4.3.2. Yield of dried by-products of processed fruits.....	273
4.3.3. Chemical characterization of by-products of processed fruits.....	273
4.3.3.1. Proximate chemical composition.....	274
A. Dehydrated banana peels.....	274
B. Dehydrated peels and sun-dried seeds of guavas.....	276
4.3.3.2. Carbohydrate constituents of dried peels.....	278
A. Dehydrated banana peels.....	278
B. Dehydrated guava peels.....	280
4.3.3.3. Chlorophylls, carotenoids and total phenols of dried peels.....	281
A. Dehydrated banana peels.....	281
B. Dehydrated guava peels.....	285
4.3.3.4. Ascorbic acid content of guava peels.....	286
4.3.3.5. Mineral matter content.....	287
A. Dehydrated banana peels.....	287
B. Dehydrated peels and sun-dried seeds of guavas.....	290
 <u>PART IV: Chromatographic analysis:</u>	
4.4. Characterization of flesh and its corresponding dehydrated fruit using gas chromatographic technique.....	293
4.4.1. Identification and quantitative determination of constituent sugars.....	293
4.4.1.1. Ripe pulp of fresh Sindihi bananas.....	293
4.4.1.2. Dehydrated banana powder.....	296
4.4.1.3. Ripe fresh Baladi guavas.....	297
4.4.1.4. Dehydrated guava powder.....	300
4.4.2. Identification and quantitative determination of constituent organic acids.....	300
4.4.2.1. Ripe pulp of fresh Sindihi bananas.....	300

	<u>Page</u>
4.1.1.6. Concluding remarks on optimum predrying treatment and dehydration conditions.....	119
4.1.2. Comparative characterization of fresh starting bananas and their dehydrated products.....	121
4.1.2.1. Dehydration yield and ratio of drying.....	122
4.1.2.2. Sensory and organoleptic properties of dehydrated products.....	123
4.1.2.3. Rehydration properties of dry banana slices.....	125
4.1.2.4. Proximate chemical composition.....	129
4.1.2.5. Carbohydrate constituents.....	133
4.1.2.6. Total soluble and insoluble solids	138
4.1.2.7. Acidity and pH.....	141
4.1.2.8. Ascorbic acid content.....	142
4.1.2.9. Carotenoids and total phenols content.....	144
4.1.2.10. Colour changes.....	146
4.1.2.11. Residual sulfur dioxide content.....	148
4.1.2.12. Mineral matters content.....	150
4.1.3. Storage stability of dehydrated banana products.....	154
4.1.3.1. Moisture content.....	155
4.1.3.2. Rehydration properties.....	160
4.1.3.3. Organoleptic evaluation.....	163
4.1.3.4. Changes in acidity.....	165
4.1.3.5. Changes in colour.....	168
4.1.3.6. Changes in carbohydrate constituents.....	177
4.1.3.7. Residual sulfur dioxide content.....	187
4.1.3.8. Total phenols.....	192
4.1.3.9. Polyphenoloxidase enzyme activity.....	195
4.1.3.10. Microbiological aspects.....	201
 PART II: <u>Guavas</u> :	
4.2. Preparation and characterization of fresh guavas and their dehydrated products.	203 -
4.2.1. Establishment of optimum conditions for dehydrating guava fruits.....	204
4.2.1.1. Selection of optimum pretreatment and temperature for dehydrating ripe pulp of guavas.....	204
4.2.1.2. Dehydration yield and ratio of drying.....	208
4.2.1.3. Sensory and organoleptic properties of dehydrated products.....	208
4.2.1.4. Rehydration properties of dry guava slices..	209
4.2.2. Comparative chemical characterization of fresh starting guavas and their dehydrated products..	213
4.2.2.1. Proximate chemical composition.....	214
4.2.2.2. Carbohydrate constituents.....	216
4.2.2.3. Total soluble and insoluble solids.....	220
4.2.2.4. Acidity and pH.....	222
4.2.2.5. Ascorbic acid content.....	224
4.2.2.6. Carotenoids and total phenols content.....	226
4.2.2.7. Colour changes.....	227
4.2.2.8. Residual sulphur dioxide content.....	228
4.2.2.9. Mineral matters content.....	229

	<u>Page</u>
4.4.2.2. Dehydrated banana powder.....	304
4.4.2.3. Ripe fresh "Baladi" guavas.....	
4.4.2.4. Dehydrated guava powder.....	304
4.4.3. Identification and quantitative determination of constituent phenolic compounds.....	307
4.4.3.1. Ripe pulp of fresh Sindihi bananas.....	307
4.4.3.2. Dehydrated banana powder.....	310
4.4.3.3. Ripe fresh "Baladi" guavas.....	311
4.4.3.4. Dehydrated guava powder.....	312
PART V: <u>Technological applications:</u>	
4.5. Utilization of dehydrated products in preparation of some products.....	316 -
V. CONCLUSIONS, RECOMMENDATIONS AND SUMMARY.....	323
VI. REFERENCES.....	355
APPENDIX A.....	391
ARABIC SUMMARY.....	

LIST OF TABLES

<u>Table</u>	<u>Page</u>
1 Total area cultivated and total production of banana and guava fruits grown in Egypt for the period 1985-1989.....	2
2 Literature values for proximate chemical composition of fresh banana pulp as reported by many investigators in different countries.....	17
3 Literature values for some chemical constituents of fresh guava (whole fruit, pulp, puree and juice) as reported in different countries..	22
4 Literature values for proximate chemical analysis of fresh guava fruits (Whole fruit, pulp, puree and juice) as reported in different countries.....	40
5 Literature value for some chemical constituents of fresh guava fruits (whole fruit, pulp, puree and juice) as reported in different countries.....	41
6 Effect of various dipping treatments and temperature of dehydration on colour of dehydrated banana pulp slices prepared from three banana cultivars grown in Egypt.....	112
7 Sensory evaluation of reconstituted dehydrated banana pulp slices and powders prepared from Sindihi cultivar using different treatments	124
8 Rehydration characteristics of dehydrated banana pulp slices prepared from Sindihi cultivars.....	126
9 Proximate chemical analysis of fresh banana pulp before and after dehydration into dry powder prepared from three banana cultivars grown in Egypt using different treatments (g/100 g dry weight basis).....	130
10 Chemical analysis of some carbohydrate constituents of fresh banana pulp before and after dehydration into dry powder as prepared from three banana cultivars grown in Egypt using different treatments (g/100 g dry weight basis).	134
11 Some chemical properties of fresh banana pulp before and after dehydration into dry powder upon preparation from three banana cultivars grown in Egypt using different treatments (on dry weight basis).....	139

<u>Table</u>	<u>Page</u>
12 Mineral content of dehydrated banana pulp powder prepared from three banana cultivars grown in Egypt (reported in mg per 100 g dry weight basis).....	151
13 Moisture content of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months.....	156
14 Moisture content of dehydrated banana pulp prepared from Maghrabi and Paradica cultivars upon storage in polyethylene bags at room temperature of 9 months.....	159
15 Rehydration characteristics of dehydrated banana pulp slices prepared from Sindihi cultivar before and after storage for 6 months in two different containers at room temperature.....	161
16 Organoleptic properties of reconstituted dehydrated banana pulp slices prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months.....	164
17 Total acidity of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	166
18 Total acidity of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage for 9 months in polyethylene bags at room temperature (on dry weight basis).....	167
19 Serum colour of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months.....	169
20 Serum colour of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage for 9 months in polyethylene bags at room temperature.....	174
21 Colour index of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months.....	170

<u>Table</u>	<u>Page</u>
22 Colour index of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage in polyethylene bags at room temperature for 9 months.....	125
23 Sugar content of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	178
24 Sugar content of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage in polyethylene bags at room temperature for 6 months (on dry weight basis)...	179
25 Starch content of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	180
26 Starch content of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage in polyethylene bags at room temperature for 9 months (on dry weight basis).....	181
27 Pectic substances of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	183
28 Pectic substances of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage for 9 months in polyethylene bags at room temperature (on dry weight basis).....	184
29 Residual sulphur dioxide content of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	188
30 Residual sulphur dioxide content of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage in polyethylene bags at room temperature for 9 months (on dry weight basis).....	190
31 Total phenols of banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	193

<u>Table</u>	<u>Page</u>
32 Total phenols of dehydrated banana pulp powder prepared from Maghrabi and Paradica cultivars upon storage for 9 months in polyethylene bags at room temperature (on dry weight basis).....	194
33 Polyphenoloxidase activity in fresh banana pulp and dehydrated banana pulp powder prepared from Sindihi cultivar before and after storage for 9 months in aluminium foil bags at room temperature.....	197
34 Microbiological aspects of dehydrated banana pulp powder prepared from Sindihi cultivar upon storage in two different containers at room temperature for 6 months.....	202
35 Effect of dipping treatment in sodium metabisulfite and temperature of dehydration on colour of dehydrated guava pulp slices.....	205
36 Sensory evaluation of reconstituted dehydrated guava pulp slices using different treatments....	210
37 Rehydration characteristics of dehydrated guava slices.....	211
38 Proximate chemical analysis of guava pulp before and after dehydration (g/100 g dry weight basis).....	215
39 Chemical analysis of some carbohydrate constituents of guava pulp before and after dehydration (g/100 g dry weight basis).....	218
40 Some chemical properties of guava pulp before and after dehydration (on dry weight basis).....	221
41 Mineral content dehydrated guava pulp as well as oven dried peels and sun dried seeds (mg/100g dry weight basis).....	231
42 Moisture content of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months.....	233
43 Rehydration characteristics of dehydrated guava pulp slices before and after storage for 6 months in two different containers at room temperature.	236

<u>Table</u>	<u>Page</u>
44 Organoleptic properties of reconstituted dehydrated guava pulp slices using variable treatments upon storage in two different containers at room temperature for 6 months.....	239
45 Total acidity of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	241
46 Ascorbic acid content of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months (on dry weight basis)...	244
47 Serum colour of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months.....	248
48 Colour index of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months.....	249
49 Sugar content of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	252
50 Pectic substances of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	255
51 Residual sulphur dioxide content of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	258
52 Total phenols of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months (on dry weight basis).....	261
53 Polyphenoloxidase activity in fresh guava pulp and dehydrated guava pulp powder before and after storage for 9 months in aluminium foil bags at room temperature.....	264

<u>Table</u>	<u>Page</u>
54 Microbiological aspects of dehydrated guava pulp powder prepared using variable treatments upon storage in two different containers at room temperature for 6 months.....	268
55 Distribution of fruit components and yields obtained during dehydration of various of banana cultivars grown in Egypt.....	271
56 Distribution of fruit components and yeilds obtained during dehydration of guava (white Baladi cultivar).....	271
57 Proximate chemical analysis of oven dried peels of three banana cultivars grown in Egypt (g/100 g dry weight basis).....	275
58 Proximate chemical analysis of oven dried peels and sun dried seeds of guava fruits (g/100 g dry weight basis).....	275
59 Chemical analysis of some carbohydrate consti- tuents of oven dried peels of three banana cultivars grown in Egypt (g/100g dry weight basis).....	279
60 Chemical analysis of some carbohydrate consti- tuents of oven dried peels of guava fruits (g/100 g dry weight basis).....	279
61 Chlorophylls, carotenoids and total phenols in dried peels of the three banana cultivars grown in Egypt (on dry weight basis).....	282
62 Ascorbic acid, chlorophylls, carotenoides and total phenols in dried peels of guava fruits (calculated on dry weight basis).....	282
63 Mineral content of dehydrated peels of three banana cultivars as well as guava fruits grown in Egypt (reported in mg per 100 g dry weight).	288

<u>Table</u>	<u>Page</u>
64 Relative percentage of main individual sugars present in ripe pulp and dehydrated powder of fresh Sindihi bananas as calculated from GLC chromatograms.....	295
65 Relative percentage of main individual sugars present in ripe pulp and dehydrated powder of fresh white-fleshed "Baladi" guavas as calculated from GLC-chromatograms	299
66 Relative percentage of main organic acids presented in ripe pulp and dehydrated powder of fresh Sindihi bananas as calculated from GLC...	303
67 Relative percentage of main organic acids present in ripe pulp and dehydrated powder of fresh white-fleshed "Baladi" guavas as calculated from GLC-chromatograms.....	306
68 Relative percentage of main phenolic compounds present in ripe pulp and dehydrated powder of fresh Sindihi bananas as calculated from GLC...	309
69 Relative percentage of main phenolic compounds present in ripe pulp and dehydrated powder of fresh white-fleshed "Baladi" guavas as calculated from GLC-chromatograms.....	314
70 Organoleptic characteristics of banana jellies (Sindihi cultivar) processed using dehydrated banana pulp powder.....	320
71 Organoleptic properties of guava jellies processed using dehydrated guava pulp powder...	321

LIST OF FIGURES

<u>Figure:</u>		<u>Page</u>
1	GLC chromatogram of main sugars separated from ripe pulps of fresh Sindihi bananas.....	294
2	GLC chromatogram of main sugars separated from dehydrated Sindihi bananas powder.....	294
3	GLC chromatogram of main sugars separated from ripe pulp of fresh white-fleshed "Baladi" guavas.....	298
4	GLC chromatogram of main sugars separated from dehydrated guavas powder.....	298
5	GLC chromatogram of main organic acids separated from ripe pulps of fresh Sindihi bananas	301
6	GLC chromatogram of main organic acids separated from dehydrated Sindihi bananas powder.....	301
7	GLC chromatogram of main organic acids separated from ripe pulp of fresh white-fleshed "Baladi" guavas.....	
8	GLC chromatogram of main organic acids separated from dehydrated guavas powder.....	305
9	GLC chromatogram of main phenolic compounds separated from ripe pulp of fresh Sindihi bananas.....	308
10	GLC chromatogram of main phenolic compounds separated from dehydrated Sindihi bananas powder.....	308
11	GLC chromatogram of main phenolic compounds separated from ripe pulp of fresh white-fleshed "Baladi" guavas.....	313
12	GLC chromatogram of main phenolic compounds separated from dehydrated guavas powder.....	313