

LITERATURE CITED

- Abdel- Aleem, M.M. (1980):** Effect of some seeding methods and nitrogen fertilization on growth and yield of some wheat varieties .
M.Sc. Thesis, Fac. Agric. Cairo Univ.
- Abdel- Aleem, M.M. (1987):** Response of wheat to time and rate of fertilizer application.
Ph. D. Thesis, Fac. Agric., Cairo, Univ.
- Abd El- Gawad, A.A.; A.M. Abo- Shetaia and A.S. Edris (1985a):** Potential productivity of wheat in Egypt. I- Yield and yield attributes of certain wheat cultivars .
Annals Agric. Sci., Fac. Agric., Ain- Shams Univ., Cairo, 30(2): 818- 833.
- Abd- El- Gawad, A.A.; A.M. Abo- Shetaia and A.S. Edris (1985b):** Potential productivity of wheat in Egypt. II- Growth analysis studies of certain wheat cultivars .
Annals Agric. Sci., Fac. Agric., Ain- Shams Univ., Cairo, 30(2): 835- 848.
- Abd El- Gawad, A.A.; A.E. El- Tabbakh; A.M. Abo- Shetaia and A.S. Edris (1985c):** Potential productivity of wheat in Egypt. III- Studies on filling of grains in certain wheat cultivars .
Annals Agric. Sci., Fac. Agric., Ain- Shams Univ., Cairo, 30(2): 849- 863.
- Abd El- Gawad, A.A.; A.E. El- Tabbakh; A.S. Edris and A.M. Abo- Shetaia (1986):** Potential productivity of wheat in Egypt. VII- Response of wheat cultivars to different nitrogen levels.
Annals Agric. Sci., Fac. Agric., Ain- Shams Univ., Cairo, 31(2): 1159- 1172.
- Abd- El- Gawad, A.A.; Nemate A. Nour El- Din; M.A. Ashoub and M.A. Khashaba (1993b):** Studies on consumptive use and irrigation scheduling in relation to nitrogen fertilization on wheat. II: Response of wheat yield and its attributes.

- Annals Agric. Sci., Ain Shams Univ., Cairo, 38(1): 173- 181.
- Abd El- Ghany, H.M.A. (1997):** Response of some new wheat varieties to some agricultural practices.
M.Sc. Thesis, Fac. Agric. Menofiya, Univ. Egypt.
- Abd El- Hadi, A.H.; M.S. Khadr; A. Darweasch and A. Saurat (1985):** Influence of NPK on wheat production in Egypt.
Mediterranean Potash News, 1: 7- 10.
- Abd El- Majeed, S.A.; A. M. Moussad, and A.A. Khattab (1998):** Verification of improved wheat cultivars at Middle Egypt.
Nile Valley and Red Sea Regional Program (NVRSRP) (Phase II) Wheat- Egypt. Ann. Coordination Meeting, 6- 11 Sept., 1998.
- Abdin, M.Z.; K.C. Bansal and Y.P. Abrol (1996):** Effect of split nitrogen application on growth and yield of wheat (*T. aestivum* L.) genotypes with different N. assimilation potential.
J. Agron. & Crop Sci., 176: 83- 90.
- Abdulgalil, A.A.; E. M. Zeidan and M.A.M. Eid (1978):** Nitrogen and phosphorus uptake in wheat as influenced by P fertilization and splitting of N carriers .
Egypt. J. Agron., 3(2): 175- 193.
- Abo- Shetaia, A.M. and A.A. Abd El- Gawad (1995):** Effect of winter withholding irrigation period and N fertilization on yield of two wheat cultivars. Annals Agric. Sci., Fac. Agric., Ain-Shams Univ., Cairo, 40(1): 177- 193.
- Abo- Warda, A.M. (1989):** Study of yield potential of some wheat varieties as affected by nitrogen fertilization.
M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt.
- Abo- Warda, A.M.A. (1993):** Response of wheat to some cultural practices under new reclaimed area.
Ph. D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., Egypt.
- Abo- Warda, A.M.A. (1997):** Productivity of some wheat cultivars and lines in sandy soils.
Egypt. J. Appl. Sci., 12(12): 86- 90.

- Abo- Warda, A.M.A. and Eman Sadek, M. (1998):** Effect of nitrogen fertilization levels on yield and yield components of triticale and wheat.
Egypt. J. Appl. Sci., 13(1): 105- 113.
- Al- Abdulsalam, M.A.; O.A. Al- Tahir, A.A. Al- Jasim and H.O. Burhan (1993):** Wheat growth as influenced by the interaction of drainage water and nitrogen fertilization.
Exp. Agric., 29: 195- 200.
- Alessi, J.; J.F. Power and L.D. Sibbitt (1979):** Yield, quality and nitrogen fertilizer recovery of standard and semi- dwarf spring wheat as affected by sowing date and fertilizer rate.
J. Agric. Sci., (UK), 93(1): 87- 93.
- Ali, S.A. (1997):** Effect of some agricultural practices on growth, yield and yield components of wheat.
Ph. D. Thesis, Fac. Agric., El- Minia Univ., Egypt.
- Ali, A.M.A.; M.M. Hamed and M.G. Mossad (1996):** Varietal verification trials in new land at Upper Egypt.
Nile Valley and Red Sea Regional Program (NVRSRP) Wheat-Egypt. Ann. Coordination Meeting 15- 19 Sept., 1996 p. 29- 31.
- Anderson, W.K; M. Seymour and M.F. Antuono (1991):** Evidence for differences between cultivars in responsiveness of wheat to applied nitrogen.
Austr. J. Agric. Res., 42(3): 363- 377.
- Andrews, C.J.; M.K. Pomeroy; W.L. Semon and G. Hoekstra (1992):** Planting dates and seeding rates for soft white winter wheat in eastern Ontario.
Can. J. Plant Sci., 72: 391- 402.
- A.O.A.C. (1975):** Official methods of analysis. Association of Official Agricultural Chemists. 12 th Ed. Washington D.C.
- Awasthi, U.D. and Surajbhan (1993):** Performance of wheat (*Triticum aestivum*) varieties with different levels of nitrogen in moisture- scarce condition.
Indian J. Agron., 38(2): 200- 203.

- Ayoub, M.; S. Guertin and D.L. Smith (1995):** Nitrogen fertilizer rate and timing effect on bread wheat protein in eastern Canada. *J. Agron. & Crop Sci.*, 174 (5): 337- 349.
- Barthakur, B.C.; B. Borgohain and M.N. Borgohain (1979):** Effect of row spacing and seeding rates on grain yield of dwarf wheat. *Indian J. Agron.*, 24(1): 13- 16.
- Basillious, S.I. (1992):** Response of two wheat cultivars (Giza 164 and Sakha 69) to rates and splitting of nitrogen fertilizer. *Assiut J. Agric. Sci.*, 23(2): 165- 168.
- Basillious, S.I. and M.M. Abdel- Aleem (1992):** Effect of five nitrogen levels on grain yield and other attributes of Bani- Swef 1 (*Triticum durum*) in Middle Egypt. *Minia J. Agric. Res. & Dev.*, 14 (3): 715- 723.
- Basillious, S.I. and M.G. Mossad (1988):** Effect of seeding rate and N fertilization on wheat. *Assiut J. Agric. Sci.*, 19(2): 59- 67.
- Campbell, C.A.; R.P. Zentner; F.Selles; B.G. Mc Conky and F. B. Dyck (1993):** Nitrogen management for spring wheat grown annually on zero- tillage : Yields and nitrogen use efficiency. *Agron. J.* 85: 107- 114.
- Craswell, E.T. and D.C. Godwin (1984):** The efficiency of nitrogen fertilizers applied to cereals in different climates. In Tinker, P.B. and A.Luchli (ed.). *Advanced in Plant Nutrition*, Vol. 1. Prager.
- Dawood, R.A. (1979):** Study of some factors affecting growth and maturity of wheat. *M.Sc. Thesis, Fac. Agric. Assiut Univ., Egypt.*
- Destain, J.P.; J. Guiot; E. Francois and Verdinne K. Meeus (1991):** The contribution of ^{15}N balances in the study of nitrogen fertilization of cereals and its impact. *Revue- de- l' Agriculture*, 44(1): 89- 101. (Belgium).
- Eissa, A.M.K. (1979):** Response of some wheat varieties to cultural treatments.

- M.Sc. Thesis, Fac. Agric. Cairo, Univ. Egypt.
- Eissa, A.M. (1990):** Effect of sowing date and nitrogen fertilizer on spring wheat cultivars of diverse origins, and correlation analysis of yield. *Assiut J. Agric. Sci.*, 12(1): 29- 45.
- Eissa, A.K.; M.M. Abdel- Aleem; M.G. Mossad and T. Shehab El Din (1990):** Effect of nitrogen fertilizer levels on four released bread wheat varieties.
Proc. 4th Conf. Agron., Cairo, 15- 16 Sep., 1990, Vol 1: 189- 197.
- Eissa, F.A. (1996):** Agronomic studies on wheat.
Ph. D. Thesis, Fac. Agric., Mansoura Univ. Egypt.
- El- Ashmoony, M.S.F. (1990):** Critical stages in irrigation timing after heading of two durum wheat varieties.
El- Minia J. Agric. Res. & Dev., 12(2): 995- 1004.
- El- Bana, A.Y.A. and R.M. Ali (1993):** Effect of nitrogen fertilization levels on yield and yield attributes of some wheat cultivars (*Triticum aestivum* L.) in newly cultivated sandy soil.
Zagazig J. Agric. Res., 20(6): 1739- 1747.
- El- Hefnawy, N.N.; A.M. Eissa and T.M. Shehab El- Din (1991):** Respnse of some Egyptian wheat varieties to different sources of nitrogen fertilizers.
Minufiya J. Agric. Res., 16(2): 1300- 1309.
- El- Helaly, S.A.A. (1984):** Physiological evaluation for some varieties and lines of wheat.
M.Sc. Thesis, Fac. Agric. Al- Azhar Univ., Egypt.
- El- Kalla, S.E.; A.A. Leila; A.H. Basiony and S.H. Hussein (1994):** Effect of irrigation and foliar nutrition treatments on growth and yield of some wheat cultivars under Al- Arish area conditions.
Proc. 6th Conf. Agron., Al- Azhar Univ., Egypt, Vol. 1: 365- 378.
- Ellen, J. (1987):** Effect of plant density and nitrogen fertilization on winter wheat (*Triticum aestivum* L.). I. Production pattern and grain yield.

- Netherlands J. Agric. Sci., 35: 137- 153.
- Ellen, J. (1990):** Effect of nitrogen and plant density on growth, yield and chemical composition of two winter wheat (*Triticum aestivum* L.) cultivars .
J. Agron. & Crop Sci., 164: 174- 183.
- El- Sawi, S.A.M. (1996):** Evaluation of different wheat genotypes in relation to growth and physiological characters and their contribution to grain yield.
M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ, Egypt.
- El- Sayed, M.M.; L.K. Mohamed, and M.A. Ebaid (1984):** Effect of rate and application time of NPK on yield, yield components and protein content of five wheat cultivars.
Menoufia J. Agric. Res., 8: 1- 16.
- El- Zein, A.A.N.I. (1994):** Effect of levels and forms of nitrogen fertilizer on wheat.
Ph. D. Thesis, Fac. Agric., Al- Azhar Univ..
- Eman Sadek, M.M. (1985):** Response of some wheat cultivars to different fertilizer rates.
M.Sc. Thesis, Fac. Agric. Cairo, Univ.,
- Eman, M. Sadek and A.M.A. Abo- warda (1998a):** Response of different wheat varieties to varying levels of nitrogen in the new reclaimed area.
Egypt. J. Appl. Sci., 13(4): 71- 79.
- Eman Sadek, M. and A.M.A. Abo- Warda (1998b):** Water and nitrogen use efficiency and their effect on grain yield of wehat. Nile Valley and Red Sea Regional Program, (NVRSRP), Phase II, Wheat- Egypt. Annual Coordination Meeting, 6- 11, Sep. 1998.
- Fatma, Nofal, A. (1994):** Nitrogen use efficiency of some maize genotypes.
M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt.
- Fayed, E.H.M.; A.A. Leilah and A.H . Bassiuny (1993):** Effect of chemical weed control and nitrogen fertilization on weeds occurrence and yield of wheat.

- J. Agric. Sci., Mansoura, Univ., 18(1): 1- 10.
- Freitas, J.G. de; Camargo- C.E.-de- O.; A.W.P. Ferreira Filho; A. Pettinelli- Junior and J.G. Freitas (1994):** Yield and response to nitrogen in wheat genotypes. *Bragantia*, 53(2):P 281- 290.
- Gheith, E.S.; A.A. Abdel- Hafithz; N.A. Khalil and A. Abdel- Shaheed (1989):** Effect of nitrogen and some micro nutrients on wheat. *Assiut J. Agric. Sci.*, 20(5): 255- 268.
- Hayam Mahgoub, S.A. (1990):** Effect of sowing date and nitrogen levels on yield and yield components of some varieties of durum wheat. M.Sc. Thesis, Fac. Agric. Cairo, Univ.
- Hifnawi, F.A.M. (1993):** Effect of different sowing and harvesting dates on yield and yield components of some new released wheat cultivars . M.Sc. Thesis, Fac. Agric. Al- Azhar, Univ., Cairo.
- Hussein, M.A.; A. Kandil; El- Sayed Shokr and M.M. Abd- El- Aleem (1981a):** Effect of seeding methods and nitrogen fertilizer on some agronomic characters of Giza 157 and Sakha 8 wheat cultivars (*Triticum aestivum* L.) *Annals Agric. Sci., Moshtohor*, 15: 1- 12.
- Hussein, M.A.; A. Kandil; El- Sayed Shokr and M.M. Abd- El- Aleem (1981b):** Effect of seeding methods and nitrogen fertilizer on yield and yield components of Giza 157 and Sakha 8 wheat cultivars (*Triticum aestivum* L.) *Annals Agric. Sci., Moshtohor*, 15: 12- 21.
- Hussein, M.M.; S.A.S. Ibrahim and M.I. Zeitoon (1984):** Effect of nitrogen levels on growth, yield and mineral composition of wheat plants under different seed rates. *Egypt. J. Soil Sci.*, 24(1): 7- 18.
- Ibrahim, M.E. and S.M. Abd El- Aal (1991):** Influence of nitrogen, phosphorus and potassium fertilization on growth, yield and protein content of some wheat varieties.

- Menofiya J. Agric. Res., 16(1): 191- 205.
- Ibrahim, M.E.; A.A. Ali; S.A. El- Shamerka and A.A. Nawar (1995):** Evaluation of new promising wheat genotypes under Egyptian agricultural conditions.
Menofiya J. Agric. Res., 20(3): 963- 986.
- Kapur, M.L.; D.S. Rana; K.N. Sharma; A.L. Bhandari and J.S. Sodhi (1985):** Nitrogen uptake pattern of four wheat (*Triticum aestivum* L.) varieties as influenced by nitrogen levels and dates of sowing.
Indian J. Agron. 30(4): 455- 458.
- Khalil, O.H.S.; G.S. Youssef; M.M. El- Hadidi and M.G. Mosaad (1986):** Response of the newly released varieties of wheat to N, P, K fertilizers.
Assiut J. Agric. Sci., 17(2): 203- 218.
- Khattab, A.A.; H.M.M. Zaid and S.A. Abd El- Majeed (1996):** Response of long spike wheat cultivars to nitrogen fertilizer levels under Middle Egypt conditions.
Nile Valley and Red Sea Regional Program, (NVRSRP), Phase II, Wheat- Egypt. Annual Coordination Meeting, 15- 19, Sep. 1996.
- Kheiralla, K.A.; R. Dawood and E.A. Teama (1993b):** Performance of some wheat cultivars for grain yield and excised leaf water loss as an indicator of drought resistance under different levels of nitrogen.
Assiut J. Agric., Sci., 24(2): 293- 310.
- Kheiralla, K.A.; E.E. Mahdy and R.A. Dawood (1993a):** Evaluation of some wheat cultivars for traits related to lodging resistance under different levels of nitrogen.
Assiut J. Agric. Sci., 24(1): 258- 271.
- Konov, V.; B. Simeonov and D. Dekov (1984):** Effect of cultivar and nitrogen application on wheat yield and quality.
Rasteniyev dni- Nauki, 21(8): 16- 23.
- Mady, A.A. (1996):** Effect of some cultural practices on yield and seed quality in wheat.

- M.Sc. Thesis, Fac. Agric. Kafr El- Sheikh, Tanta, Univ., Egypt.
- Mahfouz, A.M.(1987):** Effect of some agricultural practices on yield and yield components of some wheat varieties.
M.Sc. Thesis, Fac. Agric. El- Minia Univ., Egypt.
- Mahmoud, S. Kh. (1988):** Study on some agricultural factors affecting growth, yield components and technological characteristics .of wheat.
Ph. D. Thesis, Fac. Agric., El- Minia Univ., Egypt.
- Malesevic, M. (1987):** A study of varietal specificity in wheat with regard to nitrogen nutrition .
Agrohemija, No. 1: 59- 70.
- Mashhady, A.S. (1984):** Response to and efficiency of different forms of fertilizer nitrogen applied to an arid highly calcareous soil.
Agrochimica, 28(2/3): 228- 234.
- Massoud, M.M. (1986):** Effect of watering regime on wheat.
M.Sc. Thesis, Fac. Agric. Assiut Univ., Egypt.
- Massoud, M.M. (1995):** Effect of modern irrigation technology on growth and yield of wheat.
Ph. D. Thesis, Fac. Agric., Assiut Univ., Egypt.
- Mate, S. and C. Cioban (1986):** Nitrogen efficiency of wheat cultivars grown on different soil types on the control zones of the Western Plain.
Fundulea, 53: 109- 120.
- Miceli, F.; M. Martin and G. Zerbi (1992):** Yield, quality and nitrogen efficiency in winter wheat fertilized with increasing N levels at different times.
J. Agron. & Crop Sci., 168(5): 337- 344.
- Moll, R.H.; E.J. Kamprath and W.A. Jackson (1982):** Analysis and interpretation factors which contribute to efficiency of nitrogen utilization.
Agron. J. 74: 562- 564.

- Mossad, M.G.; K.P. Hegazi; E.H. Ghanem and A.M. Ali (1983):** Effect of seeding date on crop yield of some wheat varieties grown in Egypt.
Bulletin No. 100, Wheat Res. Sec. Field Crops Instit., Agric. Res. Center, Giza, Egypt.
- Mossad, M.G. and M.B. Tawfiles (1995):** Varietal verification in Sohag governorate old land.
Nile Valley and Red Sea Regional Program, (NVRSRP), Phase II, Wheat- Egypt. Annual Coordination Meeting, 10- 14, Sep. 1995, p: 18- 21.
- Nitant, H.C. and R.K. Chhillar (1983):** Effect of sodicity and fertilizer nitrogen on N- uptake, N- availability and crop yield.
Zeitschrift fur Acker- und Pflanzenbau, 152(4): 245- 251.
- Novoa, R. and R.S. Loomis (1981):** Nitrogen and plant production.
Plant and Soil, 58: 177- 204.
- Olugbemi, L.B. (1984):** Effects of varieties and nitrogen fertilizer on yield of irrigated wheat in northern Nigeria.
Samaru J. Agric. Res., 2(1-2): 25- 32.
- Omar, A.B. (1993):** Fertilization of some new wheat cultivars grown under drought conditions.
Ph. D. Thesis, Fac. Agric., Zagazig Univ., Egypt.
- Peltonen, J. (1992):** Ear developmental stage used for timing supplemental nitrogen application to spring wheat.
Crop Sci., 32(4): 1029- 1033.
- Rady, M.A. and A. Abo El- Zahab (1990):** Photoclimatological studies on wheat varieties under different nitrogen levels.
J. Agric. Res., Tanta Univ., 16(4): 664- 681.
- Reiad, M.Sh; D.A. Mohamed; R. Th. Abd- Rabou and M. Yasein (1987):** Comparative study on growth analysis and grain yield of some wheat cultivars.
Annals Agric. Sci., Moshtohor, 25(1): 15 – 27.
- Saleh, M.E.E. (1981):** Productivity of floral fertility of wheat plant as affected by some agronomic treatments.
Ph. D. Thesis, Fac. Agric., Zagazig Univ., Egypt.

- Saleh, M.E.; A.A. Ageez and M.S. Osman (1985):** Response of bread wheat, durum wheat and triticale to nitrogen fertilizer treatments.
Annals Agric. Sci., Moshtohor, 23(1): 75 – 81.
- Shah, S.A.; S.A. Harrison; D.J. Boquet; P.D. Colyer and S.H. Moore (1994):** Management effects on yield and yield components of late- planted wheat.
Crop Sci., 34: 1298- 1303.
- Shalaby, E.E.; M.M El- Genbeehy and M.H. El- Sheikh (1993):** Response of several wheat genotypes to different levels of nitrogen fertilization.
Menofiya J. Agric. Res., 18(2): 1079- 1096.
- Shams El- Din, G.M. and K. El- Habbak (1992):** Response of some wheat varieties to nitrogen fertilization rates.
Annals Agric. Sci., Fac. Agric., Ain- Shams Univ., 37(1): 61- 68.
- Sharsher, M.S.; M.M. El- Shami, A.H. Abd El- Latif, and N.A. El- Aidy (1995):** Response of some agronomic and quality traits of wheat to nitrogen and zinc fertilization.
Egypt. J. Appl. Sci., 10 (9): 189-204.
- Shehab El- Din, T.M. (1993):** Effect of twenty nitrogen fertilization levels on spring wheat (*Triticum aestivum* L. em. Thell.) in sandy soil.
J. Agric. Sci., Mansoura, Univ., Egypt, 18: 2241- 2245.
- Shehab El- Din, T.M. and A.M. Eissa (1992):** Response of bread wheat to nitrogen fertilization levels in Al- Qassim region .
Saudi Arabia, Arid Land Agric. Sci., 3: 69- 75.
- Steel, R.C.D. and J.H. Torrie (1980):** Principles and procedures of statistics .
Mc Graw- Hill Book Co., Inc., New York, USA.
- Strivastava, R.D.L. and O.N.Mehrotra (1982):** Physiological studies on nitrogen utilization efficiency of dwarf wheats.
Indian J. Pl. Physio., 25(3): 213- 219.

- Sulttan, M.S.; A.M. Attia; A.M. Salama and M.M. Abo- El- Naga (1993):** Studies on the effect of timing of phosphorus fertilization, nitrogen levels and forms of wheat.
J. Agric. Sci., Mansoura, Univ., 18(5): 1342- 1349.
- Sulttan, M.S.; M.M. Zein El- Din; A.M. Salama and I.M. Metwally (1994):** Effect of some weed control treatments and N levels on growth and yield of two wheat cultivars .
J. Union Arab. Biolo., 1(B): 149- 161.
- Tomar, R.K.S.; J.S. Raghu; L.N. Yadav and R.S. Ghrayya (1993):** Response of wheat varieties to irrigation under different fertility levels.
Indian J. Agron. 38(2): 291- 293.