

LITERATURE CITED

- Abd Alla,A.F.; El-Farouk,M.; Nasr-El-Din,T. and Zedan,S.Z. (1989):
Variation in plant characteristics of two flax varieties grown
under different densities and nitrogen levels. Egypt J. Appl.
Sci., 4(3): 868-878.
- Abd El Raouf , M.S.; El - Hattab, A.H.; Geith, E.M.S and Shaban ,
A.S (1983) : Effect of N level on flowering . seed and fiber
yield of some interoduced and local flax varieties . Ann .
Agric.Sci ., Moshtohor, 19 (1) : 69 -78 .
- Abou-Zaied, T.A. (1991): Agronomic studies on flax (*Linum
usitatissimum* L.). M.Sc. Thesis Fac. of Agric.,El-Mansoua
Univ. Egypt.
- (1997): Comparative study of -yield and
technological characters of some flax varieties. Ph.D. Thesis
Fac. of Agric.,El-Mansoua Univ. Egy
- Al- Shamma, W.S. and El - Hassan,.M.(1969) : Effect of seeding rate
on flax seed oil quality . Iraq. Agric . Sci.4 (4) : 77 -78 .
- Amani El-Refaie, M.E. (1996): Fiber and oil yield of flax as affected
by some cultural practices. M.Sc. Thesis Fac. of Agric.,
Moshtohor- Zagazig Univ., Egypt.
- Balazs, F.; Lonescu, S. and Doucet, M. (1986): Contributions on the
stabilization of sowing techniques for fiber flax in Casterm-
Transyivania- Problemede Agrofitotehnie- Teoretica-Si-
aplicata 1986, 8(4): 331-344.

- Bassi, K. and Badiyala, D. (1992): Effect of rate of nitrogen on fiber and seed yields of linseed (*Linum usitatissimum* L.) in Himachal pradesh, India. Indian J. Agric. Sci. 62(5): 341-342. (C.F. Field Crop Abst., 19: 412)
- Dixit, J.P.; Chourasia, S.K. and Pillai, P.V.A. (1994): Assessment of flaxibility of sowing time of linseed (*Linum usitatissimum* L.) varieties under double-cropping system in tawa commend. Indian J. of Agron., 39 : 105-109.
- Dolgikh, A.V. (1992): Effect of retardants on fiber yield of flax. Khimizatsiya Sel Skogo Khozyai Stva No.1: 51-53.
(C.F. Field Crop Abst., 46 : 436)
- Easson, D.L. and Long, F.N. (1992): The effect of time of sowing, seed rate and nitrogen level on fiber and quality of flax(*Linum usitatissimum* L.). Irish J. Agric. and Food Res., 31(2): 163-172. (C.F. Field Crop Abst., 46 : 1828).
- El- Farouk, M.M.A. (1968) : Effect of plant density nitrogenous fertilizer and irrigation on yield and fiber quality of flax (*Linum usitatissimum* L.). M.Sc.Thesis, Fac. Agric, Cairo Univ.
- .; Mahmoud, E.A. and Samuia Hassan M. (1982): Growth, yield and fiber quality of two flax cultivars as affected by row spacing and nitrogen levels. Res. Bull. 785, Fac. Agric., Zagazig Univ., Egypt.

- El- Farouk, M.; Shalaby, T.A.; Mouwad, H.M. and Momtaz, A (1980): The effect of various planting and harvesting times on the quantity and quality of flax production. J.Agric. Res. Tanta Univ. 6(2):
- El-Gazzar, A.E. (1990): Effect of some cultural treatments on flax yield and quality. M.Sc. Thesis Fac. of Agric. Kafr El-Sheikh, Tanta Univ., Egypt.
- (1997): Studies on flax production. Ph.D. Thesis Fac. of Agric. Kafr El-Sheikh, Tanta Univ., Egypt.
- El-Hariri, D.M.O (1964): Effect of light intensity and plant density on growth, fiber development and yield of flax. M.Sc . Thesis Fac . Agric., Ain-Shams Univ. Egypt .
- El-Haroun, M.S.; Shaban, S.A.; El-Farouk, M. and Aly, S.E. (1982): Growth, yield and its components of four flax varieties as influenced by sowing date. Moshtohor Annals of Agric. Sci. Zagazig Iniv (18): 1982.
- El-Kady, E..F. (1985): Effect of water and fertilizer requirements on the quantitative and qualitative characters of flax. Ph.D. Thesis, Fac. of Agric. Kafr El-Sheikh, Tanta Univ. Egypt.
- ; Shafshak, S.E.; Gab-Allah, F.I. and Kineber, M.E.A. (1995): Effect of seeding rates on yield and its components of six promising flax genotypes under saline condition J. Agric. Sci. Mansoura Univ. 20 (2): 593-602.

- El-Kady, E.F.; Sorour ; S.C. and Sahsah,A.E. (1988): Response of three flax cultivars to seeding rate. Proc. 3rd Egyptian Conf . Agron., Kafr- El- Sheikh, 5-7 Sept., 1988. Vol . II : 91 - 98 .
- El-Kalla,S.E and El - Kassaby , A.T. (1982): Response of flax varieties to nitrogen fertilization. J.Agric. Sci, Mansoura Univ. 7 : 341- 356 .
- El-Kilany, M.A.; Nazif, S. and Mokhtar, R. (1994): Fiber plants investigation. Lab. Res. Gmm. Ministry Agric. Egypt, Month. Rep. 17: 67- (unpublished)
- El-Nakhlawy, F.S. (1975): Effect of some cultural practices on flax. M.Sc. Thesis, Fac. of Agric., Alexandria Univ.
- El-Nakhlawy, F.S; Abdel-Bary, A.A.; Salama, A. and Bisher, M.A. (1978): Influence of planting date, seeding rate and nitrogen level on yield and seed characteristics of flax. Alexandria J. Agric. Res. 26(1): 85-92.
- El- Shimy, G. H.; Nasr El - Din, T. and Hella, A.M .A.(1985) : Effect of seeding rates and microelements on the yield of some flax varieties. J. Agric. Res. Tanta Univ., 12 (3) 708 - 720 .
- ; El- Kady, E.A.F and Mourad ; N.K.M.(1993) : Effect of seeding rates and nitrogin fertilizer levels on yield and anatomical manifestation of some flax genotypes. J. Agric. Res., Tanta Univ . 19(1): 92-104.
-

El- Shimy, G. H.; Mostafa, S.H.A. and Zedan, S.Z (1997) : Studies on yield, yield components; quality and variability in some flax genotypes. Egypt. J. Agric.; Res .; 75 (3): 697-715.

El- Sweify, A.H.H (1993) Evaluation of some promising flax strains in relation to growth, yield and quality. Ph.D.Thesis, Fac . Agric. Moshtohor, Zagazig Univ. Egypt .

El- Sweify, A.H.H. and Mostafa, S.H.A. (1996): Growth, yield and quality of flax as affected by genotypes, potassium fertilizer and plant densities. Egypt J. Appl. Sci. 11(7): 116-133.

Freer, J.B.S. (1992): Linseed components of yield study. London, UK., Home-Grown Cereals Authority HGCA oil seed project report No. OS3, 12 pp.

(C.F. Field Crop Abst. 46: 1837)

Gad, A.Y. and El-Farouk, M. (1978): Influence of seeding rates and nitrogen levels on yield and some technological characters of flax. Agric. Res. Rev., Cairo, 56(8): 79-91.

Garber, R. (1960): Varietal trails with flax in Schleswing Holstein with special reference to quality. Qval. Plantet Material Veg. 7: 159-183.

(C.F. Field Crop Abst., 13: 1883).

Gubbeles, G.H. (1978): Interaction of cultivar and seeding rate on various agronomic characteristics of flax. *Canadian J. Plant Sci.*, 58(2): 303-309.

Guleria, W.S. and Singh, C.M. (1985): Effect of seed rate and row spacing on growth, fiber and seed yields, seed quality and economics of fiber flax cultivation in Kangra Valley Himachal. *J.Agric. Res.* 11(1): 58-62.

(C.F. Field Crop Abst., 40: 6091).

Gupta, G.P.; Mathur, B.P. and Khan, A.R. (1964): Studies on the performance of linseed varieties. *Indian Oil Seeds J.* 8(1): 9-16.

Hassan, S.M.M. and El-Farouk, M.M. (1987): Effect of planting dates and seeding rates on yield and some technological characters of flax. *Ann. Agric. Sci. Ain-Shams Univ. Cairo, Egypt.* 32(2): 1257-1269.

Hella, A.M.; Mourad, N.K.M. and El-Kady, E.A. (1989): Comparative study on some flax cultivars. *Moshtohor Ann. Agric. Sci.* 27(4): 2105-2120.

-----; Nasr El-Din, T. and El-Shimy, G.H (1986): The effect of various seeding rates and phosphorus level on the quantity and quality of some flax cultivars. *J.Agric. Res., Tanta Univ.*, 12(3) 678 - 689.

- Hermant, F. (1966): Trials with fiber flax varieties for inclusion in the varietal list. *Fibra* 11(3): 99-113.
- Horodyski, A. and Sokolowski, J. (1964): Effect of the spacing and amount of seed/ha. on the seed yield of flax. *Pam Putowski*, (15): 123-131.
- (C.F. Field Crop Abst. 19, 429)
- Horwitz, W; Robertson, A.H.; Epps, E.A.; Quackenush, F.W. and Reynolds, H. (1965): Official methods of analysis of Association of Official Agricultural Chemists Washington. A.O.A.C.
- Khalil, R.K.A. (1990): response of flax to plant density and soil moisture. M.Sc. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ. Egypt.
- Kineber, M.E.A (1991): Evaluation of some new promising flax varieties in relation to yield and quality. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ. .
- Kumar, S. and Singh, S.P. (1967): Studies in American flax. 1- Performance of some American flax strains at Brichipuri. *B.V.J. agric. Sci. Res.* 9(1): 49-56.
- Kwon, B.S.; Lee, J.L. and Park, H.J. (1988): Comparison of agronomic characters and yield as affected by sowing dates of flax (*Linum usitatissimum* L). *Korean J. Of Crop Sci.* 33(2): 173-196.
-

Kwon, B.S.; Park, H.J. ; Lee, J.L.; Son, E.R. and Hwraung, J.K. (1989):
Response of flax varieties to planting. Crop Sci, 34 (3): 225-
228.

(C.F. Field Crop Abst. 43 : 8790)

Mahmoud, E.L. (1993): Effect of some agricultural treatments on
yield and quality of flax varieties. M.Sc. Thesis Fac. Agric. Al-
Azhar Univ. Egypt.

Mathur, Y.K.; Singh, B.; Anjor, R. and Srivastava, J.P. (1984): Effect
of date of sowing on the incidence of Dasineura Lini-Bornes
(Diptera Cecidomyidae and Yield of linseed.) J. of Oil Seeds
Research 1(1): 77-79.

Moawed, E.A. (1996): Agronomic studies on flax. Ph.D. Thesis Fac.
of Agric., Zagazig Univ. Egypt.

Mokhtar, R. (1965): New aspects for cultivated flax expansion. Agric.
Res. Rev. 7(6): 75-82. (in Arabic)

Momtaz, A. and Allam, A.M. (1977): Report on the Dutch flax
varieties in Egypt. Institute Agric. Res. Center, Min. of Agric.

.....; El-Farouk; M.; El-Shimy ,G.; Ibrahim, A.;
Soliman S.; Mohamed, A. and El-Attar, A.(1980) : New flax
varieties; Giza 5 and Giza 6 .Agric. Res. Rev.,(8) :24 - 40.

.....; El-Farouk, M., Mourad, N.K.M.; Nasr El-Din,
T.; El-Kady , E.A.F and Hella, A.M.A. (1989): New flax
varieties Giza 7 and Giza 8 . Agric. Res. Rev.68(7): 1461-
1475.

- Momtaz, A.; Shalaby, T.A. and El-Farouk, M. (1981) : Influence of varieties and Gibberellic acid on growth, yield and fiber quality of flax. Agric. Res. Tanta Univ. 7(1): 259-267.
- Mostafa, S.H.A (1990): Response of flax to seeding rate and harvesting time. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.
- (1994): Yield and quality of flax as affected by variety and some environmental factors. Ph.D.Thesis, Fac. Agric. Moshtohor, Zagazig Univ.
- Nada, S.A.S. (1995): Yield and quality response of certain flax varieties to nitrogen fertilization and plant density. M.Sc. Thesis, Fac. Agric. Ain-Shams Univ. Cairo.
- Nazif, S. (1958): Fiber crops in Egypt. Agric. Extens Dep. Edit and Publ. Sec.Minist. Agric. Egypt.
- Popa, F. (1986): Experimental results on the seeding rate of oilseed flax on a low to moderate saline soil. Probleme de Agrofitehnie Teortica Si Aplicata 8(4): 345-348.
- (C.F. Field Crop Abst. 42 : 1162)
- Radwan,S.R. and Momtaz, A.(1966) : The technological properties of flax fibers and methods of estimating them El-Felaha J.46 (5) : 466-476 (in Arabic).
-

Remussi, C.; Oribe, E. and Iviolia, P. (1967): Influence of sowing date on 1000-seed weight, iodine number and oil content in cultivars of oil seed flax. *Revta Fac. Agron. Vet. Unvi. B. Aires* 16 No. 3: 67-92.

(C.F. Field Crop Abst. 20 : 2665)

Robles, S.R. (1979): Evaluation of the adaptation, yield and oil percentage in 15 cultivars of oil seed flax (*Linum usitatissimum* L.) in apedaco. N.L. Monterray. Nuera Leaon. Mixico. 99-101.

(C.F. Field Crop Abst 24: 1124).

Rosbaco, A.D. (1966): Influence of sowing date on yield and other characteristics of flax. *Ser. Tec. U. Estac. Exp. Agropec. Porana. Argentina* P.16.

Rosnovskii, N.G. and Badorenko, A.D. (1985): Some aspects of sowing dates and rates of bast crops in relation to their weed competition ability. *SSR. 1985. 103-107, Kiev. Ukrainian. SSR.*

Salama, H.E.E. (1983): The effect of nitrogen fertilization and herbicide treatments on growth and technological properties of some flax varieties (*Linum usitatissimum* L.) M.Sc. Thesis Fac.Agric., Mansoura Univ., Egypt.

----- (1988): Response of different flax varieties to population density and fertilization treatments. Ph. D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., Egypt.

Samia Hassan, N.n and El-Farouk, M. (1984): Response of flax to irrigation frequency and time of nitrogen application. Egypt J. of Agron. 9 (20): 1-15.

Samui, R.C. and Bondopadhyay, P. (1992): Influence of dates of sowing on linseed (*Linum usitatissimum* L.) varieties. Indian J. of Agron. 37 (3): 599-601.

Sharief, A.E. (1993): Response of some introduced and local flax cultivars to seeding rates. J. Agric. Sci. Mansoura Univ. 18(10): 2827-2834.

Sharma, R.P. and Roy, P.K. (1987): Effect of sowing date and fertilizers on linseed. Indian J. of Agron. 32(2): 194-195.

Sin, G.; Pintitie, J.; Nicola, N.; Sparpe, N.; Mihaila, V. and zahran, H. (1975): Effect of some agronomic techniques on the yield of flax crop. Production of Vegetala gereat Si plants tecnic. 27(10): 7-13.

(C.F. Field Crop Abst, 29: 8072).

Snedecor, G.W. and Cochran. W.G.(1980) : Statistical Method.7th edition, Lawa State Univ., Press. Ames., Lawa, U.S.A : 325 :330.

Sorour, S. G; El-Kady, E.A. and Abdel-Hafez, A.G. (1988): Productivity of some flax lines in comparison with one of the commercial cultivars. Proc. 3 rd Egyptian Conf. Agron., Kafr El-Sheikh, 5-7 Sept., 1988. Vol. 11: 502-512.

Spratt, E.D.; Mckenzie, R.I.H. and Martin, A.I.D. (1963): The effect of date of sowing on number of plant characteristics for five varieties. Canadian J. Pl. Sci., 43, No.4: 583-588.

Subotinas, A. (1991): Nitrogen fertilizer and sowing rates for fiber flax cv Belinka. Mokliniu Straipsniu Rinkinys No. 67: 91-95.

(C.F. Field Crop Abst 46: 5237).

Thosar, V.R. (1986): Effect of sowing dates, nitrogen and phosphorus on the growth and yield of linseed (*Linum usitatissimum* L.). RKV-Res. J. 10(1): 23-26.

Vasilica, C. (1976): Effect of sowing density on yield of fiber flax. Agronomic Horticulture, 41-43, Romania.

(C.F. field Crop Abst 32: 1139).

-----, M. and Vasilica, C. (1979): Contribution to the study of optimum rates of N fertilizer as a means of production in the cultivation technology of flax for fiber. Wcrari Strintifica. Institut. J. Agronomic. On Lnonescude Ia Brod. Jast, Agronomic- Horticultura, El-52.

(C.F. field Crop Abst 32: 8893).

Werma, K.P. and Pathak, R.K. (1993): Response of linseed (*Linum usitatissimum* L.) varieties to different dates of sowing. Indian J. Agron. 38: 60-63.

(C.F. field Crop Abst 47: 5436).

Yousef, M.A.(1968): Effect of sowing and harvesting dates on yield and fiber quality of flax (*Linum usitatissimum* L.). M.Sc. Thesis Fac.Agric., Cairo Univ., Egypt.

Zahran, M.; Abou-Khadrah, A.; Sorour, E.A. and Nasr-El-Din, T. (1984): Effect of row spacing and seeding rate on growth and yield of two flax (*Linum usitatissimum* L.) cultivars. The 2nd General Conf. ARC. Giza 9-11 April.