





REFERENCES



6. REFERENCES

- Abd El-Aal, A.M.M. (2007).** Commercial inbred lines as testers for combining ability in new developed maize lines. *Minufiya J. Agric. Res.*, 32(1): 219-235.
- Abd El-Aty, M.S. and Y.S. Katta (2002).** Estimation of heterosis and combining ability for yield and other agronomic traits in maize hybrids (*Zea mays* L.). *J. Agric. Sci. Mansoura Univ.*, 27(8): 5137-5146.
- Abd El-Azeem, M.E. (2000).** Combining ability analysis of grain yield and its components in maize. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagazig Univ., Egypt.
- Abd El-Sattar, A.A.; A.A. El-Hosary and M.H. Matawei (1999).** Genetic analysis of maize grain yield and its components by diallel crossing. *Minufiya J. Agric. Res.*, 24(1): 43-63.
- Abd El-Sattar, A.A. and M.F. Ahmed (2004).** Diallel cross analysis for some quantitative traits in yellow maize under stress and normal irrigation treatments I. biochemical genetic markers for heterosis and combining ability. *Egypt. J. Plant. Breed.* 8: 173-188.
- Ahmed, M.A.; M.H. El-Sheikh and Sh.A. Shamarka (2000).** Diallel analysis of yielding ability and earliness in maize. *J. Agric. Sci. Mansoura Univ.*, 25(7): 3717- 3726.
- Al-Ahmed, S.A.; K.A. El-Shouny; H.E. Olfat and K.I.M. Ibrahim (2004).** Heterosis and combining ability in

- yellow maize (*Zea mays* L.) crosses under two planting dates. Ann. Agric. Sci. Cairo. 49 (2): 531-543.
- Al-Naggar A.M.; M.S. Radwan and M.M.M. Atta (2002).** Analysis of diallel crosses among ten maize populations differing in drought tolerance. Egypt. J. Plant Breed. 6(1): 179-198.
- Altinbas, M. (1995).** Heterosis and combining ability in maize for grain yield and some plant characters. Anadolu 5(2): 35-51. (C.F. Plant Breeding Abst. 66, 4716, 643, 1996)
- Amer, E.A. (2003).** Diallel analysis for yield and its components of maize under two different locations. Minufiya J. Agric. Res.28(5): 1363-1373.
- Amer, E.A. (2005).** Estimates of combining ability using diallel crosses among eight new maize inbred lines. J. Aric. Res. Tanta Univ., 31(2) 67-73.
- Amer, E.A. and A.A. El-Shenawy (2007).** Combining ability for new twenty one yellow maize inbred lines. J. Agric. Sci. Mansoura Univ., 32(9): 7053-7062.
- Barakat, A.A. and A.M.M. Abd El-Aal (2007).** Phenotypic stability parameters for some promising yellow maize genotypes under different environmental conditions. Minufiya J. Agric. Res., 32(1): 203-217.
- Barakat, A.A. and M.M.A. Osman (2008).** Evaluation of some newly developed yellow maize inbred lines for combining ability in two locations. J. Agric. Sci. Mansoura Univ., 33(7): 4667-4679.

- Barakat, A.A. and M.M.A. Osman (2008).** Combining ability estimates of maize inbred lines by top crosses for grain yield and other traits. *J. Agric. Sci. Mansoura Univ.*, 33(9): 6291-6302.
- Chen I.; C. Shaoping and S. Yiaobang (1996).** Analysis of gene effect on ear characters in maize. *Acta Agric. Boreali-Sinica*, 11(2): 28-32.
- Choukan, R. (1999).** General and specific combining ability of ten maize inbred lines for different traits in diallel crosses. *Seed and Plant*, 15(3): 280- 295.
- Cocherham, C.C. (1961).** Implication of genetic variances in breeding program. *Crop. Sci.* 1:47-52.
- Dodiya, N.S. and V.N. Joshi (2002).** Gene action for grain yield and its attributes in maize (*Zea mays* L.). *Indian J. of Gen. and Plant Breed.* 62(3): 253- 254.
- Dubey, R.B.; V.N. Joshi and N.K. Pandiya (2001).** Heterosis and combining ability for quality, yield and maturity traits in conventional and non-conventional hybrids of maize (*Zea mays* L.). *Indian J. of Gen. and Plant Breed.* 61(4): 353- 355.
- El-Absawy, E.A. (2002).** Estimation of combinig abilities and heterotic effects in maize. *Minufiya J. Agric. Res.* 27 (6): 1363-1375.
- El-Biealy, I.E.M.A. (2003).** Genetic analysis of yield characters in yellow maize inbred lines. *Ann. Of Agri. Sci. Moshtohor*; 30(3):677-689.

- El-Badawy, M.El.M. (2006).** Genetical analysis of diallel crosses in *maize (Zea mays L.)* over two years. J. Agric. Sci. Benha Univ. 44 (3): 911-922.
- El-Bagoury, O.H.; K.A. El-Shouny; H.Y. El-Sherbieny and S.A. Al-Ahmad (2004).** Estimation of heterosis and its interaction with plant densities in some yellow maize crosses. Arab Universities J. Agric.Sci. 12(1): 201-219.
- El-Hosary, A.A. (1988a).** Heterosis and combining ability of ten maize inbred lines as determined by diallel crossing over two planting dates. Egypt. J. Agron. 13:13-26.
- El-Hosary, A.A. (1988b).** An analysis of the combining ability of inbred lines of maize (*Zea mays L.*) in diallel cross system. Egypt. J. Agron. 13:27-39.
- El-Hosary, A.A. (1989).** Heterosis and combining ability of inbred lines of maize in diallel crosses over two years. Egypt. J. Agron. 14(1-2):47-58.
- El-Hosary, A.A. and S.A. Sedhom (1990).** Diallel analysis of yield and other agronomic traits in maize (*Zea mays L.*) Ann. Of Agric. Sci. Moshtohor; 28(4):1985-1998.
- El-Hosary, A.A.; G.A. Sary and A.A. Abd El-Sattar (1990).** Studies on combining ability and heterosis in maize (*Zea mays L.*) I- Growth attributes. Egypt. J. Agron. 15 (1-2):23-34.
- El-Hosary, A.A. and M.El.M. El-Badawy (2005).** Heterosis and combining ability in yellow corn (*Zea mays L.*) under two nitrogen levels. The 11th Conf. Agron., Agron. Dept., Fac. Agric., Assiut Univ., 89-99.

- El-Hosary, A.A.; M.EL.M. El-Badawy and Y.M. Abdel-Tawab (2006).** Genetic distance of inbred lines and prediction of maize single-cross performance using RAPD and SSR markers. *Egypt. J. Genet. Cytol.* 35: 209-224.
- El-Rouby, M.M. and A. Galal, (1972).** Heterosis and combining ability in variety crosses of maize and their implication inbreeding schemes. *Egypt. J. Genet. Cytol.* 1:262-279.
- El-Shenawy, A.A. (2005).** Combining ability of prolific and non prolific maize inbred lines in their diallel crosses for yield and other traits. *J. Agric. Res. Tanta Univ.*, 31(1) 16-25.
- El-Zeir, F.A.A. (1998).** Estimating heterosis and combining ability using diallel crosses among newly white maize inbreds. *Egypt. J. Appl. Sci.* 13(7): 137-161.
- El-Zeir, F.A.A.; E.A.A. Abd El-Aziz and A.A. Mahmoud (2000).** Combining ability of new maize inbred lines and type of gene action using top crosses of maize. *Egypt. J. App. Sci.* 15(2): 116-128.
- Gado, H.E.; M.S.M. Soliman and M.A.K. Shalaby (2000).** Combining ability analysis of white maize (*Zea mays* L.) inbred lines. *J. Agric. Sci. Mansoura, Univ.* 25(7): 3719-3729.
- Gilbert, N.E.G. (1958).** Diallel cross in plant breeding *Heredity*, 12: 477-492.
- Giridharan, S.; M.N. Prasad and S.R. Ranga Swamy (1996).** Diallel, triallel and quadriallel analyses for grain yield in maize. *Madras. Agric. J.* 63 (4):230-236.

- Griffing, B. (1956).** Concept of general and specific combining ability in relation to diallel crossing systems. *Aus. J. of Biol. Sci.* 9: 463-493.
- Habtamu, Z. (2000).** Combining ability for grain yield and other agronomic characters in inbred lines of maize (*Zea mays* L.). *Indian J. Genet.* 60(1): 63-70.
- Hassan, A.A. (1999).** Combining ability studies under two nitrogen levels in different locations using 7x7 diallel of yellow maize. *Ann. Of Agric. Sci. Moshtohor;* 37(4):2159-2178.
- Ibrahim, M.H.A.; M.M.A. Osman and M.A. El-Ghonemy (2007).** Combining ability of new yellow maize inbred lines under two different locations. *Minufiya J. Agric. Res.*, 32(1): 185-201.
- Kabdal, M.K.; S.S. Verma; A. Kumar and U.B.S. Panwar (2003).** Combining ability and heterosis analysis for grain yield and its components in maize (*Zea mays* L.). *Indian J. Agric. Res.* 37(1): 39-43.
- Katta, Y.S.; M.S.M. Abd El-Aty; M.A. El-Hity and M.M. Kamara (2007).** Estimate of heterosis and Combining ability of some white inbred lines of maize (*Zea mays* L.). *J. Agric. Sci. Mansoura Univ.*, 32(9): 7077-7088.
- Khalil, A.N.M. and A.B. Khattab (1998).** Influence of plant densities on the estimates of general and specific combining ability effects in maize. *Menofiya J. Agric. Res.* 2(3):521-543.

- Mahmoud, A.A. (1996).** Evaluation of combining ability of newly developed inbred lines of maize. Ph. D. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Matzinger, D.F.; Sprague, O.F. and C.C. Cockerhan (1959).** Diallel crosses of maize in experiments repeated over locations and years. *Agron.* 51:346-350.
- Mohamed, A.Z.A. (2003).** Heterosis and combining ability for yield and its components in some single crosses of maize under different treatments. Ph. D Thesis, Fac. of Agric. Ain Shams Univ., Egypt.
- Mosa, H.E. (2003-a).** Combining ability of eight yellow maize (*Zea mays* L.) inbred lines for different characters in diallel crosses. *J. Agric. Res. Tanta Univ.*, 31(4-A) 604-614.
- Mosa, H.E. (2003-b).** Heterosis and combining ability in maize (*Zea mays* L.). *Minufiya J. Agric. Res.* 28(5): 1375-1386.
- Mosa, H.E. and A.A. Motawei (2005).** Combining ability of resistance to late wilt disease and grain yield and their relationships under artificial and natural infections in maize. *J. Agric. Sci. Mansoura Univ.*, 30(2): 731-742.
- Motawei, A.A. (2005).** Combining ability and heterotic effect of nine maize inbred lines via diallel cross analysis. *Minufiya J. Agric. Res.* 30(1): 197 – 214.
- Mufti, M.U. and H.R. Rao (1995).** Quantitative studies on heterosis in (*Zea mays* L.) diallel crosses. *Sarhad J. of Agric.*, 11(1): 71-77 (*C.F. Plant Breed Abst.* 66, 3668, 497, 1996).

- Nawar, A.A.; Gomaa, M.E. and M.S. Rady (1979).** Genetic analysis of maize inbred lines. 1- Genetic analysis of yield and some of its component. Ain Shams univ., Fac. Of Agric. Res Bull. 1168.
- Nawar, A.A.; S.A. El-shamarka and E.A. El-Absawy (2002).** Diallel analysis of some agronomic traits of maize. J. Agric. Sci. Mansoura Univ., 27 (11): 7203-7213.
- Nawar, A.A.; S.A. El-shamarka; E.A. El-Absawy; M.E. Ibrahim and M.A. Shehata (1998).** Estimation of genetic variation in maize population and their interaction with growing season. Menofiya. J. Agric. Res. 23(6): 1509-1530.
- Paul, K.K. and S.C. Dehanth (1999).** Combining ability analysis in maize (*Zea mays* L.). Pakistan J. of Scientific and Industrial Res. 42(3): 141- 144.
- Sabljurevic, V. (1997).** Genetic values of yield component and protein content in F1 generation of maize (*Zea mays* L.) hybrids. Review of research work at the faculty of agriculture Belgrade. 42(1): 157-168. (C.F computer research).
- Sadek, S.E.; H.E. Gado and M.S. Soliman (2000).** Combining ability and type of gene action for maize grain yield and other attributes. J. Agric. Sci., Mansoura Univ. 25(5): 2491- 2502.
- Sedhom, A.S.; M.El.M. El-Badawy, A.M. Morsy, and A.A.A. El-Hosary (2007).** Diallel analysis and relationship between molecular polymorphisms and yellow maize

hybrid performance. J. Agric. Sci. Benha Univ., 45(1): 1-20.

Shafey, S.A.; H.E. Yassien; I.E.M.A. El-Beially and O.A.M. Gad-Alla (2003). Estimation of combining ability and heterosis effects for growth, earliness and yield in maize (*Zea mays* L.). J. Agric. Sci. Mansoura Univ., 28(1): 55-67.

Singh, A.K.; J.P. Shahi and J.K. Singh (2004). Heterosis in maize. J. Applied Biology 14(1): 1-5 .

Soliman, F.H.S. (2000). Comparative combining ability of newly developed inbred lines of yellow maize (*Zea mays* L.) Egypt. J. Appl. Sci., 15(7): 87- 102.

Soliman, M.S.M.; Fatma A.E. Nofal and M.E.M. Abd El-Azeem (2005). Combining ability for yield and other attributes in diallel cross of some yellow maize inbred lines. Minufia J. Agric. Res. Vol. 30(6): 1767-1781.

Sprague, G.f. and L.A. Tatum (1942). General varsus specific combining ability in single crosses of corn. Agron. J. 34:923-932.

Yasien, H.E. (1999). Genetic analysis in three yellow maize (*Zea mays* L.) crosses. J. Agric. Sci. Mansoura Univ. 24 (10): 5319-5331.