REFERENCES

REFERENCES

A.O.A.C. (1970). Official methods of analysis of the association of official Agriculture chemists. Washington, D.C.

Abd EL-Kader, H. H. and Ghaly, N. G. (2003). Effect of cutting the herb and the use of nitrobein and phosphorein associated with mineral fertilizers on growth, fruit and oil yield and chemical composition of essential contents. (*Corianderum sativum*, L.). J. Agric. Sci. Mansoura Univ., 28(3): 2161-2171.

Abd EL-Latif, T. A. (2002). Effect of organic and biofertilizer on caraway plants (*Carum carvi*, l). j. Agric. Sci., Mansoura Univ., 27(5): 3459-3468 .

Abd EL-Malik, M. H. (2004). Effect of some chemical and biofertilization treatment on growth, yield and active ingredient of *Tagetes minuta*, L. plants. PH.D. Thesis, Fac. Agric. Minia Univ. Egypt.

Abd EL-Naeem, I. M. A. (2008). Response of caraway plants to some organic and biofertilization treatments M.Sc. Thesis, Fac. Agric. Minia Univ., Egypt.

Abd-El-Azim, W. M. (2003). Production of *salvia officinalis L.* plant under Sinai conditions. PH.D. Thesis, Fac. Agric., Cairo Univ., Egypt.

Abd-EL-Latif. T. A.; G. Salem Amal and N. G. Ghaly (2002). Effect of chemical and bio-nitrogen fertilizers on chamomile plants (*Matericaria chamomilla* L.). J. Agric. Sci., Mansoura Univ., 27(3): 1757 – 1771 .

AbdEl-Moez, M. R.; Saleh, A. L. and Wanas, Sh. A. H. (1991). Influence of some organic compost on yield, nutrients uptake and consumptive use of fennel and coriander plants and some poreties. J. Agric. Sci. Mansura Univ, 24(10): 6237-6253.

Abdou, M. A. H. (2002). Influence of NPK and micronutrients on growth, flowering and chemical constituents of *Borago officinalis*, L. plants environmental Sci., the Proc. Of Minia 1st Conf: Agric. and Environmental Sci., 22(2c): 1659-1672 .

Abdou, M. A. H. and Mahmoud, M. A. (2003). Growth and some production of *Foeniculum vulgare*, Mill : 2. the effect of number of irrigation and fertilizers. J. Agric. Sci. Mansoura Univ., 28(5): 4553-4563.

Abdou, M. A. H.; Badran, F. S. and Hassanein, M. M. (2003). Response of *Calendula officinails*, L. plants to some agriculture treatments. 1-effect of nitrogen fertilization sources and rates. Minia j. Agric. Res. & Dev., 23(1): 21-36 .

Abdou, M. A. H.; EL-Sayed, A. A. (2002). Effect of planting date and biofertiliztion treatments on growth and yield characters of *Carum carvi*, l. 1-proc. 2nd Hort. Sci. Conf., Egypt. 10-12 Sept. 2002, Kafr EL-Sheikh, Tanta Univ.

Abdou, M. A. H.; EL-Sayed, A. A.; Badran, F. S. and Salah EL-Deen, R. M. (2004a). Effect of planting density and chemical and biofertilization on vegetative growth, yield and chemical composition of fennel (*Feoniculum*

vulgare, miller). 1-effect of planting density and some chemical (Nofatrein) and biochemical (Biogein) fertilizers. Annals of Agric. Sci. Moshtohor, 42(4): 1907-1927 .

Abdou, M. A. H.; EL-Sayed, A. A.; Badran, F.S. and Salah EL-Deen, R. M. (2004b). Effect of planting density and chemical and biofertilization on vegetative growth, yield and chemical composition of fennel (*Foeniculum vulgare*, miller). 11- effect of NPK chemical fertilization and biofertilization treatments. Annals of Agric. Sci. Moshtohor, 42(4): 192-937 .

Abou-Aly, H. E. and Gomaa, A. O. (2002). Influence of combined inoculation with diazotorophs and phosphate solublilizers on growth, yield and volatile oil content of corinander plants (*Coriandrum sativum*, Ll.) Bulletin of Faculty of Agric. Cairo Univ., 53(1): 93-113 .

Abou-EL-Ela, EL. S. (2004). Effect of some bio-fertilizers on salvia plants. PH. D. Thesis, Fac. Agric., Mansoura Univ., Egypt.

Abou-EL-Ela, H. K. (2002). Biofertilization techniques used for improving production of some medicinal plants in desert soil. Ph.D. Thesis, Institute, Environ. Studies and Res. Ain Shams Univ. Cairo. Egypt.

Afify, M. M. M. (2002). Effect of biofertilization on the growth and essential oil yield of fennel plant. M.Sc. Thesis, Fac. Agric., Minofiya Univ.

Aflatuni, A. (1993). The effect of manure composted with drum composter on aromatic plants. Acta Hort., (Ishs) 344: 63-68 .

Agina, E. A.; Attoa, G. I. and EL-Khayat, A. S. (2001). Physiological and chemical response of lemongrass (*Cembopogon citratus*). Plant to some mineral fertilizers. Annals of Agric. Sci., Moshtohor, 39(2): 1067-1088.

Ahmed, E. F. A. (2007). Evaluation of certain fertilizing programs on anise and black cumin plants. PH.D. Thesis. Fac. Assiut Univ. Egypt.

Ali, A. M. E. (2007). Comparative studies on two cultivars of roselle plants grown under Souhage governorate conditions. M.Sc. Thesis. Fac. Agric., Minia Univ. Egypt.

Ali, F. A. (2000). Studies on production of *Nigella sativa*, L. and Ocimum basilicum, Sims and effect of their oils as adjuvant and food and mouth disease vaccine. Ph.D. Fac. Agric. Cairo Univ., Egypt.

Ali, M. M. M. (2000). Effect of some Agriculture treatments on yield productivity of Pea. M. sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ. Egypt 118 pp.

Al-Qadasi, A. S. (2004). Effect of biofertilization on *Ocimum basilicum*, L. plant. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.

Al-Shareif, A. M. O. (2006). Response of caraway plants grown in sandy soil under drip irrigation system to some biofertilization and antioxidant treatments. M.Sc. Thesis. Fac. Agric. Minia Univ. Egypt.

Alvares, V. S.; F. L. Finger; R. C. Santos, J. R. Negreiros; V. W. P. Casali (2007): Effect of preceding on the postharvest of parsely leaves. J. Food, Agric. & Envirob. (JFAE), Helsinki, Finland, 5(2): 31-34.

Aly, M. K.; Mohamed, M. A. H.; Attia, F. A.; EL-Sayed, A. A. and EL-Gawad, M. H. I. (2007a). Effect of some organic and biofertilization treatments on coriander plants. 1-vegetative growth and yield. 1st inter. Conf. Desert. Cultivation, Problem & Solutions, Minia Univ., Egypt. 27-29 march 2007. p. 101-11 .

Aly, M. K.; Mohamed, M. A. H.; Attia, F. A.; El-Sayed, A. A. and Abd-El-Gawad, M. H. I. (2007b): Effect of some organic and biofertilization treatments on coriander plants. 2-Chemical composition. The 1st Inter. Conf. Desert. Cultivation, Minia Univ., Egypt, March 27-29 in press.

Anurag, S. and J. N. Singh (1998). Effect of irrigation, mulch and nitrogen on yield and composition of Japanese mint (*Mentha arvensis* Subsp. Haplocalyx var. pipperascens) oil. J. Agron., 43(1): 179-182 .(Hort. Abst., 69: 4333).

Arakawa, T.; M. Shibata; K. Hosomi; T. Watanabe; Y. Honma; K. Kawasumi and Y. Takeuchi (1992). Anti allergic effects of peppermint oil, chicle and jelutony. J. Food Hygienic Soc. Jpn., 33: 569-575.

Ashraf, M.; Ali, Q. and Iqbal, 2. (2006). Effect of nitrogen application rates on the content and composition of oil, essential oil and minerals in black cumin (*Nigella sativa*, L.) seeds. J. food Sci. and Agric., 86(6): 871-876.

Atiaa, F. A. and O. A. O. Saad (2001). Biofertilizers as partial alternative of chemical fertilizer for *Catharathus roseus*, L. don. J. of Agric. Sci. Mansoura Univ., 26(11): 7193-7208 .

Atiaa, F. A. and O. A. O. Saad (2001). Biofertilizers as partial alternative of chemical fertilizer for *Catharathus roseus*, L. don. J. of Agric. Sci. Mansoura Univ., 26(11): 7193-7208 .

Attia, E. M. (2000). Using different forms of Agricultural managements to produce henna (*Lawsonia inermis*) with minized pollution under north Sinai. Ph.D. Thesis, Ain Shams Univ. Egypt.

Attia, F. A. (2001). The response of *Ammi visnaga* plants to different source of chemical and biological nitrogen fertilization. Minufiya J. Agric. Res., 26(2): 422-438.

Attia, F. A.; Badran, F. S.; EL-Sayed, A. A. and Somida, E. G. (2001). Response of *Nigella sativa*, L. plants, grown in sandy soil, to some nitrogen and potassium fertilization treatments. Proc. 5 th Arabian Hort. Conf., Ismailia, Egypt, Marsh 24-28: 179-194 .

Ayat, (2007). Effect of fertilization with macro, micro nutrients and antioxidant on coriander (*Corindrum sativum*, L.) plants grown in new reclaimed land. M.Sc. Thesis, Fac. Agric. Minia Univ. Egypt.

Badran, F. S. and Safwat, M. S. (2004). Response of fennel plants to organic manure and biofertilizers in replacement of chemical fertilization. Egypt. J. Agric. Res., 82(2) .

Badran, F. S.; attia, F. A.; Ahmed, E. T. and Soliman, H. S. (2003a). effect of chemical and biological fertilization on growth, yield and oil production of anise (*Pimpinella anisum*, L.) plants. 1- effect of different potassium and phosphorus fertilization rates. Proc. 1st Egypt & Syr. Conf. for Agric & food, EL-Minia : Dec. 8-11, 2003, 1(1): 103-112 .

Badran, F.S.; Attia, F. A.; Ahmed, E. T. and Soliman, H. S. (2003b). effect of chemical and biological fertilization on growth, yield and oil production of anise (*Pimpinella anisum*, L.) plants. 11- Effect of NP mineral / biofertilization and micronutrient treatments. Pro.1st Egypt and Syr. Conf. for Agric. & food, EL-Minia : Dec. 8-11, 2003, 1`(1): 113-130

Beesley, A.; J. Hardcastle; P. T. Hardcastle and C.J. Taylor (1996). Influence of peppermint oil absorptive and secrtory processes in rate small intestine, gut, 39: 214-219.

Bhuvaneshwari, F.; Sreeramu, B. S. and Srinivasa, K. N. (2003). Influence of nitrogen, phosphorus and potassium levels on growth, seed yield and essential oil content in anise (*Pimpinella anisum*, L.) Journal of spices and aromatic crops, 11(2): 112-117 .(Hort. Abst., 73(12): 11071).

Bottcher, H.; I. Gunther and U. Bauermann (1999): Physiological postharvest responses of *majorana hortensis*, Moench). Postharvest Biology and Technology, 15(1): 4152 (C.F. Hort. Abst. 69(5): 4335).

British p. (1963). Determination of volatile oil published by the pharmaceutical press London, W.C.T.

Chattopadhyay, A.; K. Subrahamanyam and D. V. Sigh (1993). Recycling of nutrients in Japanese mint assessment of soil fertility and crop yield. Fert. Res., 35(3): 17-181 (Hort. Abst., 52: 8964).

Court, w. A.; R. C. Roy; r. Pocs; f. More and P. H. White (1993). Optimum nitrogen fertilizers rate for peppermint (*Mentha pipperita*, L.) j. essential oil Res., 5(6): 663-666 .

Dahab, A. A. (2002). Physiological studies on *Pelargonium graveolens,* L. plant. M.Sc. Thesis. Fac. Agric. Minufya University., Egypt.

Dellacecca, V. (1996). Research on peppermint (*Mentha pipperita* L.). atti convegno internazionale coltinazione miglioramento di plant officinalis, 201-212. (Hort. Abst., 67: 4367).

Dessouky, M. M. (2002). A comparative response of *Borago officinalis*, L plant to biochemical fertilization and adenosine triphosphate (ATP) treatments. Bull. Fac. Agric., Cairo Univ., Egypt. 53: 613-638.

Dewidar, A. A. A. (2007). Post harvest studies on some aromatic plants. PH. D. Thesis, Fac. Agric. Kafr EL-Sheikh Univ., Egypt.

Eid, M. I. and E. O. EL-Ghawwas (2002). Study on the responsibility of marjoran plant to biofertilizer in sand soil. Egypt, J. Appl. Sci., 17(3): 163-175 .

EL-Bassiouny, A. M. (2003). Response of some bean (*phaseolus vulgaris* L.) cultivars to organic and biofertilizer. Ph. D. Thesis, Fac. Agric., Ain Shams Univ. Egypt 113pp.

El-Ghadban, E. A. E. (1994). The effect of some trace elements on growth and oil yield of spearmint (*Mentha viridis* L.). M.Sc. Thesis, Fac. Agric., Cairo Univ.

El-Ghadban, E. A. E. (1998). Effect of some organic and inorganic fertilizers on growth, oil yield and chemical compositon of spearmint and marjoram plants. Ph.D. Thesis, Fac. Agric., Cairo Univ., Egypt.

El-Ghadban, E. A. E.; Ghallab, A. M. and Abdel-Wahab, A. F. (2003). Effect of some organic fertilizer and biofertilization on growth, yield and chemical composition of marjoram plants under newly reclaimed soil conditions. J. Agric. Sci. Mansoura Univ., 28(9): 6957-6973 .

El-Haddad, M. E.; Ishac, Y.Z. and Mustafa, M. I. (1993). The role of biofertilizer in reducing agriculture costs, decreasing environmental pollution and raising crop yield. Arab Univ. J. Agric. Ain-Shams Univ., 1(1): 147-159.

El-Hindi, K. M. and EL-Boraie, E. A. (2005). Effect of some biofertilizers on growth, essential oil and chemical composition of marjoram plants. J. Agric. Sci. Mansoura Univ., 30(12): 7912-7928 .

El-Mansi, A. A. A., A. Bardisi, Arisha H. M. E. and Nour E. M. (1999). Studies on some factors affecting growth and yield of pea under sandy soil condition using drip irrigation system. 2. Effect of farmyard manure and irrigation water quality. Zagazig j. Agric. Res. 26(5): 1409-1428 .

El-Mekawy, M. and Ali, M. (2005). Effect of irrigation intervals and biofertilization on growth and soil yield of *Nigella sativa*, L. under EL-Arish conditions. J. Agric. Res. Tanta Univ., 31(1): 72-89 .

Fayz, M.; N. F. Eman and H. E. Makbol (1985). The possible use of nitrogen fixing azospirillum as biofertilizer for wheat plants. Egypt. J. Microbiol., 20(2): 199-206.

Frie, E.; K. Peyerand and E. Schutz (1964). Phosphorus determination Schw, Landwirtschaft Forschung Heft, 3: 318-328.

Froster, H. B.; H. Niklas and S. Llutz (1980). Antispasmodic effects of some medicinal plants. Planta med., 49: 309-319.

Gomaa, A.O. and Abou-Aly, H. E. (2001). Efficiency of biofertilization in the presence of both inorganic and organic fertilizers on growth, yield and chemical constituents of anise plant (*Pimpinella anisum*, L.) Hort. Dept., Fac. Agric., Moshtohor, Zagazig, Univ. Egypt.

Guu, j., Chenyang T. yifong, T., Gnu J. W. Tasi. C. Y. and Tasi Y. F. (1995). Effect of organic manure on the growth and yield of common bean in fall season. Bulletin of Taichung District Agric. Improvement station No. 49: 41-48. [C. A. computer research].

Guu, M. Sh. And K. B. Jane (2004): Effect of packing treatment on the postharvest quality of leafy sweet potato crop. Environment & Bioinformatics, 1(1): 55-65.

Hafez, Y.A. (2003). Effect of sow spacing, nitrogenous and biofertilization treatments on growth, yield and chemical composition of *Borago officinalis*, L. Ph.D. Thesis, Fac. Of Agric., Fayoum, Cairo Univ., Egypt.

Hamed, E. S. (2004). Studies on planting of some medicinal in the desert. M.Sc. Thesis, Fac. Agric. Kafr EL-Sheikh, Tanta Univ., Egypt.

Hanna, M. M. and EL-Gizy S. M. (1999). Influence of organic fertilization on soil microbial activity cultivated with some new cultivars of common bean. Egypt j. Appl. Sci. 14(12): 462-485 .

Harridy, I. M. A.; Soliman, S. G. I. and aAmara, M. A. t. (2001). Physiological, chemical and biological studies on lemograss (*Cymbopogon citratus*) (DC) Stapf in response to diazotrophic bacteria. J. Agric. Sci. Mansoura Univ., 26(10): 6131-6152 .

Hassanein, M. M.; Abdou, M. A.; Attia, F. A. (2003). Response of *Calendula officinalis,* L. plants to some Agricultural treatments. 11- Effect of biofertilizers types and rates. Minia J. of Agric. Res. and Develop., 23(1): 37-50 .

Heikal, A. M. (2005). Effect of organic and biofertilization on the growth production and composition of thyme (*Thymus vulgaris*, L.) plants M.Sc. Thesis, Fac. Agric. Cairo Univ., Egypt.

Helmy, Laila M. (2003). Studies on the effect of irrigation intervals, bio and chemical fertilization on roselle plant productivity. J. Agric. Sci., Mansoura Univ., 28(5): 3927-3945 .

Hemdan, S. H. O. (2008). Effect of some organic and biofertilization treatments on anise plants. M.Sc. Thesis, Fac. Agric. Minia Univ., Egypt.

Ibrahim, S. M. (2000). Effect of seedling rate and biofertilization on fennel (*Foeniculum vulgare*, L.) plants. M.Sc. Thesis, Fac. Agric., Minia Univ., Egypt.

Ibrahim, T. Z. (2000). Effect of some cultural practices on growth and chemical composition of some medicinal plants under conditions of northern Sinai. Ph.D. Thesis, Fac. Agric. Kafer EL-Sheikh, Tanta Univ., Egypt.

Imai, H.; K. Osawa; H. Hamashima; T. Arai and M. Sasatsu (2001). Inhibition by essential oils of peppermint and spearmint of the growth pathogenic bacteria. Microbios, 106(51): 31-93.

Kandeel, A. M. and M. S. Sharaf (2003). Productivity of *Majorana hortensis,* L. plants as influenced by the interaction between mineral and biological fertilization. J. Agric. Sci. Mansoura Univ., 28(2): 1373-1389 .

Kandeel, Y. M. R. (2004). Effects of bio-organic and chemical fertilization on growth, essential oil productivity and chemical composition of *Ocimum basilicum*, L. plant. Annals of Agric. Sc., Moshtohor. 24(3): 1253-1270 .

Kandeel, Y. M.; Menesy, F. A.; Khalafalla, M. M. and Gad, W. M. (2004a). effect of some commercial biofertilizers on growth, seed, volatile oil yield and chemical composition of *Anethum graveolens*, L.J. Agric. Res. Tanta Univ., 30(3): 705-720 .

Kandeel, Y. M.; Menesy, F. A.; Khalafalla, M. M. and Gad, W. M. (2004b). effect of some commercial biofertilizers on growth, seed, volatile oil yield and chemical composition of *Foeniculum vulgare*, Mill. J. Agric. Res. Tanta Univ., 30(3): 721-737 .

Kandeel, Y. T.; Nofal; F. A. Menesi; K. A. Reda; M. Taher and Zaki Z. T. (2001). Effect of some cultural practices on growth and chemical composition of *Foeniculum vulgare* Mill. Proceeding of the fifth Arabian horticulture Conference, Ismailia, Egypt, March, 24-28, 2001, pp. 61-72 .

Kandeel., A. M.; Abou-Taleb N. S. and Sadek A. A. (2002). Effect of biofertilizers on the growth, volatile oil yield and chemical composition of *Ocimum basilicum* L. plant ann. Agric. Sci., Ain Shams Univ. Cairo, 47(1): 351-371 .

Kenawy, A. G. (2005). Effect of some biofertiliztion treatments on the growth, yield and chemical composition of *Hibiscus sabdariffa*,L. plants. M.Sc. Thesis Fac. Agric. Minia Univ., Egypt.

Khater, Rania M. R. (2001). Effect of some biofertilizers treatments on the growth and volatile oil yield of *Carum carvi* plants. M.Sci. Thesis, Fac. Agric. Zagazig Univ.

Khattab, M. E. and Helmy, I. M. (2003). Productivity and yield quality of fennel plants as affected by foliar application with some amino acids. J. Agric. Sci., Mansoura Univ., 28(5): 3893-3909 .

Kuenwoo, P.; K. Jomin and K. Chungho (2000): MA storage response of fresh lemongrass depending upon film source and storage temperature. Korean J. Hort. Sci. & Technol., 18(1): 18-21 (C.F. Horti. Abst., 70(10):8980).

Luo, T.; B. Q. Weng; Y. Q. Lin, D. F. Huang and F. Wang (2003): Dynamics of dry matter yields and NPK contents in there species of cassia. Actaprataculturae sinica, 12(1): 94-95.

Maheshwari, S. K.; S. K. Gangrade and K. C. Trivedi (1991). Comparative response of *Palma rosa* to Azotobacter and nitrogen under rainfall and irrigated sward. Indian perfume, 35(2): 308-311.

Mahfouz, S. A. S. (2003). Effect of biofertilization on growth and oil production of marjoram plant. Ph.D. Thesis Fac. Agric., Cairo Univ., Egypt.

Matter, F. M. A. and Mohamed, S. A. (2001): Botanical studies on calendula officinalis, L. plants as affected by organic and inorganic fertilizers under newly reclamid soil condition. Fatom J. Agric. Res. Dev., 15(2): 50-65.

Maynard, A. A. (1991). Intensive vegetable production using compost animal manures. The Connecticut Agricultural Experimental Station. New Aven , Bulletin 824.

Mazrou (2008). Biotechnological studies of *Cymobopogon citrates* stapf. (lemongrass). Ph.D. thesis. Genetic engineering and biotechnology Institute., Minufiya Univ.

Mazrou, R. M. (2008). Physiological influence of some Agriculture practices on the growth and Essential oil production of *Mentha piperita* L. plant. Msc. Thesis, Fac. Agric. Minufiya univ., Egypt.

Migahed H. A.; A. E. Ahmed and B. F. Abd-EL-Ghany (2004). Effect of different bacterial strains as biofertilizer agents on growth, production and oil of *Apium graveolens* under calcareous soil. Arab. Universities. Journal of Agriculture. Sciences, 12(2): 511-525 .

Mohamed, A. A. and Ahmed, M. E. (2002). A comparative study on the effect of sugar cane filter mud, sheep and chicken manures used for fertilization of sweet fennel crop (*Foeniculum vulgare*, L.). Minia j. of Agric. Res. & Develop., 22(3): 221-234 .

Mohamed, M. A. H. and Abdou, M. A. H. (2004). Growth and oil production of fennel (Foeniculum vulgare, l.) : Effect of irrigation and organic fertilization. Biological and horticulture vol. 22, pp. 31-39 .

Mohamed, S. A. and Matter, F. M. A. (2001). Effect of ammonium nitrate and organic fertilizers on growth, volatile oil yield and chemical constituents of marigold (*Tagetes minuta, L.*) plant. Fayoum J. Agric., Res. 8 Dec., 15(1): 95-107 .

Mohsen, M. M. A. (2002). Sweet basil herb and oil production as affected by chemical and organic fertilization. M.Sc. Thesis, Fac., Cairo Univ., Egypt.

Muni-R.; D. Ram; S. Singh and M. Ram (1995). Irrigation and nitrogen requirements of bergamot mint on a sandy loam soil under sub-tropical conditions. Agric- water-manag., 27(1): 45-54 . (Hort. Abst., 65: 9198).

Munsi, P. S. (1992). Nitrogen and phosphorus nutrition response in Japanese mint cultivation. (Acta Hort., 306: 436-443).

Niakan, M.; Khavarynejad, R. A. and Rezaee, M. b. (2004). Effect of different rates of NPK fertilizer on the leaf fresh weight, dry weight, leaf area and oil content of *Mentha pipperita*, L. Iranian Journal of medicinal and aromatic plants. Res., 20(2): 131-148 .

Nofal, E. E.; Y. R. Kandual; F. A. Menesi; K. A. Reda; M. Taher and Z. T. Zaki (2001). Effect of some cultural practices on growth and chemical composition of *Ammi visnaga*. Proc. 5th Arab. Hort. Conf. Ismaulia, Egypt, pp. 24-28 .

O'brien, T. A. and A. V. Barker (1996). Growth of peppermint in compost. J. Herbs, Spices & Medicinal plants, 4(1): 45-52.

Omar, M. d. (2005). Effect of some Agricultural treatments on growth, yield and active ingredient of guar *(Cyamopsis tetragonoloba*, L.) plants. Ph.D. thesis Fac. Agric., Minia Univ. Egypt.

Osman, Y.A.H. (2000). The possibility of production of coriander *(Coriandrum sativum*, l.)under Sinai conditions Ph.D. Thesis Fac. Agric. Cairo, Univ.

Paramagure, P. and S. Natragan (1995): Effect of Azospirillum on growth and yield of chilli (capsicum annum L.) grown under semi-dry conditions. South Indian Horticulture, 41(2):80-83.

Piccagilia, R.; M. Marotti; E. Giovanelli; S. G. Deans and Eaglesham (1993). Antibacterial and antioxidant properties of Mediterranean aromatic plants. Ind. Crops prod., 2: 47-50.

Rahman, M. k.; Kapir, S.M.; Begum, R.A. and Mandal, R. (2003). Effect of NPK fertilizers on growth and nutrient contents of mint (*Mentha spicta*) grown on sandy soil. J. of Physiological Res., 16(1): 47-51 .

Ram, M. and S. Kumar (1997). Yield improvement in the regenerated and transplanted mint (*Mentha arvensis*) by recycling the organic wastes and manures. Bioresource Technology, 59(2/3): 141-149 .

Rashed, Nahed M. S. A. (2002). Effect of fertilization on the growth and storability of some aromatic plants. M.Sc. Thesis, Fac. Agric. Kafr EL-Sheikh, Tanta Univ., Egypt.

Safwat, M. S. and Badran, F. S. (2002). Efficiency of organic and bio-fertilizers, in comparison with chemical fertilization, on growth yield and essential oil of cumin plants. Proc 9th Conf. of medicinal and aromatic plants, Cairo., Egypt.

Saha, N.; Das, A. C. and Mukherjee, D.(1995). Effect of decomposition of organic matter on activities of microorganisms and availability of nitrogen, phosphorus and sulphur in soil. J. of the Indian Society of Soil Science, 43: 210-215.

Sakr, W. R. A. (2001). Effect of some organic and inorganic fertilizers on *Mentha pipperita*. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.

Sakr, W. R. A. S. (2005). Effect of organic and biofertilization on growth and active constituents production of Senna plants. Ph.D. Diss. Fac. Of Agric. Cairo Univ., Egypt.

Shafeek, M. R. and K. M. EL-Habbasha (2000). Productivity of climbing bean (*Phaseolus vulgaris L.*) grown under plastic house as affected by organic manures. Egypt J. Appl. Sci. 15(12): 192-210 .

Shah, S. H. (2007). Influence of nitrogen and phytohormone spray on seed, inorganic protein and soil yields and oil properties of Nigella sativa, L. Journal of plant Sciences, 6(2): 364-368 .

Shala, A. Y. E. (2007). Physiological studies on sage plant. M.Sc. Thesis, Fac. Agric. Kafr EL-Sheikh Univ., Egypt.

Shalan, M. N. (2005). Influence of biofrtilization and chicken manure on growth, yield and seeds quality of *Nigella sativa*, L. plants. Egypt. J. Agric. Res., 83(2): 811-828 .

Shine, T. Y. and D. K. Kim (1998). Antiallergic activity of menthsae herba. Kor. J. Pharmacogn., 29: 248-253.

Singer, S. M., Sawan, O. M. Abdl-Mouty M. M. and salman S. R. (1998). Study of the effects of delta mix and organic matter on growth and productivity of bean plants grown under calcareous soil condition Egyptian J. Hort. 25(3): 335-347 .

Singer, S. M.., Helmy, Y. I. El-Shinawy M. Z. and. EL-Abd S. O (2001). Increasing productivity of snap bean and potato plants under sandy soil condition by delta mix. Egypt. J. Appl. Sci. 16(4): 273-288 .

Singh, K.; V. and P. Ram (1988). Effect of farmyard manure and fertilizers on herb, oil and sucker yield of *Mentha arvensis L.* Ind: 1. Agron., 33(3): 287-289. (soil and fertilizers, 53: 10438).

Singh, V. P.; B. N. Chatterjee and D. V. Singh (1989). Response of mint species to nitrogen fertilization. J. Agric. Sci., 113(2): 267-271 .

Snedecor, G. W. and W. G. Cochran (1980). Statistical Methods 7 th ED., Lowa State Univ., Press., Ames. Lowa. U.S.A.

Somida, E. G. (2002). Effect of organic manure, nitrogen and potassium fertilization on growth, flowering and chemical constituents of marigold plants (*Tagetes minuta,* L) Ph. D. Thesis. Fac. Of agric., Fayoum, Cairo univ., Egypt.

Tanious, E. T. S. (2008). Effect of some organic and biofertilization treatments on fennel plants. M.Sc. Thesis, Fac. Agric. Minia Univ., Egypt.

Tassou, C.C.; e. h. Drosinos G. J. E. Nychas (1995). Effect of essential oil from mint (*Menta pipperita*) on salmonella enteritidis and Liseria monocytogenes in model food systems at 4 and 10°c. J. Appl.Bacterial, 78: 593-600.

Wagner, H. and G. Michael (1971). Effect of varied nitrogen supply on the synthesis of citokinin in roots of sunflower. Biochem. Physiol. Pflanzen (Bpp), 162: 427-433.

Wasttein, D. (1957). Under sufmikrosvopische formech sell-derplasiden Expil, Cell Res., 12: 427-433.

White, D. A.; G. D. Bell and B. Middleton (1986). Effects of terpenes and terpene analogues on cholesterol metabolism. In pharmacological control of Hyperlipidaemia, Miller, N., Prous, J. R., Eds., Rome, pp. 389-399.

Younis, S. I.; Moustafa Souzan, M. and Menesy Fradeus, A. (2004). Effect of different fertilization treatments on *Jasminum grandiflorum*, L.J. Agric. Res. Tanta Univ., 30(1): 97-113 .

Youssef, A. A.; A. E. Edris and A. M. Gomaa (2004). A comparative study between some plant growth microorganisms on growth and essential oil composition of *salvia officinalis* L. plants Ann. Of Agric. Sci., Cairo, 44(1): 229-311 .

Zayed, A.A.; Selim, S. M.; Hassanein, M. A. and Hafez, Y. A. M. (2004). Effect of sow spacing, nitrogenous and biofertilization treatments on yield and chemical composition of borage (*Borago officinalis*, L.) plants. Organic, papers Abst. 2nd inter. Conf. Organic., Cairo Egypt. March 25-27, 2004 .

Zheljazkov, V.; A. Margina; L. E. Craker; L. Nolan and K. Shetty (1996). Effect of increasing doses of fertilizers application on quantitative and qualitative characters of mint. Acta Hort., 426: 579-592 .

Zhu, P.; Z. Wang and D. Huang (2000). Influence of phosphorus and potash fertilizers on yield of peppermint and their residual effects. Jiangsu Agric. Sci., (1): 48-50. (Hort. Abst., 70: 7192).