

REFERENCES

REFERENCES

Alexander, G. (1974):

Birth weight of lambs: influences and consequences in: Size at Birth.

Ciba Foundation Symposium 27; P. 215. Ends.
K. Elliott and J. Knight. Amsterdam: Scientific Publishers.

Allen, D.M. and Lamming, G.E. (1961):

Some effects of nutrition on growth and sexual development of ewe lambs.

J. Agric. Sci., Camb. 57: 87-95.

Alliston, C.W. and Ulberg, L.C. (1961):

Early pregnancy loss in sheep at ambient temperatures of 70° and 90° F as determined by embryo transfer.

J. Anim. Sci. 20: 608.

Al-Wahab, R.M.H. and Bryant, M.J. (1978):

Reproduction in young female sheep induced to breed at various age.

Animal Production 26: 309-316.

Amir, D. and Volconi, R. (1965):

The sexual season of Awassi fat-tailed ewe.

J. Agric. Sci. 64: 83.

Ammar-Khodja, F.; Darbeida, H.; Frjk, L.; Akchiche, O.; Bouaoud, F. and Brudieux, R. (1976):

Variation in blood progesterone level during the estrous cycle and early pregnancy in Tadmit ewes. Application to early pregnancy diagnosis.

Bulletin de la Societe d'Histoire Naturelle de l'Afrique du Nord 67 (½) 47-56. [ABA, 1979, Vol. 47, No. 10, 5514].

Amorosa, E.C. (1951):

The interaction of the trophoblast and endometrium at the time of implantation in the sheep.

J. Anat. 85: 428-431.

Anderson, A.B.M.; Flint, A.P.F. and Turnbull, A.C. (1975):

Mechanism of action of glucocorticoids in induction of ovine parturition: effect on placental steroid metabolism.

J. Endocrinol. 66, 61.

Arije, G.R.; Wiltbank, J.N. and Hopwood, M.L. (1974):

Hormone levels in pre-and post-parturient beef cows.

J. Anim. Sci. 39: 338.

Armstrong, D.T. and Grinwich, D.L. (1972):

Blockade of spontaneous and LH-induced ovulation in rats by indomethacin, an inhibitor of prostaglandin biosynthesis.

Prostaglandins, 1: 21-28.

Austin and Short (1972):

The effect of hypophyseal gonadotrophins on ovarian follicular population in immature rat.
Annals. Biol. Anim. Biochim. Biophys. Suppl.
13: 177-192.

Baird, D.T. (1978):

Pulsatile secretion of LH and ovarian estradiol during the follicular phase of sheep estrous cycle.
Biol. Reprod. 18: 359-364.

Baird, D.T. and McNeilly, A.S. (1981):

Gonadotrophic control of follicular development and function during the estrous cycle of the ewe.
J. Reprod. Fertil. (Supp. 30): 119-133.

Baird, D.T.; Land, R.B.; Scaramuzzi, R.J. and Wheeler, A.C. (1976):

Endocrine changes associated with luteal regression in the ewe: The secretion of ovarian estradiol, progesterone and androstenedione and uterine prostaglandin $F_2 \alpha$ throughout the estrous cycle.
J. Endocrinol. 69: 275.

Barker, H.B. and Wiggins, E.L. (1964a):

Occurrence of post-partum estrus in Fall-lambing ewes.
J. Anim. Sci. 23: 967.

Barker, H.B. and Wiggins, E.L. (1964b):

Estrual activity in lactating ewes.

J. Anim. Sci. 23: 973.

Bassett, J.M. and Thorburn, G.D. (1969):

Foetal plasma corticosteroids and the initiation of parturition in the sheep.

J. Endocrinol. 44, 285.

Bassett, J.M. and Thorburn, G.D. (1973):

Circulating levels of progesterone and corticosteroids in the pregnant ewe and its foetus.

In: Edocrinology of pregnancy and parturition-Experimental studies in the sheep., P. 126.

Ed. C.G. Pierrepont. Cardiff: Alpha Omega Alpha Publishing.

Bessett, J.M.; Oxborrow, T.J.; Smith, I.D. and Thorburn, G.D. (1969):

The concentration of progesterone in the peripheral plasma of the pregnant ewe.

J. Endocrinol. 45, 449-457.

Beck, T.W. and Convey, E.M. (1977):

Estradiol control of serum luteinizing Hormone concentrations in the Bovine.

J. of Animal Sci., Vol. 45, No. 5. PP: 1096-1101.

Beck, N.F.G.; Tucker, H.A. and Oxender, W.D. (1979):

Mammary arterial and venous concentrations of prolactin in lactating cows after milking or administration of thyrotropin-releasing hormone or ergocryptin.

Endocrinology, 104: 111.

Behrman, (1979):

Temporal aspects of the regulation of corpus luteum function by luteinizing hormone, prolactin and placental luteotrophin during the first half of pregnancy in the rat.

Endocrinology, 5: 260-274.

Bergstrom, S.; Carlson, L.A. and Weeks, J.R. (1968):

The prostaglandins: A family of biologically active lipids.

Pharmacol. Rev. 20: 1-48.

Bindon, B.M.; CH'ANG, T.S. and Evans, R. (1974):

Gentic effects on LH release by estradiol and gonadotropin releasing hormone in prepubertal lambs.

Abst. in Journal of Reproduction and Fertility (In press).

Boshier, D.P. (1969):

A histological and histochemical examination of implantation and early placenta formation in sheep.

J. Reprod. Fert. 19: 51-61.

Bowring, N.; Earthy, M. and Mangan, R.R. (1974):

Changes in prostaglandin F content of the rabbit ovary associated with ovulation.

J. Endocrinol. 64: 11.

Brien, F.D.; Davis, I.F.; Findlay, I.K. and Cumming, I.A. (1978):

Relationships between plasma follicle stimulating (FSH) levels and ovulation rate in the ewe. In Australian Society for Reproductive Biology. Programme and abstracts of papers. 85. [Abst. in ABA, 1979, Vol. 47 No. 6, 2948].

Burdeet, I.R.R. and Mackinnon, P.C.B. (1976):

Restoration by estradiol benzoate of the neural and hormonal rhythm in the ovariectomized rat. J. Endocr. 64: 27-35.

Butcher, R.L.; Collins, W.E. and Fugo, N.W. (1974):

Plasma concentration of LH, FSH, prolactin, progesterone and estradiol-17 β throughout the 4-day estrous cycle of the rat. Endocrinology 94: 1704-1708.

Carson, R.S.; Muller, B.D.; Clarke, I.J.; Findlay, J.K.; Cumming, I.A. and Burger, H.B. (1978):

Androstenedione (A₄) and estradiol -17 β (E₂) level in sheep ovarian follicles during growth and atresia.

In Australian Society for Reproductive Biology. Programme and abstracts of paper. 12 [Abst. in ABA, 1979, Vol. 47. No. 5, 2348].

Carson, R.S.; Findlay, J.K.; Burger, H.G. and Trounson, A.O. (1979):

Gonadotropin receptors of the ovine ovarian follicle during follicular growth and atresia. Biol. Reprod. 21, 75-87.

Castillo Rojas, H.; Hernandez Ledezma, J.J.; Berruecos, J.M. and Lopez Angeles, J.J. (1977):

Reproductive performance of Tabasco lambs in atropical environment. 3. Puberty and duration of estrus.

Tecnica Pecuaria en México. No. 32, 32-35.
[Abst. in ABA, 1978, Vol. 46 No. 10, 4990].

Challis, J.R.G. (1971):

Sharp increase in free circulating estrogens immediately before parturition in sheep.

Nature (Lond.) 229, 208.

Challis, J.R.G.; Kendall, J.Z.; Robinson, J.S. and Thorburn, G.D. (1977):

The regulation of corticosteroids during late pregnancy and their role in parturition.

Biol. Reprod. 16, 57.

Chamley, W.A.; Findlay, J.K.; Cummings, I.A.; Buckmaster, J.M. and Goding, J.R. (1974a):

Effect of pregnancy on the LH response to synthetic gonadotropin-releasing hormone in the ewe.

Endocrinol. 94: 291.

Chamley, W.A.; Findlay, J.K.; Jonas, H.; Cummings, I.A. and Goding, J.R. (1974b):

Effect of pregnancy on the FSH hormone in ewes.

J. Reprod. Fertil. 37: 109.

Ch'ang, T.S. (1958):

Reproductive disturbances of Romney ewe lambs grazed on red clover (*Trifolium pratense*) pastures. *Nature*, UK 182, 1175 [ABA, 27, 296].

Channing, C.P. and Tasfriri, (1977):

The use of tissue culture of granulosa cells as a method of studying the mechanism of Luteinization.

In: Mckern KW (eds) *The Gonado*, Appleton-Century-Crofts, New York, P. 245.

Chobsieng, P.; Naor, Z.; Hoch, Y.; Zor, U. and Lindner, H.R. (1975):

Stimulatory effect of prostaglandin E₂ and LH release in rat: Evidence for hypothalamic site of action.

Neuroendocrinology, 17: 12-17.

Clarke, I.J.; Fraser, H.M. and McNeilly, A.S. (1978):

Active immunization of ewes against luteinizing hormone releasing hormone and its effects on ovulation and gonadotrophin, prolactin and ovarian steroid secretion.

J. Endocr. 78, 39-47.

Coppings, R.J. and Malven, P.V. (1976):

Biphasic effect of estradiol on mechanisms regulating LH release in ovariectomized sheep.

Neuroendocrinology 21: 146.

Cox, R.I. (1975):

The endocrinologic changes of gestation and parturition in the sheep.

Adv. Vet. Sci. Comp. Med. 19, 287.

Cronin, M.H.; Robert, J.M. and Weiner, R.I. (1978):

Dopamine and dihydroergocryptine binding to the anterior pituitary and other brain areas of the rat and sheep.

Endocrinology 103, 302-309.

Culler, M.D.; McArthur, N.H.; Dees, W.L.; Owens, R.E. and Harms, P.G. (1982):

Inhibition of the Postovariectomy Depletion of Hypothalamic luteinizing hormone releasing hormone (LHRH) by suckling.

Biology of Reproduction, 20, 633-639.

Cumming, I.A.; Buckmaster, J.M.; Blockey, M.A.; de B.; Goding, J.R.; Winfield, C.G. and Baxter, R.W. (1973):

Constancy of interval between luteinizing hormone release and ovulation in the ewe.

Biology of Reproduction 9: 24-29.

Cumming, I.A.; Findlay, J.K. and Baxter, R.W. (1975):

Effect of live weight and plane of nutrition on FSH secretion and clearance in the ewe.

J. Reprod., Fert. 43: 399-400.

Cupps, P.T.; Anderson, L.L. and Cole, R.E. (1969):

The estrous cycle.

In Reproduction in domestic animals. Ed. by H.H. Cole and P.T. cupps. London, UK., Academic Press. Ed. 2, 217-250 [ABA 38, 2032].

Currie, W.B. and Thorburn, G.D. (1977):

The fetal role in timing the initiation of parturition in the goat.

In: The Fetus and Birth, Ciba Foundation Symposium 47 (in press). Eds. G.E.W. Wolstenholme and J. Knight. Amsterdam: Associated Scientific Publishers.

Currie, W.B.; Wong, M.S.F.; Cox, R.I. and Thorburn, G.D. (1973):

Spontaneous or dexamethasone-induced parturition in the sheep and goat: Changes in plasma concentrations of maternal prostaglandin F and fetal estrogen sulfate.

Mem. Soc. Endocrinol. 20, 95.

Currie, W.B.; Kelly, P.A.; Friesen, H.G. and Thorburn, G.D. (1977):

Caprine placental lactogen: levels of prolactin-like and growth-like activities in the circulation of pregnant goats determined by radio-receptor assays.

J. Endocrinol. (in press).

Davies, I.J. and Ryan, K.J. (1972):

Comparative endocrinology of gestation.

Vit. & Horm. 30, 223.

Denamur, R. (1974):

Luteotrophic factors in the sheep.

J. Reprod. Fertil. 38, 251.

Diaz-infante, A.; Jr, Wright, K.H. and Wallack, E.

(1974):

Effect of indomethacin and prostaglandin $F_2 \alpha$ on ovulation and ovarian contractility in the rabbit.

Prostaglandin 5: 567-581.

Diekman, M.A. and Malven, (1973):

Effect of ovariectomy and estradiol on LH patterns in ewes.

J. Anim. Sci. 37: 562-567.

Domanovaszky, A. and Cserjes, I. (1978):

Investigations on the estrous season and conception rate in Hungarian combing wool Merino ewes.

Allattenyészte's. 27(1): 57-66. [Abst. In ABA, 1979, Vol. 47, No. 5, 2350].

Duncan, D.B. (1955):

Multiple range and multiple F. test.

Bionmetrics. 11, 1.

Dunham, E.W.; Haddax, M.K. and Goldert, N.D. (1974):

Alterations of vein cyclic 3,5-nucleotide concentrations during changes in contractility.

Proc. Soc. Nat. Acad. Sci. U.A.A. 71, 815-819.

Dunn, T.G.; Ingalls, J.E.; Zimmerman, R. and Wiltbank,

J.N. (1969):

Reproductive performance of 2-year-old Hereford and Angus heifers as influenced by pre-and post-calving energy intake.

J. Animal. Sci. 29: 719.

Dutt, R.H. (1963):

Critical period for early embryo mortality
in ewes exposed to high ambient temperature.
J. Anim. Sci. 22: 713.

Dýrmondsson, Ó.R. (1972):

Studies on the attainment of puberty and reproductive performance in Clun Forest ewe and ram lambs.

Ph.D. Thesis, University of Wales, UK.

Dýrmondsson, Ó.R. (1973):

Puberty and early reproductive performance in sheep. I. Ewe lambs.

Animal Breeding Abstracts 41: 273-289.

Dýrmondsson, Ó.R. (1978):

Studies on the breeding season of Icelandic ewes and ewe lambs.

Journal of Agricultural Science, UK. 90(2)
275-281. [Abst. in ABA, 1978, Vol. 46, No. 10, 4992].

Dýrmondsson, Ó.R. and Lees, J.L. (1972):

Attainment of puberty and reproductive performance in Clun Forest ewe lambs.

Journal of Agricultural Science, UK, 78, 39-45.
[ABA, 40: 3265].

Edwards, S. and Foxcroft, G.R. (1983):

Endocrine changes in sows weaned at two stages of lactation.

J. Reprod. & Fert. 67: 161-172.

El-Banna, I.M.; El-Asrag, H.A. and Gamal, M.H. (1988):
An improved Method for Estradiol -17 B Radio-immunoassay.
Isotope and Radiation Research Bulletin Issued
by the Middle Eastern Regional Radioisotope
Center for the Arab Countries.

**El-Fouly, M.A.; Shafie, M.M.; Abdel-Aziz, A.S. and
Kandeal, S.A. (1977):**
Seasonal variation in estrus activity in Ossimi
and Rahmani ewes.
Egyptian Journal of Animal Production, 17(1):
75-85. [Abst. in ABA, 1978, Vol. 46, No. 12,
6047].

**El-Oksh, H.A.; Galal, E.S.E.; Ghanem, Y.S. and Mabrouk,
M.M.S. (1980):**
The effect of some factors on estrous cycle
length in sheep.
Egypt. J. Anim. Prod. 20, No. 2 pp. 157-161.

**El-Sheikh, A.S.; Hulet, C.V.; Pope, A.L. and Casida,
L.E. (1955):**
The effect of level of feeding on the reproduc-
tive capacity on the ewe.
Journal of Animal Science 14: 919-929 [ABA,
24, 692].

El-Wishy, A.B.; El-Sawa, F.A. and EL-Mikkawi, F.
(1971):

Some aspects of reproduction in Fat-tailed sheep in subtropics. 1- Reproductive behaviour of Local Ausimi and improted Awassi ewes.

Veterinary Medical Journal, United Arab Republic.
19(19): 131-155 [ABA, 1974, Vol. 42, No. 3, 1095].

Emmens, C.W. (1969):

Physiology of gonadal hormones and related synthetic compounds.

In Reproduction in domestic animals. Ed. by H.H. Cole and P.T. Cupps. London, UK, Academic Press. Ed. 2, 85-112.

Espey, (1980):

Secretion of prostaglandins $F_2 \propto$ in pregnant and cycling ewes.

J. Ann. Sci. 42: 876-880.

Falconer, J.; Mitchell, M.D.; Mountford, L.A. and Robinson, J.S. (1980):

Plasma oxytocin concentrations during the menstrual cycle in the rhesus monkey, *Macaca mulatta*.
J. Endocrinol. 63: 67-87.

Fitzgerald, B.P.; Evins, J.D. and Cunningham, F.J.
(1981):

Effect of TRH on the secretion of prolactin in ewes at various stages of pregnancy and in non-pregnant ewes during the breeding season and seasonal anestrous.

J. Reprod. Fertil. 61: 149-155.

Fletcher, I.C. (1973):

Effects of lactation, suckling and oxytocin on postpartum ovulation in ewes.

J. Reprod. Fertil. 33: 293.

Foote, W.C. (1968):

Control of reproduction with or without hormones.

Wool Technology and Sheep Breeding 15(11): 87-97.

Foote, W.C.; Sefidbakht, N. and Madsen, M.A. (1970):

Puberal estrus and ovulation and subsequent estrous cycle patterns in the ewe.

Journal of Animal Science 30, 86-90 [ABA, 38, 2646].

Ford, J.J. (1979):

Postpartum reproductive performance of Finnsheep-crossbred ewes.

J. Anim. Sci. Vol. 49, No. 4, 1043-1050.

Ford, J.J. and Melampy, R.M. (1973):

Gonadotropin levels in lactating rats: effect of ovariectomy.

Endocrinology 93: 540-547.

Foster, D.L.; Yellon, S.M. and Olster, D.H. (1985):

Internal and external determinants of the timing of puberty in the female.

Journal of Reproduction and Fertility, 75: 327-344.

Foxcroft, G.R.; Shaw, H.J.; Hunter, M.G.; Booth, P.J. and Lancaster, R.T. (1987):

Relationships between Luteinizing Hormone, Follicle-Stimulating Hormone and Prolactin Secretion and Ovarian Follicular Development in the weaned Sow.

Piology of Reproduction 36: 175-191.

Gadsby, J.E.; Heap, R.B.; Powell, D.G. and Walters, D.E. (1972):

Diagnosis of pregnancy and the number of foetuses in sheep from plasma progesterone concentrations. Vet. Rec. 90, 339.

Gamal, M.H. (1986):

Studies hormonal pattern in sheep during estrous cycle.

M.Sc. Thesis. Faculty of Agriculture, Benha Branch, Zagazig University.

Ghanem, Y.S.; Fahmy, M.H.; Seoudi, A.M. and Farid, M.F.A. (1963):

Some observations on the reproductive behaviour of local and imported breeds of sheep under desert conditions.

Proc. 4th. Egypt. Vet. Congc., Cairo.

Goding, J.R.; Catt, K.J.; Brown, J.M.; Kaltenbach, C.C.; Cumming, I.A. and Mole, B.J. (1969):

Radioimmunoassay for ovine luteinizing hormone. Secretion of luteinizing hormone during estrous and folowing estrogen administration in the sheep.

Endocrinol. 85: 133.

Goldberg, and Romwell, (1975):

The luteotrophic effect of estrogen in the rat: prevention by estradiol of the luteolytic effect of an antiserum to luteinizing hormone in the pregnant rat.

Endocrinology 101: 1683-1689.

Gonzalez, A.; Murphy, B.D.; Alba, M.J.D.F. and Manns, J.G. (1987):

Endocrinology of the postpartum period in the pelibuey ewe.

Journal of Animal Science. 64(6): 1717-1724.

[ABA, Vol. 55, 12, 7627].

Goodman, R.L. and Karsch, F.J. (1980):

Pulsatile secretion of Luteinizing hormone: Differential suppression by ovarian steroids.

Endocrinology 107: 1286-1290.

Goodman, R.L.; Pickover, S.M. and Karsch, F.J. (1981):

Ovarian feedback control of follicle-stimulating hormone in the ewe: Evidence for selective suppression.

Endocrinology Vol. 108: 772-777.

Goodman, R.L.; Bittman, E.; Foster, D.L. and Karsch, F.J. (1982):

Alterations in the control of Luteinizing hormone pulse frequency underlie the seasonal variation in estradiol negative feedback in the ewe.

Biology of reproduction 27: 580-589.

Gordon, I. (1967):

Aspects of reproduction and neonatal mortality
in ewe lambs and adult sheep.

Journal, Department of Agriculture and Fisheries,
Irish Republic 64: 76-127 (ABA 36, 2715).

**Grandison, L.; Hodson, C.; Chen, H.T.; Advis, J.;
Simpins, J. and Meites, J. (1977):**

Inhibition by prolactin of post-castration
rise in LH.

Neuroendocrinol, 23: 312.

Griffiths, E.C. and Hopper, K.C. (1974):

Peptidase activity in different areas of the
rat hypothalamus.

Acta Endocrinol. 77: 10-18.

**Griffiths, E.C.; Hooper, K.C.; Jeffcoate, S.L. and
Holland, D.T. (1975):**

The effects of gonadectomy and gonadal steroids
on the activity of hypothalamic peptidases
inactivating luteinizing hormone-releasing
hormone (LH-RH).

Brain Res. 88: 384-388.

Gunn, R.G. and Doney, J.M. (1975):

The interaction of nutrition and body condition
at mating on ovulation rate and early embryo
mortality in scottish Blackface ewes.

J. Agric. Sci., Camb. 85: 465-470.

Hafez, E.S.E. (1952):

Studies on the breeding season and reproduction of the ewe.

Journal of Agricultural Science, UK. 42, 189-265
[ABA, 21, 2711].

Hafez, E.S.E. (1953):

Puberty in female farm animals.

Empire Journal of Experimental Agriculture
21, 217-225. [ABA, 22: 16].

Hafez, E.S.E. (1969):

The behaviour of domestic animals.

London, Bailliere Tindall.

Hafez, E.S.E. (1980):

Reproduction in farm animals.

Lea and Febiger, Philadelphia (4th edition).

Hammond, J., Jr. (1944):

On the breeding season in the sheep.

Journal of Agricultural Science. UK, 34, 97-105.
[ABA, 12: 202].

Hammons, J.; Velasco, M. and Rothchild, I. (1973):

Effect of the sudden withdrawal or increase of suckling on serum LH levels in ovariectomized postparturient rats.

Endocrinology, 92: 206-211.

Hamra, A.M. and Bryant, M.J. (1979):

Reproductive performance during mating and early pregnancy in young female sheep.

Anim. Prod. 28: 235-243.

Hansel, W. and Echternkamp, S.E. (1972):

Control of ovarian function in domestic animals.

Am. Zool. 12: 225-243.

Hay, M.F. and Moor, R.M. (1975):

Functional and structural relationships in the Graafian follicle population of the sheep ovary.

J. Reprod. Fertil. 45: 583-593.

Henricks, D.M.; Lamond, D.R.; Hill, J.R. and Dickey, J.F. (1971):

Plasma total estrogens and progesterone concentrations during proestrous and after mating in beef heifers.

Abstr., Fourth Anna. Meeting Soc. Study Reprod., P. 13.

Hindson, J.C.; Schofield, B.M. and Turner, C.B. (1967):

The effect of a single dose of stilbestrol on cervical dilation in pregnant sheep.

Res. Vet. Sci. 8: 353.

Hixon, J.E. and Hansel, W. (1977):

Luteotropic effects of prostaglandin F_2 with bovine luteal cell preparations.

Proc. 69th Annual Meeting Am. Soc. An. Sci., 427 Abstr.

**Hochereau-DeReviers, M.T.; Blanc, M.R.; Colas, G.
and Pelletier, J. (1985):**

Parameters of male fertility and their genetic variation in sheep.

In Genetic of Reproduction in sheep, edited by R.B. Land and D.W. Robinson, PP. 301-341. London: Butterworths.

Honmode, J. and Pachlag, S.V. (1973):

Time of ovulation and chloride content of vaginal mucus during estrous in sheep.

Indian Journal of Animal Sciences. 43(2): 136-140 [ABA, 42, No. 3, 1098].

Horton, E.W. and Poyser, N.L. (1976):

Uterine luteolytic hormone: A physiological role for prostaglandin F₂ α

Physiol. Rev. 56: 595-651.

Hulet, C.V. and Stormshak, F. (1972):

Some factors affecting response of anestrus ewes to hormone treatment.

J Anim. Sci. 34, No. 6: 1011-1019.

Hulet, C.V.; Wiggins, E.L. and Ercanbrack, S.K. (1969):

Estrous in range lambs and its relationship to life time reproductive performance.

Journal of Animal Science 28, 246-252. [ABA 37, 2625].

Hunter, G.L. (1968):

Increasing the frequency of pregnancy in sheep.
II. Artificial control of rebreeding, and problems of conception and maintenance of pregnancy during the postpartum period.

Animal Breeding Abstracts 36, 533-553.

Hunter, G.L. (1971):

Is there a lactation anestrous in the sheep?

S. African J. Anim. Sci. 1: 55.

Hunter, G.L. and VanAarde, I.M.R. (1973):

Influence of season of lambing on postpartum intervals to ovulation and estrus in lactating and dry ewes at different nutritional levels.

J. Reprod. Fertil. 32: 1.

Inskeep, E.K.; Stevens, L.P. and Rudy, C.R. (1976):

Fertility in ewes during synchronized estrous cycle.

J. Anim. Sci. 48: 52-53.

Johke, T. and Hodate, K. (1978):

Effect of CB-154 on serum hormone levels and lactogensise in dairy cows.

Endocrinol., Japonica. 25: 67.

Jonas, H.A.; Salamonsen, L.A.; Burger, H.G.; Chamley, W.A.; Cumming, I.A.; Findlay, J.K. and Goding, J.R. (1973):

Release of FSH after administration of gonadotrophin-releasing hormone or estradiol to the anestrous ewe.

Endocrinology 92: 862.

Kann, G. and Denamur, R. (1974):

Possible role of prolactin during the estrous cycle and gestation in the ewe.

J. Reprod. Fertil. 39: 473-483.

Keane, M.G. (1974):

Factors affecting the occurrence of puberty and reproduction in ewe lambs.

Ph.D. Thesis; Natn. Univ. Ire. Dublin.

Keane, M.G. (1975):

Effect of age and plane of nutrition during breeding on the reproductive performance of suffolk-X ewe lambs.

Ir. J. Agric. Res. 14: 19-98.

Kelly, P.A.; Robertson, H.A. and Friesen, H.G. (1974):

Temporal pattern of placental lactogen and progesterone secretion in sheep.

Nature (Lond.) 248, 435.

Kletzky, O.A.; Nakamura, R.M.; Thorneycroft, I.H.

and Mishell, D.R., Jr. (1975):

Log normal distribution of gonadotropins and ovarian steroid values in the normal menstrual cycle.

Am. J. Obstet. Gynecol. 121: 688-694.

Knobil, E. (1974):

On the control of gonadotropin secretion in the rhesus monkey.

Recent Prog. Horm. Res. 30: 1-46.

- Koreman, S.G.; Tulchinsky, D. and Eaton, L.W. (1970):**
Radio-ligand procedures for estrogen assay
in normal and pregnancy plasma.
Reprod. Endocrinology, 2nd pp. 291-304.
- Lamming, G.E.; Moseley, S.R. and McNeilly, J.R. (1974):**
Prolactin during the estrous cycle and gestation
in the ewe.
J. Reprod. Fertil. 40: 151-168.
- Land, R.B. (1970):**
A relationship between the duration of estrus,
ovulation rate and litter size of sheep.
Journal of Reproduction and Fertility 23, 49-53.
[ABA 39, 2012].
- Land, R.B. (1974):**
Physiological studies and genetic selection
for sheep fertility.
Animal Breeding Abstracts. Vol. 42. No. 4:
155-158.
- Lemarie, W.J.; Yang, N.S.T.; Behrman, H.H. and Marsh,
J.M. (1973):**
Preovulatory changes in the concentration of
prostaglandins in rabbit Graafian follicles.
Prostaglandins 3: 367-376.
- Lewis, G.S. and Bolt, D.J. (1987):**
Effects of suckling, progestogen-impregnated
pessaries or hysterectomy on ovarian function
in autumn-lambing postpartum ewes.
J. Anim. Sci. 64: 216-225.

Libertum, C.; Orias, R. and McCanns, M. (1974):

Biphasic effect of estrogen on the sensitivity of the pituitary to luteinizing hormone-releasing factor (LFR).

Endocrinology 94: 1094-1100.

Liggins, G.D. (1974):

Parturition in the sheep and the human.

In: Physiology and Genetics of Reproduction. Part B, Volume 4 of Basic life Science, P. 423. Eds. E.M. Countinho and F. Funchs. New York: Plenum Press.

Liggins, G.D.; Grieves, S.A.; Kendall, J.Z. and Knox, B.S. (1972):

The physiological role of progesterone, estradiol 17B and prostaglandin $F_2 \alpha$ in the control of ovine parturition.

J. Reprod. Fertil 16, 85.

Liggins, G.D.; Fairclough, R.J.; Grieves, S.A.; Kendall, J.Z. and Knox, B.S. (1973):

The mechanism of initiation of parturition in the ewe.

Rect. Progr. Horm. Res. 29, 111.

Linder, H.R.; Amsterdam, A.; Salomon, Y.; Tasfriri, A.; Nimrod, A.; Lamprecht, S.A.; Zor, U. and Koch, Y. (1977):

Intraovarian factors in ovulation: determinants of follicular response to gonadotrophins.

J. Reprod. Fertil. 51: 215-235.

Lisk, R.D. and Reuter, L.A. (1977):

In vivo progesterone treatment enhances [3 H] estradiol retention by neural tissue of the female rat.

Endocrinology. 100: 1652-1658.

Louise Hare and Bryant, M.J. (1982):

Characteristics of estrous cycles and plasma progesterone profiles of young female sheep during their first breeding season.

British Society of Animal Production, 35: 1-7.

Lu, K.H.; Chen, H.T.; Huag, H.H.; Grandison, L.; Marshall, S. and Meites, J. (1976):

Relation between prolactin and gonadotrophin secretion in post-partum lactating rats.

J. Endocrinol. 68: 241-250.

Mabrouk, M.M.; Galal, E.S.E.; Ghanem, Y.S. and El-Oksh, H.A. (1976):

A study of some reproduction aspects in sheep under semi-arid conditions.

Egyptian Journal of Animal Production. 16(1): 1-6 [Abst. in ABA (1978) vol. 46. No. 12 (6051)].

Macluskv, N.J. and McEwen, B.S. (1978):

Estrogen modulates progestion receptor concentrations in some rat brain regions but not in others.

Nature 274: 276-277.

Malampoti, R.S.; Pope, A.L. and Casida, L.E. (1971):

Breeding pattern in Targhee ewes and ewe lambs throughout the year.

Journal of Animal Science 33, 1278-1281 [ABA, 40, 3276].

Mauleon, P. (1978):

Ovarian development in young mammals.

In: Control of ovulation, edited by D.B. Crichton, N.B. Haynes, G.R. Foxcroft and G.E. Lamming, PP. 141-158. London: Butterworths.

McCann, S.M. and Porter, J.C. (1969):

Hypothalamic pituitary stimulating and inhibiting hormonees.

Physiol. Rev. 49: 240-284.

McClure, T.J. (1970):

An experimental study of the causes of nutritional and lactational stress infertility of pasture Fed Cows, associated with a loss of body weight at about the time of mating.

Res. Vet. Sci. 11: 247-254.

McDonald, L.E. (1975):

Peripheral plasm progesterone levels durign the ovine estrous cycle.

J. Reprod. Fert. 19: 433-442.

McKenzie, F.F. and Phillips, R.W. (1930):

Some observations on the estrual cycle in the sheep.

Proceedings of the American Society of Animal Production, 23rd Annual Meeting, 138-143.

McNatty, K.P.; Cibb, M.; Dobson, C.; Thurley, D.C.; and Findlay, J.K. (1981):

Changes in the concentration of gonadotrophic and Steroidal Hormone in the Antral Fluid of Ovarian Follicles throughout the estrous cycle of the sheep.

J. Biol. Sci., 34, 67-80.

McNeilly, A.S. (1980):

Prolactin and the control of gonadotrophin secretion in the female.

J. Reprod. Fert. 58: 537-549.

Meites, J.; Wester, H.D.; Young, F.W. and Hatch, R.N. (1951):

Effects of corpora lutea removal and replacement with progesterone on pregnancy in goats.

J. Anim. Sci. 10, 411.

Meyer, H.H. (1979):

Ewe and teaser breed effects on reproductive behaviour and performance.

Proc. N. Z. Soc. Anim. Prod. 39: 68-76.

Miller, B.G. and Stone, G.M. (1981):

Uterine and placental growth: RNA and protein metabolism and steroid hormone receptor levels in the endometrium, whole uterus and cotyledons during pregnancy in the ewe.

Aust. J. Biol. Sci., 34: 231-7.

Miller, W.L.; Knight, M.M.; Grimek, H.J. and Corski, J. (1977):

Estrogen Regulation of follicle stimulating hormone in cell cultures of sheep pituitaries.

Endo. Vol. 100. No. 5 pp. 1306-1316.

Mitchell, M.D.; Haynes, P.J.; Anderson, A.B.M. and Turnbull, A.C. (1981):

Plasma oxytocin concentrations during the menstrual cycle.

Eur. J. Obstet. Gynecol. Reprod. Biol. 12: 195-200.

Mivake, A.; Tasaka, K.; Kawamura, Y.; Sakamoto, T. and Aono, T. (1982):

Progesterone facilitates the LRH releasing action of estrogen.

Acta Endocrinologica, 101: 321-324.

Moguilewsky, M. and Ravnaud, J.P. (1979):

Estrogen-sensitive progestin-binding sites in the female rat brain and pituitary.

Brain Res. 164: 165-175.

Moor, R.M. (1974):

The ovarian follicle of the sheep: inhibition of estrogen secretion by luteinizing hormone.
J. Endocrinol. 61: 455-463.

Moor, R.M. and Rowson, L.E.A. (1966a):

The corpus luteum of the sheep: Effect of the removal of embryos on luteal function.
J. Endocrinol. 34: 497-502.

Moor, R.M. and Rowson, L.E.A. (1966b):

The corpus luteum of the sheep: Functional relationship between the embryo and the corpus luteum.
J. Endocrinol. 34: 233-239.

Moore, N.W.; Barrett, S.; Brown, J.B.; Schindler, I.; Smith, M.A. and Smyth, B. (1969):

Estrogen and progesterone content of ovarian vein blood of the ewe during the estrous cycle.
J. Endocrinol. 44: 55-62.

Moss, G.E.; Adams, T.E.; Niswender, G.D. and Nett, T.M. (1980):

Effects of parturition and suckling on concentrations of pituitary gonadotropins, Hypothalamic GnRH and pituitary responsiveness to GnRH in ewes.
J. of Anim. Sci. Vol. 50, No. 3, 496-502.

Mounib, M.S.; Ahmed, I.A. and Hamada, M.K.O. (1956):

A study of the sexual behaviour of the female Rahmany sheep.

Alexandria Journal of Agricultural Research
4(2): 85-108 [ABA 25, 1936].

Murdoch, W.J. and Dunn, T.G. (1982):

Alterations in follicular steroid hormones during the preovulatory period in the ewe.
Biology of Reproduction 27, 300-307.

Negro, Vilor, A.; Orias, R. and McCann, S.M. (1973):

Evidence for a pituitary site of action of the acute inhibition of LH release by estrogen in the rat.

Endocrinology. 92: 1680-1684.

Nett, T.M.; Akbar, A.M. and Niswender, G.D. (1974):

Serum levels of Luteinizing Hormone and Gonadotropin-Releasing Hormone in Cycling, Castrated and Anestrous Ewes.

Endocrinology, Vol. 94, No. 3, 713-718.

Niswender, G.D.; Nett, T.M. and Akbar, A.M. (1974):

The hormones of reproduction.

In: reproduction in farm animals. 3rd ed. Hafez, E.S.E. (ed.), Philadelphia and Febiger, PP. 57-81.

Ojeda, S.R.; Horns, P.G. and McCann, S.M. (1974):

Effect of third ventricular injections of prostaglandins (PG'S) on gonadotropin release in conscious free moving male rats.

Prostaglandins 8: 545-552.

Ojeda, S.R.; Jameson, H.E. and McCann, S.M. (1977a):

Hypothalamic areas involved in prostaglandin (PG)-induced gonadotropin release. I. Effect of PGE₂ and PGF₂ α implants on luteinizing hormone release.

Endocrinology 100: 1585-1594.

Ojeda, S.R.; Jameson, H.E. and McCann, S.M. (1977b):

Hypothalamic areas involved in prostaglandin (PG)-induced gonadotropin release. II. Effect of PGE₂ and PGF₂ α implants on follicle stimulating hormone release.

Endocrinology 100: 1595-1603.

Ojeda, S.R.; Negro-Vilar, A. and McCann, S.M. (1979):

Release of prostaglandin E₂ by hypothalamic tissue: Evidence for their involvement in catecholamine - induced luteinizing hormone releasing hormone release.

Endocrinology 104: 617-624.

Osborne, H.G. (1970):

The duration and intensity of estrus in Finnsheep.

Australian Veterinary Journal 46, 605 (ABA 39, 3477).

Pant, H.C.; Fitzpatrick, R.J. and Hopkinson, C. (1973):

Interrelationship between plasma follicle stimulating hormone (FSH) and 17 B-estradiol in sheep during the estrous cycle.

Acta Endocrinologica, Denmark 73 (Supple. 177). 12 [ABA, Vol. 42 No. 3, 1104].

Pant, H.C.; Hopkinson, C.R.N. and Fitzpatrick, R.J.

(1977):

Concentration of estradiol, progesterone, luteinizing hormone and follicle-stimulating hormone in the jugular venous plasma of ewes during the estrous cycle.

Journal of Endocrinology 73(2), 247-255 (ABA, Vol. 46, No. 9: 4427).

Pelletier, J.; Carrez-Camus, S. and Thiery, J.C.

(1981):

Basic neuroendocrine events before puberty in cattle, sheep and pigs.

Journal of Reproduction and Fertility, Supplement, 30: 91-102.

Pfaff, D.W. (1968):

Endocrinology 82: 1149.

Plunkett, G.L. and Keyes (1975):

Role of intraluteal estrogen in the regulation of the rat corpus luteum during pregnancy.

Endocrinology, 102: 1176-1182.

Poyser, N.L. and Horton, E.W. (1978):

Uterine luteolytic hormone: A physiological role of PGE_2 and $\text{PGF}_2\alpha$

Physiol. Rev. 60: 590-613.

Prud'homme, M.J. and Bosc, M.J. (1977):

Morticite uterine de la brebis, avant, pendant et apres la parturition spontanee traitement par la dexamethason.

Ann. Biol. Anim. Biophys. 17, 9.

Pyörälä, E.; Lähteenmäki, P.; Tuhonen, H. and Osterberg, S. (1979):

The secretion of Luteinizing hormone in ewes of Finnish Landrace during estrus.

Acta Vet. Scand. 20: 216-223.

Quirke, J.F. (1978):

Onset of puberty and estrus activity in Galway Finnish Landrace and Finn-cross ewe lambs during their first breeding season.

Ir. J. Agric. Res. 17: 15-23.

Quirke, J.F.; Adams, T.E. and Hanrahan, J.P. (1983):

Artificial induction of puberty in ewe lambs.

In Sheep production, edited by W. Haresign, pp. 409-429. London; Butterworths.

Rahmanian, M.S. and Murdoch, W.J. (1987):

Function of ovine corpora lutea after administration of Luteinizing hormone-releasing hormone.

J. Anim. Sci., 64: 648-655.

Rawlings, N.C. and Ward, W.R. (1973):

The effect of the administration of progesterone on the initiation of parturition in the goat.

J. Reprod. Fertil. 35, 606.

Reuter, I.A. and Lisk, R.D. (1976):

Progesterone may act at hypothalamus and pituitary by way of enhancement of estrogen retention.

Nature 262: 790-791.

Ribubson, T.J. (1959):

Use of progesterone impregnated sponges inserted intravaginally or subcutaneously for the control of estrous cycle in sheep.

Nature 206: 39-41.

Richards, J.S. (1980):

Maturation of ovarian follicles: actions and interactions of pituitary and ovarian hormones on follicular cell differentiation.

Physiol. Rev. 60: 51-89.

Richards, J.S. and Midgley, A.R. Jr. (1976):

Protein hormone action key to understanding ovarian follicular and luteal cell development.

Biol. Reprod. 14, 82.

Robertson, H.A. and Smeaton, T.C. (1973):

The concentration of unconjugated estrone and estradiol -17 β in the maternal plasma of the pregnant ewe in relation to the initiation of parturition and lactation.

J. Reprod. Fertil. 35, 461.

Ross, G.T.; Corgille, C.M.; Lipestt, M.D.; Rayford, P.L.; Marshall, J.R.; Strott, C.A. and Rodbard, D. (1970):

Pituitary and gonadal hormone during spontaneous induced ovulatory cycle.

Recent Progr. Hormone Res. 26: 1-62.

Saidapur, S.K. and Greenwald, G.S. (1978):

Peripheral blood and ovarian levels of sex steroids in the cyclic hamster.

Biol. Reprod. 18: 401-408.

Scaramuzzi, R.J. and Land, R.B. (1978):

Estradiol levels in sheep plasma during the estrous cycle.

Journal of Reproduction and Fertility, 53(1): 167-171. [ABA, Vol. 46, No. 9, 4431].

Scaramuzzi, R.J.; Caldwell, B.V. and Moor, R.M. (1970):

Biol. Reprod. 3: 110.

Schams, D.; Lahlou-Kassi, A. and Glatzel, P. (1982):

Oxytocin concentrations in two breeds of sheep, with low and high fecundity.

J. Endocrinol. 92: 9-13.

Schanbacher, B. (1980):

Relationship of daylength and prolactin to resumption of reproductive activity in anestrus ewes.

Journal of Animal Science, Vol. 50, No. 2, pp. 293-297.

Sheldrick, E.L.; Mitchell, M.D. and Flint, A.P.F. (1980):

Delayed luteal regression in ewes immunized against oxytocin.

J. Reprod. Fertil. 59: 37-42.

Shevah, Y.; Black, W.J.M. and Land, R.B. (1975):

The effects of nutrition on the reproductive performance of Finn x Dorset ewes.

J. Reprod. Fertil. 45: 289.

Short, and Bulman, D.C. (1972):

Interrlationship between the pituitary, the corpus luteum, the uterus and the hypothalamus in sheep.

In: Reproduction in mammals. Book 3; Austin and Short (eds.) Combridge.

Simaraks, S. (1978):

Hormone levels in prepubertal ewe lambs and in mature ewes throughout the breeding season.

Dissertation Abstracts International, B. 38(12): 5782-5783. [ABA, Vol. 47, No. 3, 1321].

Simon, J.A. and Dizerega, G.S. (1982):

Physiologic estradiol replacement following oophorectomy: Failure to maintain precastration gonadotropin levels.

Obstetrics and Gynecology Vol. 59, No. 4, 511-512.

Smith, M.S. (1978):

A comparison of pituitary responsiveness to luteinizing hormone-releasing hormone during lactation and the estrous cycle of the rat.

Endocrinology 102: 114-120.

Smith, M.S. and Neil, J.D. (1977):

Inhibition of gonadotropin secretion during lactation in the rat: relative contribution of suckling and ovarian steroids.

Biol. Reprod. 17: 255-261.

Snedecor, G.W. and Cochran, W.G. (1967):

Statistical methods.

Sixth Edition. oxford. & IBH.

Southam, E.R.; Hulet, C.V. and Botkin, M.P. (1971):

Factors influencing reproduction in ewe lambs.

Journal of Animal Science 33, 1282-1287 (ABA 40, 3284).

Stabenfeldt, G.H.; Ewing, L.L. and McDonald, L.E. (1969):

Peripheral plasma progesterone levels during the bovine estrous cycle.

J. Reprod. Fertil. 19: 433.

Steele, P.A.; Flint, A.P.F. and Turnbull, A.C. (1976):

Increased utero-ovarian androstendione production before parturition in sheep.

J. Prod. Fertil. 46, 443.

Stekleven, E.P. (1967):

Breed and age characters of the duration of the estrous cycle in ewes in the Southern Ukraina.

Otsevodstvo, Kiev (3), 31-37 [ABA, 36, 2732].

Strott, C.A.; Yoshimi, T.; Rass, G.T. and Lipsett, M.B. (1969):

Ovarian physiology: relationship between plasma LH and steroidogenesis by the follicle and corpus luteum, effect of HCG.

J. Clin. Endocr. 29: 1157-1167.

Stumpf, W.E.; Sar, M. and Keefer, D.A. (1975):

The Anterior Pituitary, Ultrastructure in Biological Systems.

Tixier-Vidal, A., and Farquhar, M.G. (eds.), Vol. 7, Academic Press, New York, P. 63.

Suliman, A.H.; El-Amin, F.M. and Osman, A.H. (1978):

Reproductive performance of Sudan indigenous sheep under irrigated Gezira conditions.

World Review of Animal Production. 14(1): 4, 6, 8, 71-79. (ABA 46 No. 12, 6058).

Swanson, L.V.; Hafs, H.D. and Morrow, D.A. (1972):

Ovarian characteristics and serum LH, prolactin, progesterone and glucocorticoids from first estrous to breeding size in Holstein heifers.

J. Anim. Sci. 34: 284.

Swerdloff, R.S. and Odell, W.M. (1969):

Serum luteinizing and follicle stimulating hormone levels during sequential and non sequential contraceptive treatment of eugonadol woman.

J. Clin. Endocr. 29: 157-163.

Symons, A.M.; Cunningham, N.F. and SABA, N. (1974):

The gonadotrophic hormone response to anestrous and cyclic ewes to synthetic luteinizing hormone releasing hormone.

J. Reprod. Fertil. 39: 11-21.

Tasfriri, A.; Lamprecht; Linder, H.R.; Zor, V.; Bauminger and Schwartz, A. (1972):

Use of prostaglandin synthetase inhibitors in analysing the role of prostaglandins in reproductive physiology.

Pages 271 ff. in H.J. Robinson and J.R. Vane eds. Prostaglandin synthetase inhibitors. Raven press, New York.

Terranova and Greenwold (1978):

Plasma prolactin levels in the sow during lactation and post-weaning period as measured by RIA.

Biol. Reprod. 19: 628.

Terrill, C.E. and Hazel, L.N. (1947):

Length of gestation in rang sheep.

Amer. J. Vet. Res., 8, 66-72.

Thorburn, G.D.; Nichol, D.H.; Bassett, J.M.; Shutt, D.A. and Cox, R.I. (1972):

Parturition in the goat and sheep: changes in corticosteroids, progesterone, estrogens and prostaglandin F.

J. Reprod. Fertil. (suppl.) 16: 61.

Thorburn, G.D.; Cox, R.I.; Currie, W.B.; Restall, B.J. and Schneider, W.C. (1973):

Prostaglandin F and progesterone concentrations in the uteroovarian venous plasma of the ewe during the estrous cycle and early pregnancy.

J. Reprod. Fert. Suppl. 18: 151-158.

Thwaites, C.J. (1967):

Embryo mortality in the heat stressed ewes.

J. Reprod. Fertil. 14: 5.

Thwaites, C.J. (1968):

The influence of age of ewe on embryo mortality under heat stress conditions.

Int. J. Biometeor, 12: 29.

Tsang, C.P.W. (1978):

Plasma levels of estrone sulfate, Free estrogen and progesterone in the prgnant ewe throughout gestation.

Theriogenology 10: 97-100.

Vande Wiele, R.L.; Bogumil, I.; Dyrenfurth, M. and Ferin, R. (1970):

Mechanism regulation in reproductive cycle.

Recent Progr. Hormone Res. 26: 63-103.

Varley, M.A.; Peaker, R.E. and Atkinson, T. (1984):

Effect of lactation length of the sow on plasma progesterone, oestradiol 17- β and embryonic survival.

Anim. Prod. 38: 113-119.

Wallach, Jr. L.; Cenedella, R.J. and Butcher, R.L.

(1975):

Simplified thin layer chromatography of prostaglandin in biological extracts process.

Brit. Pharm. Soc. 583-584.

Walton, J.S.; McNeily, J.R.; McNeilly, A.S. and

Cunningham, F.J. (1977):

Changes in concentrations of follicle-stimulating hormone, luteinizing hormone, prolactin and progesterone in the plasma of ewes during the transition from anestrus to breeding season.

J. Endocrinol. 75: 127-136.

Webb, R.; Mitchell, M.D.; Falconer, J. and Robinson,

J.S. (1981):

Temporal relationships between peripheral plasma concentrations of oxytocin, progesterone and 13, 14-dihydro-15-keto-prostaglandin $F_2 \alpha$ during the estrous cycle and early pregnancy in the ewe.

Prostaglandins 22: 443-453.

Weiner, M. (1976):

Control of placental 3 β -Hydroxy- Δ^5 -Steroid dehydrogenase: comparison of enzyme characteristics in man, cow, goat, rat and Rhesus monkey.

Biol. Reprod. 14, 306.

Wettemann, R.P. and Hafs, H.D. (1973):

LH, Prolactin, Oestradiol and Progesterone in Bovine blood serum during early pregnancy.

Journal of Animal Science, Vol. 36, No. 1, 51-56.

Wheatley, I.S. and Radford, H.M. (1969):

Luteinizing hormone secretion during the estrous cycle of the ewe as determined by radio-immunoassay.

J. Reprod. Fertil. 19, 211-214.

Wheeler, A.G. and Land, R.B. (1977):

Seasonal variation in estrous and ovarian activity of Finnish Landrace, Tasmanian Merino and Scottish Blackface ewes.

Anim. Prod. 24: 263-376.

Whitemen, J.V.; Zollinger, W.A.; Thrift, F.A. and Gould, M.B. (1972):

Postpartum mating performance of ewes involved in a twice-yearly lambing program.

J. Anim. Sci. 35: 836.

Whyman, D. (1978):

Estrous and ovarian responses to exogenous progesterone and estrogen in prepubertal ewe lambs in relation to the fecundity of their dams.

Journal of Reproduction and Fertility 53(2): 323-330 (ABA, Vol. 47, No. 1, 236).

Wiggins, E.L.; Miller, W.W. and Barker, H.B. (1970):

Age at puberty in fall-born ewe lambs.

Journal of Animal Science 30, 974-977 [ABA 39, 627].

**Wilson, Jr. L.; Cenedella, R.J.; Butcher, R.L. and
Inskeep, E.K. (1972):**

Levels of prostaglandins in the uterine endometrium during the ovine estrous cycle.

J. Anim. Sci. 34: 93-99.

Yang, N.S.T.; Marsh, J.M. and Le Marie, W.J. (1973):

Prostaglandin changes induced by ovulatory stimuli in rabbit Graafian follicles: The effect of indomethacin.

Prostaglandins 4: 195-204.

Yang, N.S.T.; Marsh, J.M. and LeMarie, W.J. (1974):

Postovulatory Changes in the concentration of prostaglandins in rabbit Graafian follicles.

Prostaglandins, 6: 37-44.