

CONTENTS

	Page
1. INTRODUCTION	1
2. REVIEW OF LITERATURE	3
3. MATERIALS AND METHODS	47
4. RESULTS AND DISCUSSION	60
4.1 Morphological characterization of the studied area	60
4.1.1 Coastal barrier plains and beaches	60
4.1.2 Fluvio-marine deposits	72
4.1.3 Recent Nile alluvial deposits	87
4.2 Soil physical properties	96
4.2.1 Particle size distribution	96
4.2.2 Calcium carbonate	103
4.2.3 organic matter	103
4.2.4 Gypsum content	104
4.2.5 Bulk density	104
4.2.6 Total soil porosity	111
4.2.7 Soil hydraulic conductivity	112
4.2.8 Soil moisture characteristics	112
4.3 Soil chemical properties	114
4.3.1 Distribution of soluble salts	114
4.3.2 Cation exchange capacity (CEC) and exchangeable cations	121
4.4 Status of macro nutrients	126
4.4.1 Nitrogen	126
4.4.1.1 Total nitrogen	126
4.4.1.2 Available nitrogen	131
4.4.2 Phosphorus	132
4.4.2.1 Total phosphorus	132
4.4.2.2 Available phosphorus	133
4.4.3 Potassium	134
4.4.3.1 Total potassium	134
4.4.3.2 Available potassium	134
4.5 Status of micro nutrients	135
4.5.1 Total iron	135
4.5.2 Available iron	145
4.5.3 Total manganese	147
4.5.4 Available manganese	151
4.5.5 Total zinc	154
4.5.6 Available zinc	158
4.5.7 Total copper	159
4.5.8 Available copper	163
4.5.9 Total boron	165
4.5.10 Available boron	169

	Page
4.6 Land evaluation	171
4.6.1 Qualitative rating of land	171
4.6.1.1 The USDA system of land capability classification	171
4.6.1.2 The FAO land suitability classification	178
4.6.2 Quantitative rating of land	178
4.6.2.1 Modified Storie index (Nelson, 1963)	182
4.6.2.2 Sys and Verheye's system (1978)	184
 5. SUMMARY AND CONCLUSION	 192
6. REFERENCES	200
 ARABIC SUMMARY	

LIST OF TABLES

	Page
Table (1) Some climatological data of Damietta, Baltim, Rosetta and Sakha meteorological stations (1978-1987)	5
Table (2) The calculated aridity degrees	8
Table (3) Structure of land suitability classification	32
Table (4) Limitation levels and their rating	38
Table (5) Examples of limitations (type and degree) in land capability classification of the USDA	55
Table (6) Summary for the structure of land suitability classification (FAO, 1976)	57
Table (7) Criteria used for assigning values to factors A, B, C, X, and Y in determining land productivity indices	59
Table (8) Particle size distribution, texture class, CaCO ₃ , O.M, and gypsum contents of the soil profiles represnting the studied geomorphic units	97
Table (9) Minimum, maximum and average values of particle size distribution, CaCO ₃ , organic matter and gypsum of the studied geomorphic uints	101
Table (10) Some soil physical properties of the soil profiles representing the studied geomorphic units	106
Table (11) Minimum, maximum and average values of bulk density, total porosity, hydraulic conductivity, soil moisture contents at field capacity and wilting point, and available water % in the three geomorphic units	109
Table (12) Correlation coefficients between some soil physical properties and some soil constituents of the studied soil profiles	110
Table (13) Chemical analysis of the soil saturation extract of the profiles representing the studied geomorphic units	115

	Page
Table (14) Cation exchange capacity (CEC) and exchangeable cations of the soil profiles representing the studied geomorphic units	122
Table (15) Total and available nitrogen, phosphorus and potassium contents in the soil profiles representing the studied geomorphic units .	127
Table (16) Total and available iron, manganese, zinc, copper and boron in the soil profiles representing the studied geomorphic units .	136
Table (17) Weighted mean, trend and specific range of iron in the soil profiles representing the studied geomorphic units	141
Table (18) Correlation coefficients between some soil constituents and total and available micro-nutrients in the studied geomorphic units .	143
Table (19) Weighted mean, trend and specific range of manganese in the soil profiles representing the studied geomorphic units	148
Table (20) Weighted mean, trend and specific range of zinc in the soil profiles representing the studied geomorphic units	156
Table (21) Weighted mean, trend and specific range of copper in the soil profiles representing the studied geomorphic units	161
Table (22) Weighted mean, trend and specific range of boron in the soil profiles representing the studied geomorphic units	166
Table (23) Land evaluation of the studied area following qualitative systems	173
Table (24) Percentage rating of individual formula factors, land productivity indices and master productivity rating (MPR) of the studied soils	181
Table (25) Master productivity ratings for land productivity indices of the studied area ..	182

	Page
Table (26) Intensity of limitations and suitability classes of the studied soils (calculated according to Sys & Verheye, 1978)	187
Table (27) Land evaluation of the studied area follow- ing qualitative and quantitative systems ..	191

LIST OF FIGURES

	Page
Fig. (1) The average percentages distribution of coarse sand, fine sand, silt and clay in the studied geomorphic units	102
Fig. (2) Intensity with which each land capability class can be used with safety. (Brady, 1974) .	172
Fig. (3) The area of each class following the USDA system of land capability classification	176
Fig. (4) The area of each class following the FAO system of land suitability evaluation	179
Fig. (5) Relative area of each productivity rating according to modified Storie index	185
Fig. (6) The area of each class according to Sys and Verhey's system	189

LIST OF MAPS

	Page
Map (1) Location of the studied area	4
Map (2) Locations of the studied soil profiles	48
Map (3) Physiographic map of the Northern Delta (After High Dam soil survey, FAO, 1963 with some modifications by El-Nahal et al., 1977)	61
Map (4) Land use sketch map of the studied area following the USDA system of land capability classification	177
Map (5) Land use sketch map of the studied area following the FAO system of land suitability evaluation	180
Map (6) Land use sketch map of the studied area according to modified Storie index	186
Map (7) Land use sketch map of the studied area according to Sys and Verheye's system	190