

REFERENCES

- Abdel-Salam M. and A.S.I., El-Ballal (1984).
Isozyme polymorphism from gene controlling essential oil accumulation in caraway seeds. (Carum carvi, L.).
Farmaceutisch Tij Dschrift voor Belgie 61(3) Abst.
32 Ann. Meet. GA. (Antwerpen). p.44:344.
- Abdou, I.A.; A.A. Abou zeid; M.R. El-Sherbeeney; and Qual-
Abou-El-Gheat (1972).
Plant Matr. Veget., 1972, 22(1):29-35.
Through C.A. 78, 80226 (1973).
- Abdullaeva A.A. (1959)
Germicidal properties of volatile fractions and
juices of Allium aflatunense and Allium sativum.
Doklady Akad. Nauk Uzbek. S.S.R. 1959, No.1: 43-5
(In Russian).
(C.F. Chem. Abst., 1960, 54.7067).
- Aggag, M.E.; and R.T. Yousef (1972).
Study of antimicrobial activity of chamomile oil
Planta Medica, 22(2): 140-144.
- Ahmed, S.R. and J.P. Agnihotri (1977)
Antifungal activity of some plant extracts.
Indian Journal of Mycology and Plant Pathology.
7(2):180-181.
- Alicia, S. Lorenti; Alberto A. Viale; Carbos A. Buschi;
Maria D. Gonzalez, Claudio D. Schteingart; Adolfo M. Iribarren;
and Alicia B. Pomilio (1981).
antimicrobial activity of some Argentine higher plants.
Fitoterapia, 52(2):81-85.

- Anderson, E.E.; W.B. JR. Esselen; and A.R. Handelman (1953).
The effect of essential oils on the inhibition and thermal resistance of micro-organisms in acid food products.
Food Research, 18:40-47.
- Atkinson, N. (1946)
Antibacterial activity in numbers of the native Australian flora.
Nature, London, 158:876.
- Bachmann, F.M. (1916).
The inhibitory action of certain spices on the growth of microorganisms.
J. Ind. Eng. Chem., 8:620-623.
- _____, (1918)
Use of micro-organisms to determine the preservative value of different brands of spices.
J. Ind. Eng. Chem., 10:121-123.
- _____' (1923)
Effect of spices on growth of Clostridium botulinum
J. Infectious Diseases, 33:236-239.
- Balbaa, S.I.; S.H. Hilal and A.Y. Zaki (1981)
Medicinal plant constituents.
General agency for university and school books.
Dar El-Shaab Printing House.
- Beata, L.; J. Sendra and J. Starzyk (1977)
Fungistatic properties of chosen plant derived compounds.
Acta Biol. Cracov Ser Bot 20(1/2):57-66. 1977[recd. 1978].
(c.f. Biol. Abst. Vol. 66. No.4, 19660).

- Blum, H.B.; and F.W. Fabian (1943)
Spice oils and microbial surface growth.
Fruit Products J., 23:326.
- Bose, S.M. (1950)
Factors affecting the germicidal properties of
lemongrass emulsions.
J. Sci. Ind. Research, India 9B:12-18.
- _____ (1949,a)
Influence of organic matter on the bactericidal
efficiencies of essential oils.
J. Sci. Ind. Research, India, 8B:157-160.
- _____; C.N. Bhima Rao; and V. Subramanyan (1949,b)
Relation between chemical constitution and constit-
uents of certain essential oils and their bactericidal
properties.
J Sci. Ind. Research (India), 8B, 160-162.
- Bryant, J.J. (1924,a)
Bactericidal value of perfumes.
Perfumery essent. Oil Record, 15:252-255.
- _____, (1924 b)
The detergent and antiseptic value of perfume
materials.
Ibid, 15:426-431.
- Calvarano, M. (1965)
Composition of absolute essences obtained from callabria.
Essenze Deriv.Agrumari, 35(3):147-65.
(c.f. Hort. Abst., 65, 3663 g).

- Calvarano, M. (1966)
Composition of calabria jasmine essences.
II. Gas chromatography analysis.
Essenze Deriv. Agrum. 36(4):237-55.
(c.f. Chem. Abst. 67, 93900 g).
- Cassady, J.M. (1985).
Synthesis and structure activity relationships of
natural products.
Inter. Res. Cong. "Natural products", Univ. North.
Carolina, Chapel-hill, USA Abst. 24-26.
- Cavallito, C.J. and J.H. Baily (1944)
Allicin, the antibacterial principle of Allium
sativum. I. Isolation, physical properties and anti
bacterial action.
J. Am. Chem. Soc., 1944, 56, 1950.
- Cavel, L. (1918)
Antiseptic value of certain essential oils.
Compt. Rend. Soc. Biol., 166:887-897.
- Cerighelli, R. (1924)
Indole in flowers of Spanish jasmine.
Compt. Rend. 179:1193-5.
(C.f. Chem. Abst. 19, 8433).
- Charya, M.A.S.; S.M. Reddy; B.P. Kumar and S.R. Reddy (1979).
Laboratory evaluation of some medicinal plants
extracts against two pathogenic fungi.
New Botanist. 6:171-174.

- Chandra, H.; A. Asthana; R.D.; Tripathi; and S.N. Dixit (1982).
Fungitoxicity of a volatile oil from the fruits of Cinnamomum cecidodaphne Meissen.
Phytopathologia Mediterranea, 21, 1:35-36.
- Cherevatyi, V.S.; T.N.Vashchenko and G.Z. Shishkov (1980).
Comparative study of antibacterial effect of different extracts from garden sage (Salvia officinalis).
Rastit. Resurs. 16(1):137-139. USSR.
- Claudi Redaelli; Lina formentini and Enzo Santaniello (1981)
HPLC Determination of coumarins in Matricaria chamomilla.
Planta Medica, 43, 4:412-413.
- Cochran, C.B., and J.H. Perkins (1914,a)
The comparative values of some essential oils as preservatives of cane sugar solutions.
J. Ind. Eng. Chem., 6:304-306.
- _____, (1914,b)
The comparative values of some essential oils as preservatives of starch syrups.
J. Ind. Eng. Chem. 6:306-307.
- Collier, W.A.; and Y. Nitta (1930)
Action of ethereal oils on different bacterial species.
Z. Hyg. Infektionskrankh., 111:301-312.
- Cooper, K.E. and D. Woodman (1946)
J. Pathol. Bacteriol. 58, 75.
(c.f. Analytical Microbiology, 1963).

- Cooper, K. E. (1963)
The theory of antibiotic inhibition zones.
Analytical microbiology, Ed. Fredrick Kavangh.
Academic Press.
- Corliss, T.L.; P.S. Cohen; and V.J. Cabelli (1981).
R-Plasmid transfer to and from Escherichia coli
strains Isolated from human feacal sample.
Applied and Environmental microbiology, Apr.1981,
Vol. 41, No. 4:959-966.
- Crisan, A. and V. Hodisan (1975).
Studies on the fungistatic and fungicidal activity
of some medicinal plant extracts and essential oils.
In contrib. bot. Univ., Babes-Bolyai, Cluj, Rumania.
(1975) 171-179 from Referativnyi zhurnal (1976)
8.55.867.
(c.f.Hort. Abst. May, 1977 , Vol. 47, No. 5, 4943)
- De, P.K. and V. Subrahmanyam (1930,a).
Studies in disinfection and sterilization (1) Germi-
cidal properties of certain Indian essential oils.
Indian J. Med. Research. 17:1153-1161.
- _____ and _____ (1930,b)
(2) Chemical constitution of terpens and their
disinfecting properties.
Indian J. Med. Research 18, 83-90.
- _____ and _____ (1930,c)
Composition of essential oils and their disinfect-
ing properties.
Indian J. Med. Research 18, 91-96.

- Demole, E. (1962)
The carbonyl components of jasmine oil (J. grandiflorum)
Helvi. Chem. Acta. 45:1951-5.
(c.f. Chem. Abst. 58, 1297h)

- _____, (1963)
Thin layer chromatography used for natural and
synthetic fragrances.
Thin layer chromatog., Proc. Symp. Rome 1963:45-54.
(c.f. Chem. Abst. 62, 7581f).

- Dikshit, A. and A. Husain (1984).
Antifungal action of some essential oils against
animal pathogens.
Fitoterapia, 55, 3:171-176.

- Dixit, S.N.; S.C. Tripathi and R.R. Upadhyay. (1976)
The antifungal substance of rose flowers (Rosa indica)
Economic Botany, 30(4):371-374.

- Dobrynin, V.N.; M.N. Kolosov; B.K Chernov; and N.A.
Derbentseva (1976).
Antimicrobial substances of Salvia officinalis.
Khimiya Prirodnykh Soedinenii. No.5:686-687, USSR.

- Dold, H.; and A. Knapp (1948).
Antiseptic action of spices.
Z. Hyg. Infektionskrankh 128:696-706.

- Elangovan, M.; and I.R. Suthanthirapandian (1981)
Screening chilli varieties against powdery mildew
(Leveillula taurica (vel) Arm.) Disease
South Indian Horticulture. 29,(3):159-160.

- El-Azizi, H.; A.E. Osman; M. Yousef and N. Heba (1983)
Occurrence of menthol in the volatile oils of
various species of Mentha grown in Egypt.
Absts of 9th Inter.Cong. Essential oils Singapour
13-17 March. pp.13.
- El-Ballal, A.S.I. (1980)
Genotype-environmental interaction in essential oil
yield in the selected caraway type 1.4.36.
Acta Horticulturae, 96(2):155-166.
Herba Hungarica. Tom, 18(3):155-166
- El-Gengaihi, S. and D. Zaki (1982)
Biological investigation of some essential oils
separated from Egyptian plants.
Herba Hungarica, 1982, Tom 21 No. 1:107-111.
- El-Hamidi, A. and G. Richter (1965)
Preliminary investigation of Egyptian cumin oil
by thin-layer chromatography.
Lloydia, Vol. 28, No.3:252-256.
- Elze, F. (1926)
Farnesol in jasmine flower oil.
Chem. ztg. 50, 782.
(c.f. Chem. Abst. 21, 2992).
- Farnsworth et al. (1968)
(c.f. Pharmacognosy; Trease, G.E.; and W.C. Evans, 1980).
- Fleming, A. (1932)
"On the specific antibacterial properties of penicillin and potassium tellurite".
J. Path. Bact. 35. 831.

- Formacek, V. and K-H, Kubeczka (1982)
Essential oils analysis by capillary gas chromatography and carbon-13 NMR spectroscopy.
Chichester. New York. Brisbane. Toronto. Singapore,
John Wiley & Sons, Wiley Heyden Ltd.
- Frisbey, A.; R.Y. Gottshall; J.R. Jennings and E.H. Lucas
(1954)
The occurrence of antibacterial substances in seed
plants with special reference to Mycobacterium
tuberculosis. (Fourth Report).
Michigan state coll. Agric. Exptl. Sta. Quart. Bull.
36(4):477.
(c.f. Biol Abst., 1955; 29:26525).
- Galloway, L.D. (1952)
Essential oils as vapor phase antiseptics against
mold fungi.
Perf. Ess. Oil. Rec., 43:359-395.
- Gattefosse, R.M. (1932)
Les emplois therapeutiques de L'essence de lavender
Perfumerie mod., 26:535.
- Gatti, G. and R. Cayola, R. (1922, a)
Therapeutic action of essential oils.
Riv. Ital. Essenze, Profumi, 4:16-23.
- _____ and _____ (1922, b)
Therapeutic action of essential oils in diseases of
the respiratory organs.
Parfumerie mod., 4:77-82.

- Gatti, G. and R. Cayola, R. (1923)
The therapeutic action of essential oils.
Parfumerie mod., 5:30-33.
- _____ AND _____ (1924)
The use of essential oils in diseases of the scalp.
Par fumerie mod., 5:85-87.
- Girgune, J.B.; N.K. Jain; and B.D. Garg. (1978)
Antibacterial activity of some essential oils.
Current science, 47, 13:454-455.
- Gottshall, R.Y.; E.H. Lucas; A. Lickfeldt; and J.M. Roberts
(1949).
The occurrence of antibacterial substances active
against Mycobacterium tuberculosis in seed plants.
J. Clin. Invest. 28:920-923.
- Guenther, E. (1950)
The Essential oils.
Vols. I-VI, New York, D. Van Nostrand company, Inc.,
1949-1952.
- Harvey, E.H. (1922)
Efficiency of some common anti-ferments.
Am. J. Pharm., 94:797-801.
- _____, (1923)
Efficiency of some common anti-ferments.
Am. J. Pharm., 95:105-109.
- _____, (1924)
Efficiency of some common ant-ferments.
Am. J. Pharm. 96:585-589.

- Harvey, (1928)
Essential oils as anti-enzymes
Am. J. Pharm., 100:525-529.
- Hegnauer, R. (1966).
Chemotaxonomie der Pflanzen, Band IV, 313-314.
Birkhauser Verlag, Basel/Stuttgart.
- Hifnawy, M.S. (1971)
A pharmacognostical study of certain volatile oils
produced in Egypt and of economic value.
Ph.D. Thesis, Fac. Pharm. Cairo Univ.
- Hovadfk, A.; and M. Chladek (1974)
The antimicrobial activity of the essential oils of
some aromatic plants.
Bulletin. Vyzkumny Ustav Zelinarsky Olomouc No.81:61-71.
- Ietswaart. J.H. (1980)
A taxonomic revision of the genus *Origanum*(Labiatae)
The Hague/Boston/London 1980, Leiden University
Press.
- Ikram, M. and Inamul-HaQ (1980)
Screening of medicinal plants for antimicrobial
activity. Part I.
Fitoterapia, 51(6):231-235.
- Jain, S.R. and M.R. Jain (1973)
Effect of some common essential oils on pathogenic
fungi.
Planta Medica, 24(2):127-132.

- Jimenez Misas, A. Carlos; Nidia M. Rajos Hernandez and Ana M. Lopez Abraham. (1979)
The biological assessment of Cuban plants.
Rev. Cuban Med. Trop. 31(1):37-44.
(c.f. Biol. Abst. Vol. 69, No.5 March 1.28453).

- Karim, A.; M. Ashraf; and M.K. Bhatti (1979)
Studies on the essential oils of the Pakistani species of the family umbelliferae. Part 28.
Coriandrum sativum linn. (Coriander, dhania) oil of the seeds and the whole plant.
Pakistan Journal of Scientific and Industrial Research (1979) 22(4): 205-207.

- Kellner, W.; and W. Kober (1954)
Possibilities of the use of ethereal oils for room disinfection.
I. Arzneimittel-Forsch, 4:319-325.

- and ----- (1955)
Possibilities of the use of ethereal oils for room disinfection.
II. Arzneimittel-Forsch, 5:224-229.

- Khattab, M.E.B. (1985)
Physiological and post harvest studies on herb and oil of some mint species.
M.Sc. Thesis in Horticultural Science. Fac. of Agric. Ain Shams Univ.

- Klein, P and C. Souverein (1954)
Über die mikrobiologische Auswertung des Enzym-Substrate-systems Alliin-Alliinase.
Biochem. 2, 1954, 326, 123.

- Kokate, C.K.; and K.C. Varma (1971)
A note on the antimicrobial activity of volatile oils of Cymbopogon nardus (linn). Rendle and Cymbopogon citratus stapf.
Science and Culture (1971) 34(4):196-198.
- Kumar, B.P.; M.A.S. Chary; and S.M Reddy (1979)
Screening of plant extracts for antifungal properties.
New Botanist, 6:41-43.
- Kurylowicz, W. (1972)
Lwctures in antibiotics. Regional training courses in basic research in fermentation technology.
UNESCO, ICRO, SOC, Appl. Microbiol, A.R.E.
- Labo, A. (1931)
Jasmine essential oil.
Riv. Ital. essenze e perfumi. 13, XXXI-XXXIII.
(C.F. Chem. Abst. 26, 1711).
- Leupin, K. (1935)
Karkade
Pharm. Acta Helv., 10:138-42.
- Lewis, N.F.; B.Y.K. Pao; A.R. Shah; G.M.Tewari, and C. Bandyopadhyay (1979)
Antibacterial activity of component of onion (Allium cepa)
J. Food Sci. Technol. (Mysore) 14(1):35-36.
- Liu

- Martindale, W.H. (1910)

Antiseptic powers of essential oils.

Perfumery Essent. Oil. Record., 1:266-274.

- _____ (1911)
-
-

- Marsh, F.E.; and W.K. Maus (1930)

A thought on the place of volatile oils in plant economy.

J. Am. Pharm. Assoc. Sci. Ed., 19:344-348.

- Maruzzella (1958)

J. Amer. Pharm. Assoc. Sci. Ed. 47, 294.

- Marwan, A.E.E. (1980)

Studies on the effect of some agricultural treatments on the characteristics of jasmine concrete and their absolutes.

M.Sc. Thesis, Faculty of Agriculture (Food Science and Technology). El-Azhar Univ.

- Mathre, D.E. (1968)

Uptake and binding of oxathiin systematic fungicides by resistant and sensitive fungi.

Phytopathology, 58(11): 1464-1469.

- Miller, R.E. (1931).

Bactericidal efficiency of essential oils.

Am. J. Pharm., 103:323-327.

- Milletti, M.; D. Francesco; and P. Siro (1959).
Paper chromatography of extracts of Hibiscus
sabdariffa. II
Ann. Chem. (Rome), 49:655-62.
(c.f. Chem. Abst., 53, 19306, 1959).
- Mitscher, L.A.; R.P. Leu; M.S. Bathala; W.N.Wu and J.L.
Beal (1972)
Antimicrobial agents from higher plants.
I. Introduction, Rationale and Methodology.
Lloydia, 35 (2):157-166.
- Morel, A. and A. Rochaix (1922)
Bactericidal action of some vegetable essences in
the liquid state.
Compt. Rend. Soc. Biol., 86:933-934.
- _____, and _____(1925,a)
Contributions a L'etude de L'action microbicide de
quelques essences vegetales
Parfumerie mod., 18:261-269.
- _____, and _____(1925,b)
The bactericidal efficiency of essential oils.
Perfumery Essent. Oil. Record, 16:406-408.
- _____, and _____(1925,c)
Germicidal action of certain vegetable essences.
Bull. Sci. Pharmacol., 32:257-270.

- Morel, A. and A. Rochaix (1927,a)
The inhibiting power of some vegetable essential oils towards various pathogenic microbes.
Parfumerie mod., 19:184
- _____, and _____ (1927,b)
Sur le pouvoir infertilisant de quelques essences vegetales vis-avis de divers microbes pathogenes.
Parfumerie mod., 20:186.
- _____, and _____ (1928)
Antiseptic power of certain essential oils.
Bull. Sci. Pharmacol., 35, 631-634.
- _____, _____ and A. Chevalier (1928,a)
Weakening of the inhibitory action of essential oils towards microbes due to the colloidal state.
Parfumerie mod., 21:165.
- _____, _____ and L. Sevelinge (1928,b)
Antiseptic and infertilizing actions of some essences of mint, and their principal constituents.
Compt. Rend. Soc. Biol., 98:47-49.
- _____, _____, L. Perrot; and S. Sanlaville (1937)
Sur le pouvoir infertilisant de quelques corps organiques sulfures vis-a-vis des cultures de certains microbes pathogenes.
Compt. Rend. Soc. Biol., 124:188-190.
- Myers, H.B. (1926)
Comparative fungicidal action of certain volatile oils.
J. Pharmacol. Exptl. Therap., 27 Proc. 248.

- Myers, H.B. (1927)
An unappreciated fungicidal action of certain volatile oils.
J. Am. Med. Assoc., 89, 1834-1836.
- _____, and C.H. Thienes (1925)
Fungicidal activity of certain oils and stearoptens.
J. Am. Med. Assoc., 84:1895-1896.
- Naves, Y.R. (1959)
Composition of jasmine absolute.
Helv. Chem. Acta 42, 1174-7:1237-8.
(c.f. Chem. Abst., 54, 3486)
- _____ and A.V. Grampoloff (1942)
Composition of the petroleum ether extract (concrete essence) of jasmine flower.
Helv. Chem. Acta, 46:1006-10.
(c.f. Chem. Abst., 59, 7313 d.)
- _____: _____ and E. Demole (1963)
Carbonyl compounds from Jasmine oil.
Helv. Chem. Acta, 46:1006-10.
(c.f. chem. Abst., 59, 7313 d).
- Nobuyuki, K.; M. Miyaji; R. Kurane, Y. Takahara and K. Ichimura (1979)
Antifungal activity and molecular orbital energies of aldehyde compounds from oils of higher plants.
Agric. Biol. Chem. 43, 11:2365-2372.
- Ntezurubanza, L.; J.J.C.; Scheffer; A. Looman, and A. Baerheim Svendsen (1984)
Composition of essential oil of Ocimum Kilimandscharicum grown in Rwanda
Planta Medica, 50, 5:385-388.

- Okazaki, O. and O. Oshima (1953,a)

Antibacterial activity of higher plants. Antimicrobial effect of essential oils.

Jour. Pharm. Soc. Japan, (5), 73:344-347.

- _____, _____ (1953,b)

Jour. Pharm. Soc. Japan, (6), 73:690-692.

- _____ and _____ (1953,c)

Jour. Pharm. Soc. Japan (7), 74:174-176.

- _____ and A. Homma (1954)

Jour. Pharm. Soc. Japan 74:1131-1133.

- Penfold, A.R.; and R. Grant (1922)

Economic utilization of residues from steam rectification and germicidal value of crude oils and pure active constituents of essential oils of Eucalyptus cneorifolia.

J. Proc. Roy. Soc. N.S. Wales, 56:219-226.

- _____ and _____ (1923,a)

Germicidal value of principle commercial eucalyptus oils and their pure constituents on the value of concentrated disinfectants.

J. Proc. Roy. Soc. N.S. Wales, 57:80-89.

- _____ and _____ (1923,b)

Germicidal values of Australian essential oils (exclusive of eucalyptus) and their pure constituents.

J. Proc. Roy. Soc. N.S. Wales, 57:211-215.

- Penfold, A.R. and R. Grant (1924)
Germicidal value of pure constituents of Australian essential oils together with those from some essential oil isolates and synthetics.
J. Proc. Roy. Soc. N.S. Wales, 58:117-123.
- _____ and _____ (1925)
Germicidal value of some Australian essential oils and their constituents.
J. Proc. Roy. Soc. N.S. Wales 59:346-350.
- _____ and _____ (1926)
Germicidal value of Australian essential oils and their pure constituents.
J. Proc. Roy. Soc. N.S. Wales 60:167-170.
- Pratt (1913)
(c.f. Diab, M.A.M. (1968). The chemical composition of Hibiscus sabdariffa.
M.Sc. Thesis in Agricultural Sciences (Agric. Biochemistry), Cairo Univ.
- Prescott, S.C. and C.G. Dunn (1959)
Industrial Microbiology.
Mc Graw-Hill Book Company, Inc.
- Purseglove, J.W. (1977)
Tropical crops dicotyledons.
Longman Group Ltd. ELBS.
- Ray, P.G. and S.K. Majumdar (1976)
Antimicrobial activity of some Indian plants.
Economic Botany, 30,(4):317-320.

- Saber, M. (1969)
The antibacterial effect of some Egyptian plant residues on the microbial activities in soil.
Ph.D. Thesis in Bacteriology. Cairo Univ.
- Sabetay, S. and L. Traboud (1939)
The presence of eugenol in jasmine essences.
Compt. Rend. 208:1242-4.
(c.f. Chem. Abst. 33, 4740).
- Sarer, E.; J.J.C. Scheffer; and A. BaerheimSvendson (1982)
Monoterpenes in the essential oil of Origanum majorana
Planta Medica, 46,(4):236-239.
- Schroeder, M.P.; and A.M. Messing (1949)
Methods for comparing the antibacterial activity of essential oils and other aqueous insoluble compounds.
Bull. Nat'l formulary Comm., 17:213-218.
- Sening, E. (1963)
The effect of the aqueous extract of autumn leaves on the growth and activity of cellulose-decomposing micro-organism.
Zentr. Bacteriol. Parasitenk. Abt. II, 117(1):13.
Chem. Abst, 1960, 60:8373e.
- Sirsi, M.; L. Kale; S. Natarajan; and U.B. Nayak (1952)
Studies of the antimicrobial activities and pharmacological properties of some essential oils extracted from locally cultivated plants.
Jour. Indian Inst. Sci., 34:261-267.

- Singh, A.K.; A. Dikshit; M.L. Sharma and S.N. Dixit (1980)
Fungitoxic activity of some essential oils.
Economic Botany, 1980, 34(2):186-190.
- Small, L.D.; J.H. Bailey and C.J. Cavallito (1947)
Alkyl thiosulfinates.
J. Am. Chem. Soc., 1947, 69, 1710.
- Sonbol, E.R.G.; S. El-Shafie; M.B. Mostafa; H.A. Hassan (1973)
Effect of different fertilization treatments on the
yield, properties and chemical constituents of jasmine
oil.
The annals of Agricultural Science, Ain Shams Univ.
1975, Vol. XVIII, June (1973) No.(1):201-208.
- Sprecher, E. (1984).
Present state and future aspects in antibiotic
research. Plenary lecture.
Farmaceutisch Tijdschrift Voor België, 61(3); Abst.
32 Ann. Meeting GA (Antwerpen):P₁₂, pp.216-217.
- Srivastava, H.C. (1983)
 1. A natural variant with large flowers in Jasminum auriculatum Vahl.
 2. A spontaneous variant with tetraploid anthers in J. sambac. Ait Abst. Proc.V. Inter. Cong. Essent oils Singhabpour, 13-17 March (1983). Absts. p.19.
- _____ and M.L. Sharma (1974)
Cultivation of Jasminum grandiflorum L. on Saline
alkali soils.
Indian perfumer 18(1):25-26.
(c.f. Hort. Abst., 47 (9):8752).

- Stock, R. (1981).

Pharm.Int.2, 232 (1981).

c.f. Antifungal action of some essential oils against animal pathogenes. Fitoterapia, 1984, 55,3: 171-176.

- Szalontai Mariann; Verzarne Petri Gizelle es florian Ede(1976).

Adatok a Matricaria chamomilla L. Biologiailag aktiv Komponen seinek antifungalis hatasahoz. (Antifungal activity of constituent of Matricaria)

Acta Pharm. Hungarica 46:232-247).

(c.f. Pharm. Abst., 1977, 14,800).

- Trease, G.E.; and W.C. Evans(1980)

Pharmacognosy.

Eleventh edition. Bailliere Tinnall, 35 Red Lion Square, London.

- Tyler, V.E.; L.R. Brady; and J.E. Robbers (1976)

Pharmacognosy.

Lea and Febiger, Philadelphia.

- Uchida, Y.; T. Takahashi and N. Sato. (1975).

Japan J. Antibiotic, 28(4):638-42.

(Through C.A. 84, 111547).

- Vichkanova, S.A.; M.A. Rubinchik, V.V. Adgina; S.B. Izosimova;

L.V. Makarova, A.V. Patudin and D.A. Pakal'n (1974).

Antimicrobial activity of root extracts of Salvia spp.

Restitel'nye Resursy, 10(3):389-395 USSR.

- Vilanova, X.; M. Casanovas (1953)
Fungistatic and fungicidal activity of vegetable
essential oils and their components.
Jour. Invest. Dermatol., 20:447-454.
 - Waksman, S.A. (1961)
The actinomycetes. Vol. II
Williams and Wilkins Company, U.S.A.
 - Waksman, S.A. and Lechevalier, H.A. (1961)
Actinomycetes, Vol. II. Classification, identifica-
tion and description of genera and species. Baltimore.
 - Winter, A.G. (1955)
Investigations on the occurrence and importance of
antibiotic substances in natural soil. (in German).
Z. Pflernahr. Dung. 69:224 Soils and Fertilizers, 1955,
18;2527.
-