

REFERENCES

- Abd El-Hamed, Z. A. (1993)** : Studies on some factors affecting yield and quality of dasheen . M. Sc. Thesis, Faculty of Agric., Ain Shams Univ. (Cairo-A.R.E.) .
- Abd-El-Rahman, L. A. (1990)** : Effect of some agricultural practices on yield and quality of carrot. M. Sc. Thesis, Faculty of Agric., Moshtohor, Zagazig Univ. (Benha Branch) (Zagazig- A.R.E.).
- Abker, N. and Mehta, A. N. (1995)** : The effect of shifting dates and irrigation levels on tuber size and yield of potato cv. Kufri Badshah under middle agroclimatic zon of Gujarta. J. of the Indian potato Association., 22 (112): 17-22. (C. F. Field Crop Abstr., 49 (5): 3347 , 1996).
- Abou-Hadid, A. F. (1978)** : Studies on water requirement of taro. M. Sc. Thesis, Fac., of Agric., Al-Azhar, Univ. (Cairo A.R. E.).
- Afifi, S. T. ; Hamail, A. F. and Sokr, M. T. (1989)** : Effect of NPK fertilizers on growth , photosynthetic pigments , mineral composition and yield of cow pea plants . J. of Agric. Sci. Mansoura Univ.,14, 1294-1300.
- Ahita, O. P. ; Apit, S. E. and Pasas , M. B. (1981)** : Growth and development of cassava under the traditional and Mukibat system of planting in the phillippenes. Annal., of Tropical Research, 3 (3) : 187-198 (C. F. data base of Agricola-Internet).

Agriculture Economics and Statistics, Ministry of Agric. Egypt (1998) .

APShevskü, N.G. (1990). Effect of potassium chloride and potassium manganese on yield and quality of potatoes. *Agrokhimiya*, No. 8: 37-42. (C.F. Field Crop Abstr. ,46 (5) : 2927,1993) .

A. O. A. C. (1970): Official methods of analysis association of agricultural chemists., 11th ed. P. O. Box, 540, Washington, D. C., U. S. A.

Barroso, R. ; Guerra, A. ; Mendoza, L. and Valdes, C. (1986) : Response of cocoyam (*Colocasia esculenta* ,L.) cv. Rosada Habana to mineral fertilizer in a brown carbonate soil .I. Nitrogen levels. *Ciencia, Y. Tecnica, en, la, Agricu. Suelos, Y, Agroquimica*, 9 (3) : 43-49. (C. F. Field Crop Abstr., 42 (3), 4: 112 , 1989) .

Bhuyan, M. A. J. and Quasem, M. A. (1983) : Effect of nitrogen on the yield of mukhi-kachu (*Colocasia esculenta* , L.) Bangladesh J. of Agri. Res., 8 (1) : 65-67 , grek. (C. F. data base of Agricola-Internet).

Bioumy , E.G. (1991) : Effect of some proper cultural practices on growth and productivity of cassava crop .M. Sc. Thesis, Fac. of Agric. , Suez Canal Univ .(Ismail A.R.E) .

Biswas, J. ; Sen, H. and Dwivedt, A. K. (1997) : Growth , tuber yield and quality of sweet potato (*Ipomoea batatas*, L.) as affected by soil moistur tension. Hort., J. , 10 (1) : 81 87 .

Brown, J. D. and Lilleland, O. (1946) : Rapid detemination of potassium and sodium in plant material and soil extracts by flame photometry .Proc. Amer . Soc. Hort. Sci ., 48: 341- 346.

Carrilo and Urrutia, R. O . (1979) The effect of soil water content on yield of taro (*Colocasia esculenta*). Var. Islena Japonesa. 1. First year. Cienica Y Tecnica en la Agricultura Riego Y Drenaje. 2 (2): 51-65, 1979.) (C. F. data base of Agricola-Internet).

Costa, L. ; Daiia ; Vedove ; G. Deie ; Gianouinto, G. ; Giovanardi, R. and Peressotti, A. (1997) : Yield , water use efficiency and nitrogen uptake in potato influence of drought stress. Potato Res. 40 (1) : 19-34 (C. F. Field Crop Abstr., 51(2): 1226 , 1998.

Cremaschi, D. (1982) : Nitrogen fertilizers for four semi- early maturing potato cultivars. Terraesole 37 (482) : 588-592[It]. (C. F. Field crop Abstr., 8 (7) : 961, 1983).

Das, R.N. M. and Sethumadhavan,P (1980) :Effect of NPK on corm yield, tuber yield and total yield of Colocasia (*Colocasia esculenta*, L. Schott var. Thamarakkannn) : India Tamil Nadu

Agricultural Univ. National seminar on tuber Crops production technology, 21 - 22 November 1980. Undated , 179-181 .

Djazuli, M. and Ismunaji, M. (1983) : Effect of NPK on growth, nutrient absorpation and organic composition of sweet potato. Penelition pertanian (Indonesia), 3 (2) : 76-81 (C. F. Computer Res. Abstr.).

Dubois, M. ; Gilles , K. A. ; Hamilton, J. K. ; Robers, P. A. and Smith , F. (1956) : Calorimetric method for determination of sugars and related substances Aolyt. Chem., 28 : 350 .

El-Beheidi, M. A. ; El-Mansi, A. A. and Said,s (1976) : Effect of irrigation frequency on the growth and yield of carrots. Zagazig J. of Agric. Res., 3 (2) : 73-94 .

El-Dredge , E. P. ; Holmes, Z. A. ; Mosley , A. R. ; Shock, C. C. and Stieber, T. D. (1996) : Effect of transitory water stress on potato tuber stem-end reducing sugar and fry color. American Potato J. 73 (11) 517-530. (C. F. Field Crop Abstr., 50 (4) : 2547, 1997).

El-Mansi, A. A. ; El-Beheidi ; M. A. and Khalil, M. A. T. (1975) : Effect of water regime on growth and yield of carrots. Zagazig J. of Agric. Res., 2 (2) : 99-114.

El-Sayed , M. M. (1987) : The response of sweet potato to different fertilizer treatments . Egypt. J. Appl. Sci. 3rd Issue , 435-441.

- Ezumah, H. C. (1973)** : The growth and development of taro, (*Colocasia esculenta*, L. Schott), In relation to selected cultural mangement practices. Dissertation Abstr. International , B. 34 (1) 24.(C. F. data base of Agricola-Internet)
- Foti, S. Mauromicale , G. and Ierna , A. (1995)** : Influence of irrigation regimes on growth and yield of potato cv. Spunta. Potato Res. 38 (3): 307-318 (C. F. Field Crop Abstr., 49 (7) : 4922 , 1996).
- Franke, A. E. ; Martinl, L. C. P. ; Konig, O. ; Pozzibon, E. and Liberalesso, R. A. (1994)** : Effect of irrigation on yield and quality of tubers in potato (*Solanum tuberosum* ,L.). Revisia ceres, 41 (236) : 366-378 (C. F. Field Crop Abstr., 49 (3) : 1906 , 1996).
- Geissler, T. and Henkel, A. (1985)** : Relationships between sprinkler irrigation and nutrient supply in vegetable production. Sektion Gartenbau der Humboldt Univ. DDR-104 Berlin . Gartenbau, 32: 165-166. (C. F. Soils and fertilizers, 48 (12) 12800 , (1985).
- Gladysiak, S. and Borowczak, F. (1996)** : Influence of weather, sprinkler irrigation and nitrogen fertilizer application on the yields of potatoes in long term experiments under wielkopolsaka conditions. Zeszyty problemowe postepow Nauk Rolniczych, 438 : 53 - 60 . (C. F. Field Crop Abstr., 51 (3) : 1870 , 1998).
- Galeev, R. R. and Simonov , V. M. (1987)** : Efficiency of the application of mineral fertilizers to potatoes. Agrokхимиya 9 , 49-51 , 1987. (C. F. Field Crop Abstr., 42 (1) : 354 , 1989).

Gomez, K. A. and Gomez, A. A. (1983) : Statistical procedures for Agric. Res. and Ed. Johnwiley and Sons PUB pp : 139-153 .

Hartman, H. D. ; Werum, H. ; Bruckner, U. and Zengerle, K. H. (1986) : Effect of irrigation on carrot yield . Einfluss der Bewässerung auf den Ertrag von Mohren. Gemuse, 22 : 62-65, 1986. (C. F. Hort. Abstr., 56 (7) : 5355) , 1987 .

Hossain, M. M. and Rashid, M. M. (1982) : Effect of different levels of nitrogen on the yield of mukhi kachu. Bangladesh Horticu. 10 (1) 23-26 .(C. F. Cumputer Res. Abstr.) .

Jacobs , B. C. and Clarke , J. (1993) : Accumulation and partitioning of dry matter and nitrogen in traditional and improved cultivars of taro (*Colocasia esculenta*, L. Schatt) under varying nitrogen supply . Field Crops Res. ,31 (3-4) : 317-328 (C. F. Filed Crop Abstr., 47 (3) : 1739 , 1994) .

Jakson, M. L. (1965). "Soil chemical analysis-advanced course" publ. by the author, Dept. of soils, Univ.of Wisc., Madison 6 , Wisconsin, USA.

John, M. K. (1970) : Calorimetric determination of phosphorus in soil and plant materials with ascorbic acid . Soil Sic., 109 : 214-220 .

Karafyllidis, D.I.; stavropoulos, N. and Geargakls, D. (1996). The effect of water stress on the yielding capacity of potato crops

and subsequent performance of seed tubers . Potato Res., 39 (2) : 153-163. (C.F.Field crop Abstr., 50 (4) : 2546,1997) :

Kasele, I.N.(1984) : Effect of shade , nitrogen and potassium on cassava. IDRC : 52. (C.F.Field crop Abstr., 38 (7) : 1985) :

Khalak, A.and Kumaraswamy, A.S. (1992) : Dry matter accumulation and growth attributes of potato as influenced by irrigation and fertilizer application J. of the Indian Potato Association, 19 (1-2) : 40-44 . (C.F. Field crop Abstr., 47 (1): 417, 1994) .

Khalak, A. and Kumaraswamy, A. S. (1996) : Water use efficiency and nutrient-up-take potato. Mysore J. of Agri. Sci. 30 (1) 39-42 Department of Agronomy, Univ. of Agri. Sci. , Bangalore 560065, Karnataka, India.(C. F. Field Crop Abstr., 49 (9) 65089 , 1996).

Khurmi, R.S. (1990) : A text book of hydroulics fluid mechanics and Hydraulic machines for the students of U. P. S. C. [Engg. Serviees] ; B. Sc. Engg. ; Section B., of A. M.I.E.(1)and Diploma Courses.

Kumar, D. and Minhas, J.S. (1993) : Effect of water stress on leaf area, leaf water potential and tuber dry weight of potato cultivars kufri lalima and kufri Bahara-shimal. India Potato Association, 270-272 ISBN 81.900419-0-8 . (C.F. Field crop Abstr, . 47 (10) : 6607,1994) :

Makram, W. M. (1958) : Effect of rates of nitrogeous and potassic fertilizers on the growth chemical composition and yield of dasheen. Ph. D. Thesis, Fac. of Agric, . Ain Shams Univ. (Cairo- A. R. E.).

Mandal, R.C.; Sing, K. D. and Maini,S.B. (1982).Effect of nitrogen and potash fertilization on tuber yield and quality of (*Colocasia esculenta*, L.)Vegetable Science. 2:82-83 (C. F. data base of Agricola-Internet) :

Midan, A. A. ; El-sayed, M. M. ; Emara, R. ; Foda, S. ; Dmran, A. F. and Wanas, N.(1987) : Growth parameters, of sweet potato plants as influenced by phosphorus and potassium fertilizers soil application and chloromequat (CCC) foliar spray. Zagazig J. Agric., Res., (14 (1): 75-109 .

Mohancumar, C. R. and Sadanadan, N.(1989). Growth and dry matter accumulation in taro, (*Colocasia esculenta*, L. Schott) as influenced by NPK nutrition. J. of Root Crops., 15(2) : 103-108. (C. F. data base of Agricola-Internet) :

Mohancumar, C. R. and Sadanadan, N.(1990). Nutrient uptake pattern in taro as influenced by varying levels of NPK fertilization . J. of Root Crops., 16 (2): 92 – 97. (C. F. data base of Agricola-Internet)

Mohancumar, C. R. ; Sadanadan, and Saraswaty, P. (1990) :

Effect of levels of NPK and time of application on N and the yield of taro (*Colocasia esculenta*, L. Schott.) J. of Root crops. 16(1) : 33-38 (C.F. Field Crop Abstr., 46 (9): 6022 , 1993).

Moursi, M. A. (1955). A comparative study on the effect of seed on rate of emergence, establishment of plants and yield of different dasheen grown in Egypt. Ind. J. Agric. Sci., 25:265-270 .

Murphy, J. and Riely, J. P. (1962). A modified single solution method for the determination of phosphate in natural water. Anal. Chem. Acta., 27 : 31-36 .

Nagy, Z. ; Luca, E. and Turdean, A. (1993). Irrigation rate and water consumption of the potato crop in the clug area . Buletinum Univ. de stiinte Cluj Napoca. Seria Agri. Sci. Horticultura, 47(1) : 165-174. (C. F. Field crop Abstr., 48 (5): 3572 : 1995).

Pardales, J. R. ; Villa Nueva, Jr. M. R. ; Cetejo, F. R. Jr. (1982) :
Performance of taro under lowland condition as affected by genotype nutritional status and population density. Annals of Tropical Res., 4 (3) : 156-167. (C. F. Field Crop Abstr., 37, P. 919 , 1984) :

Pis, V. (1994) : Changes in the nitrate content of potato tubers grown with irrigation vedecke prace vyskumnzho ustavu zavlahoveho Hospodarstva Bratislava. No. 21 , 139-146 (C. F. Field Crop Abstr., 48 (6) : 4496 , 1995) :

Portieles, J. M. ; Ruiz, L. ; Nuez, A. de-la. and Gutierrez, V. (1982). Up-take and utilization coefficients of fertilizer and soil nutrients in taro (*Colocasia esculenta*, L.) Crop. Ciencia Y. Tecnica en la Agric. Viandas Tropicales, Suplemento, 33-44 . (C. F. data base of Agricola-Internet) :

Portieles, J. M. ; Ruiz, L. ; Sanchez, E. E. ; Martinez , B. and Muniz , O. (1988) : Technology of applying complete formula fertilizer to the genus colocasia . Ciencia Y. Tecnica en la Agric. Viandas Tropicales. 11 (1) : 73-90 .(C. F. data base of Agricola-Internet) .

Pregl, E. (1945) : Quantitative organic microanalysis. 4th Ed. J. Chundril ,London.

Ramaswamy, N. ; Muthukrishnan, C. R. and Surush, M. (1982). Studies on the mineral nutrition of colocasia (*Colocasia esculenta* , L. schott). Madras. Agric., J. ,69 (2) : 135-138 . (C. F. data base of Agricola-Internet) .

Ravi, V. and Chowdhury, S. R. (1991) : Growth and yield responses of taro to different soil moisture regimes. J. of Root Crops ,17 : 129-133. (C. F. data base of Agricola-Internet) :

Rojek, S. and Chmura, K. (1996) : Sprinkler irrigation and mineral fertilizer application as factors affecting the yield of potatoes . Zeszyty problemowo postepow Nauk Rolniczych, 438 : 383-390 .(C. F. Field Crop Abstr., 51 (3) : 1873 , 1998).

Ruiz, L. ; Milian, O. ; Portieles, M. and Hernandez, P. (1989) :
Response of taro (*Colocasia esculenta* ,L.) to nitrogen
fertilization on a red ferrallitic soil. Agrotecnia de cuba., 21
(2): 67-73 . (C. F. data base of Agricola-Internet) .

Santeliz, G. and Eweng, E. E. (1981) : Effect of nitrogen
fertilization on growth and development of potatoes. American
potato J., 58 (10) : 517-518 [En] . (C. F. Potato Abstr., 8 (9) :
1292 , 1983).

Sharfuddin , A. F. M. and Voican, V. (1984) : Studies on the
effect of plant density and NPK dose on the chemical
composition of fresh and stored sweet potatoes. Bangladesh J.
of Agric. Res, 10 (1) : 23-27 (C. F. data base of Agricola-
Internet) .

**Shock, C. C. ; Zalewski, J. C. ; Stilber, T. D. and Burnett, D. S.
(1992) :** Impact of early season water deficits on Russet
Burbank Plant development, tuber yield and quality. American
Potato J., 69 (12) : 793-803 . (C. F. Field Crop Abstr., 46 (8):
5199 , 1993).

Singh V.N. and Singh ,S.P. (1996). Influence of split application
of potassium on qualitative attributes of potato. J. of the
Indian Potato Association, 23 (112) : 72-74. (C.F. Field Crop
Abstr., 50(3) : 1904,1997).

Steyn, J. M. ; Plessis, H. F. D. and Nortje, P. F. (1992) : The effect of different water regimes on up-to date potatoes. I- Vegetative development, photosynthetic rate and stomatal diffusive resistance. South African J. of Plant and Soil, (3) : 113-117 . (C. F. Field Crop Abstr. , 46 (2) : 1141, 1993) .

Vaquez, B. E. ; Lerch, G. ; Torres - Garcia, S. (1978) : Growth and yield of primary and secondary tubers of (*Colocasia esculente*, *L. Schott*) var. Japanese Islander under different soil water levels. Centro. Agricola, 5 (1) : 63-91. (C. F. data base of Agricola-Internet) .

Verma, R.B. ; Singh, P.K. and Singh,S.B.(1996). Effect of nitrogen and Potassium levels on growth, yield and nutrient uptake of *Colocasia* . J. of Root crop, 22(2) : 139-143 .(C. F. data base of Agricola-Internet) .

Westerman, D.T. ; James, D.W. ; Tindall ,T.A. and Hurst,R.L. (1994) : Nitrogen and potassium fertilization on potato :Sugars and Starch. American Potato J., 71(7) : 433-453 .
