

REFERENCES

REFERENCES

- Abdel-Glil, M.F. (1991). Sire differences for milk production traits in Friesian cattle. P.HD., Thesis, Faculty of Agriculture at Moshtohor, Zagazig University, Benha Branch, Moshtohor, Egypt.
- Abubakar, K.E., McDowell, R.E., Wellington, K.E. and Van-Vleck, L.D. (1986). Estimating genetic values for milk production in the Tropics. *J. Dairy Sci.*, 69: 1087-1092.
- Abubakar, B.Y., McDowell, R.E., Van Vleck, L.D. and Cabello, E. (1987a). Phenotypic and genetic parameters for Holsteins in Mexico. *Tropical Agriculture*, 64(1): 23-26.
- Abubakar, B.Y., McDowell, R.E. and Van Vleck, L.D. (1987b). Interaction of genotype and environment for breeding efficiency and milk production of Holsteins in Mexico and Colombia. *Tropical Agriculture*, 64(1): 17-22.
- Agyemang, K., Clapp, E.C. and Van Vleck, L.D. (1985). Variance-covariance components associated with trimester yields of milk and fat and multiple trait sire evaluation for trimester yields. *J. Dairy Sci.*, 68:1233-1240.
- Alps, H. (1971). Die Zuchtwertschätzung von Bullenmüttern unter Verwendung aufeinanderfolgender Laktationen. Diss. Göttingen.
- Alps, H. and Averdunk, G. (1984). Genetische Parameter für die Merkmale der Milchleistung unter besonderer Berücksichtigung des Eiweißes beim Fleckvieh in Bayern. 2. Mitteilung: Summe aus Eiweiß und Fett. *Züchtungskunde*, 56: 99.
- Anderson, R.D., Everett, L.D. and Van Vleck, L.D. (1978). Economic analysis of protein testing for selection. *J. Dairy Sci.*, 61: 102-108.
- Ashmawy, A.A. and Khalil, M.A. (1990). Single and multi-trait selection for lactation in Holstein-Friesian cows. *Egyptian J. Anim. Prod.*, 27: 171-184.
- Auran, T. (1976). Studies on monthly and cumulative monthly milk yield records. IV. Estimating total lactation from part-lactation. *Acta Agric. Scand.*, 26: 10-17.
- Barker, J.S.F. and Robertson, A. (1966). Genetic and phenotypic parameters for the first three lactations in Friesian cows. *Anim. Prod.*, 8: 221-240.

- Becker, W.A. (1984). Manual of quantitative genetics. Academic Enterprises, Pulman, U.S.A.
- Berger, P.J., Shanks, R.D., Freeman, A.E. and Laben, R.C. (1981). Genetic aspects of milk yield and reproductive performance. J. Dairy Sci., 64: 114-122.
- Bergman, J. (1969). Der Eiweißgehalt in der Milch des Schweizerischen Braunviehs. Züchterische Grundlagen für die Einbeziehung des Eidiss. Göttingen.
- Bhatnagar, D.S., Taneja, V.K., Basu, S.B. and Murthy, K.M.K. (1983). Genetic parameters for some economic traits in Sahiwal cattle. Indian J. Dairy Sci., 36: 402-406.
- Boldman, K.G. and Freeman, A.E. (1990). Adjustment for heterogeneity of variances by herd production level in dairy cow and sire evaluation. J. Dairy Sci., 73: 503-512.
- Bottatia, S.S. (1980). Note on the selection for lifetime milk production in Sahiwal cattle. Indian J. Anim. Sci., 50(5): 450-453.
- Butcher, D.F., Sargent, F.D. and Legates, J.E. (1967). Estimates of genetic parameters for milk constituent and yields. J. Dairy Sci., 50: 185-193.
- Butcher, D.F. and Freeman, A.E. (1968). Heritabilities and repeatabilities of milk and milk fat production by lactations. J. Dairy Sci., 51(9): 1387-1391.
- Camoens, J.K., McDowell, R.E., Van Vleck, L.D. and Rivera Anaya, J.D. (1976). Holsteins in Puerto Rico: I. Components of variance associated with production traits and estimation of heritability. J. Agric. of the University of Puerto Rico, Vol. LX, (4): 551-558.
- Canon, J. and Chesnais, J. (1989). Indirect approach to simultaneous sire and cow evaluation by animal model with repeated records and groups for unknown parents. J. Anim. Breed. Genet., 106: 335-344.
- Carlson, J.P., Christian, L.L., Rothschild, M.F. and Willham, R.L. (1984). An evaluation of four procedures to rank centrally tested boars. J. Anim. Sci., 59(4): 934-940.
- Carter, H.W., Spalding, R.W., Albrechtsen, R. and Meek, A.M. (1963). Herd-mate comparisons and their use in evaluating dairy cows. New York State College of Agriculture - Cornell Extension Bulletin 1115.

- Cassell, B.G. and McDaniel, B.T. (1983). Use of later records in dairy sire evaluation: a review. *J. Dairy Sci.*, 66: 1-10.
- Chacko, C.T., Diener, W. and Mathew, T.C. (1984). Sire evaluations under field conditions in Kerala. *Indian Veterinary J.*, 61(12): 1034-1042.
- Christensen, L.G. (1988). Combined evaluation of bulls and cows by direct updating cattle. *Cattle Production Research, Danish Status and perspectives*. Landhusholdingselskabets Forlag. Copenhagen, P. 50-66.
- Chyr, S., Freeman, A.E. and Gerger, J. (1979). Estimation of milk producing ability of Holstein cows. *J. Dairy Sci.*, 62: 1774-1783.
- Croak-Brossman, S.J., Martin, T.G. and Dillon, W.M. (1985). Comparison of performance of daughters of high and average predicted difference sires. *J. Anim Sci.*, 51(Suppl.): 115.
- Cunningham, E.P. (1965). The evaluations of sires from progeny test data. *Anim. Prod.*, 7: 221-231.
- Cunningham, E.P. (1969). The relative efficiencies of selection indexes. *Acta Agric. Scand.*, 19: 45-48.
- Cunningham, E.P. and Henderson, C.R. (1966). Analytical technique for incomplete block experiments. *Biometrics*, 22: 829.
- Cunningham, E.P. and Mahon, G.A.P. (1977). SELIND: A Fortran computer program for genetic selection indexes (user guide). Co. Dublin and Dulin University, Ireland.
- deJager, G. and Kennedy, B.M. (1987). Genetic parameters of milk yield and composition and their relationships with alternative breeding goals. *J. Dairy Sci.*, 70: 1258-1266.
- Danell, B. (1982). Studies on lactation yield and individual test-day yields of Swedish dairy cows. II. Estimates of genetic and phenotypic parameters. *Acta Agric. Scand.*, 32: 83-92.
- Danell and Eriksson, J.A. (1982). The direct sire comparison methods for ranking of sires for milk production in the Swedish dairy cattle population. *Acta Agric. Scand.*, 32: 47-64.
- Dempfle, L. (1977). Comparison of several sire evaluation methods in dairy cattle breeding. *Live. Prod. Sci.*, 4(2): 129-139.

- Dempfle, L. (1982). [Breeding value estimation in cattle with a detailed description of the BLUP method.] Fortsch. Tierzucht. ZuchtBiol. No. 3. Verlag-Paul Parey. Hamburg.
- Dempfle, L. and Hagger, Ch. (1979). Untersuchungen über effizienz und korrekturfaktoren bei der zuchtwertschätzung von bullen. Z. Tier. Zuch., 96: 135-142.
- Dickinson, F.N. (1973). A genetic base for estimating the genetic transmitting ability of dairy bulls in populations undergoing genetic change. Ann. Genet. Sel. Anim., 5(2): 267-274.
- Dommerholt, J., Hillers, J.K. and Freeman, A.E. (1978). Component pricing and index selection. J. Dairy Sci., 61(Suppl. 1), 81 (Abst).
- Dommerholt, J., Brascamp, E.W. and Bakker, H. (1980). Cow index in the Netherlands. Research Institutes for Animal Husbandry "Schoonoord" Dribergseweg 10 D, Zeist.
- El-Kaschab, S. Abd-Elatif, M. and Afifi, Y. (1981). The significance of Domietta cows for raising milk production in Egypt. Deutsche Tierärztliche Wochenschrift, 88(4): 139-142. (A.B.A., 49(9): 5100).
- El-Shafie, O.M.B. (1981). Studies on cattle (Cows and Buffaloes), Sir evaluation and genetic parameters of partial lactation, dry period and service period. M.Sc. Thesis, Faculty of Agriculture, Alexandria University, Egypt.
- Eriksson, J.A. (1981). Estimating sire's breeding value for milk yield in first and second lactation by different BLUP procedures using selected second-lactation records- a simulation study. Acta Agric. Scand., ???
- Eriksson, J.A. (1982). Estimating sire's genetic value for milk yield in first and second lactation by different mixed model procedures, using selected second-lactation records. Acta Agric. Scand., 32: 193.
- Eriksson, J.A. and Danell, B. (1984). Sire evaluation for milk yield corrected for non-random matings within herds by considering the maternal grandsire of the daughter. Acta Agric. Scand., 34(1): 84-96.
- Essl. A. (1982). Untersuchungen zur Problematik einer auf hohe lebensleistung ausgerichteten Zucht bei milchkuhen. 2. Mitteilung: Ergebnisse einer Felddatenanalyse. Zuchtungskunde 54: 361.
- Essl, A. (1984). Zusammenhang zwischen Leistungszucht und Nutzungsdauer bei kuhen. Zuchtungskunde 56: 337.

- Estany, J., Baselga, M., Blasco, A. and Camacho, J. (1988). A comparison between BLUP and index for selection on litter size. Proceeding of 4th World Rabbit Congress, Vol. 2, Budapest, 10-14 October.
- Everett, R.W. (1974). An extension approach to new sire summaries. J. Dairy Sci., 57: 972.
- Everett, R.W., Quaas, R.L. and McClintock, A.E. (1979). Daughters' maternal grandsires in sire evaluation. J. Dairy Sci., 62(8): 1304-1313.
- Everett, R.W. and Keown, J.F. (1984). Mixed model sire evaluation with dairy cattle-experience and genetic gain. J. Anim. Sci., 59(2): 529-541.
- Falconer, D.S. (1989). Introduction to quantitative genetics. 3rd ed. Longman, London and New York.
- Fischer, G. (1964). Untersuchungen zur zuchtwertschtzung und selektion von bullen aufgrund der ergebnisse der milchleistungsprufungen. Diss. Hohenheim.
- Forster, F. (1971). Zuchtwertschtzung von kuhen aufgrund der leistungen mehrerer laktationen. Diss. Hohenheim.
- Freeman, A.E. (1988). Breeding programs in dairy cattle. Current and future considerations. Proceedings of the World Symposium on Advances in Animal Breeding in honour of Prof. Rommert Poltiek, 11-14 September. 1988.
- Gacula, M.C., Gaunt, S.N. and Damon-Jr, R.A. (1968). Genetic and environmental parameters of milk constituents of five breeds. II. Some genetic parameters. J. Dairy Sci., 51(3): 438-444.
- Gandhi, R.S. and Gurnani, M. (1992). Ranking of Sahiwal sires on the basis of production efficiency traits. Indian J. Dairy Sci., 45: 444-448.
- Gaunt, S.N. and Legates, J.E. (1958). Relative merits of five measures of a dairy sire's transmitting ability. J. Dairy Sci., 41(6): 830-839.
- Gaunt, S.N., Wilcox, C.J., Farthing, B.R. and Thompson, N.R. (1968). Genetic interrelationships of Holstein milk composition and yield. J. Dairy Sci., 51(9): 1396-1402.
- Greenhalgh, S.A., Quaas, R.L. and Van Vleck, L.D. (1986). Approximating prediction error variances for multiple trait sire evaluations. J. Dairy Sci., 69 (11): 2877-2883.

- Hardie, A.R., Jensen, E.L. and Tyler, W. J. (1978). Genetic and economic implications of single trait selection for protein and solids-not-fat. J. Dairy Sci., 61: 96-101.
- Hargrove, G.L and Legates, J.E. (1971). Biases in dairy sire evaluation attributable to genetic trend and female selection. J. Dairy Sci., 54 (7): 1041-1051.
- Hargrove, G.L., Mbah, D.A. and Rosenberger, J.L. (1981). Genetic and environmental influences on milk component production. J. Dairy Sci., 64: 1593-1597.
- Hargrove, G.L., Thoele, H.W., Deb, R.N. and Gobble, J.L. (1974). Sire evaluation methods. J. Dairy. Sci., 57(8): 889-893.
- Harvey, W.R. (1960). Least-squares analysis of data with unequal subclass numbers. ARS, USDA, ARS-20-8.
- Harvey, W.R. (1990). User's Guide for LSMLMW. Mixed model least-squares and maximum likelihood computer program. PC-Version 2, Ohio State University, Columbus, USA, (Mimeograph).
- Harville, D.A. (1977). Maximum likelihood approaches to variance component estimation and to related problems. J. Anim. Sci., 72: 320.
- Hartmann, O.N, Ratheiser, N. and Eder, H. (1992). Cattle breeding in Austria. Zentrale Arbeitsgemeinschaft osterreichischer Rinderzuechter, 1060 Wien, Austria.
- Hayes, J.F., Ng-Kwai-Hang, K.F. and Moxley, J.E. (1984). Heritability of milk casein and genetic and phenotypic correlations with production traits. J. Dairy Sci., 67: 841-846.
- Henderson, C.R. (1949). Estimates of changes in herd environment. J. Dairy Sci., 32: 706.
- Henderson, C.R. (1963). Selection of young sire to sample in artificial insemination. The USDA Meetings, Prude University, June, 18.
- Henderson, C.R. (1969). A new sire evaluation method. Proc. 22nd Ann. Conv. NAAB. Madison, Wisconsin. 108-116.
- Henderson, C.R. (1972). Sire evaluation and genetic trends. Proc. Anim. Genet. Symp. in Honor of Dr. Jay L. Lush, American Soc. Anim. Sci., American Dairy Sci. Assoc., Champaign, IL.
- Henderson, C.R. (1974). General flexibility of linear model techniques for sire evaluation. J. Dairy Sci., 57: 963-972.

- Henderson, C.R. (1975). Comparison of alternative sire evaluation methods. J. Anim. Sci., 41(3): 760-770.
- Henderson, C.R. (1978). Undesirable properties of Regressed Least Squares Prediction of Breeding Values. J. Dairy Sci., 61: 114-120.
- Henderson, C.R. (1984). Application of linear models in animal breeding. Univ. of Guelph, Guelph, Ontario, Canada.
- Henderson, C.R. (1985). MIVQUE and REML estimation of additive and nonadditive genetic variance. J. Anim. Sci., 61(1): 113-121.
- Henderson, C.R., Carter, H.W. and Godfrey, J.T. (1954). Use of the contemporary herd average in appraising progeny tests of dairy bulls. J. Anim. Sci., 12: 949.
- Hill, W.G. and Swanson, G.J.T. (1983). A selection index for dairy cows. Anim. Prod., 37: 313-319.
- Hill, W.G., Edwards, M.R. and Ahmed, M.K.A. (1983). Heritability of milk yield and composition at different levels and variability of production. Anim. Prod., 36: 59-68.
- Hintz, R.L., Everett, R.W. and Van Vleck, L.D. (1978). Estimation of genetic trends from cow and sire evaluations. J. Dairy Sci., 61(5): 607-613.
- Hoque, M. and Hodges, J. (1980). Genetic and phenotypic parameters of lifetime production traits in Holstein cows. J. Dairy Sci., 63: 1900-1910.
- Hudson, G.F.S. and Van Vleck, L.D. (1982). Estimation of components of variance by method 3 and Henderson's new method. J. Dairy Sci., 65: 435-441.
- Jensen, E.L. (1980). Bull groups and relationships among sires in best linear unbiased prediction sire evaluation models. J. Dairy Sci., 63 (12): 2111-2120.
- Johansson, I. and Rendel, J.M. (1968). Genetics and animal breeding. Robert Cunningham & Sons Ltd, Longbank Works, Alva.
- Johansson, I. and Robertson, A. (1952). Progeny testing in the breeding of farm animals. Publication No. 2, European Association for Animal Production, Rome.
- Karras, K. and Scholte, W. (1982). Ergebnisse von populationsanalysen für die milchleistung in verschiedenen laktationen beim Fleckvieh. Zuchtungskunde, 54: 165-172.

- Keele, J.W., Long, T.E. and Johnson, R.K. (1991). Comparison of methods of estimating variance components in pigs. *J. Anim. Sci.*, 69: 1428-1434.
- Kemp, R.A., Schaeffer, L.R. and Wilton, J.W. (1984). Comparison of beef sire evaluation models for an organized progeny test. *J. Anim. Sci.*, 58 (6): 1313-1320.
- Kennedy, B.W. and Moxley, J.E. (1975). Comparison of genetic group and relationship methods for mixed model sire evaluation. *J. Dairy Sci.*, 58(10): 1507-11514.
- Kennedy, B.W. and Moxley, J.E. (1977). Comparison of sire evaluation methods for fat test. *Canadian J. Anim. Sci.*, 57(1): 221-223.
- Keown, J.F. (1974). Comparison of mixed model methods of sire evaluation. *J. Dairy Sci.*, 57(2): 245-250.
- Khalil, M.H., Afifi, E.A and Salem, A.M. (1992). Evaluation of imported and locally-born Friesian cows raised in commercial farms in Egypt. 2. Evaluation of correction factors and of some genetic effects. *Egyptian J. Anim. Prod.*, 29(1): 43-59.
- Khalil, M.H., Soliman, A.M. (1989). Selection indices and subindices for improving milk yield traits in Braunvieh cattle. Third Egyptian-British Conference on Animal, Fish and Poultry Production, Egypt, Alexandria, 7-10 October, 317-328.
- Khalil, M.H. and Soliman, A.M. (1993). Selection indices and subindices for improving single and composite milk traits in Fleckvieh cattle. *Egyptian J. Anim. Prod.*, 30: 1-20.
- Kress, D.D., Burfening, R.J., Miller P.D. and Vaniman, D. (1977). Beef sire expected progeny differences calculated by three methods. *J. Anim. Sci.*, 44(2): 195-202.
- Kumar, D. and Narain, P. (1980). Different methods of sire evaluation. *Indian J. Dairy Sci.*, 33(4): 468-472.
- Lederer, J., Vogt-Rohlf, O. and Buthman, H. (1975). Die Zuchtwertschätzung von bullen unter berücksichtigung systematischer genetischer einflüsse. *Zuchtungskunde*, 47: 427-440.
- Legate, J.E. and Lush, J.L. (1954). A selection index for fat production in dairy cattle utilizing the fat yields of the cow and her close relatives. *J. Dairy Sci.*, 37: 744-753.

- Lennart, J. and Anderson, B. (1981). Studies on fertility traits in Swedish dairy cattle. IV. Genetic and phenotypic correlation between milk yield and fertility. *Acta Agric. Scand.*, 31: 212-219.
- Lush, J.L. (1945). *Animal breeding plans*. 3rd ed. The Iowa State College Press, Inc. Ames.
- Lush, J.L. and McGilliard, L.D. (1955). Probing dairy sires and dams. *J. Dairy Sci.*, 38: 163.
- Mabry, J.W. Benyshek, L.L. Johnson, M.H. and Little, D.E. (1987). A comparison of methods for ranking boars from different central test stations. *J. Anim. Sci.*, 65: 56-62.
- Maijala, K. and Hanna, M. (1974). Reliable phenotypic and genetic parameters in dairy cattle. *Proc. First World Congress of Genetics Applied to Livestock Production*, Madrid, Spain, pp. 541-563.
- Manfredi, E. J., Everett, R.W. and Searle, S.R. (1984). Phenotypic and genetic statistics of components of milk and two measures of somatic cell concentration. *J. Dairy Sci.*, 67: 2028-2033.
- Mantysaari, E. and Van Vleck, L.D. (1989). Restricted maximum likelihood estimates of variance components from multitrait sire models with large number of fixed effects. *J. Anim. Breed. Genet.*, 106: 409-422.
- McCraw, R.L., Butcher, K.R. and McDaniel, B.T. (1980). Progeny tested sires compared with pedigree selected young sires. *J. Dairy Sci.*, 63: 1342-1350.
- McDaniel, B.D. (1974). Why new sire summaries are needed. *J. Dairy Sci.*, 57: 951-955.
- McDaniel, B.T. and Corley, E.L. (1965). Reliability of early sire evaluations. *ADSA meetings*, Lexington, Kentucky.
- McDowell, R.E., Wiggans, G.R., Camoens, J.K., Van-Vleck, L.D. and Louis, D.G. (1976). Sire comparisons for Holsteins in Mexico versus the United States and Canada. *J. Dairy Sci.*, 59(2): 298-304.
- Meyer, K. (1984). Estimation of genetic parameters for milk and fat yield for the first three lactations in British Friesian cows. *Anim. Prod.*, 38: 313-322.
- Meyer, K. (1985). Genetic parameters for dairy production of Australian black and white cows. *Livestock Production Science*, 12: 205-219.

- Meyer, K. and Thompson, R. (1984). Biase in variance and covariance component estimators die to selection on a correlated trait. *Z. Tierz. Zuchtungsbiol*, 101: 33-50.
- Miller, R.H., Mcdaniel, B.T. and Plowman, R.D. (1967). Comparison of three methods of sire evaluation. *J. Dairy Sci.*, 51(5): 782-791.
- Miller, R.H., Lukaszewicz, M. and Pearson, R.E. (1981). Dual-purpose selection in dairy cattle. I. Genetic and phenotypic estimates. *Tierzucht. Zucht. Biolog.*, 98.
- Monardes, H.G. and Hayes, J.F. (1985). Genetic and phenotypic relationships between lactation cell counts and milk yield and composition of Holstein cows. *J. Dairy Sci.*, 68: 1250.
- Mukai, F., Shogaki, T. and Yamada, Y. (1989). Comparison of genetic gains achieved by the classical selection index and the index for desired genetic gains - Results of simulation study. *J. Anim. Breed. Genet.* 106: 345-350.
- Norman, H.D. (1974). Factors that should be considered in a national sire summary model. *J. Dairy Sci.*, 57: 955.
- Norman, H.D., McDaniel, B.T. and Dickinson, F.N. (1972). Conflicts between heritability estimates of mature equivalent and herd-mate deviation milk and fat. *J. Dairy Sci.*, 55: 507.
- O'Bleness, G.V. and Van Vleck, L.D. (1962). Reasons for diposal of dairy cows from New York herds. *J. Dairy Sci.*, 45: 1087.
- Ouweltjes, W., Schaeffer, L.R. and Kennedy, B.W. (1988). Sensitivity of methods of variance component estimation to culling types of selection. *J. Dairy Sci.*, 71: 773.
- Parmar, S.N.S. and Johar, K.S. (1982). Note on the effect of sire, period, Season and parity on milk yield of Tharparkkar cows. *Indian J. Anim. Sci.*, 52(3): 182.
- Pape, H.C.H.R, Claus, J. and Kalm, E. (1983). Schatzung genetischer parameter in aufeinanderfolgenden laktationen beim angler rind in Schleswig-Holstein. I. Mitteilung: Schatzung von Heritabilitatien. *Zuch tungskunde*, 55: 14-23.
- Pedersen, J. (1980). Forlangelse af dellaktationer. 503. Beretning fra statens husdyrbrugsforsog, Kobenhavn, 150 pp.

- Peterson, G.R. Nash, T.E. and Shelford, J.A. (1982). Heritabilities and genetic correlations for serum and production traits of lactating Holsteins. *J. Dairy Sci.*, 65: 1556-1561.
- Petterson, H.D. and Thompson, R. (1971). Recovery of inter-block information when block sizes are unequal. *Biometrika*, 58: 545-554.
- Pollak, E.J. and Quaas, R.L. (1983). Definition of group effects in sire evaluation models [Bulls, genetics, statistical model]. *J. Dairy Sci.*, 66 (7): 1503-1509.
- Pollak, E.J., Ufford, G.R. and Gross, S.J. (1977). Comparison of alternative models for within-herd genetic evaluation of beef cattle. *J. Anim. Sci.*, 45(5): 1010-1014.
- Ponce De Leon, R. and Hernandez, A. (1988). Productivity of Holstein cows with three lactations. I. Some environmental factors. (*Dairy Sci. Abstr.*, 50(7): 3506).
- Powell, R.L. (1978). A procedure for including the dam and maternal grand-sire in USDA-DHIA cow indexes. *J. Dairy Sci.*, 61: 794-800.
- Powell, R.L., Spike, P.W. and Meadows, C.E. (1972). Analysis of sire comparisons. *J. Dairy Sci.*, 55(2): 226-231.
- Powell, R.L., Cassell, B.G. and Norman, H.D. (1978). Variation in cow evaluation from records in progress. *J. Dairy Sci.*, 61: 788-793.
- Powell, R.L., Norman, H.D. and Elliot, R.M. (1981). Different lactations for estimating genetic of dairy cows. *J. Dairy Sci.*, 64: 321-330.
- Powell, R.L. and Norman, H.D. (1984). Response within herd to sire selection. *J. Dairy Sci.*, 67: 2021-2027.
- Prichner, F. (1968). Models in animal breeding experiments. National Institute of Animal Science, Copenhagen, Denmark.
- Princher, F. (1983). Population genetics in animal breeding. (2nd Ed.) Plenum Press, New York.
- Ptak, E. and Schaeffer, L.R. (1993). Use of test day yields for genetic evaluation of dairy sires and cows. *Livestock Production Science*, 34: 23-34.
- Raheja, K.L. (1992). Comparison of progeny testing of Sahiwal sires by the different methods of sire evaluation. *Indian J. Dairy Sci.*, 45: 64-69.

- Reinhardt, F., Dempfle, L. and Yadav, S. (1987). Comparison of variance components of the first three lactations resulting from taking selection into account (multitrait) and from ignoring selection. 38th Annual Meeting E.A.A.P., Lisbon, 27.9-1.10.
- Reis, R.B. and Silva, H.M.E. (1988). Some environmental factors affecting the most important production traits in Holstein Friesian herds. 1. Milk yield, milk fat and milk fat percentage. (Dairy Sci. Absr., 50(3): 3882).
- Rincon, E.J. Schermerhorn, E.C. McDowell, R.E. and McDaniel, B.T. (1982). Estimation of genetic effects on milk yield and constituent traits in crossbred dairy cattle. J. Dairy Sci., 65: 848-856.
- Robertson, A. and Rendel, J.M. (1954). The performance by heifers got by artificial insemination. J. Agric. Sci., 44: 184-192.
- Robinson, G.K. and Jones, L.P. (1987). Approximations for prediction error variances. J. Dairy Sci., 70: 1623-1632.
- Romberg, F.J., Schult-Coerne, and Simon, D.L. (1983). Genetische und phänotypische parameter für die ersten drei lactationen rotbunter und schwarzbunter kuhe. Zuchtungskunde, 55: 163-176.
- Ronningen, K. (1967). Phenotypic and genetic parameters for characters related to milk production in cattle. Acta agric. Scand., 17: 82-100.
- Rozzi, P. Schaffer, L.R. Burnside, E.B. and Schlote, W. (1990). International evaluation of Holstein-Friesian dairy sires from three countries. Livestock Production Science, 24: 15-28.
- Sadek, M.H, Alawa, A.A. and Ashmawy, A.A. (1993). Effect of using the additive genetic relationship matrix on sire's proofs. Egyptian J. Anim. Prod., 30(2): 189-200.
- SAS (1988). Statistical Analysis System. SAS User's Guide: Statistics. SAS Institute Inc. Editors, Cary, NC.
- Santus, E.C., Everett, R.W., Quaas, R.L. and Galton, D.M. (1993). Genetic parameters of Italian Brown Swiss for levels of herd yield. J. Dairy Sci., 76: 3594-3600.
- Searle, S.R. (1964). Review of sire-proving methods in New Zealand, Great Britain and New York state. J. Dairy Sci., 47: 402-413.
- Searle, S.R. (1989). Variance components - some history and a summary account of estimation methods. J. Anim. Breed. Gene., 106: 1-29.

- Schaeffer, L.R. and Song, H. (1978). Selection bias and REML variance covariance component estimation. *J. Dairy Sci.*, 61(Suppl. 1): 91.
- Schaeffer, L.R., Kerr, A. and Burnside, E.B. (1982). Dairy herd genetic differences for lactation production. *Canadian J. Anim. Sci.*, 62: 323-331.
- Schaeffer, L.R., Freeman, M.G. and Burnside, E.B. (1975). Evaluation of Ontario Holstein dairy sires for milk and fat production. *J. Dairy Sci.*, 58(1): 109-115.
- Schlote, W. (1972). Die aufrechung und verwendung unvollstandiger forsen-laktationen fur die zuchtwertschatzung von bullen. Diss. Hohenheim.
- Schneeberger, M. and Hagger, C. (1983). Varianzkomponenten, heritabilitaten und genetische korrelationen fur milchleistungsmerkmale bei Braunvieh and Brown Swiss x Braunvieh-Kreuzungen. *Schweiz. Landw. Forschung*, 22: 19-23.
- Schneeberger, M. and Hagger, C. (1984). Genetic parameters for days open, milk yield and fat and protein content of Swiss Brownvieh cows. *Livestock Production Science*, 11: 261-268.
- Schulz, C. (1970). Untersuchungen uber die zuchtwertschatzung der milchleistung mittels verschiedener vergleichsdurchschnitte. Diss. Hochschule fur bodenkultur wien.
- Schutz, M. M., Hansen, L.B., Steuernagel, G.R. and Reneau, J.K. (1990). Genetic parameters for somatic cells, protein and fat in milk of Holsteins. *J. Dairy Sci.*, 73: 494-502.
- Singh, A. Taylor, G.M. and Singh, B.N. (1987) Factors affecting some reproductive and productive traits in Malvi cattle. (*Dairy Sci. Abstr.*, 49(1): 33).
- Sohn, S.W., Ohh, B.K., Lee, J.K., Cho, Y.Y and Ohh, D.K. (1983). Estimation of heritability, genetic correlation and selection response for productive traits in dairy cattle. *Korean J. Anim. Sci.*, 25(1): 58-64.
- Soliman, A.M. (1984). Schatzung von populationsparametern fur die milchleistung des rindes in osterreich. Diss. Bodenkultur.
- Soliman, A.M. and Khalil, M.H. (1989). Milk protein as a breeding objective in Braunvieh cattle breeding. Third Egyptian-British Conference on Animal, Fish and Poultry Production, Egypt, Alexandria, 7-10 Oct., 301-316.

- Soliman, A.M. and Khalil, M.H. (1993). Estimation of genetic parameters for single and composite milk traits in Fleckvieh cattle and their uses in programmes of early selection. *Egyptian. J. Anim. Prod.*, 30: 21-36.
- Soliman, A.M., Khalil, K.H., Ashmawy, A.A. and Essl, A. (1990). Analysis of milk production traits of Pinzgauer cattle in Austria. II. Genetic parameters. *J. Anim. Breed. Genet.*, 107: 43-51.
- Sorensen, D.A. (1988). Effect of selection index versus mixed model methods of prediction of breeding value on response to selection in simulated pig population. *Livestock Production Science*, 20: 135-148.
- Sorensen, D.A. and Kennedy, B.W. (1984). Estimation of response to selection using least-squares and mixed model methodology. *J. Anim. Sci.*, 58(5): 1097-1106.
- Sorensen, A.N., Petersen, J. and Christensen, L.G. (1987). Milk protein as breeding objective in Danish cattle breeding. *J. Anim. Breed. Genet.*, 104: 74-81.
- Strandberg, E. (1985). Estimation procedures and parameters for various traits affecting lifetime milk production: a review. Department of Animal Breeding and Genetics, Swedish University of Agricultural Sciences, Uppsala, Report 70.
- Strandberg, E. (1992). Lifetime performance in dairy cattle. Genetic parameters and expected improvement from selection. *Acta Agric. Scand.*, 42(3): 127-137.
- Swalve, H.H. and Van Vleck, L.D. (1986). Estimation of genetic relationships among a milk records for first three lactations using REML for animal model. *Proc. 3rd World Congress. on Genetics Applied. to Livestock Production*, IX: 208-212.
- Swiger, L.A., Harvey, W.R., Everson, D.O. and Gregory, K.E. (1964). The variance of intraclass correlation involving groups with one observation. *Biometrics*, 20: 818.
- Szkotnicki, W. J, Tong, A.K.W, Sharaby, M.A, Krotch, K.M and Johnson, L.P. (1978). Sire and cow evaluation in Brown Swiss, Canadienne, and Milking Shorthorn. *J. Dairy Sci.*, 61(4): 497-508.
- Tajane, K.R. and Rai, A.V. (1990). Efficiency of sire evaluation methods to improve milk yield of Sahiwal X Holstein-Friesian cattle. *Indian J. Anim. Sci.*, 60: 183-191.

- Thompson, R. (1979). Sire evaluation. *Biometrics*, 35(1): 339-353.
- Tong, A.K.W., Kennedy, B.W. and Moxilly, J.E. (1977). Sire by herd interactions for milk yield and composition traits. *Canadian J. Anim. Sci.*, 57: 383-388.
- Tong, A.K.W., Kennedy, B.W. and Moxley, J.E. (1979). Heritabilities and genetic correlations for the first three lactations from records subject to culling. *J. Dairy Sci.*, 62: 1784-1790.
- Ufford, G.R., Henderson, C.R., Keown, J.F. and Van-Vleck, L.D. (1979). Accuracy of first lactation versus all lactation sire evaluations by best linear unbiased prediction Bulls of Ayrshire, Guernsey, Jersey, and Brown Swiss breeds. *J. Dairy Sci.*, 62(4): 603-612.
- Uimari, P. and Mantysaari, E.A. (1993). Repeatability and bias of estimated breeding values for dairy bulls and bull dams calculated from animal model evaluations. *Anim. Prod.*, 57: 175-182.
- Van Der Werf, J.H.J., Kamphof, J. and Vandemborek, H. (1989). A simulation study comparing methods of within-herd estimation of breeding values for dairy cows. *Livestock Production Science*, 23: 239-251.
- Van Raden, P.M. (1984). Establishing bounds on the accuracies of predictions of breeding value. M.Sc. Thesis. Parks Library, Iowa State Univ., Ames.
- Van Raden, P.M. and Freeman, (1985). Potential genetic gains from producing bulls with only sires as parents. *J. Dairy Sci.*, 68(6): 1425-1431.
- Van Vleck, L.D. (1969). We need a national sire testing program. *Dairy Herd Manng.*, 6-6: 13.
- Van Vleck, L.D. (1987). Contemporary groups for genetic evaluations. *J. Dairy Sci.*, 70(11): 2456-2464.
- Van Vleck, L.D. and Bradford, G.E. (1966). Genetic and maternal influence on the first three lactations of Holstein cows. *J. Dairy Sci.*, 49(1): 45-52.
- Van Vleck, L.D., O'Brien, G.V. and Henderson, C.R. (1961). Comparison of procedures used for evaluating sires used in artificial insemination. *J. Dairy Sci.*, 44(4): 708-714.
- Vig, P.K. and Tiwana, M.S. (1988). Correlations between production and reproduction traits in buffaloes. *Dairy Sci. Abstr.*, 50(1): 5372.

- Vinson, W.E.; Lofgren, D.L., Ruff, N.J. and Cottrill, T.J. (1982). Factors affecting stability of contemporary comparison evaluations of sires for milk yield. *J. Dairy Sci.*, 65(11): 2141-2149.
- Weller, J.I., Norman, H.D. and Wiggans, G.R. (1985). Estimation of variance of prediction error for bestlinear unbiased prediction models with relationships included. *J. Dairy Sci.*, 68(4): 930-938.
- Welper, R.D. and Freeman, A. N. (1992). Genetic parameters for yield traits of Holsteins, including lactose and somatic score. *J. Dairy Sci.*, 75: 1342-1348.
- Westell, R.A. and Van Vleck, L.D. (1987). Simultaneous genetic evaluation of sires and cows for a large population of dairy cattle. *J. Dairy Sci.*, 70: 1006.
- White, J.M., Vinson, W.E. and Pearson, R.E. (1981). Dairy cattle improvement and genetics. *J. Dairy Sci.*, 64: 1305.
- Wickham, B.W and Henderson, C.R. (1977). Sire evaluation by second lactation records of daughters. *J. Dairy Sci.*, 60 (1): 96-107.
- Wiggans, G.R., Misztal, I. and Van-Vleck, L.D. (1988). Animal model evaluation of Ayrshire milk yield with all lactations, herd-sire interaction, and groups based on unknown parents. *J. Dairy Sci.*, 71 (5): 1319-1329.
- Wilcox, C.J., Gaung, S.N. and Farthing, B.R. (1971). Genetic interrelationship of milk composition and yield. Interregional publication of Northeast and Southeast state agriculture experiment stations, Southern cooperative. Series Bulletin 155.
- Wilmink, J.B.M. (1986). The selection for the milk constituents in the Netherlands. The annual Conference on Dairy Cattle Genetics, 18 October, Modena, Italy.
- Wood, C.M., Christian, L.L. and Rothschild, M.F. (1991). Use of an animal model in situations of limited subclass numbers and high degrees of relationships. *J. Anim. Sci.*, 69: 1420-1427.
- Young, C.W., Hiller, J.K. and Freeman, A.E. (1986). Production, consumption and pricing of milk and its components. *J. Dairy Sci.*, 68: 272.