

REFERENCES

REFERENCES

- Adams, C. E. and Chang, M. C. (1962). Capacitation of rabbit spermatozoa in the fallopian tube and in the uterus. *J. Exp. Zool.*, 151:159-166.
- Akruk, S. R.; Humphreys, W. J. and Williams, W. L. (1979a). *In vitro* capacitation of ejaculated rabbit spermatozoa. *Differentiation*, 13:125-131.
- Akruk, S. R.; Farooqui, A. A.; Williams, W. L. and Strivastava, P. N. (1979b). Release of acrosomal enzymes following *in vitro* capacitation of ejaculated rabbit spermatozoa. *Gamete Res.*, 2:1-13.
- Al-Hasani, S. (1985). Short-term *in vitro* insemination of rabbit oocytes collected *in vivo* and autologous transfer. *Deutsche-Tierarztliche-Wochenschrift*, 92:12-13.
- Al-Hasani, S.; Hahn, J.; Dankowski, K. and Schneider, V. (1984). *In vitro* fertilization and embryo transfer of rabbit oocytes collected at different times after P-LH injection. *European J. Obstetrics, Gynecology and Reproductive-Biology*. 17:417-423.
- Al-Hasani, S.; Kirsch, J.; Diedrich, K.; Blanke, S. and Van-Der-Van, H. (1989). Successful embryo transfer of cryopreserved and *in vitro* fertilized rabbit oocytes. *Human Reproduction (Eynshams)*. 4:77-79.
- Alliston, G. W.; Howarth, B. and Ulberg, L. C. (1965). Embryonic mortality following culture *in vitro* of one- and two-cell rabbit eggs at elevated temperatures. *J. Reprod. Fertil.* 9:337.
- Aonuma, S.; Mayumi, T.; Suzuki, K.; Noguchi, T.; Iwai, M. and Okabe, M. (1973). Studies on sperm capacitation. I. The relationship between a guinea pig sperm-coating antigen and a sperm capacitation phenomenon. *J. Reprod. Fertil.*, 35:425-432.
- Armero, E.; Peris-Fajarnes, G.; Garcia-Ximenez, F. and Vicente, J. S. (1991). Ovulatory response to HCG in female rabbits with or without corpora lutea and destined for slaughter. *ITEM, Production-Animal*. 87A:17-22.
- Asakawa, T.; Ishikawa, M.; Shimizu, T. and Dukelow, W. R. (1988). The chromosomal normality of *in vitro*-fertilized rabbit oocytes. *Biol. Reprod.*, 38:292-295.
- Austin, C. R. (1950). Fertilization of the rabbit egg. *Nature*. 166:407.
- Austin, C. R. (1951). Observation of penetration of sperm into the mammalian egg. *J. Research*. B4:581-596.
- Austin, C. R. (1963). Fertilization and transport of the ovum. "In Conference on Physiological Mechanisms Concerned with Conception. Pergamon. New York. p. 285.
- Austin, C. R. and Braden, A. W. H. (1954). Time relations and their significance in the ovulation and penetration of eggs in rats and rabbit. *Aust. J. Biol. Sci.* 7:179.
- Bae I.H. and Foote, R. H. (1975a). Carbohydrate and amino acid requirements and ammonia production of rabbit follicular oocytes matured *in vitro*. *Exp. Cell Res.* 91:113-118.
- Bae I.H. and Foote, R. H. (1975b). Effects of hormones on the maturation of rabbit oocytes recovered from follicles of various sizes. *J. Reprod. Fertil.* 42:357-360.
- Bae I.H. and Foote, R. H. (1980). Maturation of rabbit follicular oocyte in a defined medium of varied osmolality. *J. Reprod. Fertil.*, 59:11-13.
- Batt, P. A.; Gardner, D. K. and Cameron, A. W. N. (1991). Oxygen concentration and protein source affect the development of preimplantation goat embryos *in vitro*. *Reprod. Fertil. Develop.*, 3:601-607.

- Bavister, B. D. and Arlotto, T. (1990). Influence of single amino acids on the development of hamster one-cell embryos *in vitro*. *Molecular Reprod. Develop.* 25:45-51.
- Bavister, B. D. and McKiernan, S. H. (1993). Regulation of hamster embryo development *in vitro* by amino acids. In: Bavister, B. D. (ed), *Preimplantation Embryo Development*. New York: Springer Verlag:53-72.
- Bavister, B. D.; Rose-Hellekant, T. A. and Pinyopummintr, T. (1992). Development of *in vitro* matured/*in vitro* fertilized bovine embryos into morula and blastocysts in defined culture media. *Theriogenology*. 37:127-146.
- Bazer, F. W.; Geisert, R. D. and Zavy, M. T. (1987). Fertilization, cleavage and implantation. In: *Reproduction in Farm Animals*. (E. S. S. Hafez, ed.) pp. 130-167, Lea & Febige, Philadelphia.
- Bedford, J. M. (1979). Some caveats of mammalian gamete research. In: Alexander, N. J., ed. *Animal Models for Research on Contraception and Fertility*. Hagerstown: Harper and Row, 269-283.
- Bedford, J. M. and Chang, M. C. (1962). Fertilization of rabbit ova *in vitro*. *Nature*. 193:898.
- Biggers, J. D.; Whittingham, D. G. and Donahue, R. P. (1967). The pattern of energy metabolism in the mouse oocyte and zygote. *Proceeding National Academic Sci.*, 58:560-567.
- Blackshaw, A. W. and Emmens, C. W. (1951). The interaction of pH, osmotic pressure and electrolyte cocentration on the motility of ram, bull and human spermatozoa. *J. Physiol.* 114:16-26.
- Bomsel-Helmreich, O.; Huyen, L. V. N. and Durand-Gasselin, I. (1989). Effects of varying doses of HCG on the evolution of preovulatory rabbit follicles and oocytes. *Human Reproduction*. 4:636-642.
- Bondioli, K. R. (1983). *In vitro* fertilization of ovine and bovine oocytes. Dissertation-Abstract- International, B- Science and Engineering, 43:2751.
- Bondioli, K. R. and Wright, R. W. (1983a). *In vitro* fertilization of bovine oocytes by spermatozoa capacitated *in vitro*. *J. Anim. Sci.*, 57:1001-1005.
- Bondioli, K. R. and Wright, R. W. (1983b). *In vitro* fertilization of ovulated and ovarian ovine oocytes. *J. Anim. Sci.*, 57:1006-1012.
- Bonhoff, A. J. and Adams, C. E. (1985). Relationship of hormonally induced developmental changes in preovulatory follicles of the rabbits. *Laboratory Animals*. 19:27-31.
- Brackett, B. G. (1969a). *In vitro* fertilization of mammalian ova. *Advances in the biosciences* 4. Schering symposium on mechanisms involved in conception. Berlin, March 13-15, p:73-94.
- Brackett, B. G. (1969b). Effects of washing the gametes on fertilization *in vitro*. *Fertil. Steril.*, 20:127-142.
- Brackett, B. G. (1970). *In vitro* fertilization of rabbit ova: time sequence of events. *Fertil. Steril.*, 21:169-176.
- Brackett, B. G. (1979). *In vitro* assessment of sperm fertilizing ability. In: Alexander, N. J., ed. *Animal Models for Research on Contraception and Fertility*. Hagerstown: Harper and Row, 254-268.
- Brackett, B. G. (1981). Applications of *in vitro* fertilization. In: Brackett, B. G.; Seidel, G. E. Jr., Seidel, S. M., eds. *New Technologies in Animal Breeding*. New York, Academic Press, 141-161.

- Brackett, B. G. and Williams, W. L. (1965). *In vitro* fertilization of rabbit ova. J. Exp. Zool., 160:271-281.
- Brackett, B. G. and Williams, W. L. (1968). Fertilization of rabbit ova in a defined medium. Fertil. Steril., 19:144-155.
- Brackett, B. G. and Server, J. B. (1970). Capacitation of rabbit spermatozoa in the uterus. Fertil. Steril., 21:687-695.
- Brackett, B. G. and Oliphant, G. (1975). Capacitation of rabbit spermatozoa *in vitro*. Biol. Reprod., 12:260-274.
- Brackett, B. G.; Killen, D. E. and Peace, M. D. (1971). Cleavage of rabbit ova inseminated *in vitro* after removal of follicular cell and zona pellucidae. Fertil. Steril., 22: 816-828.
- Brackett, B. G.; Mills, J. A. and Jetles, G. G. (1972a). *In vitro* fertilization of rabbit ova recovered from ovarian follicles. Fertil., Steril., 23:898-909.
- Brackett, B. G.; Mills, J. A.; Oliphant, G.; Seitz, H. M.; Jetles, G. G. and Mastroianni, L. Jr. (1972b). Preliminary efforts to capacitate rabbit sperm *in vitro*. Int. J. Fertil. 17:86-92.
- Brackett, B. G.; Hall, J. L. and Oh, Y.K. (1978). *In vitro* fertilizing ability of testicular, epididymal and ejaculated rabbit spermatozoa. Fertil. Steril., 29:571-582.
- Brackett, B. G.; Oh, Y. K.; Evans, J. F. and Donawick, W. J. (1980). Fertilization and early development of cow ova. Biol. Reprod., 23:189.
- Brackett, B. G.; Bousquet, D.; Boice, M. L.; Donawick, W. J.; Evans, J. F. and Dressel, M. A. (1982a). Normal development following *in vitro* fertilization in the cow. Biol. Reprod., 27:147-158.
- Brackett, B. G.; Bousquet, D. and Dressel, M. A. (1982b). *In vitro* sperm capacitation and *in vitro* fertilization with normal development in the rabbit. J. Androl., 3:402-411.
- Brinster, R. L. (1965a). Studies on the development of mouse embryos *in vitro*. I. The effect of the osmolarity and hydrogen ion concentration. J. Exp. Zool., 158:49-57. (Cited by Brackett, 1969a).
- Brinster, R. L. (1965b). Studies on the development of mouse embryos *in vitro*. II. The effect of energy source. J. Exp. Zool., 158:59-68.
- Camous, S.; Heyman, Y.; Meziou, W. and Menezo, Y. (1984). Cleavage beyond the block stage and survival after transfer of early bovine embryos cultured with trophoblastic vesicles. J. Reprod. Fertil., 72:479-485.
- Carney, E. W. and Bavister, B. D. (1987). Stimulatory and inhibitory effects of amino acids on the development of hamster eight-cell embryos *in vitro*. J. In vitro Fert. Embryo transfer. 4:162-168.
- Carney, E. W. and Foote, R. H. (1988). Co-culture of rabbit two-cell embryos with rabbit oviduct epithelial cell. 11th international Congress on Animal Reproduction and Artificial Insemination, University College Dublin, Ireland, , June, 26-30, Volume 4, paper No. 468.
- Carney, E. W. and Foote, R. H. (1990). Effect of superovulation, embryo recovery, culture system and embryo transfer on development of rabbit embryos *in vivo* and *in vitro*. J. Reprod. Fertil., 89:543-551.
- Carney, E. W. and Foote, R. H. (1991). Improved development of rabbit one-cell embryos to the blastocyst stage by culture in a defined, protein-free culture medium. J. Reprod. Fertil., 91:113-123.

- Carney, E. W.; Tobback, C.; Ellington, J. E. and Foote, R. H. (1990a). Co-culture of rabbit 2-cell embryos with rabbit oviduct epithelial cells and other somatic cells. *Molecular Rep. Develop.*, 27:209-215.
- Carney, E. W.; Tobback, C. and Foote, R. H. (1990b). Co-culture of rabbit one-cell embryos with rabbit oviduct epithelial cells. *In vitro Cellular and Development Biology*, 26:629-635.
- Carolan, C.; Lonergan, P.; Langendonck, A. and Mermillod, P. (1995). Factors affecting bovine embryo development in synthetic oviduct fluid following oocyte maturation and fertilization *in vitro*. *Theriogenology*, 43:1115-1128.
- Chang, M. C. (1951a). Fertilizing capacity of spermatozoa deposited into the fallopian tubes. *Nature*, 168:697-698.
- Chang, M. C. (1951b). Fertility and sterility as revealed in the study of fertilization and development of rabbit eggs. *Fertil. Steril.*, 2:205.
- Chang, M. C. (1955a). The maturation of rabbit oocytes in culture and their maturation, activation, fertilization and subsequent development in the fallopian tubes. *J. Exp. Zool.* 128:378-405.
- Chang, M. C. (1955b). Fertilization and normal development of follicular oocyte in the rabbit. *Science*, N.Y. 121:867.
- Chang, M. C. (1958). Capacitation of rabbit spermatozoa in the uterus with special reference to the reproductive phases of the female. *Endocrinology*, 63:697.
- Chang, M. C. (1959). Fertilization of rabbit ova *in vitro*. *Nature*, 184:466.
- Chang, M. C. (1960). Fertilization of domestic rabbit (*Oryctolagus cuniculus*) ova by cottontail rabbit (*Sylvilagus transitionalis*) sperm. *J. Exp. Zool.*, 144:1.
- Chang, M. C. (1968). Reproductive phenomena preceding implantation. In: R. M. Wynn, ed. *Fetal homeostasis-Vol. 3, Proceedings of the third conference*. Appleton-Century-Crofts, New York, N.Y.
- Chang, M. C. and Bedford, J. M. (1962). Fertilizability of rabbit ova after removal of the corona radiata. *Fertil. Steril.*, 13:4421-427.
- Chanhan, M. S. and Anand, S. R. (1991). *In vitro* maturation and fertilization of goat oocytes. *Indian J. Exp. Biol.*, 29:105-110.
- Cheng, S. P.; Chang, Y. C.; Ju, J. C. and Young, C. L. (1989). The development of intact and micromanipulated rabbit embryos *in vitro*. *Taiwan J. Veterinary Medicine and Animal Husbandry*, 53:1-14.
- Choi, T. S.; Mori, M.; Komoto, K. and Shoda, Y. (1987). Beneficial effect of serum on the fertility of mouse oocytes matured *in vitro*. *J. Reprod. Fertil.*, 79:565-568.
- Chung, K. M. and Im, K. S. (1988). Effects of breeds, medium additives and ovarian phases on the *in vitro* maturation, fertilization and cleavage of bovine follicular oocytes. *Korean J. Anim. Sci.*, 30:79-89.
- Collas, P.; Duby, R. T. and Robl, J. M. (1991). *In vitro* development of rabbit pronuclear embryos in rabbit peritoneal fluid. *Biology of Reproduction*, 44:1100-1107.
- Cross, P. C. (1973). The role of cumulus cells and serum in mouse oocytes. *J. Reprod. Fertil.*, 3:298-307.
- Cross, P. C. and Brinster, R. L. (1970). *In vitro* development of mouse oocytes. *Biol. Reprod.*, 3:298-307.

- Crozet, N.; Ahmed-Ali, M. and Dubos, M. P. (1995). Developmental competence of both oocytes from follicles of different size categories following maturation, fertilization and culture *in vitro*. J. Reprod. Fertil., 103:293-298.
- Dandekar, P. and Fraser, L. (1976). A comparison of *in vitro* fertilization of rabbit eggs using spermatozoa recovered from the uterus or vagina. J. Reprod. Fertil., 46:77-81.
- Daniel, J. C. Jr. (1964). Early growth of rabbit trophoblast. Am. Nature. 98:85-98.
- Daniel, S. A. J; Armstrong, D. T. and Gore-Langton, R. E. (1989). Growth and development of rat oocytes *in vitro*. Gamete Res., 24:109-121.
- Darwish, G. M. I. (1993). Bovine *in vitro* fertilization and embryo transfer. Ph. D. Thesis, Fac. Vet. Med. Cairo Univ.
- Davidson, A.; Vernesh, M.; Lobo, R. A. and Paulson, R. J. (1988). Mouse embryo culture as quality control for human *in vitro* fertilization: The one-cell versus the two-cell model. Fertil. Steril., 49:516-521.
- Deb, S. M. and Goswami, S. L. (1990). Cytogenetic analysis of goat oocytes cultured *in vitro*. International J. Anim. Sci., 5:137-143.
- De-Smedt, V.; Crozet, N.; Ahmed-Ali, M.; Martino, A. and Coguie, Y. (1992). *In vitro* maturation and fertilization of goat oocytes. Theriogenology. 37:1049-1060.
- Diedrich, K.; Al-Hasani, S.; Ven, H. Van-der.; Krebs, D. and Van-der-Ven, H. (1988). Successful *in vitro* fertilization of frozen-thawed rabbit and human oocytes. Annals of the New York Academy of Science. 541:562-570.
- Dooley, V. P. (1983). Follicular oocyte maturation for use in bovine xenogenous and *in vitro* fertilization. Ph. D. Thesis, Michigan State University Ann. Arbor, MI, USA.
- Downs, S. M.; Dow, M. P. D. and Fagbohun, C. F. (1991). The meiotic response of cumulus cell-enclosed mouse oocytes to follicle stimulating hormone in the presence of different macromolecules. J. Exp. Zool., 258:373-383.
- Dumoulin, J. C. M.; Evers, J. L. H.; Bras, M.; Pieters, M. H. E. C. and Geraedts, J. P. M. (1992). Positive effect of taurine on preimplantation development of mouse embryo *in vitro*. J. Reprod. Fertil., 94:373-390.
- Dumoulin, J. C. M.; Van Wissen, L. C. P.; Menheere, P. C. A.; Michiels, A. H. J.; Geraedts, J. P. M. and Evers, J. L. H. (1997). Taurine acts an osmolyte in human and mouse oocytes and embryos. Biol. Reprod., 56:739-744.
- Eckert, J. and Niemann, H. (1995). *In vitro* maturation, fertilization and culture to blastocysts of bovine oocytes in protein-free media. Theriogenology. 43:1211-1225.
- Edwards, R. G. (1965). Maturation *in vitro* of mouse, sheep, cow, pig, rhesus monkey and human ovarian oocytes. Nature, 208:349-351.
- El-Banna, M. K. (1995). Studies on the interaction among porcine ovarian follicular cells. Ph. D. Dissertation, Ohio State University, USA.
- El-Darawany, A. A. and Siam, A. (1994). Biological control of luteinizing hormone surge and reproductive performance relationships in doe rabbits. Egyptian J. Rabbit Sci., 4:37-45.
- El-Fouly, M. A.; Borady, A. M. A. ; Radwan, A. A. and Kamar, G. A. R. (1977). Seasonal variation in some reproductive traits of Bouscat and Giza white rabbits. Egypt. J. Anim. Prod., 17:9-19.

- El-Gaafary, M. N.; Marai, I. F. M.; Yamani, K. A. O.; Abd-Allah, F. R.; Amin, R. S. and El-Kelawy, H. M. E. (1994). Growth performance and reproductive efficiency of weaned NZW rabbits as affected by HCG injection. Proceeding of the first international conference held in Cairo, Egypt, 6-8 September, 8:321-331.
- El-Gaafary, M. N.; Abdl-Gaffar, A. E. and Marai, I. F. M. (1997). Production of buffalo embryo *in vitro*: Application and limitations. International conference of Anim. Prod. And Health, 2-4 September, Cairo, Egypt. 113-133.
- El-Keraby, F.; Tork, M. Dorra; Abd El-Ghani, A. I. and Soheir A. Fawzy. (1991). Effect of GnRh administration on ovulation rate and embryo recovery in some rabbits breeds. J. Agric. Sci. Mansoura. 16:1749-1757.
- Emiliozzi, C. and Fenichel, P. (1997). Protein tyrosine phosphorylation is associated with capacitation of human sperm *in vitro* but is not sufficient for its completion. Biol. Reprod., 56:674-679.
- Eppig, J. J. (1991). Mammalian oocyte development *in vivo* and *in vitro* In: Wassarman, P. M. (ed). Elements of mammalian fertilization, 1: basic concepts. Boca Raton, F. L. : CRC press. 57-61.
- Eppig, J. J.; Schroeder, A. C.; Van de Sandt, J. J. M.; Ziomek, C. A., and Bavister, B. D. (1990). Developmental capacity of mouse oocytes that grow and mature in culture: the effect of modification of the protocol. Theriogenology, 33:33-40.
- Eppig, J. J.; Wigglesworth, K. and O'Brien. M. J. (1992). Comparison of embryonic development competence of mouse oocytes grown with and without serum. Molecular Reprod. Develop., 32:33-40.
- Ericsson, R. J. (1969). Capacitation *in vitro* of rabbit sperm with mule eosinophils. Nature, 221:568-569.
- Fayrer-Hosken, R. A. and Brackett. B. G. (1987). Use of salt-stored zona pellucida for assessing rabbit sperm capacitation for *in vitro* fertilization. Gamete-Res., 17:191-201.
- Fayrer-Hosken, R. A.; Yonis, A. I.; Brackett. B. G.; McBride, C. E.; Harper, K. M.; Keefer, C. L. and Cabaniss, D. C. (1989). Laparoscopic oviductal transfer of *in vitro* matured and *in vitro* fertilized bovine oocytes. Theriogenology. 32:413-420.
- Fazeli, A.; Hage, W. J.; Chang, F.; Voorhaut, W. F.; Marks, A.; Bevers, M. M. and Ben Colenbrander, (1997). Acrosome-intact boor spermatozoa initiate binding to the homologous zona pellucida *in vitro* Biol. Reprod., 56:430-438.
- Fischer, B.; Jung, T.; Hegele-Hartung, C. and Beier, H. M. (1990). Development of preimplantation rabbit embryos in uterine flushing supplemented culture media. Molecular Reprod. Develop., 27:216-223.
- Forcada, F. and Abecia, J. A. (1990). Circulating progesterone levels, ovulation rate and sexual behavior in rabbit during pseudopregnancy induced by vasectomized males and HCG injection. J. Applied Rabbit-Res., 13:74-79.
- Frommolt, G. (1934). Die Befruchtung und Furchung des Kanincheneies im Filf. Zbl. Gynak. 58:7. In: Brackett, B. G. (1969a). *In vitro* fertilization of mammalian ova. Advances in the biosciences 4. Schering symposium on mechanisms involved in conception. Berlin, March 13-15, p:73-94.
- Fukui, Y. and Ono, H. (1988). *In vitro* development to blastocyst of *in vitro* matured and fertilized bovine oocytes. Vet. Rec., 122:282.

- Fukui, Y. and Ono, H. (1989). Effect of sera, hormones and granulosa cells added to culture medium for *in vitro*, maturation, fertilization, cleavage and development of bovine oocytes. *J. Reprod. Fertil.*, 86:501-506.
- Fukui, Y.; Fukushima, M. and Ono, H. (1983). Fertilization *in vitro* of bovine oocytes after various sperm procedures. *Theriogenology*, 20:651-660.
- Fukui, Y.; Mogoe, T.; Ishikawa, H. and Ohsumi, S. (1997). Factors affecting *in vitro* maturation of minke whale (*Balaeno ptera acutorostrata*) follicular oocytes. *Biol. Reprod.*, 56:523-528.
- Fukunari, A.; Sasaba, M.; Maeda, T.; Terada, T. and Tsutsumi, Y. (1989). A mechanical and enzymatic approach to recovery of ovarian follicular oocytes in rabbits. *Japanese J. Anim. Reprod.*, 35:26-33.
- Fukunari, A.; Maeda, T.; Terada, T. and Tsutsumi, Y. (1990). The recovery of follicular oocytes from the rabbit ovary during prepubertal age and *in vitro* maturation of their oocytes. *Japanese J. Anim. Reprod.*, 36:1-8.
- Garcia, J. M.; Pinheiro, L. El.; Almeida, I. L., Jr.; Lima, V. F. R.-de; Mikich, A. B. and delima, V. F. R. (1988). Studies on *in vitro* maturation of bovine oocytes in chemically defined media. *Ars-Veterinaria*, 4:69-75.
- Garcia-Ximenez, F. And Vicente, J. S. (1990). Effect of PMSG treatment to mating interval on the superovulatory response of primiparous rabbits. *J. Applied rabbit-Res.*, 13:71-73.
- Gardner, D. K. (1994). Mammalian embryo culture in the absence of serum or somatic cell support. *Cell Biology International*, 18:1163-1179.
- Gardner, D. K. and Lane, M. (1993). Amino acids and ammonium regulate mouse embryo development in culture. *Biol. Reprod.*, 48:377-385.
- Gardner, D. K.; Lane, M.; Spitzer, A. and Batt, P. A. (1994). Enhanced rates of cleavage and development for sheep zygotes cultured to the blastocyst stage *in vitro* in the absence of serum and somatic cell, amino acids, vitamins and culturing embryos in groups stimulate development. *Biol. Reprod.*, 50:390-400.
- Gilchrist, R. B.; Nayudu, P. L. and Hodges, J. K. (1997). Maturation, fertilization, and development of marmoset monkey oocytes *in vitro*. *Biol. Reprod.*, 56:238-246.
- Gliedt, D. W.; Rosenkrans, C. F. Jr.; Rorie, R. W.; Munyon, A. L.; Pierson, J. N.; Miller, G. F. and Rokes, J. M. (1996). Effects of media, serum, oviductal cells, and hormones during maturation on bovine embryo development *in vitro*. *J. Dairy Sci.*, 79:536-542.
- Gomez, E.; Tarin, J. J. and Pellier, A. (1993). Oocyte maturation in humans: the role of gonadotrophin and growth factors. *Fertil. Steril.*, 59:850-853.
- Gorbner, M. A.; Cheeke, P. R.; Patton, N. M. and Nachman, R. J. (1987). The effect of 6-methoxybenzoxazolinone (6-MBOA) on ovarian and uterine weight in nonparous rabbit. *J. Appl. Rabbit Res.*, 10:62-64.
- Gordon, I. (1994). Oocyte recovery and maturation. In: laboratory production of cattle embryos, *Biotechnology in Agriculture*. No II. U.K.: CAB International; 20-142.
- Gosalvez, L. E.; Rodriguez, J. U.; Diaz, P. and Gomez, S. (1987). Ovarian and body weight changes in rabbit before and after parturition. *J. Appl. Rabbit Res.*, 10:126-129.

- Gosalvez, L. E.; Alvarino, J. M. R. and Diaz, P. T. M. (1994). Influence of age, stimulation by PMSG or flushing on the ovarian response to LHRHa in young rabbit females. *World-Rabbit-Science*. 2:41-45.
- Gosden, R. G. and Telfer, E. (1987). Numbers of follicles and oocytes in mammalian ovaries and their allometric relationships. *J. Zoology*, 211:169-175.
- Gravance, C. G. (1994). Effect of single combined dose of pregnant mares serum gonadotrophin and human chorionic gonadotrophin on ovulation rate in young rabbits. *Anim. Reprod. Sci.*, 34:299-305.
- Greve, T.; Bousquet, D. and King, W. A. (1984). The male factor in bovine fertilization. *The male in farm animal reproduction*, 344-349.
- Gwatkin, R. B. L., and Haidri, A. A. (1973). Requirements for the maturation of hamster oocytes *in vitro*. *Exp., Cell Rec.*, 76:1-7.
- Hafez, E. S. E. (1964). Seasonal fluctuations in ovulation rate and superovulatory response on the domestic rabbit (*Oryctolagus cuniculus*). *Acta Zool. (Stockh)*. 45:123.
- Hafez, E. S. E. (1993). *Reproduction in farm animals*. Academic press, New York.
- Hahn, J. and Gabler, G. (1971). Fertility in rabbit does with reference to individual and seasonal variation. *Zuchtungskunde*. 43:456.
- Hafez, E. S. E. and Rajakoski, E. (1964). Growth and survival of blastocysts in the domestic rabbit. II. Quantitative effect of exogenous progesterone following ovariectomy. *J. Reprod. Fertil.*, 1:241.
- Hall, J. L. and Brackett, B. G. (1976). Enzymatic capacitation of ejaculated rabbit sperm *in vitro*. Presented at Society for Study of Reproduction Meeting, Philadelphia, Pa. Abs., 10,20.
- Ham, R. G. (1963). An improved nutrient solution for diploid Chinese hamster and human cell lines. *Exp. Cell Res.*, 29:515.
- Hammond, J. (1949). Recovery and culture of tubal mouse ova. *Nature*. 163:28.
- Hamner, C. E. and Williams, W. L. (1964). Identification of sperm stimulating factor of rabbit oviduct fluid. *Proc. Soc. Exp. Biol. Med.*, 117:240-244.
- Harvey, W. R. (1987). *Least squares analysis of data with unequal subclasses*. Beltsville, Ma. USA.
- Hay-Schmidt, A. (1993). The influence of osmolality on mouse two-cell development. *J. Ass. Reprod. Genet.* 10:95-98.
- Hegele-Hartung, C.; Fischer, B. and Beier, H. M. (1988a). Development of preimplantation rabbit embryos after *in vitro* culture and embryo transfer: an electron microscopic study. *Anatomical record*. 220:31-42.
- Hegele-Hartung, C.; Schumacher, A. and Fischer, B. (1988b). Ultrastructure of preimplantation rabbit embryos exposed to visible light and room temperature. *Anatomy and Embryology*. 178:229-241.
- Hirao, Y.; Miyano, T. and Kato, S. (1990). Fertilization of *in vitro* grown mouse oocytes. *Theriogenology*, 34:1071-1077.
- Hirshfeld, A. N. (1989). Rescue of atretic follicles *in vitro* and *in vivo*. *Biol. Reprod.*, 40:181.
- Hoffmann, E. K. and Simonsen, L. O. (1989). Membrane mechanism in volume and pH regulation in vertebrate cells. *Physio. Rev.* 69:315-382.

- Hosoi, Y.; Niwak, K.; Hatanaka, S. and Iritani, A. (1981). Fertilization *in vitro* of rabbit eggs by epididymal spermatozoa capacitated in a chemically defined medium. *Biol. Reprod.*, 24:637-642.
- Hosoi, Y.; Yoshimura, Y.; Atlas, S. J.; Adachi, T. and Wallach, E. E. (1989). Effect of dibutyryl cyclic AMP on oocyte maturation and ovulation in the perfused rabbit ovary. *J. Reprod. Ferti.*, 85:405-411.
- Hulot, F. and Mariana, J. C. (1985). Effect of genotype, age and season on preovulatory follicles of the rabbit 8 hrs after mating. *Reproduction, Nutrition, Development*. 25:17-32.
- Hulot, F.; Mariana, J. C. and Cattiau, G. (1988). HCG-induced ovulation in two rabbit breeds: Effect of dose, season and sexual behavior. *Livestock Production Science*. 20:257-268.
- Hyttle, P.; Callesen, H. and Greve, T. (1989). A comparative ultrastructural study of *in vivo* versus *in vitro* fertilization of bovine oocytes. *Anatomy and Embryology*. 179:435-442.
- Ibrahim, S. A. M. (1987). Differences among strains of mice in gamete characteristics. Ph. D. Thesis, Colorado State University, Fort Collins, Colorado, USA.
- Jansson, B. and Rask-Andersen, H. (1993). Correlations between serum osmolality and endolymphatic sac response using hypertonic glycerol. *ORL*. 55:185-192.
- Jelinkova, L.; Kubelka, M.; Motlik, J. and Guerrier, P. (1994). Chromatin condensation and histone H1 kinase activity during growth and maturation of rabbit oocytes. *Mol. Reprod. Dev.*, 37:210-215.
- Jinyi, J.; Sheng, Z.; Huiging, X. and Bigin, F. (1990). Studies on *in vitro* fertilization in pigs. *Jiangsu-J. Agric. Sci.*, 6:66-68.
- Johnston, L. A.; Donoghue, A. M.; O'Brien, S. J. and Wildt, D. E. (1991). Culture medium and protein supplementation influence *in vitro* fertilization and embryo development in domestic cat. *J. Exp. Zoology*. 257:350-359.
- Joliff, W. J. and Prather, R. S. (1997). Parthenogenic development of *in vitro*-matured, *in vivo*-cultured porcine oocytes beyond blastocyst. *Biol. Reprod.*, 56:544-548.
- Jung, T. and Fischer, B. (1988). Correlation between diameter and DNA or protein synthetic activity in rabbit blastocyst. *Biology of Reproduction*. 39:1111-1116.
- Kadoom, A. K. A. (1995). Studies on *in vitro* maturation, fertilization and development of buffalo oocytes. Ph. D. Thesis, Faculty of Veterinary Medicine, Alexandria University.
- Kane, M. T. (1972). Energy substrate and culture of single cell rabbit ova to blastocyst. *Nature*. 238:618-619.
- Kane, M. T. (1975). Inhibition of zona shedding of rabbit blastocysts in culture by the presence of mucin coat. *J. Reprod. Fertil.*, 44:539.
- Kane, M. T. (1979). Fatty acids as energy sources for culture of one-cell rabbit ova to viable morulae. *Biol. Reprod.*, 20:323-332.
- Kane, M. T. (1983). Variability in different lots of commercial bovine serum albumin affects cell multiplication and hatching of rabbit blastocysts in culture. *J. Reprod. Fertil.*, 69:555-558.
- Kane, M. T. (1985). A low molecular weight extract of bovine serum albumin stimulates rabbit blastocyst cell division and expansion *in vitro*. *J. Reprod. Fertil.*, 73:147-150.

- Kane, M. T. (1987a). Minimal nutrient requirements for culture of one-cell rabbit embryos. *Biol. Reprod.*, 37:775-778.
- Kane, M. T. (1987b). *In vitro* growth of preimplantation rabbit embryos. In: Bavister, B. D. (ed). The mammalian preimplantation embryo: regulation of growth and differentiation *in vitro*. New York: Plenum Press; 193-218.
- Kane, M. T. (1988). The effects of water soluble vitamins on the expression of rabbit blastocyst *in vitro*. *J. Exp. Zoology*. 245:220-223.
- Kane, M. T., and Foote, R. H. (1970). Culture of two- and four-cell rabbit embryos to the expanding blastocyst stage in synthetic media. *Proc. Soc. Exp. Biol. Med.*, 133:921.
- Kane, M. T. and Headon, D. R. (1980). The role of commercial bovine serum albumin preparations in culture of one-cell rabbit embryos to blastocysts. *J. Reprod. Fertil.*, 60:469-475.
- Kane, M. T.; Carney, E. W. and Bavister, B. D. (1986). Vitamins and amino acids stimulate hamster blastocyst to hatch *in vitro*. *J. Exp. Zool.*, 239:429.
- Kane, M. T.; Bavister, B. D. and Fahy, N. (1988). Water soluble vitamins stimulate *in vitro* development of rabbit and hamster blastocysts. 11th international Congress on Animal Reproduction and Artificial Insemination, University College Dublin, Ireland, , June, 26-30, Volume 4, paper No. 473.
- Kasai, M.; Nureki, I.; Nakashima, H.; Sakurai, T. and Machido, T. (1988). A simplified system for *in vitro* fertilization of rabbit eggs which is effective for both epididymal and ejaculated spermatozoa. 11th international Congress on Animal Reproduction and Artificial Insemination, University College Dublin, Ireland, Volume 3, paper No. 333.
- Keefe-Johnsen, H.H. and Kulka, J. (1966). Some observation on infertility in rabbits. I. Effect of season on ovulation rate. *Arsberetn Inst. Sterilitetssorsk K. Vet-og Landbohojsk.* pp, 205. (Cited by El-Fouly et al., 1977).
- Keefer, C. L. (1989). Fertilization by sperm injection in the rabbit. *Gamete-Research*, 22:59-69.
- Keefer, C. L.; Bennett, K. A. and Brackett, B. G. (1985). *In vitro* fertilization in the rabbit after delayed ovum recovery. *Biology of Reproduction*. 33:388-392.
- Keefer, C. L.; Fayrer-Hosken, R. A.; Brown, L. M. and Brackett, B. G. (1988). Culture of fertilized rabbit ova. *Gamete Research*. 20:431-436.
- Kennedy, J. F. and Donahue, R. P. (1969). Human oocytes: maturation in chemically defined medium. *Science*, 164:1292-1293.
- Kilicoglu, C. (1985). The *in vitro* cultivation of mouse ova from one cell to blastocyst. *Ankara Univ. Vet. Fakultesi, Dergisi*. 32:31-310.
- Kim, C. K.; Chung, Y. C.; Park, J. W. and Song, H. B. (1988). Studies on *in vitro* maturation and fertilization of cow follicular oocytes. *Korean J. Animal Science*, 30:224-232.
- Kim, C. K.; Im, K. S.; Zheng, X. and Foote, R. H. (1989). *In vitro* capacitation and fertilizing ability of ejaculated rabbit sperm treated with lysophosphatidylcholine. *Gamete Research*. 22:131-141.
- Kim, C. K.; Chung, Y. C.; Yoon, J. T.; Choi, S. H.; Ryu, B. Y.; Chung, K. J.; Kim, H. R. and Song, H. B. (1990a). Studies on *in vitro* fertilization and development of bovine follicular oocytes matured in vitro. *Korea-J. Animal Science*, 32:27-36.

- Kim, C. K.; Ellington, J. E. and Foote, R. H. (1990b). Maturation, fertilization of bovine oocytes *in vitro* using TCM-199 and a simple defined medium with co-culture. *Theriogenology*. 33:433-440.
- Kirton, K. T. and Hafs, H. D. (1965). Sperm capacitation by uterine fluid or Beta-amylase *in vitro*. *Science*, 150:618-619.
- Kobayashi, M.; Hirako, M.; Minato, Y.; Sasaki, K.; Horiuchi, R. and Domeki, I. (1997). Rat hepatoma reuber H-35 cells produce factors that promote the hatching of mouse embryos cultured *in vitro*. *Biol. Reprod.*, 56:1041-1049.
- Kusan, F. B.; Fleming, A. D. and Seidel, G. E. (1984). Successful fertilization *in vitro* of fresh intact oocytes by previtelline (acrosome reacted) spermatozoa of the rabbit. *Fertil. Steril.*, 41:766-770.
- Lambert, R. D. (1983). Effect of the products of ovulation on *in vitro* fertilization and sperm motility in the rabbit. *Revue-Canadienne-de-Biologie-Experimentale*. 42:63-66.
- Lambert, R. D.; Sirard, M. A. and Beland, R. (1984). The fertilization performance *in vitro* of bovine and rabbit spermatozoa capacitated *in vitro*. 10th International Congress on Animal Reproduction and Artificial Insemination, June 10-14, Urbana, USA, University of Illinois No. Paper: 392.
- Lambert, R. D.; Sirard, M. A.; Bernard, C.; Beland, R.; Rioux, J. E.; Lecle, P.; Menard, D. P. and Bedoya, M. (1986). *In vitro* fertilization of bovine oocytes matured *in vivo* and collected at laparoscopy. *Theriogenology*, 25:117-133.
- Lane, M. and Gardner, D. K. (1992). Effect of incubation volume and embryo density on the development and viability of preimplantation mouse embryos *in vitro*. *Human Res. prod.* 7:558-562.
- Lee, T. S.; Lim, K. T. And Na, J. S. (1991). Superovulation treatment and short term storage of embryos in domestic rabbits. *Korean J. Anim. Sci.*, 33:18-24.
- Leibfried-Rutledge, M. L. and Bavister, B. D. (1983). Fertilizability of *in vitro* matured oocytes from golden hamster. *J. Exp. Zool.*, 226:481-485.
- Leibfried-Rutledge, M. L.; Critser, E. S. and First, N. L. (1986). Effect of fetal calf serum and bovine serum albumin on *in vitro* maturation and fertilization of bovine and hamster cumulus-oocyte complexes. *Biol. Reprod.*, 35:850-857.
- Leibfried-Rutledge, M. L.; Critser, E. S.; Eyestone, W. H.; Northey, D. L. and First, N. L. (1987). Development potential of bovine oocytes matured *in vitro* or *in vivo*. *Biol. Reprod.*, 36:376-383.
- Li, J. and Foote, R. H. (1993). Culture of rabbit zygotes into blastocysts in protein-free medium with one to twenty percent oxygen. *J. Reprod. Fertil.*, 98:163-167.
- Lim, J. M.; Kim, J. H.; Okuda, K. and Niwa, K. (1994). The importance of NaCl concentration in a chemically defined medium for the development of bovine oocytes matured and fertilized *in vitro*. *Theriogenology*. 42:421-432.
- Lindenau, A. and Fischer, B. (1994). Effect of oxygen concentration in the incubator's gas phase on the development of cultured preimplantation rabbit embryos. *Theriogenology*. 41:889-898.
- Liu, J. M.; Jin, Z. Q.; Zheo, X. X. and Zhu, Y. D. (1991). The development of bovine follicular oocytes matured in different culture media. *Veterinary-Research-Communications*, 15:257-260.

- Lonergan, P.; Monaghan, P.; Rizos, D.; Boland, M. P. and Gordon, I. (1994). Effect of follicle size on bovine oocyte quality and developmental competence following maturation, fertilization and culture *in vitro*. *Mol. Reprod. Dev.* 37:48-53.
- Lopez, M.; Forcada, F.; Rodriguez, J. A.; Martin, M. and Zaragaza, L. (1993). Embryo recovery under anaesthesia after HCG or GnRH treatments in the rabbit and survival when a reduced number of embryos is transferred. *World-Rabbit-Science*. 1:127-132.
- Lorenzo, P. L.; Illera, M. J. and Illera, M. (1995). Role of EGF, IGF-I, sera and cumulus cells on maturation *in vitro* of bovine oocytes. *Theriogenology*. 44:109-118.
- Lutterbach, A. (1987). *In vitro* production of cattle zygotes. Thesis. Tierärztliche Fakultät der Ludwig-Maximilians-Universität. München. German Federal Republic.
- Macknight, A. D. C. (1987). Volume maintenance in isosmotic conditions. *Curr. Top Membr. Transp.* 30:3-43.
- Majumdar, A. C. (1991). *In vitro* fertilization of follicular oocytes from gonadotropin primed rabbit does. *Indian J. Anim. Sci.*, 61:535-536.
- Mann, T. (1964). The biochemistry of semen and of male reproductive tract. London: Methuen.
- Marai, I. F. M.; Abdel-Samee, A. M. and El-Gaafary, M. N. (1991). Criteria of response and adaptation to high temperature for reproductive and growth traits in rabbits. *Options Méditerranéennes-Serie Séminaires*. 17:127-134.
- Marai, I. F. M.; Yamani, K. A. O.; El-Gaafary, M. N. and El-Kelawy, H. M. E. (1994). Effects of human chorionic gonadotrophin on reproductive performance in female New Zealand white rabbits. *Proceeding of the first international conference held in Cairo, Egypt, 6-8 September*, 8:355-365.
- Maurer, R. R.; Hunt, W. L.; Van Vleck, L. D. and Foote, R. H. (1968). Developmental potential of superovulated rabbit ova. *J. Reprod. Fertil.*, 15:171.
- Maurer, R. R.; Hideo Onuma and Foote, R. H. (1970). Viability of cultured and transferred rabbit embryos. *J. Reprod. Fertil.*, 21:417-422.
- McCulloh, D. H.; Wall, R. J. and Levitan, H. (1987). Fertilization of rabbit ova and the role of ovum investments in the block to polyspermy. *Develop. Biol.*, 120:385-391.
- McNatty, K. P.; Heath, D. A.; Henderson K. M.; Lum, S.; Hurst, P. R.; Ellis, L. M.; Montgomery, G. W.; Morrison, L. and Thurley, D. C. (1984). Some aspects of thecal and granulosa cell function during follicular development in the bovine ovary. *J. Reprod. Fertil.*, 72:39-53.
- Menino, A. R. Jr.; Cheek, H. K. and O'Claray, J. L. (1985). The effects of bovine serum albumin, bovine uterine fluid and heat-treated bovine serum on *in vitro* mouse embryo development. *Theriogenology*. 23:461-472.
- Miller, D. J. and Hunter, A. G. (1986). Effect of osmolality and glycosaminoglycans on motility, capacitation, acrosome reaction, and *in vitro* fertilizability of bovine ejaculated sperm. *J. Dairy Sci.*, 69:2915-2924.
- Mills, J. A.; Jeitles, G. G., and Brackett, B. G. (1973). Embryo transfer following *in vitro* and *in vivo* fertilization of rabbit ova. *Fertil. Steril.*, 24:602-608.
- Minhas, B. S.; Roudebush, W. E.; Ricker, D. D. and Dodson, M. G. (1991). Treatment of sperm with high-ionic strength medium increases microsurgical fertilization rates of rabbit oocytes fertilized by subzonal placement of sperm. *J. In vitro-Fertilization and Embryo Transfer*. 8:111-115.

- Miyamoto, H., and Chang, M. C. (1973). Effect of osmolality on fertilization of mouse and golden hamster eggs *in vitro*. J. Reprod. Fertil., 33:481-487.
- Miyoshi, K.; Funahashi, H.; Okuda, K. and Niwa, K. (1994). Development of rat one-cell embryos in a chemically defined medium: effect of glucose, phosphate and osmolality. J. Reprod. Fertil., 100:21-26.
- Miyoshi, K.; Kono, T. and Niwa, K. (1997). Stage-development of rat 1-cell embryos in a chemically defined medium after fertilization *in vivo* and *in vitro*. Biol. Reprod., 56:180-186.
- Mochizuki, H.; Fukui, Y. and Ono, H. (1991). Effect of the number of granulosa cells added to culture medium for *in vitro* maturation, fertilization and development of bovine oocytes. Theriogenology, 36:973-986.
- Moor, R. M. and Gragle, R. G. (1971). The sheep egg: enzymatic removal of the zona pellucida and culture of eggs *in vitro*. J. Reprod. Fertil., 27:401.
- Moor, R. M.; Polge, C. and Willadsen, S. M. (1980). Effect of follicular steroids on the maturation and fertilization of mammalian oocytes. J. Embryol. Exp. Morphol., 56:319-335.
- Moricard, R. (1949). Penetration *in vitro* du spermatozoïde dans le ovule des mammifères et niveau du potentiel d'oxydoreduction tubaire. C. R. Soc. Franc. Gynec. 19:226. (Cited by Brackett, 1969).
- Moricard, R. (1950). Penetration of the spermatozoon into the mammalian ovum oxydo-potential level. Nature. 165:763.
- Moricard, R. (1954). Observation of *in vitro* fertilization in the rabbit. Nature. 173:1140.
- Moricard, R. and Bossu, J. (1949). Premières études du passage du spermatozoïde à travers de la membrane pellucida d'ovocytes de lapine fécondés *in vitro*. (Cited by Brackett, 1969a).
- Motilk, J. and Fulka, J. (1981). Fertilization of rabbit oocytes co-cultured with granulosa cells. J. Reprod. Fertil., 63:425-429.
- Motilk, J.; Crozet, N. and Fulka, J. (1984). Meiotic competence *in vitro* of pig oocytes isolated from early antral follicles. J. Exp. Zool., 72:323-328.
- Mukherjee, A. B. (1972). Normal progeny from fertilization *in vitro* of mouse oocytes matured in culture and spermatozoa capacitated *in vitro*. Nature. 237:397-398.
- Naglee, D. L.; Maurer, R. R., and Foote, R. H. (1969). Effect of osmolality on *in vitro* development of rabbit embryos in a chemically defined medium. Expl., Cell Res., 58:331-333.
- Niwa, K. and Chang, M. C. (1975). Effect of pretreatment of rat spermatozoa with high concentrations of NaCl on sperm capacitation and fertilization of eggs *in vitro*. Biol. Reprod., 31:109-114.
- Niwa, K.; Hosoi, Y.; Ohara, K. and Iritani, A. (1983). Fertilization *in vitro* of eggs with or without follicular cells by epididymal spermatozoa capacitated in a chemically defined medium. Anim. Reprod. Sci., 6:143-149.
- Ogawa, S.; Satoh, K.; Hamada, M. and Hashimoto, H. (1971). *In vitro* culture of rabbit ova from the single cell to the blastocyst stage. Nature. 233:442-424.
- Ogawa, S.; Satoh, K.; Hamada, M. and Hashimoto, H. (1972). *In vitro* culture of rabbit ova fertilized by epididymal sperms in chemically defined media. Nature. 238:270-271.

- Okinaga, Y.; Iwaki, A., and Hayashi, M. (1974). *In vitro* fertilization of rabbit tubal ova. Asian Med. J., 17:5-32.
- Oliphant, G. and Brackett, B. G. (1973a). Immunological assessment of surface changes of rabbit sperm undergoing capacitation. Biol. Reprod., 9:404-414.
- Oliphant, G. and Brackett, B. G. (1973b). Capacitation of mouse spermatozoa in media with elevated ionic strength and reversible decapacitation with epididymal extract. Fertil. Steril., 24:948-955.
- Oliphant, G. and Eng, L. A. (1981). Collection of gametes in laboratory animals and preparation of sperm for *in vitro* fertilization. In: Mastroianni, L. Jr.; Biggers, J., eds. Fertilization and Embryonic Development *In vitro*. New York, Plenum Press, 11-18.
- O'Neill, C. (1997). Evidence for requirement of autocrine growth factors for development of mouse preimplantation embryos *in vitro*. Biol. Reprod., 56:229-237.
- Paria, B. C. and Dey, S. K. (1990). Preimplantation embryo development *in vitro*: cooperative interactions among embryos and role of growth factors. Proc. Nat. Acad. Sci., 87:4756-4760.
- Petters, R. M.; Johnson, B. H.; Reed, A. I. and Archibong, A. F. (1990). Glucose, glutamine and inorganic phosphate in early development of the pig embryo *in vitro*. J. Reprod. Fertil., 89:269-275.
- Pincus, G. (1930). Observations on the living eggs of the rabbit. Proc. Roy. Soc. (Biol.), 107:132.
- Pincus, G. (1936). The eggs of mammals. MacMillan Co., New York.
- Pincus, G. (1939). The comparative behavior of mammalian eggs *in vivo* and *in vitro*. IV. The development of fertilized and artificially activated rabbit eggs. J. Exp. Biol., 82:85.
- Pincus, G., and Enzmann, E. V. (1934). Can mammalian eggs undergo normal development *in vitro*. Proc. Nat. Acad. Sci. 20:121.
- Pincus, G., and Enzmann, E. V. (1935). The comparative behaviour of mammalian egg *in vivo* and *in vitro*. I. The activation of ovarian eggs. J. Exp. Med., 62:665-675.
- Pincus, G., and Enzmann, E. V. (1936). The comparative behavior of mammalian eggs *in vivo* and *in vitro*. II. The activation of the tubal eggs of the rabbit. J. Exp. Zool., 73:195.
- Pincus, G., and Shapiro, H. (1940). The comparative behaviour of mammalian egg *in vivo* and *in vitro*. VII. Further studies on the activation of rabbit eggs. Proc. Amer. Phil. Soc., 83:631.
- Pinyopummintr, T. and Bavister, B. D. (1991). *In vitro* matured/ *in vitro* fertilized bovine oocytes can develop into morula/ blastocysts in chemically defined, protein-free culture media. Biol. Reprod., 45:736-742.
- Pugh, P. A.; Fukui, Y.; Tervit, H. R. and Thompson, J. G. (1991). Developmental activity of *in vitro* matured sheep oocytes collected during the nonbreeding season and fertilized *in vitro* with frozen ram semen. Theriogenology. 36:771-778.
- Ramsoondar, J.; Downey, BR. and Bousquet, D. (1986). A role for ovarian follicular fluid on sperm/egg interaction. Research reports, Department of Animal Science, McGill University, 57-60. Montreal, Canada.
- Rao, V. H. and Bhattacharyya, N. K. (1987). *In vitro* fertilization of rabbit ova. Current Science India. 56:787-788.

- Rexroad, G. E. Jr. and Powell, A. M. (1988). Co-culture of ovine ova with oviductal cells in medium 199. *J. Anim. Sci.*, 66:947-953.
- Rexroad, G. E. Jr. and Powell, A. M. (1991). Effect of serum-free co-culture and synchrony of recipients on development of cultured sheep embryos to fetuses. *J. Anim. Sci.*, 69:2066-2072.
- Rich, T. D. and Alliston, C. W. (1970). Influence of programmed circadian temperature changes on the reproductive performance of rabbit acclimated to two different temperatures. *J. Anim. Sci.*, 30:960-965-
- Robl, T. M. and Davis, D. L. (1981). Effects of serum on swine morulae and blastocysts *in vitro*. *J. Anim. Sci.*, 52:1450.
- Rogers, B. J. (1978). Mammalian sperm capacitation and fertilization *in vitro*. a critique of methodology. *Gamete Res.* 1:165-223.
- Rorie, R. W.; Lester, T. D.; Miller, G. F.; Gliedt, D. W. and McNew, R. W. (1994). Effect of protein source and co-culture on bovine embryo development in synthetic oviductal fluid medium. *Theriogenology*. 42:385-395.
- Rosado, A.; Hicks, J. J.; Reyes, A., and Blanco, I. (1974). Capacitation *in vitro* of rabbit spermatozoa with cyclic adenosine monophosphate and human follicular fluid. *Fertil. Steril.*, 25:821-824.
- Rosenkrans, C. F. and First, N. I. (1994). Effect of free amino acids and vitamins on cleavage and development rate of bovine zygotes *in vitro*. *J. Anim. Sci.*, 72:861-870.
- Roudebush, W. E.; Mihas, B. S.; Ricker, D. D.; Palmer, T. V. And Dodson, M. G. (1990). Platelet activating factor enhances *in vitro* fertilization of rabbit oocytes. *American J. Obstetrics and Gynecology*, 163:1670-1673.
- Salwa, K. And Sataa, B. (1988). Litter size and its components in local Tunisian rabbits. *Anim. Breed. Abstr.* (2326).
- Sanbuissho, A. (1989). Influence of serum and gonadotrophins on *in vitro* bovine oocyte maturation and fertilization. *Dissertation Abstracts International-B, Science and Engineering*, 49:3046.
- Sanbuissho, A. and Threlfall, W. R. (1990). The influence of serum and gonadotrophins on *in vitro* maturation and fertilization of bovine oocytes. *Theriogenology*, 34:341-348.
- Schellander, K.; Motlik, J.; Mary, B.; Luciak, G. and Schleger, W. (1986). *In vitro* maturation and fertilization of zona-free bovine oocytes. *J. Animal Breeding and Genetics*, 103:143-147.
- Schellander, K.; Fuhrer, F.; Brackett, B. G.; Korb, H. and Schleger, W. (1990). *In vitro* fertilization and cleavage of bovine oocytes matured in medium supplemented with estrous cow serum. *Theriogenology*. 33:477-485.
- Schleger, W.; Schellander, K.; Mayr, B. And Pichler, W. (1990). Factors affecting cleavage in bovine oocytes fertilized *in vitro*. *Wiener-TierarzHiche-Monatsschrift*, 77:39-43.
- Schramm, R. D. and Bavister, B. D. (1994). FSH-priming in rhesus monkeys enhances meiotic and developmental competence of oocytes matured *in vitro*. *Biol. Reprod.*, 51:904-912.
- Schramm, R. D.; Tennier, M. T.; Boatman, D. E. and Bavister, B. D. (1994). Effect of gonadotrophins upon incidence and kinetics of meiotic maturation of macaque oocytes *in vitro*. *Mol. Reprod. Dev.*, 37:891-893.

- Schroeder, A. C. and Eppig, J. J. (1984). The developmental capacity of mouse oocytes that matured spontaneously *in vitro* is normal. *Develop. Biol.*, 102:493-497.
- Schultz, B. O.; Lehmann, F.; Diedrich, K. and Krebs, D. (1982). The influence of granulosa cell cultures on rabbit oocytes maturation. *Follicular Maturation and Ovulation*, 289-294.
- Schultz, B. O.; Krebs, D.; Diedrich, K.; Knoll, H.; Hobbel, K. and Hamerich, V. (1985). Effects of granulosa cells and gonadotrophins on maturation of rabbit oocytes *in vitro*. *Archives of Gynecology*, 236:135-143.
- Seidel, G. E.; Bowen, R. A. and Kane, M. T. (1976). *In vitro* fertilization, culture, and transfer of rabbit ova. *Fertility and Sterility*, 27:861-870.
- Seitz, H. M. Jr; Brackett, B. G. and Mastroianni, L. Jr. (1970). *In vitro* fertilization of ovulated rabbit ova recovered from the ovarian surface. *Biol. Reprod.*, 2:262.
- Shea, B. F.; Bekar, R. D. and Latour, J. P. A. (1976). Maturation *in vitro* of rabbit follicular oocytes. *Canadian J. Anim. Sci.*, 56:377-381.
- Shi, Q. X. and Roldan, E. R. S. (1995). Evidence that a GABA-like receptor is involved in progesterone-induced acrossomal exocytosis in mouse spermatozoa. *Biol. Reprod.*, 52:373-381.
- Shioya, Y.; Kuwayama, M.; Fukushima, M.; Iwasaki, S. and Hanada, A. (1988). *In vitro* fertilization and cleavage capability of bovine follicular oocytes classified by cumulus cells and matured *in vitro*. *Theriogenology*, 30:489-496.
- Sirard, M. A. and Lambert, R. D. (1985). *In vitro* fertilization of bovine follicular oocytes obtained by laparoscopy. *Biol. Reprod.*, 33:487-494.
- Sirard, M. A. and Lambert, R. D. (1986). Birth of clones after *in vitro* fertilization using laparoscopy and rabbit oviduct incubation of zygote. *Veterinary Record*, 199:167-169.
- Smith, A. U. (1951). Fertilization *in vitro* of the mammalian egg. *Biochem. Soc. Symp.*, 7:3.
- Smith, A. U. (1953). In discussion after paper by Venge. In: Brackett, B. G. (1969a). *In vitro* fertilization of mammalian ova. *Advances in the biosciences* 4. Schering symposium on mechanisms involved in conception. Berlin, March 13-15, p:73-94.
- Smith, T. T. and Nothnick, W. N. (1997). Role of direct contact between spermatozoa and oviductal epithelial cells in maintaining rabbit sperm viability. *Biol. Reprod.*, 56:83-89.
- Spirin, A. S.; Belitsina, N. V. And Aitkozhin, M. A. (1964). Messenger RNA in early embryogenesis. *Zh. Obshch-Biol.*, 25:321-329.
- Srivastava, P. N.; Kumar, V. M. and Arbtan, K. D. (1988). Neuraminidase induces capacitation and acrosome reaction in mammalian spermatozoa. *J. Exp. Zool.*, 245:106-110.
- Stone, S. L.; Pomerantz, S. H.; Schwartz-Kripner, A. and Channing, C. P. (1978). Inhibitor of oocyte maturation from porcine follicular fluid: further purification and evidence for reversible action. *Biol. Reprod.*, 19:585-592.
- Suzuki, S. (1966). *In vitro* cultivation of rabbit ova following *in vitro* fertilization in tubal fluid. *Cytologia*, 31:416.
- Suzuki, S., and Mastroianni, L. (1965). *In vitro* fertilization of rabbit ova in tubal fluid. *Amer. J. Obstet. Gynec.*, 93:465.

- Suzuki, S., and Mastroianni, L. (1968). *In vitro* fertilization of rabbit follicular oocytes in tubal fluid. *Fertil. Steril.* 19:716.
- Tajik, P.; Niwa, K. and Murase, T. (1993). Effect of different protein supplements in fertilization medium on *in vitro* penetration of cumulus-intact and cumulus-free bovine oocytes matured in culture. *Theriogenology*. 40: 949-958.
- Takagi, Y; Mori, K.; Tomizawa, M.; Takahashi, T.; Sugawara, S. and Masaki, J. (1991). Development of bovine oocytes matured, fertilized and cultured in a serum-free, chemically defined medium. *Theriogenology*, 35:1197-1207.
- Takehara, Y.; Dharmarajan, A. M.; Kaufman, G. and Wallach, E. E. (1994). Effect of interleukin-1 beta on ovulation in the *in vitro* perfused rabbit ovary. *Endocrinology Philadelphia*, 134: 1788-1793.
- Taya, K. and Sasamomo, S. (1989). Initiation of follicular maturation during mid-pregnancy by administration of LH in rat. *J. Reprod. Fertil.*, 85:51.
- Tekeli, T. (1984). Investigations on *in vitro* fertilization of rabbit ova. *Ankara Universitesi Veteriner Fakultesi Dergisi*. 31:186-196.
- Thibault, C. (1967). Analyse comparee de la fecondation et de ses anomalies chez la brebis, la vache et la lapine. (Cited by Brackett, 1969a).
- Thibault, C. (1973). *In vitro* maturation and fertilization of rabbit and cattle oocyte. In: *The Regulation of Mammalian Reproduction*. Ch. 17, P. 231. Eds. S. J. Segal; R. Crozier, and P. A. Corfman. C. C. Thomas, Springfield, ed, III.
- Thibault, C. (1977). Are follicular maturation and oocyte maturation independent processes?. *J. Reprod. Fertil.*, 51:1-15.
- Thibault, C. and Dauzier, L. (1961). Analyse des conditions de la fecondation *in vitro* de l'oeuf de la lapine. *Ann Biol Anim Biochem Biophys*. 1:27. (Cited by Brackett, 1970).
- Thibault, C. and Gerard. M. (1970). Cited by Motlik, J and Fulka, J., (1974). Fertilization and development in vivo of rabbit oocyte cultivated *in vitro*. *J. Reprod. Fertil.*, 40:183-186.
- Thibault, C., and Gerard. M. (1973). Cytoplasmic and nuclear maturation of rabbit oocyte *in vitro*. *Annls, Biol., Anim. Bio-Chem. Bio-Phys*. 13:145-156.
- Thibault, C.; Gerard. M. and Menezo, Y. (1976). Nuclear and cytoplasmic aspects of mammalian oocyte maturation *in vitro* in relation to follicle size and fertilization. In *Sperm Action*. Vol. 1. pp. 233-240. Ed. P. O. Hubinont. S. Karger, Basel.
- Thibier, M. And Nibart, M. (1995). The sexing of bovine embryos in the field. *Theriogenology*, 43:71-80.
- Toyoda, Y. and Chang, M. C. (1974). Fertilization of rat eggs *in vitro* by epididymal spermatozoa and development of eggs following transfer. *J. Reprod. Fertil.* 55:429-435.
- Trounson, A.; Bushett, D.; Maclellan, L. J.; Lewis, I. and Gardner, D. K. (1994). Current status of IVM/IVF and embryo culture in humans and farm animals. *Theriogenology*. 41:57-66.
- Turnbull, K. E.; Braden, A. W. H. A. and Mattner, P. E. (1977). The pattern of follicular growth and atresia in the ovine ovary. *Aus. J. Biol. Sci.*, 30:229.
- Ueda, S.; Kuwayama, M.; Shioya, Y. and Hanada, A. (1988). Culture of *in vitro* fertilized embryos in a chemically defined medium (BO-medium). *Japanese J. Anim. Reprod.*, 34:56-60.

- Van Blerkom, J. and McGaughey, R. W. (1978a). Molecular differentiation of the rabbit ovum. I. During oocyte maturation *in vivo* and *in vitro*. *Develop. Biol.*, 63:139-150.
- Van Blerkom, J., and McGaughey, R. W. (1978b). Molecular differentiation of the rabbit ovum. I. During the preimplantation development of *in vivo* and *in vitro*. *Develop. Biol.*, 63:151-164.
- Vanderhyden, B. C. and Armstrong, D. T. (1989). Role of cumulus cells and serum on the *in vitro* maturation, fertilization, and subsequent development of rat oocytes. *Biol. Reprod.*, 40:720-728.
- Van Winckle, L. J.; Haghighat, N. and Campione, A. L. (1990). Glycine protects preimplantation mouse conceptuses from a detrimental effect on development of the organic ions in oviductal fluid. *J. Exp. Zool.*, 253:215-219.
- Venge, O. (1953). Experiments on fertilization of rabbit ova *in vitro* with subsequent transfer to alien does. In: *Mammalian Germ Cells*. G. E. W. Wolestenholme, M. P. Cameron and J. S. Freeman, edit. p:243. London.
- Viriyapanich, P. and Bedford, J. M. (1981). The fertilization performance *in vivo* of rabbit spermatozoa capacitated *in vitro*. *J. Exp. Zool.*, 216:169-174.
- Viudes-de-Castro, P.; Santacreu, M. A. and Vicente, J. S. (1991). Effect of dietary energy level on embryonic and fetal mortality in rabbits. *Reprod. Nutrition, Develop.*, 31:529-534.
- Wassarman, P. M. (1988). The mammalian ovum. In: E. Nobil and J. Neil (Eds). *The Physiology of Reproduction*. Raven Press, Ltd. New York.
- Wassarman, P. M. (1995). Towereds molecular mechanisms for gamite adhesion and fusion during mammalian fertilization. *Curr. Open Cell Biol.*, 7:658-664.
- White, I. G. (1962). Physiology of mammalian sperm, In: Hafez, E. S. E. (ed), *Reproduction in Farm Animals*. Philadelphia: Lease Febiger. 57-78.
- Williams, W. L.; Hamner, C. E.; Weinman, D. E. and Brackett, B. G. (1964). Capacitation of rabbit spermatozoa and initial experiments on *in vitro* fertilization. *Proc. Vth. internat. Congr. Reprod.*, Trento, VII:288.
- Wolfenson, D. And Orlyblum. (1988). Embryonic development, conception rate, ovarian function and structure in pregnant rabbits heat stressed before or during implantation. *Anim. Rep. Sci.*, 17:29-270.
- Wright, R. W. Jr.; Anderson, G. B.; Cupps, P. T. and Drost, M. (1976). Successful culture *in vitro* of bovine embryos to the blastocyst stage. *Biol. Reprod.*, 14:157-162.
- Wright, R. W. and Bondioli, K. R. (1981). Aspects of *in vitro* fertilization and embryo culture in domestic animals. *J. Anim. Sci.*, 53:702-729.
- Xu, K. P.; Greve, T.; Callesen, H., and Hyttel, P. (1987). Pregnancy resulting from cattle oocytes matured and fertilized *in vitro*. *J. Reprod. Fertil.*, 81:501-504.
- Yamane, J. (1935). Kausal-analytische studien uber die befruchtung des kaninchenies. (Cited by Brackett, 1969a).
- Yanagimachi, R. (1972). Fertilization of guinea pig eggs *in vitro*. *Anat. Rec.*, 174:9-20.
- Yanagimachi, R. (1981). Mechanism of fertilization in mammals. In: Mastroianni, L.; Biggers, J. D. (eds), *Fertilization and Embryonic Development In vitro*. New York: Plenum Press; 81-182.
- Yanagimachi, R. (1994). Mammalian fertilization. In: Knobil, E., Neill, J. D. (Eds.), *The Physiology of Reproduction*, second edition. New York: Raven Press; 189-317.

- Yang, X.; Chen, Y.; Chen, J. and Foote, R. H. (1990). Potential of hypertonic medium treatment for embryo micromanipulation: I. Survival of rabbit embryos *in vitro* and *in vivo* following sucrose treatment. *Molecular Reprod. Develop.*, 27:110-117.
- Yoshimura, Y.; Hosoi, Y.; Iritani, A.; Nakamura, Y.; Atlas, S. J. and Wallach, E. E. (1989). Developmental potential of rabbit oocyte matured *in vitro*: the possible contribution of prolactin. *Biol. Reprod.*, 41:23-33.
- Yoshimura, Y.; Nakanura, Y.; Oda, T.; Yamada, H.; Nanno, T.; Ando, M.; Ubukata, Y. and Suzuki, M. (1990). Effects of gonadotrophin releasing hormone agonists on meiotic maturation of follicle enclosed oocytes in rabbits. *Biol. Reprod.*, 43:1012-1018.
- Younis, A. I.; Brackett, B. G. and Fayrer-Hosken, R. A. (1989). Influence of serum and hormones on bovine oocytes maturation and fertilization *in vitro*. *Gamete Research*. 23:189-201.
- Younis, A. I.; Zuelke, K. A.; Harper, K. M.; Oliveira, M. A. I. and Brackett, B. G. (1991). *In vitro* fertilization of goat oocytes. *Biol. Reprod.*, 44:1177-1182.
- Zhang, X. and Armstrong, D. T. (1990). Presence of amino acids and insulin in a chemically defined medium improves development of 8-cell rat embryos *in vitro* and subsequent implantation *in vivo*. *Biol. Reprod.*, 42:662-668.