

6. REFERENCES

- Abdella, M.M., Afifi, E.A., El-Sayaad, G.A.E. and El-Madhagi, K.S.S. (1990) Effect of dietary perotein level, fiber level and other factors on rabbits performance 1- Productive performance of rabbit doe *Annals of Agric Sci. Moshtohor*, 28 (4): 2101-2112.
- Abd El-Rahim, M.I., El-Gaffary, M.N., Tawfeek, M. I and Mohammed, H.E. (1991a). Growth, digestibility, blood constituents and reproductive efficiency of rabbits fed rations containing Cassava root meal. *Egyptian J. Rabbit. Sci.*, 1(1): 47-60.
- Abd El-Rahim, M.I., Ahmed. S.S., Abdellah, F.R and El-Fieshawy, M.A. (1991b). Effect of feeding Cassava on growth performance, carcass quality, blood constituents and organs-histology of growing rabbits. *Egyptian J. Rabbit. Sci.*, 1(1): 61-72.
- Abd El-Rahim. M.I., Twafeek, M.I., Alimed, S.S. and Amin, R.S. (1994) Using some of unusual waste vegetable oils as fat supplements in growing rabbit rations. the first International Conference on rabbit Production in Hot Climate, 6-8, September, Cairo, Egypt, 111-117.
- Abd El-Rahim, M.I., El-Gaafary, M.N., Tawfeek, M.1., El-Kelawy, H.M. and Amin, R.S.S.A. (1995). Effect of dietary supplementation with different level of zinc on growth performance, nutrients digestibility, minerals metabolism. blood constituents, organs-histopathology and reproductive efficiency in NZW Rabbits. *Egyptian J. Rabbit. Sci.*, 1(1): 61-62.
- Abd El-Raouf, H.M. (1993). Genetic studies for some economic traits in rabbits. M.Sc Thesis, Faculty of Agriculture, Moshtohor, Zagazig University, Banha Branch, Egypt.
- Abelein, R., KalverKamp, E. and Bogner, H. (1969) Selection on fattening performance based on testing of individual performance Report of a first experiment with table rabbits. *Bayer Landw. Jb.*, 46:696-700 (A.B.A 38: 775).
- Abo-Elezz, Z., Hassan, A. and Samak M. (1981). Effect of litter size and mating cycles on lactation in rabbits. *Alex. J. Agric. Res.*, 29: 75-82.
- Afifi, E.A. (1971). A study of some economical and productive characters in some strains of rabbits and their crosses. Ph.D Thesis, Faculty of Agriculture, Ain-Shams University, Egypt.
- Afifi, E.A. and Emara, M.E. (1984a). Litter weight in local Egyptian and exotic breeds of rabbits and their crosses proc. 3rd World rabbit Congress, 4-8 April, Rome, Italy Vol. QGI, pp.126-135.
- Afifi, E.A. and Emara, M.E. (1984b). Pre-weaning litter mortality in four breeds of rabbits and their crosses. *Agric. Res. Revi. Ministry of Agriculture and food Security, Egypt*. 62(5A): 123-130.
- Afifi, E.A. and Emara, M.E. (1985). Pregnancy duration for purebred and corssbred litters in rabbits. *J. of Appl. Rabbit Res.*, 8(4): 158-160.

- Ahmed, H.S.A. (1992). Effect of crude fiber contents in rabbit rations on some productive traits. M.Sc. Thesis, Faculty of Agriculture, Suez Canal University, Ismailia, Egypt.
- Ahmed, S.S., El-Gendy, K.M., Ibrahim, A.A., Rashwan. and Tawfeek, M.I. (1994). Growth performance, digestibility, carcass traits and some physiological; for alfalfa meal. Egyptain. J. Rabbit. Sci., 4(1): 1-14.
- Allam , E.A. (1979). Comparative study with ruminants rabbits using different levels of roughes and concentrates. M.Sc. Thesis, Fac. of Agric., Zagazig University, Egypt.
- Arthur, P.F., Makarechian, M., Price, M.A. and Berg, R.T. (1989a). Heterosis, maternal and direct effects in double-muscled and normal cattele: 1 -Reproduction and growth traits. J. Animal Science, 67: 902-910.
- Arthur, P.F., Makarechian, M., Price, M.A. and Berg, R.T. (1989b). Heterosis, malernal and direct effects in double-muscled and normal cattele: 2-Car-cass traits of young bulls. J. Animal Science, 67, : 911-919.
- Auxilia, M.T., Masoero, G. (1986). Osservazioni Sulle caratteristiche della carcassa e della carne in conigli di gruppi genetici differenti. Coniglicoltura, 23(6), 50-52.
- Ayyat, M.S. (1993). Response of weaning rabbits to feeding of Zinc bacitracin and flavomycin as growth promoters, under Egyptian conditions. Egyptian J. Rabbit. Sci., 3(2): 171-178.
- Ayyat, M.S., Habeeb, A.A. and Bassuny, S.M. (1991). Effects of water salinity on growth performance, carcass traits and some physiological aspects of growing rabbits in summer season. Egyptian J. Rabbit. Sci., 1(1): 21-34.
- Bartelli, M. and Altomonte, V. (1968). Experimental tests on rabbits. Comparison of milk yield and prolificacy of some breeds of rabbits. Comparison of growth of some crosses. Coniglicoltura., 5(1): 33-38 (A.B.A. 36:3009).
- Baselga, M., Blasco, A. and Garcia, F. (1982). Genetic parameters for economic traits in rabbit populations. Proc. 2nd World Congress on Genetics Applied to Livestock Production, October 1982, Spain. 6: 471-480.
- Baselga, M., Gomez, E., Gifre, P. and Camacho, J. (1992). Genetic diversity of litters size traits between parties in rabbits. J. of Appl. Rabbit. Res., 15: 198-205.
- Bednarz, M. and Frindt, a. (1975). The evaluation of carcass quality of New zealand white californian white rabbits and ther crosses. Hodowli zwierzat I Technologii Produkeji zwierzeczi AR, Warszawa, Poland. 97(2): 65-75.
- Bednarz, M. and Frindt, A. (1978). The effect of age at weaning of New Zealand White rabbits on their growth to 10 weeks of age. Roczniki Nauk Rolniczych, B 99 (2): 99-105. (A.B.A. 49:1631).
- Bednarz, M. and Frindt, A. (1981). Effect of age at weaning on growth to 10 week old New Zealand White rabbits. Roczniki Nauk Rolniczych, 99(2): 99-105. (Nutr, Ab. Rev., 51:3932).
- Blasco, A. Baselga, M., and Garcia, F. (1983). Analysis of productive characters in meat production rabits. I. Growth characters. Archivos de Zootecnia 32 (123)1-18.

- Blasco, A., Ouhayoun, J. and Masoero, G. (1990), study of rabbit meat and carcass criteria and terminology. 2nd conference on rabbit production and Genetics in the Mediterranean Area, 3-7 September 1990, Zagazig, Egypt.
- Brun, J. M. and Ouhayoun, J. (1988) Growth performance and carcass traits in three strains of rabbits and their two-way crosses. 4th world Rabbit Congress, Hungary, Budapest 10-14 October. 168-175.
- Brun, J.M. and Ouhayoun, J. (1989). Growth performances and carcass traits in three strains of rabbits and their two-way crosses. *Annales de Zootechnie*, 38 (2-3): 171-179. (A.B.A., 58, No. 3165).
- Brun, J.M. and Rouvier, R. (1988). Evaluation of the genetic parameters of litter traits in crosses of two selected strains of rabbits: A synthesis 4th world Rabbit Congress, Hungary, Budapest 10-14 October, 158-175.
- Campos, A.P., Rochambeau, H.D., Rouvier, R. and Poujardieu, B. (1980). The rabbit selection scheme in Mexico: objectives and primary results. Proc. 2nd World Rabbit Congress, April 1980, Barcelona, Spain.
- Carregal, R.D. (1980). Evaluation of heterosis, Combining ability and maternal and reciprocal mating effects in rabbits. Proc. 2nd World Rabbit Congress, April 1980. Barcelona, Spain. Carregal, R.D. (1981). Heterosis in growing crossbred rabbits. *Revista de Sociedade Brasileira de Zootecnia*, 10(4): 594-603. (A.B.A., 51 No.4625).
- Carregal, R.D. and Lui, J.F. (1984). Effect of mothering ability and general combining ability in crossbred rabbits. *Revista da Sociedade Brasileira de Zootecnia* 13(4): 440-446. (A.B.A. 53: 6025).
- Castellini, C. and Panella, F. (1987). The effect of within farm selection on some reproductive traits in the rabbit. *Zootecnica e Nutrizione Animal.*, 13(5) 511-520. (A.B.A. 56: 3084).
- Castellini, C. and Panella, F. (1988) Heritability of pre-and post-weaning weights in rabbits 4th world Rabbit Congress, Hungary, Budapest 10-14 October. 112-119.
- Cheeke, P.R., (1986). Potentials of rabbit production in tropical and subtropical agricultural system. 3. *Anim. Sci.*, 63(5), 1581-1587.
- Chen, C.P., Rao, D.R., Sunki, G.R. and Johanson, W.M. (1978). Effect of weaning and Slaughter ages upon rabbit meat production. I. Body weight, feed efficiency and mortality. *J. Anim. Sci.*, 46(3): 573-577.
- Chiericato, U. Fiotto (1989). A note on the fattening performance and carcass characteristics of New Zealand White, Hyla and Provisal rabbits. *J. Applied Rabbit Research* 12:156-158.
- Cifre, J., Baselga, M. and Gomez, E.A. (1994). Evaluation response to selection effect of freezing on weaning weight and post-weaning daily gain in rabbits. The First International Conference on rabbit Production in Hot Climate, 6-8 September, Cairo, Egypt.

- Coppings, R.,J., Ehthor, N. and Ghodrati. P. (1989). Effects of antemortem treatment and transport on analyzer characteristics of fryer rabbits. *J Animal Sci.*, 96:872.
- Damodar, N., and Jatkar, V.D. (1985). Adaptability of broiler rabbits under subtropical climataets. *Indian J. Anim Sci.*, 55(7): 610-611.
- Damyanova, N.; Petrov, I. and Grigorov, I (1983). Growth and meat production of New Zealand White rabbits. *Zhivotnov'dsi Naki*, 20 (6): 63-69. (A.B.A., 543 No. 2448).
- DePaula, M.G., Pontes, J.R., Ferraz, J. B. S. and Eler, J.P. (1996). Breed and some nongenetic effects on growth of Californian and New Zealand White rabbits raised in sou'rth-eastern Brazil. 6th World Rabbit Congress., Toulouse, France, V2, 269-272.
- Desalvo, F. and Zucchi, P. (1984). A breed study of the main carcass characteristics of rabbits. *Rivista di Coniglicaura*, 21(12): 27-33. (A.B.A., 53, No.3941).
- Dickerson, G.E. (1969). Techniques for research in quantitative genetics. *Techniques and Procedures in Animal Science Research*. American Society of Animal science, Champaign, Il.
- Dilella, and Zicarelli, L. (1970). Meat production of New Zealand White rabbits. II. Data on slaughter at various ages. *Alti Soc. Ital. Vet.*, 23:548-552. (A.B.A., 39 No.1025).
- Domonov, N., Petrov, I. and Grigorov, I. (1983). Growth and meat production of New Zealand White rabbits. *Zhivotnov dsi Naki*, 20 (6): 63-69. (A.B.A., 53 No. 2448).
- Dora, T.M. (1979). Body size, feed efficiency and meat production in White Baladi, Bouscat and their crossbreds. *M. Sci., Thesis, Mansoura Univ. Egypt*.
- Egea, D., Roy, T.J. and Gonzalez, S. (1993). Pre-weaning mortality in rabbits at different times of year. Different between three mating system. In *Publicacoes do 5º Simposio Internacional de Reproducao Animal*, Luso, Portugal, 30 de Setembro a de Outubro, 11:471-480 (A.B.A. 62 : 3470).
- EL-Boushy, A.R. (1985). The effect of modern husbandry on reproductive traits of New Zealand White rabbits under West European Conditions. *World Review of Animal productions*, 21(1): 19-23.
- El-Deghadi, A.S. (1996) . Genetic and phenotypic analysis for fur traits in rabbits. *N.Sc. Thesis, Faculty of Agriculture, Moshthohor, Zagazig Universitty, Baha Branch. Egypt*.
- EI-Dessoki, A.E.M. (1991). Study of the effects of some genetic and environmental factors affecting meat yield from some foreign and local breeds of rabbits and their crosses. *M.Sci. ~hesis Fac, Agric., Mansoura Univ., Egypt*.
- El-Gaafary, M.M., Tawfeek, M.I. and Abd El Hamid, M.W. (1991). Effect of human choronic gonaddotropin injection on pre- and post-sexual maturity in rabbits. *Egyptian J. Rabbit. Sci.*, 1 (1): 35-46.

- El-Gaafary, M.N., Rashwan, A.A., El-Kerdawy, D.M.A. and Yamani, K.A. (1992). Effects of feeding pelleted diet supplemented with probiotic (Lacto Sace) on digestability, growth performance, blood constituents, semen characteristics and reproductive traits of rabbits Egyptian J. of Rabbit Sci., 2(2): 95-105.
- El-Gaafary, M.N., Marai, I.F.M., Yamani, K.A., Abd-Allah, F.R., Amin, R.S., and El-Kelawy, H.M.E. (1994). Growth performance and reproductive efficiency of weaned NZW rabbits as affected by HGG injection. the first International Conference on Rabbit Production in Hot Climatic, 6-8 Septemeber, Cairo, Egypt, 321-331.
- El-Hindawy, M.M., Yamani, K.A. and Eskander, E.G. (1992). Growth performance, carcass traits and digestibility of rabbits as affected by breed and form of diet under Egyptian evnironmental conditions Egyptian J. Rabbit. Sci. 2(2): 185-196.
- El-Hindawy, M.M., Yamani, K.A. and Tawfeek, M.I. (1993). Effect of probiotic (Lacto Sacc) in diets with different protein levels on growth performance, digestibility and some carcass aspects of growing rabbits. Egyptian J. Rabbit Sci. 3(1)13-28.
- El-Kerdawy, D.M.A., Ahmed, s.s. and Ibrahim, H.(1993). Effect of feeding layers manure on growth, slaughter traits, physiological aspects and nutrients digestibility in meat rabbits. Egyptian J.Rabbit. Sci., 3(1): 55-71.
- El-Madhagi, K.S.S. (1990). Productive efficiency in a flock of rabbits. M.Sc. Thesis, Faculty of Agriculture, Moshthor, Zagazig University, Banha Branch, Egypt .
- El-Maghawry, A.M., (1990) Gentical and environmental factors affecting the performance of broiler rabbits. Ph. D. Thesis, Faculty of Agriculture, Zagazig University, Zagazig, Egypt.
- El-Maghawry, A.M. (1993) . Post-weaning daily gain and mortality rate in New Zealand White and Califronain rabbits, as affected by some genetic arid environmental factors, under Egyptian condition. Egyptian J. Rabbit. Sci., 3(1): 91-102.
- El-Maghawry, A.M. Soliman, A.N. and Khalil, H.H. (1993a). Doe milk production as affected by some genetic and environmental factors in New Zealnd White and as Californian rabbits under the Egyptian conditions Egyptian J. Rabbit Sci., 3(2):141-150.
- El-Maghawry, A.M., Tawfeek, M.I. and Habeeb, A.A. (1993b). Growth, liver and kidney functions and carcass traits of rabbits ad affected by supplementation with Bospro, under conditions of Egypt. Egyptian J. Rabbit Sci., 3(1):1-11.
- El-Maghawry, A.M., Yamani, K.A. and Marai, I.F.M. (1988). A preliminary study on performance of some productive traits in New Zealand White and Californian rabbits under Egyptian environments. 4th World Rabbit Congress, Budapest, Hungary, 10-14 October, 264-275.
- El-Qen, R.Y.N. (1988) Genetical and environmental studies on rabbits. M. Sc. Faculty of Agriculture, Tanta University, Egypt.

- El-Raffa, A.M. (1994) Some factors affecting economical productive and reproductive traits in rabbits. Ph. D. Thesis, Faculty of Agriculture, Alexandria University, Egypt.
- El-Sayaad, G.A.E. and Abd-Rahman, G.A. (1990). Effect of inclusion of different levels of rumen content in diets for rabbits on carcass traits. *Annals of Agricultural Science, Moshtohor*, 28 (1): 22-2134).
- El-Sayaad, G.A.E.; Afifi, E.A.; Abdella, M.M. and Madhagi, K.S.S (1990). Effect of dietary protein level, Fiber level, breed and other factors on rabbits performance. III. Carcass traits, meat composition and blood components of growing rabbits. *Annals of Agric. Sci., Moshtohor* 28(4): 141-2166, Egypt.
- El-Sayed, H.M. (1988) Effect of breed crossing and feeding system on the meat production of rabbits M Sc Thesis Fac. of Agric., Zagazig Univ., Egypt.
- El-Sayiad, GH. A., (1994). A study on milk production of New Zealand White and Californian rabbits under Egyptian conditions. *Egyptian. J. of Rabbit Sci.*, 4(1): 47-59.
- El-Sayiad, GH. A., Yamani, K.A., and Barakat, A.E.A. (1993a). Some genetical and non-genetical factors affecting New Zealand White and Californian rabbit doe traits in Egypt. *Egyptian J. Rabbit. Sci.*, 3(2):129-139 .
- El-Sayiad, GH.A., Yamani, K.A., Tawfeek, M.1. and Yassin, H.M. (1993b). Some traits of doe and young rabbits as affected by breed, parity and diet supplementaton, under Egyptian conditions . *Egyptian J. Rabbit Sci.*, 3(1):81- 90.
- Emara. M.E.A. (1982). Effect of crossbreeding on some productive traits in rabbits Ph. D.Thesis, Faculty of Agriculture, Moshtohor, Zagazig University, Banah Branch. Egypt.
- Falconer, D.S. (1969). Introduction to quantitative genetic, Third Edition, Longman, London, Uk.
- Farghaly, H.M. (1996). Analysis of incidence of pre - and post mature gestations in rabbit populations. 6th World Rabbit Congress, Toulouse, Prance, V2:273-277.
- Farghaly, H.M. and El-Darawany, A.A. (1994). Genetic and non-genetic factors affecting reproductive performance in exotic rabbit breeds under Egyptian conditions . The first International Conference on rabbit production in Hot Climates Cairo, 6-8 September, 1994.253-261.
- Farghaly, H.M. and El-Darawany, A.A. and Yamani, K.A. (1994). Mortality rate in purebred commercial rabbits under Egyptian conditions. The first International Conference on rabbit production in Hot climates, Cairo, 6-8, September, 1994 263-270.
- Fennel, K.L., Ehator, N.N. and coppings, R.J. (1990). A note on the calculation of carcass yield. *J. Applied Rabbit Research* 13:91-92.
- Ferraz, J.B.S., Johnson, R.K. and Eler, J.P. (1991a) Genetic parameters for reproductive traits of rabbits. *J. Appl. Rabbit Res.*, 14:166-171.
- Ferraz., J. B.S., Johnson, R.K. and Eler, J.P. (1991b). Breed and environmental effects on reproductive traits of Californian and New Zealand White rabbits. *J. Appl Rabbit Res.*, 14:172-179.

- Ferraz, J.B.S., Johnson, R.K. and Eler, J.P. (1991c). Breed and environmental effects on growth and carcass traits of rabbits. *J. Appl. Rabbit Res.*, 14:180-186.
- Ferraz, J.B.S., Johnson, R.K. and Eler, J.P. (1991d). Genetic parameters for growth and Carcass traits of rabbits. *J. Appl. Rabbit Res.*, 14: 187-192.
- Finizi, A. (1985). Experimental rabbit breeding outdoors. *Rivistadi Coniglicoltura*, 22. (9): 38-42 (A.B.A. 54: 4767).
- Garcia, F., Baselga, M., Blasco, A. and Deltoro, J. (1982a). Genetic analysis of some productive traits in meat rabbits. I. Numeric traits 2nd World Congress on Genetics Applied to Livestock Production, October 1982, Madrid, Spain. 7,7: 557-562.
- Garcia, F. Baselga, M., Blasco, A. and Deltoro, J. (1982b). Genetic analysis of some productive traits in meat rabbits. II. Ponderal traits. 2nd World Congress on Genetics Applied to Livestock Production, October 1982, Madrid, Spain. 7,7: 575-579.
- Gecele, C.P., Fuenzalida, L. and Carvajal, B.S. (1985). Analysis of intensive reproductive management in rabbits. *Memorias, Asociacion Latinoamericana de production Animal*, 18: 131. (A.B.A. 55:33158).
- Ghany, M.A., Badereldin, A.L., Shafie, M.M. and Hanafi, M. (1961). Some factors affecting body weight in Giza rabbits. *Egyptian J. Anim. Prod*, 1:121-134.
- Giavarini, I., Vecchi, M.A., Mazzanti, M.A. and Baruzzi, L. (1978). Meat yield in purebreds and crossbreds. Comparative study of meat Yield in New Zealand White and their crosses with Burgundy Fawns and Champagne Silvers. *Coniglicoltura*. 15 (4): 11-19, Italy.
- Granat, J. and Zelink, J. (1972) Fertility and growth in New Zealand White and Californian rabbits. *Zivocisna Vyroba*, 17 (12): 931-940 (A.B.A. 42:333).
- Grandi, A. and Stefanetti, P. (1987) The performance of New Zealand White, Californian and Blue Vienna rabbits and their crosses. *Rivista di Coniglicotura*, 24(1): 53-58. (A.B.A 55 : 6496).
- Grobner, M.A., Robison, K.L., Patton, N.M. and Cheeke, P.R. (1985) comparison of the Palomino and New Zealand White breeds for commercial rabbit production. *J. of Applied Rabbit Research*, 8(2): 62-63.
- Gugushvili, D.S. (1981). The performance of rabbits breeds imported to the Georgian SSR. *Trudy Guzirskogo Zootekhnicheskogo-Veterinarnogo Uchebno-Issledovatskogo Instituta*, 115 (45): 46-49 (A.B.A. 51: 5729).
- Hamouda, M., Salwa, K. and EI-Gaied, J. (1990). Crossing of local rabbits with the Hyla strain : growth and reproductive performance in the first generation. *Espagne; 23-36 October 1988, Centre de Saida, Tunisia. Options Mediterraneennes, A. Seminaires Mediterraneennes, No.8, 103-108. (A.B.A., 59, No.5715).*
- Hanna, M.F.S. (1992). Studies on some productive traits in rabbits M.Sc. Thesis, Faculty of Agriculture, Moshtohor, Zagazig University, Banha Branch, Egypt.
- Harvey, W.R., (1987). User's Guide for LSMLMW. Mixed model least squares and maximum Likelihood Computer Program. PC-Version 2. Ohio state University Columbus, USA (Mimeograph).

- Hassan, N.S. (1988), Reproduction of New Zealand White rabbits, M.S.C. Thesis, Faculty, Agric., Cairo University, Egypt.
- Hassan, A.M.M. (1993). Productive performance of the rabbit does M.Sc. Thesis, Faculty of Agriculture, Moshtohor, Zagazig University, Banha Branch, Egypt.
- Hassan, N.S.H. (1995). A study on the prediction of doe rabbits transmitting ability. Ph.D. Faculty of Agriculture, Aln Shams Univeisity, Cairo, Egypt.
- Hassan H.A. and Mohammad K.I. (1992). Effect of breed and age on performance and some carfcass traits in Male rabbits. *Minia J. Of Agric., Dev. Research*, 14 (1): 285-302.
- Hassan, H.A., El-Feel, F.M.R., Sallam, M.T. and Ahmed, M.F. (1992). Evaluation of milk production and litter milk efficiency in two and three-way crosses of three breeds of rabbits. *Egypt J. Anim prod*, 29(2): 307-319.
- Hassan, N.S., EI-Taawil, T.A., Shahin, K.A. and Hatem, A.M. Gad. (1994). Performance of New Zealand White does as affected by different enviornmental factors. The first International Conference on rabbit production in Hot climates Cairo. 6-8 September, 1994. 271-278.
- Hattenhauer, H., Kruger., W. and Fritsch, W. (1977). Possibiltes for early selection for reproducitive performance of rabbits. *Archive Fur Tierzucht* 20(1) 23-32. (A.B.A. 47:975).
- Heckmann, F.W. and Mehner, A. (1972) Influence of shortened inter litter spaces on litter records with metal rabbits. *Archive Fur Geflugelkunde*. 36(2): 57-62.
- High-Jones A.; Grobner, M.A. and Robison, K.L.; (1975). Comparison of the Palomino and New Zealand White breeds for commercial rabbit production. *J. of Applied Rabit Research*, 8(2): 61-67.
- Hilmy, A.f.M. (1991). Some productive aspects in rabbits. M.Sc. Thesis, Faculty of Agriculture. Moshtohor, Zagazig University, Egypt. Banha Branch
- Hohenboken, W.D. (1985). Heritability and repeatability. In: General and quantitive genetics. (Edited by A.B. Chapnes), PP 77-119, Elseviex Science Publishers B.V., Amsterdam-oxford-New York - Tokyo.
- Hung, C.T., Cheng, Y.S. Chang, H.L., Lee M.S., Tai, C. and Chen, J.C. (1992). Effects of crossing New Zealand White and Rex rabbits on growth and reproductive performance *J. of Taiwan livestock Research*, 25 (2) 125-130 (A.B.A. 62: 576).
- Janieri, A. (1987). Nutritional quality of rabbit meat. (In Italian). *Riv. Coniglicaoltura* 24(1): 27.
- Jensen, N,E (1978). Progeny testing and feeding traits at the Rabbit breeding station in 1976 Beretning Fra Statens Husdybrugsforsog. No. 456, 33 pp.(A.B.A. 46:1011)
- Kalinowski, T. and Rudolph, W. (1977). Reproductive performance of intensivly reared rabbits. I. Litter size (total, liveborn and weaned) in the first to sixth litters of New Zealnd White rabbits. *Mathematisch -Naturwissensehaftuche Reihe*, 26 (1) 77-80. (A.B.A. 46: 5644).

- Kawinska, J. and Niedzwiladek, S. (1967). Investigations on the commercial value of rabbits of the Blue Vienna breed *Roczniki Naukowe Roln. Ser. B.* 90: 203-223. (A.B.A., 36, No. 3014)
- Kawinska, J. and Niedzwiladek, S. (1973). Investigations on the possibility of producing broiler rabbits in Poland. *Roczniki Naukowe Roln. Ser. B.* 95: 67-74. (A.B.A., 42, No. 5547).
- Kawinska, J., Niedzwiladek, S., Tuczynska, J., (1980). Studies on the slaughter value and carcass quality of White Angora rabbits. *Roczniki Naukowe Zootechniki*, 7(2): 147-155.
- Khafagy, S.Z. (1971). Some nutritional studies on calorie protein requirements for growth of rabbits. M. Sci. Thesis, Fac Agric. Sci., Cairo, Egypt.
- Khalil, M.H. (1980) Genetic and environmental studies on some productive traits in rabbits. M. Sci. Thesis, Fac. Agric. Sci., Moshtohor, Zagazig Univ., Egypt.
- Khalil, M.H. (1993a). Diversity of repeatability between parities for litter traits and reproductive intervals in doe rabbits. *World Rabbit Sci.*, 1(4): 147-154.
- Khalil, M.H. and Afifi, E.A. (1991). Doe litter performance of Bauscat and Giza White rabbits, Egyptian, *J. Rabbit Sci.*, 1 (2): 172-184.
- Khalil, M.H. and Mansour, H. (1987) Factors affecting reproductive performance of female rabbits. *J. Appl. Rabbit Res.*, 10(3): 140-145
- Khalil, M.H. and Soliman, A.M. (1989) Genetic analysis for some reproductive traits in female rabbits. *J. Appl. Rabbit Res.*, 12:205-208.
- Khalil, M.H., Afifi, E.A. and Emara, M.E. (1987a). Doe litter performance at weaning for two breeds of rabbits with special emphasis on sire and doe effects. *J. Appl. Rabbit Research*.
- Khalil, M.H., Afifi, E.A. and Emara, M.E. (1987b). Possibility of early direct and indirect selection for doe litter performance of Bauscat and Giza White rabbits. *J. Appl. Rabbit Res.*, 10(2): 88-93.
- Khalil, M.H., Afifi, E.A. and Owen, J.B. (1987c). A genetic analysis of body weight in young Bauscat and Giza White rabbits. *Anim Prod*, 45: 135-144.
- Khalil, M.H., Owen, J.B. and Afifi, E.A. (1987d). A genetic analysis of litter traits in Bauscat and Giza White rabbits. *Anim Prod.*, 45 : 123-134.
- Khalil, M.H., Soliman, A.M. and Khalil, H.H. (1993). Genetic aspects and litter-size size correction factors for post-weaning growth in New Zealand White and Californian rabbits. *Egyptian. J. Rabbit. Sci.*, 3 (2): 199-217.
- Khalil, M.H., Afifi, E.A., Emara, M.E. and Owen, J.B. (1988). Genetic and phenotypic aspects of doe productivity in four breeds of rabbits. *J. Agric. Sci Camb.*, 110: 191-197.
- Khalil, M.H., Afifi, E.A. and Youssef, Y.M.K. and Khadr, A.F. (1995). Heterosis, maternal and direct genetic effects for litter performance and reproductive intervals in rabbits crosses. *World Rabbit Sci.* 3(3) 99-105.
- Khan, M.N. and Lukefahr, S.D. (1996). Breed type comparisons for post-weaning litter traits in rabbits. 6th World Rabbit Congress, Toulouse, V2, 299-304.

- Khattab, A.S. (1980), A study of some economical characteristics and production traits on Egyptian rabbits and their crosses. M.Sc. Thesis, Tanta University, Egypt.
- Kim, Y.J., Lee, J.M., Kim, H.S. and Lee K.S. (1983). Effects of breeding season and feeding system on the growth rate, dressing percentage and fur production of stock and Veterinary, 25:26-30 (A.B.A. 52:4927).
- Kosba, M.A., Farghaly, M.M.; Hamdy, S.; El-Ezz, Z.A. and Kamel, F.N. (1985). Two- and three-way crossing effect on body weight in rabbits. Egyptian J. of Genetics, 14(1): 27-34.
- Kosko, I. (1979). Reciprocal crossbreeding of two breeds of rabbits New Zealand White x German spotted Giant. Roczniki Naukowe Zootechniki., 6(1) : 185-193. (A.B.A. 48: 4966).
- Kosko, I. (1981). Reciprocal crossing of Californian White and German Giant rabbits. Roczniki Naukowe Zootechniki, 8(1): 81-91. (A.B.A., 50, No.7598).
- Kown, O.S., Shin, W.J., Kim, H.S., Lee, K.S. and Park, Y.I. (1982). Effects of certain environmental factors on weaning weight and two month weight in rabbits. Research Reports of the office of Rural Development, Suweon (Livestock and Veterinary), 24: 6-12. (A.B.A. 51: 4637).
- Krogmeier, D., Dzapo, V. and Mao, I.L. (1994). Additive genetic and maternal effects on litter traits in rabbits. J. Anim. Breed. Genet., 111: 420-431.
- Kuzniewicz, J. and Wojsyk-Kuzniewicz, A. (1978). Slaughter value of broiler rabbits. Przemyst Spozywczy, Poland 32(9) : 303-305 Pland. (A.B.A., 48, No. 317).
- Kuzniewicz, J. and Wojsyk, M. and Kuziewicz, A. (1980). Slaughter value of broiler rabbits. Przemysl. 11:6.
- Lahiri, S.S. and Mahajan, J.M. (1982). Note on the inheritance of age at first breeding, litter size and weight in rabbits. Indian. J. Anim. Sci., 52 (11): 1148-1150.
- Lahiri, S.S. and Mahajan, J.M. (1983). Weaning characteristics of different mating types in rabbits. Indian. J. Anim. Sci., 53 (12): 1363-1365.
- Lahiri, S.S. and Mahajan, J.M. (1984a). Milk yield and mothering ability in rabbits. Indian. J. Anim. Sci., 54(1): 137-138.
- Lahiri, S.S. and Mahajan, J.M. (1984b). Performance of different crossbred groups of rabbits: Birth characteristics. Indian. J. Anim. Sci., 54(1): 138-140.
- Land, R.B. and Falconer, D.S. (1969). Genetic studies of ovulation rate in mouse. Genetic Res. Can. b, 13:25.
- Ledur, M.C. and Carregal, R.D. (1988). Evaluation of heterosis in meat rabbits. Dept. Producao Animal, FCAVK, Univ. Estadual Sao Paulo, Brazil, 17(5): 434-439. (A.B.A. Vol. 57, 1989).
- Lebas, F. and Ouhayoun, J. (1987). Effect of dietary protein level, rearing environmental and season on growth and carcass traits in rabbits. Annals de Zootechnique 36(4): 421-432. (A.B.A. 56:6576).
- Lebas, F., Coudert, P., Rouvier, R. and Rochambeau de, H. (1984). Le Lapin: Elevage et Pathologie, Food and Agriculture organization of the United Nation, Rome.
- Ledur, M.C. and Carregal, R.D. (1988). Evaluation of heterosis in meat rabbits. Dep. Producao Animal, FCAVK, Univ. Estadual Sao Paulo, Brazil, 17 (5): 434-439. (A.B.A., Vol. 57: 1989).

- Lee, H.K., Ryu, C.H., Choi, J.S. and Kang, M.S. (1988). Studies on breed and environmental factors affecting reproductive performance in female rabbits. Korean J. Anim. Sci., 30 (12) : 701-707 (A.B.A. 57: 2814).
- Lee, Y.C. and Ahn, H.S. (1977). Studies on lipids and Proteins of rabbit meat. I. Ephasis on lipids components of rabbit meat. Korean J. Nutrition 10: 78.
- Lui, J.F., Malheiros, J.B., Carregal, R.D. and Giannoni, M.A. (1987). Effect of sire, dam and parity on body weight of rabbits at birth, weaning and slaughter. Ars Veterinaria., 3(1) : 127-134. (A.B.A. 57: 1300).
- Lukefahr, S.D. (1980). Understanding rabbit genetics. J. Applied Rabbit Research 3:18.
- Lukefahr, S.D. (1982). Evaluation of rabbit breeds and crosses for overall commercial productivity. Ph.D. Thesis, Oregon State University, Corvallis, USA.
- Lukefahr, S.D. (1988). Conversation of global rabbit germplasm resources. 4th World Rabbit Cong. Budapest, Hungary 10-14 October, 1988.
- Lukefahr, S.D. and Ozimba, C.E. (1991). Prediction of carcass merit from live body measurements in rabbits of four breeds- types. Livestock Production Science, 29: 2323-334.
- Lukefahr, S.D., Cheeke, P.R. and Patton, N.M. (1990). Prediction and causation of litter market traits from pre-weaning and weaning characteristics in commercial meat rabbits. J. Anim., Sci., 68: 2222-2234.
- Lukefahr, S.D., Hohenboken, W.D., Cheeke, P.R. and Patton, N.M. (1981a). Milk Production and litter growth traits in straightbred and crossbred rabbits. J. Applied Rabbit Research 4:35.
- Lukefahr, S.D., Hohenboken, W.D., Cheeke, P.R., Patton, N.M. and Kennick, W.H. (1981b). Carcass and meat characteristics of Flemish Gaint and New Zealand White purebred and terminal-carcass rabbits. 3. Applied Rabbit Research, 4:6-72.
- Lukefahr, S., Hohenboken, W.D., Cheeke, P.R. and Patton, N.M. (1983a). Doe reproduction and pre-weaning litter performance of strightbreed and crossbred rabbits. J. Anim. Sci., 57(5): 1090-1099.
- Lukefahr, S., Hohenboken, W.D., Cheeke, P.R. and Patton, N.M. (1983b). Characterization of strightbred and crossbred rabbits for milk production and associative traits. J. Anim. Sci., 57(5): 1100-1107.
- Lukefahr, S., Holhenboken, W.d., Cheeke, P.R. and Patton, N.M. (1983c). Breed, Heterotic and diet effects on post-weaning litter growth and mortality in rabbits. J. Anim. Sci., 57(5): 1108-1116.
- Lukefahr, S.D., Hoenboken, W.D., Cheeke, P.R. and patton, N.M. (1983d) Appraisal of nine gentic groups of rabbits for carcass and lean yield traits. J. Anini. Sci., 57(4): 899-907.
- Lukefahr, S., Hohenboken, W.D. Cheeke, P.R. and Patton, N.M. (1984). Genetics effects on maternal performance and litter pre-weaning and post-weaning traits in rabbits. Anim Prod., 38: 293-300.
- Mach, K. (1986). Genetic aspects of meat production in rabbits. Chovatel, 25(1) 10-11 (A.B.A. 55: 1263).

- Mach, K. and Trojan, V. (1979). Meat production of three-breeds crossbred rabbits. *Zivocisna Vyroba*, 24(9): 705-715 (A.B.A. 49: 2915).
- Mach, K. and Trojan, V. (1985). The determinisation of general and specific combining ability for meat production in rabbits. *Zivocisna Vyroba*, 43: 59-71. Czechoslovakia.
- Mach, K., Trojan, V. and Vransky, M. (1983). The relationship of fertility with meat production of broiler-type breeds of rabbit with intensive use of dams. *Sbornik Vysoke Sokly Zemedelske V. Praze, Fakulta Agronomika*, B. 39: 49-56 (A.B.A. 52: 6139).
- Mahajan, J.M., Sastry, V.R.B., Dash, P.k. and Lahiri, S.S.(1980). New Zealand White rabbits for meat and pelt. *Indian Farming*, 30(9): 30-32.
- Marai, I.F.,M, Yamani, K.A., El-Gaafary, M.N. and El-Kelawy, H.M.E. (1994). Effects of Human chorionic gonadotrophin on reproductive and productive performance in female New Zealand White rabbits. The first International Conference on Rabbit Production in Hot Climates, Cairo, Egypt. 355-365.
- Martins, E.N., Scapinello, C. and Furlan, A.C. (1988). Genetic improvement of rabbits for meat production. *Inform Agropecuario* 14 (159): 30-33, Brazil. (A.B.A., 58, No.4751).
- Masoero, G. (1982). Breeding and crossbreeding to improve growth rate, feed efficiency and carcass characters in rabbit meat production. 2nd World Congress on Genetics Applied to Livestock Production, 4-8 October, 1982. Madrid, Spain.
- Masoero, G., Ubertaine, A., Mazzocco, P. and Battaglini, L.M. (1985). Terminal crossing for New Zealand White and Californian rabbits. (1) Characteristics on the live animal. *Annali dell Istituto Sperimentale per la Zootecnia*. 18 (2): 93-109. (A.B.A., 55, No.1264).
- Masoero, G., Ubertaine, A., Mazzocco, P. and Battaglini, L.M. (1986). Crossing of New Zealand White and Californian Rabbits. (2) Carcass and meat characters. *Annali dell istituto Sperimentale per la Zootecnia*. 19(2): 67-84 (A.B.A., sb. No. 5902)
- Matheron, G. and Dolt, P. (1988). Performance recording of rabbits in Guadeloupe. *Bulletin Agronomique des Antilles et de la Guyane*, 8: 31-38. (A.B.A. 58: 6250).
- McNitt, J.I. and Lukefahr, S.D. (1990) Effects of breed, parity, day of lactation and number of kits on milk production of rabbits. *J. Anim. Sci.*, 68:1505-1512.
- McNitt, J.I. and Lukefahr, S.D. (1993). Breed and environmental effects on postweaning growth of rabbits. *J. Anim. Sci.*, 71: 1996-2005.
- McNitt, J.I. and Moody, G.L.J.R. (1990). Effect of month, breed and parity on doe productivity in Southern Louisiana. *J. Appl. Rabbit. Res.*, 13 (3-4): 169-175. (A.B.A. 59: 5159).
- Mgheni, M., Christensen, K. and Kyomo, M.L. (1982). Selection experiment on growth and litter size in rabbits. 1. Effect of litter size and growth. *Tropical Anim. Prod* 7(3): 217-255.

- Mishra, K.C. (1990). Some production performance parameters of rabbits in Skkim. Indian J. Anim. Sci. 60(2): 246-248. (A.B.A. 58: 4753).
- Mohammed, K. I. (1989). Studies on some productive traits in rabbit under the environmetal conditions of EI-Minia Governorate. M. Sci. Thesis, ~Fac. Agric., El-Minia Univ., Egypt.
- Mori, B., Pinzauti, M. and Geragioli, U. (1980). Mortality of the young and dazm's lactation as factors related to the method of husbandry of rabbits. Annali della Facolta di Medicina Veterinaria di Pisa., 32: 409-423. (A.B.A. 49:5455).
- Morisse, J.P., Mauricc, R., Cotta, J.P. and Le Gall, G. (1989). Effect of a pre-weaning diet on some physiological and production parameters in rabbits. J. appl. Rabbit Res., 12: 190-193. C.F. El-Deghadi (1996).
- Mosch, W., Wanke, H., Rudolph, W. and Fischer, W. (1984). The effect of age (56-98 days) on some meat quality traits in rabbits. Naturwissenshaftuche Reihe, 33(4): 59-61. (A.B.A., 54, No.573).
- Mostageer, A., Ghany, M.A. and Darwish, H.I. (1970). Genetic and phenotypic parameters for the improvement of body weight in Giza rabbits. Egyptian J. Anim. Prod., 10(1): 65-72.
- Moura, A.S.A.M.T., Polastre, R. and Carmelo, M.J. (1991). Genetic study of individual performance from weaning to slaughter in Selecta rabbits. J. Appl. Rabbit, Res., 14:228-234.
- Mowlem, A. (1977). Pre-weaning mortality in rabbits. J. Institute of Animal Technicians, 28 (1): 13-26.
- Nasr, A.S. (1994). Milk yield and some associated traits as affected by season of kindling, parity and kindling intervals in New Zealand White doe rabbits under Egyptian Conditions. Egyptian J. Rabbit. Sci., 4(2): 149-159.
- Niedzwiadek, S. (1978). The evaluation of slaughter value and its application in the selection of rabbits,. Krakow, Inst. Zoot., Poland, 48pp.
- Niedzwiadek, S. (1979). The performance of crossbreed rabbits. Roczniki Naukowe Zootechniki 6 (1): 145-153. (A.B.A. 48: 4970).
- Niedzwiadek, S. (1983). Phenotypic and genetic correlations among some production characters of New Zealand White rabbits. Roczniki Naukowe Zootechniki., 10 (1): 37-45.(A.B.A. 53: 6035).
- Niedzwiadek, S. and Kawinska, J. (1982). Reciprocal crossing of meat-type rabbits. Roczniki Naukowe Zootechniki, 9(1) :99-109.(A.B.A. 52:1161).
- Nidzhwiadek, S. and Piorkovska, M. (1990). Fertility of female rabbits in relation to age. Krolikovodstvo i Zverovodstvo., 2: 9. (A.B.A. 59: 7120).
- Nofal, R.Y., Toth, S. and Virag, G.y. (1996). Evaluation of seven breed groups of rabbits for litter traits. 6th World Rabbit Congress, Toulouse, France, V2, 335-339.
- Nossier, F.M. (1970). A study on some economical characteristics in some local and foreign breeds of rabbits. M.Sc. Thesis, Faculty of Agriculture, Cairo University, Egypt.
- Novy, J. (1972). Variation and genetic determination of fertility in different rabbit breeds. Acta Zootechnica Nitra, 25: 179-191.

- Nunes, J.R.V., Curi, R.R. and Moura, A.S.A.M.T. (1985). A comparison of the reproductive performance of Norflok hybrid, Californian and New Zealand White rabbits. *Veterinara e Zootecnia*, Sao Paulo., 1: 17-22. (A.B.A. 55: 5890).
- Oetting, B.C., Rakes, J.M. and Johonson, Z.B. (1989). Growth rate and body weight of crossbred rabbits. *J. Applied Rabbit Research*, 12:116-18.
- Oudah, S.M. (1990). Studies on some rabbit breeds and their crosses. M. Sci. Thesis, Fac. of Agric., Mansoura Univ., Egypt.
- Ouhayoun, J. (1977). Etude comparative de races de Lapins different par la Croissance de lapereaux issus de croisement terminal These. Universite des Sciences et Techniques du Lanyuedoc. Montpellier, France.
- Ouhayoun, J. (1980). Comparative development of the body components of three genetic types of rabbits during postnatal growth. (In French). *Reprod. Nutr. Develop* 20:949.
- Ouhayoun, J. and Poujardieu, B. (1979). Comparative study of rabbit crossbreeding, between-breed and within-breed relationship between traits of the terminal products. *Annals de Zootechnie*, 28 (1): 138. (A.B.A., 47. No.5710).
- Ozimba, C.E. and Lukefahr, S.D. (1990). Evaluation of purebred and crossbred rabbits for carcass merit. *J. Applied Rabbit Research*, 13:193-198.
- Ozimba, C.E. and Lukefahr, S.D. (1991). Comparision of rabbit breed types of postweaning litter growth, feed efficiency and survival performance traits. *J. Anim. Sci.*, 69:3494-3600.
- Pagano Toscano, G., Lazzaroni, C., Zoccarato, I., Benatti, G. (1992). Conservation and improvement of the Carmagnola grey rabbit. *J. Appl. Rabbit Res.*, 15:240-246.
- Panella, F. Battaglini, M., Castellini, C., Rosati, A. and Facchin, E. (1992). Comparison between two genetic evaluation indexes in rabbit. *J. Appl. Rabbit Res.*, 15:190-197.
- Partridge, G.G., Foley, S. and Corrigall, W., (1981). Reproductive performance in purebred and crossbred commercial rabbit. *Anim. Prod.*, 32(3): 325-331.
- Pomytko, V.N. and Miroshnichenko, T.K. (1978). The effectiveness of crossbreeding meat breeds of rabbits, *Nauchnye Trudy. Nauchno-Issledovatel'skill Institut Pushnogo Zverovodstva I Krolikovodstva.*, 17: 28-32. (A.B.A. 49:35780).
- Ponce-De Leon, R. (1978). Effect of breed on reproduction and preweaning performance in rabbits under a rotational crossbreeding system. *Memoria, Asociasion Latinoamericana de Production Animal*, 13:173. (A.B.A., 47, No. 10).
- Ponce-De Leon, R. and Menchaca, M. (1985). Breed and heterosis effects on reproductive traits in simple crosses between four rabbit breeds. *Revista Cubana de Ciencias Veterinarias*, 16(1): 97-108. (A.B.A., 54, No.5536).
- Quanzhong, L., Keliang, R., Fuin, H., Jialing, R., Anshen, L., Ruiming, L. and Mingle, Y (1996). A study on growth and productive traits of Californian and New Zealand White rabbits in Shanxi (China).
- Ragab, M.T. and Wanis, A.A. (1960a). Litter size in Baladi rabbits as affected by

- heredity and environment. Bulletin., 221, Faculty of Agricultural, Cairo University, Egypt.
- Ragab, M.T. and Wanis, A.A. (1960b). Factors affecting birth weight and weaning weight in Baladi rabbits. Bulletin, 220, Faculty of Agricultural, Cairo University, Egypt.
- Ragab, M.T. and Wanis, A.A. (1960c). Mortality rate in the Baladi rabbit. Bulletin, 222 Faculty of Agricultural, Cairo University, Egypt.
- Rahaijo Yono C., Cheeke, P.R. and Patton, N.M. (1986). Growth and reproductive performance of rabbits on a moderately low crude protein diet with or without methionine or urea supplementation, J. Anim. Sci., 63 (3): 795-803.
- Rahumathulla, P.S., Bhuvanakuma, C.K. and Ganesakale, D. (1986). Study on litter size in rabbits. Cheiron., 15(4): 146-147. (A.B.A. 55: 1787).
- Raimondi, R., Auxilia, M.T. (1972). Growth, dressing percentage and meat characters of purebred rabbits and 2-and 3-breed crosses. Annali dell, Institutu Sperimentate per la Zootechnia, 5(1): 1-16. (A.B.A., Vol.41, No.5015).
- Rajendra K. Rastogi (1988). Performance data from a rabbitry in trinidad (West Indias). 4th World Rabbit Cong. Budapest, Hungary 10-14, October, 1988.
- Randi E. (1982). Productivity traits in two rabbit breeds: New Zealand White and Californian. Rivista de Zootechnia e Veterinaria, 10(2): 81-86. (A.B.A. 52: 2859).
- Rao, D.R., Chawan, C.B., Chen, C.P. and Sunki, G.R. (1979). Nutritive value of rabbit meat. In: The Domestic Rabbit: Potentials, problems and current research. PP 53-59, Oregon State University Press, Corvallis.
- Rao, D.R., Chen, C.P., Sunki, G.R. and Johanson, W.M. (1978). Effect of weaning and slaughter ages on rabbit meat production, II Carcass quality and composition. J. Anim. Sci., 46: 578-583.
- Rao, D.R., sunki, G.R., Johnson, W.M. and Chen, C.P. (1977). Postnatal Growth of New Zealand White rabbit (*Oryctolagus Cuniculus*). J. Anim., Sci., 44(6): 1021-1025.
- Rashwan, A.A. (1993). Reproduction performance of New Zealand White rabbits as affected by dietary supplementation with lacto-sacc, bospro and a mixture of them, under Egyptian environmental conditions. Egyptian. J. Rabbit. Sci., 3(2): 163-169.
- Rashwan, A.A. and El-Gaafary, M.N. (1992). Investigations on some factors affecting reproductive traits of New Zealand White rabbits. Egyptian. J. Rabbit. Sci., 2(2) : 161-170.
- Rashwan, A.A. and Karoly, K. (1989). Some factors affecting milk production of doe rabbit and its pre-weaning litters. Third Egyptian-British Conference on Animal Fish and Poultry production., Alexandria, 7-10 October, 1989. 697-703.
- Reddy, N.V., Rao, D.R. and Chen, C.P. (1977). Comparative performance of rabbits and broilers. Nutrition Reports International., 16 (1): 133-137.

- Reodecha, C. and Kijparkorn, S. (1988). Effects of crossbreeding on rabbit production I. Growth characteristics of rabbit from weaning to sexual maturity. *Thai Journal of Veterinary Medicine*, 18 (2): 121-140. (A.B.A. 58: 6950).
- Reodecha, C. and Kipakorn, S. (1989). Effect of crossbreeding on rabbit production. III. Postweaning growth characteristics of fattening rabbits. *Thai Journal of Veterinary Medicine*, 19 (1): 11-22. (A.B.A., 58: 8192).
- Ristic, M., Schlolaut, W., and Lange, K. (1988). Influence of final fattening weight on the carcass value and meat quality of young fattening rabbits. 4th World Rabbit Cong. Budapest, Hungary, 10-14 October, 1988.
- Roberts, J.D. and Lukefahr, S.D. (1992). Evaluation of Californian, Champagned' Argent, New Zealand White and Palomino as potential sire breeds: I. Post-weaning litter traits. *J. Appl. Rabbit. Res.* 15:274-286.
- Rochambeau, H. de (1988). Genetics of the rabbit for wool and meat production (1984-1987). 4th World Rabbit Cong., Budapest, Hungary 10-14 October, 1988.
- Rochambeau, H. de, Tudela, F. and Chabert, J. (1988). Some results about number of teats in 3 strain of rabbits. 4th World Rabbit Congress, Budapest, Hungary, 10-14 October, 1988. 261-267.
- Rodriguez, C.A.A., Assefaw, T. and Rosas, R.R.O. (1982). Heterosis for growth traits in litter produced from crosses involving New Zealand White and Californian rabbits. *J. Anim. Sci.*, 57, suppl. 1.
- Rodriguez, I., Sanz, J. Alonso, F. and A costa, M. (1985). Factors affecting gestation length in rabbits. *Archivos de Zootecnia*, 34: 183-193. (A.B.A. 54 : 1243).
- Rollins, W.C. and Casady, R.B. (1964). heterosis in New Zealand White x Californian rabbit crosses. *J. Animal Sci.*, 23: 853.
- Rollins, W.C., Casady, R.B., Sittmann, K. and Sittmann, D.B. (1963). Genetic variance component analysis of litter size and weaning weight of New Zealand White with rabbits. *J. Anim., Sci.*, 22(3) : 654-657.
- Rouvier, R. (1979). Physiological effects of selection on the aspects of ponderal and numerical productivity in domestic rabbits. Proceeding of Symposium held at Harrogate, July 1979, Commonwealth Agricultural Bureau, UK.
- Rouvier, R. (1980). Genetic of *Oryctolagus Cuniculus*. 2nd World Rabbit Congress. April 1980. Barcelona, Spain.
- Rouvier, R., Poujardieu, B. and Vrillon, J.L. (1973). Statistical analysis of the breeding performance of female rabbits: Environmental factors, correlations and repeatabilities. *Ann. Genet. Sel. Anim.*, 5 (1) : 83-107.
- Saad, M.F.M, (1998). Studies on reproductive efficiency and carcass traits in rabbits M.Sc. Thesis, Faculty of Agriculture, Moshtohor, Zagazig University. Banha Branch, Egypt.
- Sallam, M.T. and El-Ashmawy, S.H. (1985). Some productive trait differences and karyotypical studies in four breeds of domestic rabbits. *El-Mini J. Agric Res. & Dev.*, Vol.7(4): 1546-1560, Egypt.
- Sallam, M.T. and Hafez, M. (1984). The effect of crossbreeding on post-weaning growth and slaughter trait for rabbits. *Annals of Agric. Sci.*, Moshtohor, 22:91-103.

- Sallam, M.T., El-Feel., F.M.R., Hassan, H.A. and Ahmed, M.F. (1992). Evaluation of litter performance and carcass traits of two-and three-way crosses of three breeds of rabbits. *Egyptian J. Anim. Prod.* 29(2): 287-302.
- Sallam, M.T., Hassan, H.A., Touny, S.M. and Mohammad, K.I. (1989). Comparison of productivity and performance of three breeds of rabbits under small-hoder system in El-Minia Governorate. *Minia. J. Agric. Res. & Dev.*, 11 (4) : 1795-1816.
- Sanchez, W.K., Cheeke, P.R. and Patton, N.M. (1985). Effect of dietary crude protein level of the reproductive performance and growth of New Zealand White rabbits. *J. Anim. Sci.*, 60 (4): 1029-1039.
- Sedki, A.E. (1991). Some behavioral studies on rabbits. M. Sc. Thesis, Faculty of Agriculture, Zagazig University, Egypt.
- Sittman, D.B., Rollins, W.C., Sittmann, K. and Casdy, R.B. (1964). Seasonal variation in reproductive traits of New Zealand White rabbits. *J. Reprod. Fert.*, 8: 29-37.
- Soliman, F.N.K. (1983). Genetical and physiological studies in rabbits. The effect of crossing on rabbits performance. M. Sci. Thesis, Fac. of Agric., Alexandria Univ., Egypt.
- Soliman, F.N.K. (1988). Genetical and Physiological studies in rabbits: evaluation of pre-and-postweaning performancy for different breeds of rabbits. Ph.D. Thesis, Fac. of Agric., Alexandria Univ., Egypt.
- Swai, G.D.; Mtenga, L.A. and Mgheni, M. (1985). Observations on the effect of sex, litter size and age on the body weights of rabbits. *Beeitrag Zur Tropischen Landwirtschaft und Veterinarmedizin*, 23 (3): 345-347. (A.B.A. 54:2477).
- Szendro, Z. (1988). Investigation on frequent kindings with A view to breeding. 4th World rabbit Congress, Budapest, Hungary, 10-14 October, 1988. 326-330.
- Szendro, Z and Baran, J. (1984). some factors effecting the mortality of suckling and growing rabbits. 3rd World Rabbit Congress, Rome, Italy, 2:166-173. C.F. Afifi and Emara (1988).
- Tag El-Din T.H. (1979). A comparative study of reproduction, mortality and body weight in White Baladi and Bouscat rabbits and their crossbred. M. Sci. Thesis, Fac. of Agric., Mansoura Univ., Egypt.
- Tag El-Din, I.H., Ibrahim, Z.M.K. and Oudah S.M. (1992). Studies on live body weight and litter size in New Zealand White, Californian, Baladi rabbits and their crossbreds in Egypt. *Option Mediterraneanes Series seminaries*, 17, 1992, 67-74.
- Tawfeek, M.I. (1993). Reproduction and growth performance of NZW rabbits as affected by mineral supplementation in pelleted diet. *Egyptian J. Rabbit. Sci.*, 3(2): 179-190.
- Tawfeek, M.I. and El-Gaafary, M.N. (1990). Evaluation of A.I. technique as compared to natural mating in association with some productive and reproductive traits in rabbits. *Egyptian J. Rabbit. Sci.*, 1 (1): 13-20.
- Tawfeek, M.I. and El-Gaafary M.N. (1991). Evaluation of A.I. technique as compared to natural mating in association with some productive and reproductive traits in rabbits. *Egyptian J. Rabbit. Sci.*, 1(1): 13-20.

- Tawfeek, M.I. and El-Hindawy, M.M. (1991). Reproduction and growth performance of NZW and Cal rabbits as affected by Supplementation with lacto-sacc during summer. *Egyptian J. Rabbit. Sci.*, 1 (2): 124-135.
- Tawfeek, M.I., El-Gaffary, M.N. and Abdel-Hamid, N.Y. (1994a). Effect of testosterone injection on pre-and post-sexual maturity in male rabbits. First International Conference on Rabbit production in Hot Climates, Cairo, Egypt.
- Tawfeek, M.I., El-Gaafary, M.N., Abd El Rahim, M.I. and Ahmed, S.A. (1994b). Influence of dietary citric acid and acidulated palm oil soapstock supplementation on growth response, nutrient utilization. Blood metabolites, carcass traits and reproductive efficiency of NZW rabbits. First International Conference on Rabbit Production in Hot Climates, Cairo, Egypt.
- Trojan, V. and Mach, K. (1980) Meat production of purebred and crossbred rabbits. *Acta Univ. Agric., Fac. Agron., Brno*, 28 (3-4): 403-408. (A.B.A., 50, no. 5767).
- Turner, H.N., and Young, S.S.Y. (1969). *Quantitive Genetics in Sheep Breeding* Macmillan, Melbourn, Australia. (C.F. Abd El Raouf(1993).
- Varewych, H., Lampo, P. Bouquet, Y. and Van Zeveren, A. (1987). Inheritance of carcass quality in broiler rabbits. *Vlaams Diergeneeskundig Tijdschrift*, 56(4): 348-358. (A.B.A., 56, No. 2209).
- Yamani, K.A., Dader, A.H. and Askar, A. (1991a) Non-genetic factors affecting rabbit production in Egypt. *Options Mediterraneanes Series seminaires*, 17, 1992, 159-172.
- Yamani, K.A., Daader, A.H. and Askar, A. (1992b). Effect of remating interval on the performance of rabbits production and reproduction. *Options Mediterranean Series seminars*, 17, 173-178.
- Yamani, K.A., El-Maghawry, A.M., Tawfeek, M.I., Soliman, A.M. and Farghaly, H.M. (1994). Evaluation of the performance of three meat rabbit breeds recently introduced to Egypt. I. Litter weight and related traits. First International Conference on Rabbit Production in Hot Climates, Cairo, Egypt. 286-296.
- Yamani, K.A., Abdel Aziz, S.E., Ibrahim, Z.A. and Rashwan, A.A. (1992a). Performance of growth and state of ossification centers used as reference points for the the broiler New Zealand White. *Egyptian J. Rabbit. Sci.*, 2(2): 107-122.
- Yamani, K.A., Gabr, H.A., Tawfeek, M.I., Ibrahim, Z.A. and Sedki, A.A. (1991b). Performance of breeding doe and their interrelationship with litter traits in rabbits *Egyptian. j. Rabbit. Sci.*, 1 (2): 106-123.
- Youssef, M.K. (1992). The productive performance of purebred and crossbred rabbits. M.Sc. Thesis, Faculty of Agriculture, Moshtohor, Zagazig University, Bahna Branch, Egypt.
- Zelnik, J. and Rafay, J. (1986). Meat production of Californian and New Zealand White rabbits at 84 days of age. *Vedecke Prace Vyskumneho Ustava Zivocisney Vyroby v Nitre* No 22:27-34. (A.B.A. 57:589).

- Zicarelli, L. and Lellac, T. Di. (1974). Rearing of rabbit for meat: mortality, morbidity, weaning weight and 11-weeks body weight as related to litter size. *Acta Medica Veterinaria*, 20, 5/6: 317-332. (A.B.A. 44:2923).
- Zimmermann, E., Jainter, J. Dempfle, L. and Zika, B. (1988). Relation between litter size (number weaned) and later body weight gain in the New Zealand White rabbit. 4th World Rabbit Congress, Boudapest, Hungary, 10-14 October, 209-215.
- Zoccarato, I., Benati, G., Pagano, G.T. and Lazzaroni, C. (1990). A population of grey rabbits for conservation: three years of observations *Rivista di Coniglicoltura*, 27 (3): 41-45. (A.B.A. 58: 4764).
- Zucchi, P. and Desalvo, F. (1985). Analysis of the effects of litter size on body weight. *Rivista di Coniglicoltura*, 22(9): 53-56 (A.B.A. 54: 4783).
- Zucchi, P. and Desalvo, F. (1988). The performance of breeding females in relation to parity. *Rivista di Coniglicoltura*, 25 (3): 45-47. (A.B.A. 56: 4711).
- Zupka, Z., Prochazka, J., Sustk, J., Moudry, I. (1978). Carcass analysis of broiler rabbits weighing 1.5-3.0 kg. *Acta Universitatis Agriculturae, Facultas Agronomica, Bino*, 16(3): 161-188.