

LITERATURE CITED

- Abramenko, N. M. (1983)** : A rapid method of strawberry propagation by meristem culture *in vitro*. In progresivni semery Vovocnarske vyrobe Holovousy, Czechoslovakia; vyzumny a slechtitelsky ustav ovocnarsky 209 - 212. (Hort. Abstr. , 53 : 5775).
- Amin, M. N. and V. S. , Jaiswal (1987)** : Rapid clonal propagation of guava through *in vitro* shoot proliferation on nodal explants of mature trees. Plant cell, Tissue and Organ culture. 9 (3) 235 - 243 (Hort. Abst. 57 : 9028).
- Antonelli; M. , and A., Chiariotti (1988)** : *In vitro* rooting of different peach genotypes. Acta Horticulture 227: 414-417.
- Atanasov, A. I. ; L. KR, Dorosifv, " T. stanova; S. Pandeliev, and V. Kovachev, (1986)** : Determination of suitable nutrient media for grapevine micropropagation. Genetika selektsiya 19 (5) : 398 - 399. (Hort. Abst. 57 : 4160).
- Athanasios, S. (1987)** : Light treatments to improve efficiency of *in vitro* propagation Systems. Hort Science, 22 (5) 751- 754 .
- Atkinson, D. ; C. M., Crisp and S. E., Wiltshire (1986)** : The effect of medium composition on the subsequent initial performance of micropropagated strawberry plants. Acta Horticulture No. 179 (Vol. 11), 877 - 878. (Hort. Abst. 57 : 1785).
- Badawi, M. A.; M, Alphonse; A. Z, Bondok and J. A., Hosni (1990)** : Propagation of some strawberry cultivars by means of tissue culture techique. Egyptian Journal of Horticulture 17(1) 9-16.

- Bajaj, Y. P., S. and W. D., Collins (1968) : Some factors affecting the *in vitro* development of strawberry fruits. American society for Horticulture Science. Vol. 93 : 326 - 333.
- Barlass, M. and K. G. M., Skene (1978) : *In vitro* propagation of grapevine (*Vitis vinifera* L.) from fragmented shoot apices. Vitis 17:335 - 340. cited from Handbook of plant cell culture, Krul, W. R.; Mowbray, G. H. (1984) . Vol. (2) : 396-427.
- (1980) : Studies on the fragmented shoot apex of grapevine, II. factors affecting growth and differentiation *in vitro*. J. EXP. Bot. 31: 489 - 495. (Hort. Abst., 51 : 8197).
- and P. R., Clingeffer (1981) : studies on the fragmented shoot apex of grapevine. III A scanning electron microscope study of adventitious bud formation *in vitro*. Journal of Experimental Botany. 32 (130) : 1079-1083.
- (1982) : A scanning electron microscope study of adventitious bud formation in the grapevine. Tokyo, japan ; Japanese Association for plant tissue culture 159-160.
- Boxus, P. (1974) : The production of strawberry plants by *in vitro* micropropagation. Journal of Horticultural Science 49(3) : 209-210(Hort. Abstr. 45, 5728).
- (1981) : Commerical production of strawberry plants produced by meristem culture and micropropagation. Colloquies Scientifiques No. 15,283-322. (Hort. Abstr. 53 : 7669).
- Chee, R. and R.M., Pool (1979) : Oranogenesis by buds of *Vitis vinifera* plants grown *in vitro*. Annales de l'Ametioration des plants. 29(3) 311-323. cited from Handbook of plants cell cultures, krul, W.R. Mowbary, G.H. (1984) vol. (2):396-427.

- Chee, R. and R.M., Pool (1982) : The effects of growth substances and photoperiod on development of shoot apices of vitis cultured *in vitro*, Sci. Hortic. 16:17-27 (cited from Handbook of plants cell culture, krul, W.R., Mowray, G.H. (1984) vol. (2) : 396-427.)
- (1983) : *In vitro* vegetative propagation of vitis : application of previously defined culture conditions to a selection of genotypes. Vitis 22:363-374.
- (1989) : Sucrose and NAA influence growth of subcultured shoots *in vitro* production of roots in vitis. Hortscience 23(4) : 776.
- Ciccotti, A.M. (1981) : Micropropagation of Vitis vinifera. Cultivars Muscat d'Hambourg and Piont Blanc. Minchel oll' Adige 11.73-81. (C. F. Hort. Abst., 54:8999).
- Choi, S.Y.; J.S., OH; J.Y., Kim; D.M., PAK; S.B., Lee; and D.V., Choi (1992) : Studies on the grape meristem culture *in vitro*. 1. factors affecting culture establishment and shoot proliferation of kyoho and S. 9110 grape varieties by meristem culture *in vitro*. Research Reports of the Ruaral Development Administration, Biotechnology 34(2) : 1-9 (C. F. Hort. Abst., b3:7426).
- Cholvadova, B. (1989) : Cultivating of meristem cultures of the grapevine. Acta Facultatis Rerum Naturalium Universitatis Comenianae Physiologia Plantarum. No. 24, 31-44.
- Choudhary, ML. (1991) : Vegetative propagation of carnation *in vitro* through multiple shoot development. Indian Journal of Horticulture. 48(2): 177-181.

- Christensen, M. (1975) : Meristem culture of strawberry. Tidsskrift for planteavl 79(4) 429-432. (Hort. Abst. 46 : 5).
- Dalal, M.A. ; B.B., Sharma and N. Gupta (1993) : Seasonal variation in phenol level of shoot tips and its relation with explant survival in grapevine (*Vitis vinifera*) culture initiated *in vitro*. Indian Journal of Agricultural Sciences 63(2) 75-79. (Hort. Abst., 64.3496).
- Damiano, C. (1977) : Vegetative growth of strawberry plantlets originating from *in vitro* culture. Frutticoltura (29)(2) : 3-7(Hort. Abst. 4.7:9239).
- (1980) : Strawberry *in vitro* culture. Annali-dell, Instituto-Sperimental-per-Lafrutticoltura. 11,33-42. (Hort. Abst., 1984, vol. 51:3522).
- Dimitrova-Izvorska, N. (1982) : Effect of gibberellic acid (GA_3) on growth and organ formation in isolated tissues of various plants species. Fiziologiyana Rastenyata 8(1) : 58-63. (Hort. Abst. 52:6473) .
- Duncan, D.B. (1955) : Multiple range and multiple F tests. Biometrics 11: 1-42.
- Fanizza, G.; O.A.Tanzare; G. Carrozzo, and B.Greco (1984) : Influence of vitis source on *in vitro* shoot apex cultures. Ann. Applied Biol. 104: 577-578.
- Gabr, M.F. and B. Tisserat (1985) : Propagation palms *in vitro* with special emphasis on the date plam Phoenix dactylifera L. Scientia Hort. 25(3):255-262.
- Ghena, N. and T., Coman (1978) : Influence of strawberry plants grown *in vitro*. Production vegetala, Hrticulture 27 (1): 23-27. (Plant Breed. Abstr. 48 : 5896).

- Golodriga, P-ya ; VA, Zlenko Ryff, II ; RG, Butenko ; BA, Levenko ; IP, Pankin (1985)** : Technology of rapid reproduction of grape varieties by means of isolated tissue culture. Sel'skokhoz Yaistven-naya Biologiya. No. 3,62-66.
- Goussard, P.G. (1981)** : Effects of cytokinins on elongation, proliferation and total mass of shoots derived from shoot apices of grapevine culture *in vitro*. Stellenbosch University, Stellenbosch 7600, South Africa. Vitis 20(3): 228-234.
- **(1982)** : Morphological responses of shoot apices of grapevine cultured *in vitro*. Effects of cytokinins in routine subculturing. Vitis 21(4): 293-298.
- **(1987)** : Anatomical responses to cytokinins of abscised grapevine shoot apices cultured *in vitro*. South African Journal for Enology and viticulture, 8:2,53-59.
- Gray, D.J. and C.M., Benton (1990)** : micropropagation and plant establishment of Muscadine grape. proc. Fla. State Hort. Soc. 103:300- 302.
- **(1991)** : *In vitro* micropropagation and plant establishment of Muscadine grape cultivates (*Vitis rotundifolia*). Plant cell, Tissue and organ culture. 27(1): 7-14.
- **and C.M., klein (1987)** : *In vitro* shoot micropropagation and plant establishment of "Orlando seedless" grape and "Tampa" rootstock. Proceedings of the Florida State Horticultural Society. 100, 308-309
- **and C.M., klein (1989)** : *In vitro* micropropagation and plant establishment of "Blanc du Bois" grape. proceedings of the Florida State Horticultural Society. 1989. 102, 221-223.

- Hagagy, N. AA. (1992)** : Comparative studies on the effect of cytokinins and cytokinin-like substance on growth index of banana (Williams cv.) via tissue culture techniques. *Annals of Agric. Sci. Moshtohor.* 30 (3) : 1369-1378.
- Hammerschlag, F.A. (1982)** : Factors influencing *in vitro* multiplication and rooting of the plum rootstock Myroblan (Prunus cerasifera Ehrh.). *J. Amer. soc. Hort. Sci.* 17 (1): 44-47.
- Hanke, V. (1992)** : Effect on cultural condition of micropropagated strawberry plants. *Erwerbsobst bau* 34(7) 190-194. (Hort. Abst., 1993 vol. 63 No. 1831).
- Harris, R.E. and J.H., Stevenson (1979)** : Virus elimination and rapid propagation of grape *in vitro*. *Proc. Int. Plant Prop. Soc.* 29: 95-108. Cited from Handbook of Plant Cell Culture, Krul, W.R.; Mowbray, G.H. (1984) vol.(2): 396-427.
- **(1982)** : *In vitro* propagation of vitis. *Vitis* 21: 22-32.
- Hartl, D. and S., Jelaska (1989)** : Microcloning of cultivars Pinot Gris and Ugni Blanc. *Poljvredna Znanstvena Smotra* 54(1-2): 63-70 (C. F. Abst., 60 : 5047).
- Hasegawa, P.M.; T., Muraashige, and F.H., Takatori (1973)** : propagation of asparagus through shoot apex culture. II-light and temperature requirements, transplantability of plants and cyto-histological characteristics. *J. Amer. Soc. Hort. Sci.* 98(2): 143-148.

- Hicks, G.S. and M. , Dorey (1988) : Shoot multiplication, growth and adventitious rooting in three cultivars of vitis *in vitro*. Proceedings of the Nova Scotian Institute of Science. 38(2): 83-89.(Hort. Abst., 60 : 1663).
- Hoof, P. van (1974) : A practical method of strawberry meristem culture. Method pratique de culture de meristemes de fraisiers. Bulleim de la Societe Royale de Botanique de Belgique 107(1) 5.8. (Hort. Abst., vol 45 No.1,7199).
- Hunter, S.A.; M.J. Foxe and M.J. Hemmerty. (1982) : Factors affecting the micropropagation of the strawberry. International Society for Horticultural Science Vol.: 1. Abstract No. 1122.
- Hussey, G. (1980) : *In vitro* propagation. Ingram D.S. and Halgenn J.P. Tissue culture method for plant pathology pp. 52-61.
- Hwang, G.H. and S.K., kim (1990) : The effects of plant growth regulators on *in vitro* growth of differentially chilled grape shoots. Journal of the Korean Society for Horticultural Science. 31(2) : 142-149. (Hort. Abst., 61:10865).
- Jako, N. (1986) : Elimination of leaf-roll virus in Pinot Noir and Merbt by apex culture. Connaissance de la Vigne et du Rin. 20(2) : 77- 86 (Hort. Abst., 56 : 9585).
- James, F. H. (1984) : Micropropagation of Northern spy apple rootstock. Proc. the inter plant. propagators. Soc. 34 : 38-48.
- James, D.J. and B. Newton (1977) : Auxin cytokinin interactions in the *in vitro* micropropagation of strawberry plants. Acta Hort., 78 : 321-331.

- Jona, R. and K.J. Webb (1978)** : Callus and axillary bud culture of *Vitis vinifera* "Sylvaner Riesling". *Scientia Hort.* 9 :55-60 .C.F. (J.Amer. Soc. Hort. sci. 115(2) : 324-329. 1990).
- **and R. Vallenia (1980)** : Stem elongation and root initiation in proliferation shoots of *Vitis vinifera*, P. 313-315. Inf. sala, B. Parisi, R. cella, and O. ciferri (eds) plant cell culture .
- Junior, A.M. and J.A. Peters, (1991)** : *In vitro* culture of plum : effect of indole-3-butric acid, type of jump and intensity of light on rooting. *Revista Brasileira de Fisiologia Vegetal* 3(1) : 57-61. (Hort. Abst. 64 : 171).
- Kacharmazov, V. and N. Izvorska. (1974)** : Strawberry runnertip meristems for the production of virus free plants. In *Virusni Bolesti po Rastenihyata*. Sofia, Bulgaria : Izdatelstvo BAN. 25-31 (Hort. Abst. 46 : 6., 1035).
- Kartha, K.K.; N.L. leung, and K. Pahl (1980)** : Cryopre servation of strawberry meristems and mass propagation of plantlets. *Journal of the American society for Horticultural Science* 105 (4) : 481-484.
- Katano M.; Y. Kenda and H. Kurihara (1988)** : Shoot tip of species of herbaceous and woody plants on different media, Report of the Kyushu Branch of the Crop Science Society of Japan 55,56-61.
- Kozai, T; K, Iwabuchi; K., Watanabe and L., Watanabe (1991)** : Photoautotrophic and photomixotrophic growth of strawberry plantlets *in vitro* and changes in nutrient composition of the medium. *Plant-cell, Tissue and organ culture*. 25:2, 107-115.
- Kondakova, V.V. Kachermazov and R. Khristov. (1983)** : Effect of different nutrient media on organogenesis in strawberry tissue culture. *Gradinarskai lozarska Nauka* 20 (6) 61-64.

- Kuhne, V. ; S., Gennerich; B., Hennig and V., Hanke (1988) : Possibilities of improving *in vitro* rooting in pome and stone fruits. Gartenbau. 35 : 6 , 180-182; 8 ref., 3 pl.
- Kurol, I. and Y., Savado (1985) : Suitable concentrations of α -naphtalene acetic acid, and 6-benzylaminopurine for apex culture of axillary buds of graperine cv. Kyoho. Journal of the Japanese Soc. Hort. 54(1) : 1-8. (Hort. Abst., 57:3274).
- Lane, W.D. (1979) : *In vitro* propagation of Spirea bumalda and Prunus cistena from shoot apices. Can. Jour. Plant Sci. 59 :1025-1029.
- Lee, E.C.M. and R.A. de fossard (1977) : Some factors affecting multiple bud formation of strawberry (Fragaria x ananassa Duchense) *in vitro*. Acta Hortic. 78:187-195.
- Lee, J.B. and Y.R. Kim (1979) : Shoot formation in tissue culture of petiole and leaf blade segments of strawberry. Studies from the institute of Horticulture, Kyoto University 9:78-82. (Hort. Abst. 51:2493).
- and M.O. Park (1980) : Organ formation on axillary buds of strawberry *in vitro* culture.I. effect of BA, NAA and 2,4-D on the formation of shoot and callus from axillary buds *in vitro* culture. Journal of the Korean Society for Horticultural Science 21(1) : 13-17. (Hort. Abst. 52 : 3678).
- Lee, N. and Wetzstein, HY (1990) : *In vitro* propagation of muscadine grape by axillary shoot proliferation. Journal of the American Society for Horticultural Science, 115 : (2) 324-329.
- and H.E. sommer (1986) : The effect of agar vs, liquid medium on rooting in tissue cultured sweetgum. HortScience 21:317-318.

- Lewandowski, T.V. (1991)** : Rooting and acclimatization of micropropagation *Vitis labrusca* "Delaware". HortScience 26 (5) : 856-589.
- Linsmaier, E.M. and F. Skoog. (1965)** : Organic growth factor requirements of tobacco tissue cultures. Physiol. Plant 18:100-127.
- Lezoya Saldana, H (1992)** : Photoperiod, gibberellic acid, and (Kinetin, in potato flower differentiation *in vitro*. American Potato Journal. 69:4, 265-274.
- Luneau, D.; P.D. Gouache and E. Parisot. (1990)** : the multiplication of strawberry in Reunion - part 1: the hardening off young strawberry plants produced by micropropagation. Fruits (paris) 45 (5) 521-526. (Hort. Abst. 62:1).
- Macovel, A. (1979)** : Obtention of virus free strawberry plants by means of heat treatment and meristem culture. Analele Institutului de cercetari pentru protectia plantelor 15, 43-50. (Hort. Abst. 52: 142).
- Maliarcikova, V. and j, Ivanicka (1975)** : Studies on apical meristem culture. Sbornik Uvll, Zuhra inictuf 5 (2) 105-110. (Hort. Abst. 47 : 1290).
- (1981) : Production of strawberry plants by meristem culture. Vdecke prace vyskumneho ustavu ovocnych. a okrasnych Drevin V Bojioniciach 3, 109-115. (Hort. Abst. 53:4933).
- (1981) : Obtaining strawberry plants by the method of meristem culture. Vedecke prace op SEMEX vuood V Bojinciach No. 3, 111-15. (Plant Breed Abstr. 54:1746).
- Marcotrigiano, M.; H. J. Swartz; S.E. Gray; Tokarcik, and J. Popenoe (1984)** : The effect of benzylaminopurine on the *in vitro* multiplication rate and subsequent field performance of tissue culture propagated strawberry plants. Advances in strawberry production 3 (spring) 23-25. (Hort. Abstr. 56:7638).

- Mokra, A. (1988) : Effect of light at individual stages of strawberry micropropagation. Vedecke prace vyskumneho-ustavu-ovocnvch-okrasnych-Drevin-v-Bojniciach. 7. 155-162 (Hort. Abst. 1989 059-03719).
- Monette, P.L. (1988) : grape vine (*Vitis vinifera* L.) in Biotechnology in agriculture and forestry vol. 6 pp. 3-22ed by Y.P.S. Bajaj. Springer verlage.
- Morini S., Muleo; Sciutt and fortuna (1993) : Relationship between evolution of CO₂ and growth of plum shoot tips cultured *in vitro* under different light (dark Vegimes). Physiologia Plantarum 87:(3),286-290.
- Murashige, T. (1973) : Nutrition of plant cells and organs *in vitro*. *In vitro* vol. 9 No. 2.
- (1974) : Plant propagation through tissue culture Annu. Rev. Plant Physiol. 25 : 135-166.
- Naumann, W.D. and D. seilpp (1986) : Cropping performance of the progeny of strawberry mother plants from tissue culture (meristem plants) compared with conventionally propagated plant material. Obstbau, 11:1, 16-19.(Hort. Abst. vol. 56 : 9557).
- Nishi, S. and K. Oosawa (1973) : mass production method of virus-free strawberry plants through meristem callus. Japan Agr. Res. Quart 7:189-194.
- Norton, CR; ME, Nortan and T., Herrington (1988) : Light quality and the control of shoot length in woody ornamental plants grown *in vitro*. Acta Horticulture. No 227, 453-456. International symposium on vegetative propagation of woody species, pisa, Italy. 3-5 sep. 1987.

- Novak, J and Z. Juvova (1982) : Clonal propagation of grapevine through *in vitro* axillary bud culture. Scientia Hort. 18 (3) : 231-240.
- Nyman, M. and A., Wallin (1988) : Plant regeneration from strawberry (*Fragaria X ananassa*) mesophyll protoplasts. Journal of Plant Physiology. 133:3, 375-377.
- Oasawa, K. T. Kuriyama and Y. sugahara (1981) : Clonal multiplication of vegetatively propagated crops through tissue culture 1. Effective balance of auxin and cytokinin in the medium and suitable explant parts for mass production of plantlets in strawberry, garlic, scallion onion, yam and taro. Bulletin of the vegetable and Ornamental Crops Research Station, A (Ano, Mic) No.9, 46.
- Petrovic, D. and M. Jacimaic- Plavsic (1990) : Propagation of the strawberry cultivar Senga sengana by *in vitro* meristem culture. Razmnozavanje jagode cv. denga sengana metodom culture meristema *in vitro*. Nauka upraksi 20 (1) 11-18 (Hort. Abst. 66 : 3, 382).
- Pillai, S.K. and Hildebrandt, A.C. (1969) : Geranium plants differentiated *in vitro* from plant Dis. Repr, 1968, 52 : 600 -1 (Hort. Abst. 39 : 3134)
- Popov, Yu.G. and V.G. Trushechken (1972) : raising strawberry plants by means of isolated shoot tips. Sbortnik Nauchnykh Rabot, Nauchno-Issledovatel skii Zonalnyi Institut sadovodstva Nechemozemnoi polosy 4, 184-194. (C. F. Hort. Abstr. 45 : 175).
- (1974) : Meristem culture of strawberry affected by virus diseases ,sel'skohozy aistvennaya Biologiya 9 (5) 694-697. (Hort. Abst. 45 : 3041).
- (1977) : A rapid method of strawberry propagation by apical meristem culture. sel's kokhozyasistvennaya Biologiya 12(1) : 45-47 (Hort. Abstr. 47 : 9238).

- Popov, Yu.G. and A.S. Razkin (1979) : the use of meristem culture in breeding strawberries . In Tkanev. I kletoch. kul'tury V selektsii rost. Moscow, USSR. 115 - 123 . (plant Breed. Abstr. 50 : 10743).
- Pottino, B. G. (1981) : Method in plant tissue culture Department of Hort. Maryland Agric. College, Maryland Univ. , College park , Maryland , U.S.A. , 8 - 29.
- Radojevic, L. and A. Subotic (1992) : Plant regeneration of *Iris setosa* Pall through somatic embryogenesis and organogenesis. Journal of plant Physiology. 139:6, 690-696.
- Rajasekarn, K. and M.G., Mullins (1981) : Organo genesis in internode explants of grapevines, *Vitis* 20 (3) : 218 - 227.
- Rathore, TS; RP, Singh; NS, Deora and NS, Shekhawat (1992) : Clonal propagation of *Zizyphus* species through tissue culture. Scientia Horticulturae. 51-1, 165-168.
- Reisch, B.I (1986) : Influence of genotype and cytokinins on *in vitro* shoot proliferation of grapes. J. Amer. Soc. Hort. Sci. 111(1) : 138 - 141.
- Rizk, L.A. and T. Nasr El-Din (1991) : Micropropagation of some grape vine cultivars (*Vitis vinifera*) Egypt. J. Appl. Sci. 6(8) 175-185.
- Rosati, P.,G. Marino and C.S. Zewski, (1980) : *In vitro* propagation of japanese plum (*Prunus salicina* lindi cv. calita). J. Ame. Soc. Hort. Sci. 105 (1):126-129.
- Safadi, F.R. and Abu. Irmalieh, B.E. (1987) : Shoot propagation of the grapevine rootstock 1103 p through tissue culture . Dirasat, V. 14 (2) p. 89-97.

- Sarwar, M. (1989) : The role of medium composition and light intensity on *in vitro* root formation of strawberry. Pakistan Journal of Botany 21(1) 24-30.
- Scoit, J.N. and E.G., Sutter (1990) : Stability of IAA and IBA in nutrient medium to several tissue culture procedures. HortScience, Vol. 25 (7) : 800 -802.
- Singh, A.K. Siarma, B.B., Biarma and R.M., Pandey (1990) : Post *in vitro* performance of grape plants. Indian Journal of Horticulture. 47(2) : 159-161 (Hort. Abst. , 61 : 6775).
- Skene, K.G.M.; M., Barlass (1981) : Micropropagation of grapevine. Combined Proceedings, International Plant Propagators. Society 1980, Publ. 30 : 564-570.
- Skene and Barlass, M. (1982) : Micropropagation of grapevine. Int plant prop. Soc. Proc. 32. Cited from Handbook of plant cell culture, Krul, W.R. ; Mowbray, G.H. (1984) vol. (2) : 396-427.
- Sobezykiewicz, D. (1981) : Heat treatment and meristem culture for the production of virus free strawberry plants. 79-82 Research Institute of pomology and floriculture, 96-100 skierniewice, poland. (Hort. Abstr. 51 : 2261).
- Srinivasan, C and M.G., Mullins (1978) : Control of flowering in the grapevine (Vitis vinifera L.). Plant Physiology 61(1) : 127 -130.
- Stamp, JA; Sm, Colby; and CP, Meredith (1990) : Improved shoot organogenesis from leaves of grape. J. Ame. Soc. Hort.Sci. 115 : 6, 1038-1042.
- Steel, R.G.D. and J.H., Torrie (1960) : Principles and procedures of statistics. Mc Graw-Hill Book company, Inc. U.S.A. pp. 448-449.

- Sudarsona, M.R. and R.G., Goldy (1991)** : Growth regulator and axillary bud position effects on *in vitro* establishment of *Vitis rotundifolia* HortiScience 26 (3) : 304-307.
- Tabachink, K. and D.E. Kester (1977)** : Shoot culture for almondpeach hybrid clones *in vitro*. Hort. Science 12:545-547.
- Trushechkin, V.G. ; SH. M. Tutunova and Yu. G. Popov (1972)** : Improving methods of cultivating strawberry plants from isolated apical meristem. Hort. Sci. 11 : 543 - 545.
- Ventesy, J. (1976)** : Virus elimination from certain strawberry cultivars by apical meristem culture. Gyumolcstermectes, 3, 153-159. [Cited from Hort. Abstr. 45 : 7302, 1977].
- Vilaplana, M. and Mullins, MG (1989)** : Regeneration of grapevines (*Vitis* spp). *in vitro* : formation of adventitious buds on hypocotyls and cotyledons of somatic embryos. Plant Physiology. 134 : 4, 413-419.
- Waithaka, K ; A.C. Hildebrandt and M.N. Dana (1980)** : Hormonal control of strawberry axillary bud development *in vitro*. J. Ame Soc. Hort.Sci. 105 (3) : 428 - 430.
- (1992) : Micropropagation techniques and the production of pathogen-free plants . In Biotechnology; enhancing research on tropical crops in Africa (edited by thotla pp'lly, G; Monti, L; Mohan Raj, D.R. Moore, A.W.) Wageningen, Netherlands technical center for Agricultural and Rual cooperation 183-188 ISBN 978-131-090-1.
- Werner, E.M. and A.A. Boe (1980)** : *In vitro* propagation of Malling 7 apple rootstock. HortScience 15 : 509-510.
- White, P.R. (1943)** : A handbook of plant tissue culture. The Jaques Cattell Press, Inc., Tampa, Arizona.

Wickremasinghe, A.I. and K., Fernando (1988) : *In vitro* propagation of strawberry plants (*Fragaria Vesca* cv. Kendall). Tropical Agriculturist. 144, 53-59.

----- (1990) : *In vitro* propagation of strawberry plants tropical Agriculturist (1988 publ. 1990) (144) 53-59.

Yae, B.W. Y.V., Shin; D.S., kang; D.K., Lee; K.S., Choo; J.Y., Moon and J.S., Hwang (1990) : Factors affecting lateral shoot proliferation in grapevine cv. "Rizamat" *in vitro*. Research Reports of the Rural Development Administration, Horticulture 32 (3) : 34-41 (Hort. Abst. 63:1848).

Yehia, M.M. (1986) : Successful procedure for shoot regeneration from callus derived from nucellar explant and immature embryo tissue of Williams and Conference pear. HortScience, vol 21:(3) (1).

Zatyko, J.M. and I., Molnar (1985) : Preliminary results on the *in vitro* mass propagation of grape from shoot tip meristem. Friut Science Reports 12(3) : 83-85. (Hort.Abst. 56:4100).

المراجع العربية :

١- نشرة قسم الإقتصاد الزراعى بوزارة الزراعة وإستصلاح الأراضى المصرية عام ١٩٩٣ .