

REFERENCES

REFERENCES

- Aaij, C; and Borst, P; (1971): The gel electrophoresis of DNA. *Biochimica et Biophysica Acta*, 269:192-200.
- Abd-El-Aal; K. S; (1992): Sequences repetition of dicotyledon plant on microbial genetic reper. Ph.D.Thesis. Bot. Dept. (Genetics). Fac. of Agric. Al-Azhar Univ.
- Adler, I. D. (1983): Cytogenetic tests in Mammals. In *Mutagenicity testing*, Venitt, S; and Parry, J. M; (Eds) Swansea SA28pp, UK, 275- 305.
- Ahmed, M. M. M. (1995): Isolation of growth hormone gene from ducks. M.Sc. Thesis. Dept. Animal Breeding, Faculty of Agr. Cairo, Univ.
- Agarwal, S. K; Cogburn, L. A; and Burnside, J; (1995): Comparison of gene expression in normal and growth hormone receptor-deficient dwarf chicken reveals a novel growth hormone regulated gene. *Biochem. Biophys Res. Commun.*, 206: (1) 153-160.
- Ahmed Nagwa, A; Riad, S. A; Ali, A. M. M; El-Wardany, A.E; and Ali B.A; (1994): Effect of introducing duck and turkey DNA on embryonic development of fayoumi chicks. *Egyptian J. Anim. Prod. Supplement* 31: 587-599.
- Ali, A. M. M; (1999): The role of genomic DNA and introns in gene transfer. *Int. J. Biotechnology*. Under publication.
- Ali, A. M. M; Abd-El-Halim, M. M; Sayed, A. I. H; and Abed El-Aal, S.K.H; (1988): The role of eukaryotic repetitive DNA sequences in frameshift mutants repair. *Bull. Fac. Of Agric. Cairo univ.*, 39: 639-646.
- Ali, A. M. M; and Hafez, F. M; (1991a): Comparative studies for the efficiency different direct transformation methods using two different *Sacchaomyces cerevisiae* geotypes as recipients. *Egypt. J. AppL.*, 6 (10): 28-33.
- Ali, A. M. M; and Hafez, F. M; (1991b) The efficiency of electroporator simple model in transformation of yeast. *Egypt. J. Appl. Sci.*, 6(12): 320- 324.

- Ali, A. M. M; Kosba, Z.A ; Kash, K.S; El-Adl, A. M; and Saied, K.A;(1991): Yeast hybrid Vigour. III resistance to high temperature. J.Agr. Sci. Mansoura univ. 16: 547-563.
- Ali, B. A; (1995): Effect of foreign DNA on genetical and cytological chicken embryo characters.M.Sc., Thesis, Animal Prod. Dept., Fac. Agric., Cairo, Univ.,
- Amit, T; Hochberg, Z; and Barkey, R.J; (1993): Influence of magnesium on detection of somatogenic and lactogenic components of growth hormone -binding protein in mammalian sera. Bioch. J. 293 (2) 345-349.
- Andreason, G.I; and Evans, G.A (1988): Introduction and expression of DNA molecules in eukaryotic cells by electroporation. Biotechniques. 6(7) 650-660.
- Anthony, N. B; Emmerson, D.A; Nestor, K. E; and Bacon, W. L; (1991): Comparison of growth curves of weight selected populations of turkeys, quail and chicken. Poultry Science, 70: 13-19.
- Anthony, N. B; Nestor, K.E; and Bacon, W.L; (1986): Growth curves of japanese quail as modified by divergent selection for 4- week body weight. Poultry Science, 65:1825- 1833.
- Anthony, N. B; Vasilatos-Younken, R; Emmerson, T.E; Nestor, K.E; and Bacon, W. I. (1990) Pattern of growth and plasma growth hormone secretion in turkeys selected for increased egg production. Poultry Science, 69: 2057- 2063.
- Anthony, N. B; Wall, C. W; Emmerson, W.L; Bacon, W.L; and Nestor, K.E; (1993): Divergent selection for body weight and yolk precursor in *Coturnic coturnix japonic*.9. Evaluation of traits associated with on sect of sexual maturity. Poultry Science, 72: 2019-2029.
- Archer, J. S; Kennan; W. S; Gould, M. N; and Bremel, R. D; (1994): Human growth hormone (hGH) secretion in milk of goats after direct transfer of the hGH gene into the mammary gland by using replication- defective retrovirus vectors. Proc. Natl. Acad. Sci. USA. 91, pp 6840-6844.
- Barta,A;Richards, R.I; Baxter, J. D; Shina, J; (1981): Primary structure and evolution of rat growth hormone gene. Proc. Nat. Acad. Sci. USA, 78 (8): 4867-4871.

- Bechtel, P.J; Mckeith, F. k; Easter, RA; Novakofski, J; McLaren, D. G, (1988):Modification of carcass composition by repartitioning Proc. Meeti "Pig carcass and meat quality" Reggio Emilia, 2-3 june, Universita di Bologna, 61-72.
- Beermann, D. H; Boyd, R. D; (1992): Recent developments in the use of exogenously administered peptides and polypeptides to influence animal growth. In "The control of fat and lean deposition" Butterworth Heineumann, OX ford, 249- 275.
- Behboodi, E; Anderson, G. B; Horvat, S; Medrano, J. F; Murray, J. D; and Rowe, J. D; (1993): Microinjection of bovine embryos with a foreign gene and its detection at the blastocyst stage. J. Dairy Sci. 76: 3392-3399.
- Bendich, A. J; and Bolton; (1967): Relatedness among plants as by the measured DNA agar technique. Plant physiol. 42:959-967.
- Bentham, J; Ohlsson, C; Lindahl, A; Isaksson, O; and Nilsson, A; (1993): A double-staining technique for detection of growth hormone and insulin-like growth factor-1binding to rat tibial epiphyseal chordocytes. J. of End. 137(3): 361-367.
- Ber, R.; and Daniel, V; (1992): Structure and sequence of the growth hormone encading gene from *Tilapia nilotica*. Gene. 113(2): 245-250.
- Biryge, C.A; peak, G. T; Mariz, I. K; and Daughaday, W. H; (1967): Radioimmunoassayable growth hormone in the rat pituitary gland effects of age sex and hormonal state. Endocrinology, 81: 195.
- Bitgood, J. J; and Shoffner, R. N; (1990): Cytology and cytogenetics. In: Poultry Breeding and Genetics, Crawford, R. D; (Ed). Elsevier, Amsterdam, page 401- 427.
- Blobel, G; and Potter, V. R; (1966): Nuclei from rat liver: Isolation method that combines purity with high yield. Science, 154: 1662- 1665.
- Bloom, S. E; Delany, M. E; and Muscarella, D. E; (1993): Constant and variables features of avian chromosomes. In: Manipulation of the avian genome, Gibbins, A. M; and Etches, R. J., (Eds), pp. 39-59, CRC Press, Boca, Raton.

- Bondioli, K. R; and Wall, R. J; (1998): Transgenic livestock. In: Agricultural Biotechnology, Altman, A; (Ed) Marcel Dekker, Inc. New York. Basel. Hong Kong, pp. 453- 471.
- Bosselman, R. A; Hsu, R.Y; Boggs, T; Hu, S; Bruszewski, J. S; Kozar, L; Martin, F; Green, C; Jacobsen, F; Nicholson, M; Schultz, J. A; Semon, K. M; Rishell, W; and Stewart, R. G; (1989a): Germline transmission of exogenous genes in chickens. *Science*. 243: 533-535.
- Bosselman, R. A; Hsu, R.Y; Boggs, T; Hu, S; Bruszewski, J. S; Kozar, L; Martin, F; Green, C; Jacobsen, F; Nicholson, M; Schultz, J. A; Semon, K. M; Rishell, W; and Stewart, R. G; (1989b): Replication-defective vectors of reticuloendotheliosis virus transducer exogenous genes into somatic cells of the unincubated chicken embryo. *J. Virology*, 63 (6): 2680-2688.
- Bosselman, R. A; Hsu, R.Y; Boggs, T; Hu, S; Bruszewski, J. S; Kozar, L; Martin, F; Green, C; Jacobsen, F; Nicholson, M; Schultz, J. A; Semon, K. M; Rishell, W; and Stewart, R. G; (1990): Germ line transmission of exogenous genes in the chicken following microinjection of embryos with a non-replicating retrovirus vector. *Transgenic Models in Medicine and Agriculture*, pp 21-32.
- Bosselman, R. A; Hsu, R.Y; Briskin, M. J; Boggs, T; Hu, S; Nicholson, M; Souza, L. M; Schultz, J. A; Rishell, W; and Stewart, R.G; (1991): Transmission of exogenous genes into the chicken. *J. Reprod. Fert. Suppl*, 41: 183-195.
- Brant, J. W. A; (1952): A review of literature on chromosome studies of fowl. *Poultry Sci*. 31: 409-417.
- Brem, G; (1993): Biotechnology. In *Transgenic Animals* (Rehm, H. J; and Reed, G. eds) Weinheinn. New York.
- Bresler, M; Behnam, G; Luke L; and Simkiss, K; (1994): Manipulations of germ -cell populations in the gonad of the fowl. *British Poultry Science*, 35: 241-247.
- Brishin, M. J; Hsu, R. Y; Boggs, T; Schultz, J. A; Rishell, W; and Bosselman, R. A; (1991): Heritable retroviral transgenes are highly expressed in chickens. *Proc. Natl. Acad. Sci. USA*. 88:1736-1740.

- References
- Burke, W.H; and Marks, H. L; (1984): Growth hormone, Thyroxin and Triiodothyronine levels of japanese quail selected for four-week body weight.
Poultry Sci. 63:207-213.
- Busch, H; (1967): Isolation and purification of nucleic. Intl. Grossman I and Maldave, K; (Eds). Methods in Enzymolog. XII. 421-448
- Byrne, C. R; Wilson, B. W; and Wards, K. A; (1987): The isolation and characterization of ovine growth hormone gene.
Aust. J. Biol. Sci., 40: 459-468.
- Cahill-C.M; Van-Der-Kolk, H; Goode, J. A; and Hayden, J. J; (1994): Development of homologous radioimmunoassays for equine growth hormone and equine prolactin and their application to the detection of circulating levels of hormone in horse plasma.
Repro. Nutri. Devel., 34(4): 309-328.
- Carle, G. F; Frank, M; and Olson, M.V; (1986): Electrophoretic separations of large DNA molecules by periodic inversion of the electric field.
Science, 232: 65-68.
- Carle, G. F; and Olson, M. V; (1985) An electrophoretic Karyotype for yeast.
Proc. Natl. Acad. Sci. USA. 82: 3756-3760.
- Carlstrom, A; and Johansson (1983): Agarose gel electrophoresis-Immunofixation scand.
J. Immunol, 17 Suppl 10, 23-32.
- Chailley, B; Bork, K; Gounon, P; and Sandoz, D; (1986): Immunological detection of action in isolated cilia from quail oviduct.
Biol. Cell, 58 (1) 43-52.
- Charles, P; (1970): Isolation and characterization of deoxyribonucleic acids. (ledox,L; ed) uptake of informative molecules by living cells. North Holl and Publishing Company, Amsterdam-London, pp 16-23.
- Chen, V. T. W; (1992): Extraction of nucleic acids from clinical samples and cultured cells. In Diagnostic molecular pathology, Herringbone, C. S; and Mcgee, J.O. D; (Ed) Press Oxford New York Tokyo pp 1-25.

- Chen, H.T. Pan, F. M; Chang, W.C; (1988): Purification of ducks growth hormone and cloning of the complementary DNA.
Bioch. Bioph. Acta. 949(2) 247-251.
- Chen, H. Y; Garber, E. A; Mills, E; Smith, J. Kopchik, J. J; Dilella, A.G; Smith, R. G; (1990a): Vectors, promoters, and expression of gene in chick embryo.
J. Reprod. Fert. Suppl. 41: 173-182.
- Chen, S. N; Chang, C. Y; and Hcu, L; (1972): Non-chromosomal antibiotic resistance in bacteria: Genetic transformation of *Echerichia coli* by R- factor DNA.
Proc. Natl. Acad. Sci. USA, 69(8) 2110-2114.
- Chen, T. T; Lin, C. M; Zhu, Z; Gonalez-Villasenor, L. T; Dunham, R. A; and Powers, D. A; (1990b): Gene transfer, expression and inheritance of rainbow trout growth hormone genes in carp and loach. In:UCLA Syposium on transgenic Model in Medicine and Agriculture, New York Wiley-Liss, pp. 127- 139.
- Chiouc, C. S; Chen, H. T; and Chang, W. C; (1990): The complete nucleotide sequence of the growth hormone gene from the common carp.
Bioch. Biophys. Acta, 1087(1): 91-94.
- Christidis, L; (1989): Karyotypie analyses in birds. In : Cytogenetics of animal, Clive, R. E;and Halnan, M. A; (Ed)Vet MB(Cantab), PhD, FRCVS, pp, 125-132.
- Cioffi, L. C; Chen, H.Y; and Kopchick, J. J; (1994): Production of Transgenic Poultry and Fish . In Transgenic animal Technology (Pinkert, C. A; Ed) New York, pp 279-313.
- Ciulla, T. A; Sklar, R. M; and Hauser, S. L; (1988): A simple method for DNA purification from peripheral blood.
Anal. Biochem. 174: 485-488.
- Clement,W; Jr,M;(1971):DNA replication patterns in the chromosomes of the domestic fowl.
Cytologia, 36: 168.
- Chen,S. N; Chang, C. Y; and Hcu, L. (1972): Non chromosomal antibiotic resistance in bacteria genetic transformation of *Echerichia coli* by R-factor DNA.
Proc. Nat. Acad. Sci. USA. 69(8) 2110-2114.

- Comings, D. E; and Mattoccia, E; (1970): Studies of microchromosomes and a G-C Rich DNA satellite in the quail. *Chromosoma*, 30: 202-214.
- Cyldenholm, A. O.; (1968): Macromolecular physiology of plastids V. On the nucleic metabolism during chloroplast development. *Hereditas*, 59: 142-168.
- D-Allesio, G; and Trim, A. R; (1968): A method for the isolation of nuclei from leaves. *J. Exp.Bot.* 19: 831-839.
- De La Sena, C. A; Fechheimer; N. S; and Nestor, K. E; (1991): Variability of C- banding patterns in japanese quail chromosomes. *Genome*, 34: 993-997.
- Doehmer, J; Barinaga, M; Vale, W; Rosenfeld, M. G; Verma, I. M; and Evans, R, M; (1982): Introduction of growth hormone gene into mouse fibroblasts via a retroviral DNA vector: Expression and regulation. *Proc. Natl. Acad. Sci. USA* . 79: 2268-2272.
- Donnelly, G. M; and Newcomer, E.H; (1963): Autoradiographic patterns in cultured leucocytes of the domestic fowl. *Exp. Cell Res.* 30: 363-368.
- Dretzen, G; Bellard, M; Sassone-Corsi, P; and Chambon, P; (1981): Reliable method for the recovery of DNA fragments from agarose and acrylamide gels. *Analytical Biochemistry*, 112: 295-298.
- Duncan, D. B; (1955): Multiple range and multiple F tests. *Biometrics*, 11: 1-42.
- Dupreey, J. J; and Sales, J. (1997): Growth rate of different sexes of the European quail (*Coturnix coturnix*). *British Poultry Science*, 38: 314-315.
- Ehrlein, J; Wanke, R; Weis, S; Brem; G; and Hermanns, W; (1994): Sensitive detection of human growth hormone mRNA in routine formalin- fixed, paraffin-embedded transgenic mouse tissues by non-isotopic *in situ* hybridization. *Histochemistry*, 102 (2): 145-152.

- El-Adl, A. M; Ali, A. M. M; Kosba, Z. A; Kash, K. S; and Zaied, K. A. (1991): Yeast hybrid vigour. IV. Growth rate. *J. Agr. Sci. Mansoura Univ.* 16: 770-780.
- El-Fiky, S.A; and Mehana, E. E; (1998): Production heat. Tolerant transgenic chickens 1. Genetic and histopathological response. *Egypt. poultry Sci.* 18(1): 123-139.
- El- Sharkawy, A. M. A; Ali, A. M. m; and Abdel-Halim, M. M; (1977): Classification of some *Triticum* spp on Biochemical level III DNA/ DNA hybridization. *Egypt. J. Bot.* 20 (3): 153-158.
- El- Wardany, A. E. M; Ali, A. M. M; and Hussein, N. A; (1992): Effect of foreign prokaryotic and eukaryotic DNA on morphological and cytological chick characters. *Egypt. J. Anat.* 15: 141.
- Fangman, W. L; (1978): Separation of very large DNA molecules by gel electrophoresis. *Nucleic Acids Research*, 5 (3): 665.
- Farmer, S.W; Papkoff, H; and Hayashida, T; (1974): Purification and properties of avian growth hormones. *Endocrinology*, 95: 1560.
- Fekete, D; and Cepko, C. L; (1993): Retroviral infection coupled with tissue transplantation limits gene transfer in the chicken embryo. *Proc. Natl. Acad. Sci. USA.* 90: 2350-2354.
- Feng, X. P; Kuhnlein, U; Aggrey, S. E; Gavora, J. S; and Zadworny, D; (1997): Molecular biology trait association of genetic markers in the growth hormone (GH) and the GH-receptor gene in a white leghorn strain. *Poultry Science*, 76: 1770-1775.
- Flavell, R. B; Bennett, M. D; Smith, J. B; and Simth, D.B; (1974): Genome size and the production of repeated nucleotide sequence DNA in plants. *Biochemical genetics*, 12: 257-269.
- Foster, D. N; Kim, S. U; Enyeart, J. J; and Foster, L. K; (1990): Nucleotide sequence of the complementary DNA for Turkey growth hormone. *Biochem. Biophys Res. Commun*, 173: 3967-3975.

- Fotouhi, N; Karatzas, C. N; Kuhnlein, U; and Zadworny, D; (1993): Identification of growth hormone DNA polymorphisms which respond to divergent selection for abdominal fat content in chickens.
Theor. Appl. Genet. 85: 931-936.
- Gardener, E. J; Simmons, M. J; and Stnstad, P; (1991): Genetic engineering and the future. In Principles Genetic pp, 630-631.
- Gavora, J. S; Benkel, B; Saada, H; Cantwell, W. J; Fiser, P; Teather, B. M; Nagai. J; and Sabour, M.P; (1991): An attempt at sperm-mediated gene transfer in mice and chickens.
Can. J. Anim. Sci. 71:287-291.
- Gavora, J. S; Benkel, B; Spencer, J. L; Gagnon, C; and Crittenden, L. B; (1995): Influence of the alva recombinant avian leukosis virus transgene on production traits and infection with avian tumor viruses in chickens.
Transgenic and production in chickens. 2260-863.
- Gilbert, W (1978): Why genes in pieces?
Nature, 271: 501.
- Gogolevskii, P. A; Gol-Dman, I. L; Zhadanov, A. B; and Morzunov, S. P; (1991): Study of the possibility of using restriction endonucleases to increase the frequency of recombination and integration into animal genome.
Nauk Imvilen, 12:24-26.
- Gossler, A; Doetschman, T; Korn, R; Serfling, E; and Kemler, R; (1986): Transgenesis by means of blastocyst-derived embryonic stem cell Lines.
Proc. Natl. Acad. Sci. USA. 83: 9065-9069.
- Gossen, M; Bonin, A. L; Freundlieb, S; and Biyard, H; (1994): Inducible gene expression systems for higher eukaryotic cells.
Current Opinion in Biotechnology, 5: 516-520.
- Haas, M. J; (1984): Methods and applications of genetic engineering.
Food Technology, 70- 77.
- Hafez, F. M; (1994): Improved transformation efficiency of dextran genes in *Saccharomyces cerevisiae* using the combined effect of electroporation and alkliion.
Al-Azhar J. Agric. Res., 20: 147-155.

- Hall, T. R. A; Chadwick, N. L; Bolton, T; and Scanes, C. G; (1975) Prolactin release *in vitro* and *in vivo* in the pigeon and domestic fowl following administration of synthetic thyrotrophin-releasing factor.
Gen. Comp. Endocr. 25 : 298.
- Hammer, R.E; Brinster, R.L; Rosenfeld, M. G; Evans, R. M; and Mayo, K. E; (1985): Expression of human growth hormone-releasing factor in transgenic mice results increased somatic growth.
Nature. 315: 415-415.
- Hammer, R. E; Pursel, V. G; Pexroad, C. E; Wall, R. J; Bolt, D. J; Ebert, K. M; Plmitter, R. D; and Brinster, R. L; (1986): Production transgenic rabbits, sheep and pig by microinjection.
Nature, 315:680-683.
- Hansen, W. P; Otterby, D. E; Linn, J. G; Anderson, J.F; and Eggert, R. G; (1994): Multi-farm use of bovine somatotropin for two consecutive lactations and its effects on lactational performance health and reproduction.
J. Dairy Sci. 77:94-110.
- Harvey, S; (1995): Growth hormone synthesis. In Growth Hormone (Harvey, S; Scanes, C. D; and Daughaday, W.H; Eds), pp. 56-7
- Harvey, S; Godden, P. M. M; and Scanes, C. G; (1977): Plasma growth hormone concentrations during growth in turkeys.
Br. Poul. Sci., 18: 547.
- Harvey, S; and Hull, K; (1995): Growth hormone transport. In Growth Hormone (Harvey, S; Scanes, C. D; and Daughaday, W.H; Eds), pp. 257-286.
- Harvey, S; Merry, B. J; and Phillips, J.G; (1980): Influence of stress on the secretion of corticosterone in the ducks.
J. Endocr., 87: 161.
- Harvey, S; and Scanes, C. G; (1977): Purification and Radioimmuno assay of chicken growth hormone.
J. Endocr., 73:321.
- Harvey, S; Scanes, C. G; Chadwick, A; Border, G; and Bolton, N. J; (1979): Effect of chicken hypothalamus on prolactin and growth hormone secretion in male chickens.
J. Endocr., 82:193.

- Harvey, S; Scanes, C.G; and Howe, T; (1977): Growth hormone effects on in vitro metabolism of avian adipose and liver tissue. *Gen. Comp. Endocr.*, 33: 322.
- Hayes, W; (1964): The genetics of bacteria and their viruses. *Studies in Basic Genetics and Molecular Biology*, Blackwell Scientific Publications, Oxford. pp. 4-91-501.
- Hediger, R; Johnson, S. E; Barendse, W; Drinkwater, R. D; Moore, S. S; and Hetzel, J; (1990): Assignment of the growth hormone gene locus to 19q 26-qter in cattle and to 11q 25 in sheep by *in situ* hybridization. *Genomics (San Diego)* 8 (1): 171-174.
- Heinemann, B; (1993): Techniques for engineering genes, pp. 43.
- Herland, M; (1960): Etude critique de deux techniques nouvelles destinées à mettre en évidence les différences catégories cellulaires présentes dans la glande pituitaire. *Bull. Micro. Appl. Ser. 2* (10): 37
- Hickey, D. A; and Benkel, B; (1986): Introns as relict retrotransposons. Implications for the evolutionary origin of eukaryotic mRNA splicing mechanisms. *J. Theor. Bio.* 121: 283.
- Hinnen, A; Hicks, J. B; and Fink, G. R; (1978): Transformation of yeast. *Proc. Natl. Acad. Sci. USA*, 75: 1929-1933.
- Hishino, S; and Yamamoto, K; (1977): Synthesis and release of growth hormone, prolactin and other proteins from the anterior pituitary of normal and dwarf chickens. *Gen. Comp. Endocrinol.* 31, 7.
- Honda, S. I; Hongdorom, T; and Laties, (1966): A new isolation medium for plant organelle. *J. Exp. Bot.* 7: 460-472.
- Hopwood, D. A; Bibb, K. F; Kieser, T; Bruton, C. I; Kieser, H. M; Lydiate, D. J; Smith, C. P; Ward, J. M; and Schremel, (1985): Genetic manipulation of *Streptomyces* a laboratory manual. Johnnes foundation. Norwich UK. 96-98.
- Hsu, T. T; (1992): Electrofusion of mouse, pig and goat blastomeres at various stages during embryonic development. *Taiwan Livestock Res.* 25 (1) 11-24.

- Huang, M; and Sung, Y; (1988): Cytogenetical analysis of the somatic and germ cells in ducks.
J. Agri. Forst, 37: 19-30.
- Huter, K; (1991): Gene transfers in ovine zygotes by microinjection and incorporation of foreign DNA in Sperm cells of livestock, PhD thesis New York, pp 99-100.
- Hutt, F. B; (1949): Genetics of the fowl. McGraw, H. book company, Inc., New York.
- Huybrechts, L. M; Kuhn, E. R; Decuypere, E; Merat, P; and Scanes, C. G; (1987): Plasma concentrations of growth hormone and somatomedin in dwarf and normal chickens.
Reprod. Nutr. Develop. 27 (2B0), 547-553.
- Ito, H; Fukuda, Y; Murata, K; and Kimura, A; (1983) Transformation of intact yeast cells treated with alkali cations.
J. of Bacter. Jan. 153(1) 163-168.
- Jhappan, C; Takayama, H; Dickson, R. B; and Merlino, G; (1994): Transgenic mice provide genetic evidence that transforming growth hormone factor and promoters skin tumorigenesis via H- Ras-dependent and H-Ras-independent pathways.
Cell Growth and Differ., 5: 385-394.
- Jull, A. M; (1987): The poultry industry: In poultry husbandry, Jull, A. M; (Ed) Com. Inc. New York chapter, 1.
- Kash, K. S; Ali, A. M. M; El-Adl, A. M; Kosba, Z. A; and Zaied, K. A; (1990): Yeast hybrid vigour. I- Wheat meal fermentation and alcohol tolerance.
J. Agr. Sci. Mansoura Univ. 15: 2040-2056.
- Kievits, J. M; Dam, C.A; Van, H. C. B; Hessel, H. W; and Brand, A; (1988): Somatotropin structure (bio) synthesis and specificity.
Tjdschrift Voor Diergeneeskunde, 113(14) 791-800.
- King, D. B; (1969): Effect of hypophysectomy of young cokerels with particular reference to body growth liver weight, and liver glycogen level.
Gen Comp. Endocr. 12: 242-255.
- Klein, S; and Saar, W; (1992): Differences in egg phenotype in short term incubated goose eggs and their relationship to chromosome aberrations. Proceedings Diory 10 th European Colloquium on

Cytogenetics of Domestic Animals Utrecht Univ., The Netherlands, pp. 116-120.

- Kopchick, J. J; (1990): Bovine growth hormone gene expression in cultured avian cells.
 Napjaink- Biotechnolgiaja, No. 35: 130-139.
- Kosba, Z. A; Kash, K.S; Ali,A.M. M; El-Adl,A. M; and Zaiied, K. A; (1990): Yeast hybrid vigour. II. Inostal production.
 J. Agr. Sci. Mansoura Univ. 15: 2057-2068.
- Kuhnlein, U; Weigend; N, L; Weigend, S; Gavora, J. S; Fairfull, W; and Zadworny, D; (1997):DNA polymorphisms in the chicken growth hormone gene response to selection for disease resistance and association with egg production.
 Animals Genetics, 28,116-123.
- Kunkel, L. M; Smith, K. D; Boyer, S. H; Borgaonkar, O. S; Wachtel, S. S; Miller, O. J; Breg, W. R; Jones, H. W; and Rary, J. M; (1977): Analysis of human y-chromosome-specific reiterated DNA in chromosome variants.
 Proc. Natl. Acad. Sci. USA. 74(3): 1245-1249.
- Kuo, J. L; and Tsai, H. J; (1993): Electrophoretic analysis and recombinant fish growth hormone secreted from *Saccharomyces cerevisiae* by using factor- leader sequence.
 J. Fish. Soc. Taiwan, 20(1): 51-58.
- Laemmli, U. K; (1970): Cleavage of structural proteins during the assembly of the head of bacteriophage T4.
 Nature, 227(15) 680-685
- Lai, H. P; Duyka, D. R; Souza, L. M; and Scanes, C. G; (1984): Purification and properties of chicken growth hormone.
 Ircs Med. Sci. 12: 1077-1078.
- Langley, K. E; Berg, T. F; Strickland, T.W; Fenton, D. M; Boone, T.C; and Wypych, J; (1987): I recombinant DNA-derived bovine growth hormone from *E. coli*.
 1. Demonstration that the hormone is expressed in reduced form, and isolation of the hormone in oxidized, native form.
 Eur. J. Biochem. 163: 313-321.
- Langley, K. E; Berg, T. F; Lai, P. H; Wypych, J; Everett, R.R; Berg, T. F; Krabill, L. F; Davis, J. M; and Souza, L. M; (1987): Recombinant DNA-derived bovine growth hormone from *E coli*.

2. Biochemical, biophysical, immunological and biological comparison with pituitary hormone.
Eur. J. Biochem. 163: 323-330.
- Larson, R. A; Vm; D; Otterby, D. E; Lin, I; Paulson, J. C; Annexstat, R. J; Hansen, W. P; and Eggert, R. G; (1992): Growth health characteristics of calves born to cows treated with bovine somatotropin during lactation.
Agric. Practice. 13 (5): 7-13.
- Lauterio, and Scanes, (1988): Effect of age and protein restriction on the clearance and secretion of growth hormone in the domestic fowl.
poultry Sci., 67: 120-125.
- Leadon, S. A; and Cerutti, P. A; (1981): A rapid and mild procedure for the isolation of DNA from mammalian cells.
Anal. Biochem. 120: 282-288.
- Leberman, R; Dauvergne, M. T; and Price, S; (1997): Fast sodium dodecyl sulfate polyacrylamide gel electrophoresis analysis of protein fractions.
Anal. Bioch. 249:105.
- Lee, M. R; Shuman, R. M; (1990): Transgenic quail produced by retrovirus vector infection transmit and express a foreign marker gene, in Proc. 4th world Congress on Genetics Applied to Livestock Production (Hill, W. G; Thompson, R; Wolliams, J. A; Eds), Edinburgh, Vol. XVI, pp. 107-110.
- Leish, Z; Byne, C. R; Hunt, C. L; and Ward, K. A; (1993): Introduction and expression of the bacterial genes cys E and Cys K in eukaryotic cells.
Appl. and Envir. Microb. 59 (3): 892-898
- Lepore, P.D; and Marks, H. L; (1971): Growth rate in heritage in Japanese quail. 4. Body composition following four generations of selection under different nutritional environments.
Poultry Science 14: 1191-1193.
- Lewin, B; (1997): Genes VI published in the United States by Oxford University Press. Inc., New York. Chapter 22. pp. 663-686 (Exons and introns).
- Lin, C; Magnusoin, T. S; and amols, D; (1989): A rapid procedure to identify new born transgenic mice.
DNA,; 297-299.

- Liodyd, R; Long, J; Annie, C; Kulig, E; Camper, S. A; Ross, B. D; Downs, T. R; and Frohman, L. A; (1992): Morphologic effects of hGRH gene expression on the pituitary, liver, and pancreas of MT-hGRH transgenic mice. An in situ hybridization analysis. *Am. J. Pathol.* 141(4) 895-906.
- Longmire, J. L; Albright, K. L; Lewis, A. K; Meincke, L. J; and Hildebrand, E. H; (1987) A rapid and simple method for the isolation of high molecular weight cellular and chromosome specific DNA in solution without the use of organic solvents. *Nucleic Acids Research.* 15(2): 859.
- Love, J; Gribbin, C; Mather, C; and Sang, H; (1994): Transgenic birds by DNA microinjection. *Bio/ Technology*, 12: 60-63.
- Lucotte, G; and Baneyx, F; (1993): Introduction to molecular cloning techniques book, Extraction and chracterization of DNA from tissues, chapter 11, pp. 101-111.
- Maclean, N; (1994): Transgenic animals in perspective. In *Animals with novel gene*, Maclean, N; (Ed) pp. 17.
- Maria, G. B. P; Pierre, O; and Pierre, C; (1973): Isolation of high molecular weight DNA from mammalian cells. *Eur. J. Biochem.* 36: 32-38.
- Marks, H. L; (1978): Growth curve changes associated with long- term selection for body weight in japanese quail. *Growth*, 42: 129-140.
- Marmur, J; (1961): A procedure for the isolation of deoxyribonucleic acid from microorganisms. *J. Mol. Biol.* 3: 208-218.
- Martial, J.A; Hallewell, R. A; Baxter, J. D; Goodman, H. H; (1979): Human growth hormone: complementary DNA cloning and expression in bacteria. *Science*, 205 (10) 602-607.
- Martin, D. W; Mayes, P. A; and Rodwell, V. W. H; (1983): Review of biochemistry 19th (Ed) Lange Medical Publication, California, USA. 523-527.
- Mashtaler, S. G; Yurkevich, L. N; and Polopal, A. I; (1988): Cytogenetic effect of exogenous DNAs on rye grains of different ploidy . *Genetika* 24 (8): 1419-1426.

- Mayr, B; Lambrou, M; and Schleger, W; (1989): Further resolution of quail karyotype and characterization of microchromosomes by counter stain- enhanced fluorescence.
J. of Heredity, 80 (2) 147-149.
- McClary, D. V. M; Green, M. S; and McGuffey, R.K; (1990): Bovine somatotropin (part), Agri. Practice, 11(3): 1-4.
- Meir, M; and Ar, A: (1996): Artificial increase of eggshell conductance improves hatchability of early laid goose eggs.
British Poultry Science, 37: 937-951.
- Miller, S. A; Dykes, D.D; and Polesky, H. F; (1988): A simple salting out procedure for extracting DNA from human nucleated cells.
Nucl. Acid. Res. 16(3): 1215.
- Miller, S. A; Dykes, D. D; and Polesky, H. F; (1990): DNA extraction system.
Oncogene Science, 16: 1-4.
- Moore, F.R; Schat, K.A; Hutchison, N; Leciel, C; and Bloom, S. E; (1993): Consistent chromosomal aberration in cell lines transformed with markers disease herpesvirus: evidence of genomic DNA amplification.
Int. J. Cancer. 54. 685-692.
- Mou, I; Liu, N; Zadworry, D; Chalifour, L; and Kuhnlein, U; (1995): Presence of an additional pstI rarngment in intronI of thchicken growth hormone- evading gene.
Gene 160: 313-314.
- Naibandov, A; and Card, L. E; (1943): Effect of hypophsectomy of growing chicks.
J. Exp. Zool. 94: 387-409.
- Naito, M; Watanabe, M; Kinutani, M; Nirasawa, K; and Oishi, T; (1991): Production of quail-chick chimaeras by blastoderm cell transfer.
British Poultry Science, 32: 79-86.
- Nakane, P. L; (1968): Simultaneous localization of multiple tissue antigens using the peroxidase labeled antibody method: A study on pituitary glands of the rat.
J Histochem. Cytochem. 16: 557.
- Nancarrow, C. D; Marshall, J; Murray, J; Hazelton, I; and Ward, K: (1987): Production of a sheep transgenic with the ovine growth hormone.
Theriogenology. 27: 263.

- Okamoto, S; Maeda, Y; and Hashiguchi, T; (1991): Analysis of the karyotype of the chicken-quail hybrid. *Animal Science and Technology*, 62 (8): 742-749.
- Ono, T; (1997): The complete in vitro development of quail embryo. In: *Transgenic Animals Generation and use*, Houdebine, L. M; (Ed) 1079 LH Amsterdam The Netherlands, pp.61-67.
- Ono, T; Murakami, T; Tanabe, Y; Mizutani, M; Mochii, M; and Eguchi, G; (1996): Culture of naked quail ova In Vitro for avian transgenesis: Culture from the single- cell stage to hatching with pH, Adjusted chicken thick albumen. *Comp. Biochem. Physiol.* 113A (3): 287-292.
- Ono, T; Muto, S. I; Matsumoto, T; and Yoshida, M; (1995): Production of quail chimeras by transfer of early blastoderm cells: Plumage chimeras and a germline chimera without plumage mixture. *Japanese poultry Science*, 32 (4): 252-256.
- Ono, T; Muto, S; Mizutani, M; Agata, K; Mochii, M; Kino, K; Otsuka, K; Ohta, M; Yoshida, M; and Eguchi, G; (1994 a): A complete culture system for avian transgenesis, supporting quail embryos from the single-cell stage to hatching. *Devel. Biol.* 161: 126-130.
- Ono, T; Muto, S; Mizutani, M; Agata, K; Mochii, M; Kino, K; Otsuka, K; Ohta, M; Yoshida, M; and Eguchi, G; (1994 b): Production of quail chimeras by transfer of early blastodermal cells and its use for transgenesis. *Japanese Poultry Science*, 31(2) 119-129.
- Orian, J. M; Mahaney, J. V. O; and Brandon, M. R; (1988): Cloning and sequencing of the ovine growth hormone gene. *Nuc. Acids Rese.*, 16(18): 9046.
- Palmiter, R. D; and Brinster, R. L; (1986): Germline transformation of mice. *Annu. Rev. Genet.* 20: 465-499.
- Palmiter, R. D; Brinster, R. L; Birnberg, N. C; and Evans, R. M; (1982): Dramatic growth hormone of mice that develop from eggs microinjection with metallothionein in growth hormone fusion gene. *Nature*, 300: 611-615.
- Palmiter, R. D; Norstedt, G; Gelinas, R. E; Hammer, R. E; and Brinster, R. L; (1983): Metallothionein human growth hormone fusion genes stimulate growth of mice. *Science*, 222:809.

- Palyga, J; (1991): Genetic polymorphism of erythrocyte histone H1 in Japanese quail.
Biochemical Genetics, 29: (9-10) 431-445.
- Papkoff, H; Licht, P; Bona-gallo, A; Machingie, D. S; Oelofsen, W; and Oosthuizen, M. M. J; (1982): Biochemical and immunological characterization of hormones from the ostrich.
Gen. Comp. Endocr. 48,181.
- Perry, M. M; (1987): Nuclear events from fertilization to the early cleavage stages in the domestic fowl.
J. Anat. 150: 99-109.
- Perry, M. M; (1988): A complete culture system for the chick embryo.
Nature, 331: 70-72.
- Perry, M.M; Morrice, D; Hettle, S; and Sang, H; (1991): Expression of exogenous DNA during the early development of the chick embryo.
Roux. Arch. Der. Biol. 200: 312-319.
- Perry, M.M; and Sang, H; (1993): Transgenesis in chickens.
Transgenic Research, 2: 125-133.
- Pierce, J; and Suelter, C. H; (1977): An evaluation of the coomassie brilliant Blue G-250 dye binding method for quantitative protein determination.
Ana. Bioch. 81: 478-480.
- Ploeg, H. T; Smits, M; Pannudurai, T; Meuwissen, J. H; and Langsley, G; (1985): Chromosome-sized DNA molecules of *Plasmedium falciparum*.
Science, 229: 658-661.
- Powell, I. B; Achen, M. G; Hillier, A. J; and Davidson, B. E; (1988): A simple and rapid method for genetic transforation of *lactic streptococci* by electroporation.
Appl. Environ. Microbiol. 54: 655-660.
- Preston, R. J; Dean, B. J; Galloway, S; Holden, H; Mcfee, A, F; and Shelby, M; (1987): Mammalian *in vivo* cytogenetic assays analysis of chromosome aberrations in bone marrow cells
Mutation Research, 189: 157-165.
- Proudman, J. A; and Wentworth, B. C; (1980): Ontogenesis of growth hormone in large and bidet white strains of turkeys.
Poult, Sci. 59: 906.

- Pursel, V. G; Hammer, R. E; Balt, D. J; Palmiler, R. D; and Brinster, R. l; (1990): Integration , expression and germ-line transmission of growth -related genes in pigs.
J. Reprod. Fert. Suppl. 41: 77-87.
- Reiprich, K; Miihlbauer, E; Decuypere, E; and Grossmann, R; (1995): Characterization of growth hormone gene expression in the pituitary and plasma growth hormone concentrations during posthatch development in the chicken.
J. Endocrin. 145: 343-353.
- Rieger, R; Michaelis, A; and Green, M. M; (1976): Glossary of genetics and cytogenetics Pringer, S. V; (Ed) , NewYork.
- Robel, E. J; and Christensen, V. L; (1991): Increasing hatchability of turkey eggs by injecting eggs with pyridoxine.
British Poultry Science, 32: 509-513.
- Rodeheaver, D. P; Wyatt, R. D; and Marks, H. L; (1986): Relationship of serum alpha- amylase to aflatoxin resistance in japanese quail.
Avian Dis. 30(3): 568-573.
- Rolon, A; and Bur, R. J; (1992): Effect on hatchability of drilling a hole through the egg shell prior to and during incubation.
Poultry Sci. 71Suppl: 173.
- Russo, V; (1988): Potenzialita delle biotocnologie nel miglioramento della produzione suina ABS.
Suinicoltura, 29(3): 51-58.
- Russo, V; Davoli, R; and Zambonelli, P; (1994): Animal production biotechnology. Greeppi, G. F; and Enne, G; (Eds). in elsevier Amsterdam, London, Paris, New York, Tokyo. pp. 123-148.
- Saker, M.M; (1995): Studies on tissue cultures some legumes. Ph.D. Thesis. Botany (plant Molecular Biology) Dept., Faculty of Science Tanta Unver.
- Salter, D. W; Smith, E. J; Hughes, S. H; Wright, S. E; Fadly, A. M; Witter, R.L; and Crittenden, L. B; (1986): Gene insertion into the chicken germ line by retroviruses,
Poultry Sci. 65: 1445-1458.
- Salter, D. W; Smith, E. J; Hughes, S. H; Wright, S. E; Witter, R.L; and Crittenden, L. B; (1987): Transgenic chicken: insertion of retroviral genes into the chicken germ line,
Virology, 157: 235-240.

- Sambrook, J; Fritsch, E. F; Maniatis, T; eds (1989) "Molecular cloning"
Cold Spring Harbor laboratory press, New York.
- Samia El-Fiky, A.; Sherif, N. E; Fatma Hafez, M; Eshaak, M. G; and
Ali, A.M; (1997): Production of cattle growth hormone gene by
genetically construction of microorganisms.
Proceedings of the Egyptian Acad. of Sciences, 47: 307-333.
- Samia El-Fiky, A; Fatma Hafez, M; Ali, A. M; and Ahmed, M. M.M;
(1998): Application of biotechnology based on isolation of growth
hormone gene of duck using certain microorganisms.
J. Egypt, Ger. Soc. Zool., 25 c: 1-22.
- Sang, H; (1994): Transgenic chickens-methods and potential
applications. Trends in Biotechnology. 12(10): 415-420.
- Sang, H; Gribbin, C; Matter, C; Morrice, D; and Perry, M.(1993):
Transfection of chick embryos maintained under *in vitro* conditions
in : CRC Press Boca Raton Ann Arbor London Tokyo. Ed by
Etches, R. J; and Gibbins, A. M. V; pp.121-133.
- Sang, H. M; and Perry, M. M; (1989): Episomal replication of cloned
DNA injected into the fertilised ovum of hen, *Gallus domesticus*.
Mol. Reprod. Dev. 1: 98-106.
- Scanes, C. G; and Campbell, R. C; (1995): Growth hormone: Chemistry.
In Hormone. pp. 1-26.
- Scanes, C. G; Lauterio, T. J; and Buonomo, F.C; (1983a):
Annual, developmental and diurnal cycles of pituitary hormone
secretion . In: Avian Endocrinology, environmental and ecological
prespectives (Mikami, S; Homma, K; and Wada, M; eds), Tokyo,
Japan Scientific Society press Berlin, Spriner: Verlag, pp. 307.
- Schmid, W; (1962): DNA replication patterns of the hetero
chromosomes in *gallus domesticus*.
Cytogenetics. 1: 344.
- Shanahan, C. M; Rigby, N. W; Murray, J. D; Marshall, J. T; Townrow,
C. A; Nancarrow, C; and Ward, K. A; (1989): Regulation of
expression of a sheep metallothionein La-sheep growth hormone
fusion gene in transgenic mice.
American Society for Microbiology, 9(12): 5434-5479.

- Sharaf El-Din, Sh. H.M; (1992): The effect of inserting a foreign gene reciprocal and non-reciprocal recombinants in *Saccharomyces cerevisiae*. Ph.D. Thesis. Bot. Dept. (Genetics) Fac. Of Agric. Al-Azhar. Univ.
- Shih, D. M; Wall, R. J; and Shapiro, S. G; (1993): A5' control region of the human eglobin gene is sufficient for embryonic specificity in transgenic mice.
The J. of Biological Chemistry, 15(5). 3066-3071.
- Shing, Y. W; and Ruoho, A; (1981): A method for detecting nanogram amounts on proteins on SDS-PAGE.
Analytical Biochemistry, 110: 171-175.
- Shoffner, R. N; (1986): Perspectives for molecular genetics research and application in poultry.
Poultry Science, 65: 1489-1496.
- Shuman, R. M; (1991): Production of transgenic birds.
Experientia, 47: 897-905.
- Shuman, R. M; and Shoffner, R. N; (1986): Symposium: molecular approaches to poultry breeding gene transfer by avian retroviruses.
Poultry Science, 65: 1437-1444.
- Simkiss, K; (1994): Transgenic Birds. In: Animals with novel genes, Maclean, N (Ed), pp.107-137.
- Singh, R. A; (1985): Poultry production (Singh, R. A; (Ed) Kalyani Publishers New Delhi- Ludhiana.
- Sinha, Y. N; and Jacobsen, B. P; (1987) Glycosylated growth hormone: Detection in murine pituitary gland and evidence of physiological fluctuations.
Bioch. And Bioph. Res. Com. 145(3): 1368-1375.
- Sinha, Y. N; and Lewis, U. J; (1986): A lectin-binding immunoassay indicates a possible glycosylated growth hormone in the human pituitary gland.
Bioch. and Biophy. Res. Comm. 140(2): 491-497.
- Smith, D. B; and Flavell, R. B; (1974): The relatedness and evolution of repeated nucleotide sequences in the genomes of some Gramineae species.
Biochemical genetics, 12(3): 243-256.

- Solimon, E. A. M; (1992): The effect of nucleotide sequences repetition of monocotyledon plant on microbial genetic functions. Ph.D. Thesis. Bot. Dept. (Genetics) Fac. Of Agric. Al-Azhar Univ.
- Sorge, J; Ricci, W; and Hughes, S. H; (1983): Cis-acting RNA packaging in the 115-nucleotide direct repeat of rous sarcoma virus. *Virology*, 48:667-675.
- Souza, L. M; Boone, T. C; Murdock, D; Langiey, K; Wypych, J; Fenton, D; Johnson, S; Lai, P. H; Hsu, R; and Bosselman, R;(1984): Application of recombinant DNA technologies to studies on chicken growth hormone. *The J. of Exp. Zool.* ,232: 365-373.
- Souza, L. M; Strommer, J. N; Hillyard, R. L; Komaromy, M. C; and Baluda, M. A; (1980): Cellular sequences are present in the presumptive avian myeloblastosis virus genome. *Proc. Natl. Acad. Sci. USA.* 77(9): 5177-5181.
- Steel, R.G; and Torvie, J. H. (1980): Principles and Procedures of Statistics. N. Y. : Mc Graw Hill. Co.
- Steigner, J. W; Nestor, K. K; and Lilburn, M. S; (1992): Growth and development of lines of japanese quail divergently selected for body weight at 4 weeks of age. *Comp. Biochem. Physiol.* 1021(2): 389-393.
- Stock, A. D; Arrighi, F. E; and Stefos, K; (1974): Chromosomes of the domestic chicken, ring necked dove, and domestic pigeon. *Cytogenetic Cell Genetic.* 13: 410.
- Tanaka, M; Hayashida, Y; Sakaguchi, K; Ohkubo, T; Wakita, M; Hoshino, S; and Nakashima, K; (1996): Growth hormone independent expression of insulin-like growth factor I messenger ribonucleic acid in extrahepatic tissues of the chicken. *Endocr.* 137(1): 30-34.
- Tanaka, M; Hayashida, Y; Wakita, M; Hoshino, S; and Nakashima, K; (1996): Expression of aberrantly spliced growth hormone receptor mRNA in the sex-lined dwarf chicken, gifu 20. *Growth Regulation*, 5: 218-223.
- Tanaka, M; Hosokawa, Y; Watahiki, M; and Nakashima, K; (1992): Structure of the chicken growth hormone encoding gene and its promoter region. *Gene*, 112: 235-239.

- Tilghman, S. M; Tiemeier, D. C; Seidmen, J. G; Peterlin, B. M; Sullivan, M; Maizel, J. V; and leder, P; (1978): Intervening sequence of DNA Identified in the structural portion of mouse β -globin gene. Proc. Natl. Acad. Sci. USA. 75: 725-729.
- Thomas, M; Cgeorge, K; and Thannair, G; (1994): Growth models in japanese quails Indian. J. of Animal Sciences 64(8): 888-889.
- Thorne, M. M; Cooins, R. K; and Sheldon, B. L; (1991): Chromosome analysis of early embryonic mortality in layer and broiler chickens. British Poultry Science. 32: 711-722.
- Tokarskaya, V. L; Umanshii, S. R; and Ovicch, P. A; (1968): Metabolically active DNA fraction. Biochemistry, 33: 445-542.
- Tsai, H.J; Chen, H.M; and Lo, C.F; (1994): Secretory synthesis of active recombinant fish growth hormone by insect cells using baculovirus vector. Can. J. Fish. Aquat. Sci., 51 (1): 1-7.
- Tsai, H. J; and Tseng, C. F; (1992): Expression of rainbow trout growth hormone cDNA in *E. coli* from vector utilizing Lac promoter. J. fish. Soc. Tawan, 19(1): 45-53.
- Tsai, H. J; Tseng, C. F; and Kuo, T. T; (1993): Expression of rainbow trout growth hormone cDNA in yeast. Bull. Inst. Zool. Academic Sincia. 32(3): 162-170.
- Utsumi, K; Kawamota, T; Hoikim, J; Iritani, A; Sakai, A; and Komans, T; (1992): Sex determination of bovine embryos by the polymerase chain rection using Y-specific primers. J. Rep. And Devlp. 38(1): 35-43.
- Vanderpooten, A; Huybrechts, L. M; Decuypere, E; and Kuhn, E. R; (1991): Differences in hepatic growth hormone receptor binding during development of normal and dwarf chickens. Reprod. Nutr. Dev. 31: 47-55.
- Vasilatos, Y. R; (1995): Proposed mechanisms for the regulation of hormone action in poultry: metabolic effects. J. Nutr. Suppl. 125(6): 1783s-1789s.
- Wall, R. J; (1997): Anew lease on life for transgenic livestock. Nature Biotechnology, 15:1.

- Wanke, R; Wolf, E; Brem, G; and Hermanns, W; (1986): Physiology and pathology of growth-studies in GH transgenic mice.
J. Anim. Breed. Genet. 113: 445-456.
- Ward, K. A; and Nancarrow, C. D; (1991): The genetic engineering of production in domestic animals.
Experientia, 47: 913-922.
- White, K. L; Linder, G. M; Anderson, G. B; Bondurant, R. H; (1983): Cytolytic and fluorescent detection of H-Y antigen on preimplantation mouse embryos.
Theriogenology, 17: 701-750.
- Williams, J; and Harvey, (1986): Plasma concentration of luteinizing hormone, growth hormone, oestradiol, testosterone and androstenedione in the domestic hen from 6 weeks of age to sexual maturity.
Reprod. Nutr. Develop. 26: 127-134.
- Willmut, I; Schnieke, A. E; Mcuhir, J; Kind, A. J; and Campbell, K. H. S; (1997): Viable offspring derived from fetal and adult mammalian cells.
Nature, 385 (27): 810-813.
- Wolf, H; Puler, A; and Neumann, E; (1989). Electroporation of intact and osmotically sensitive cells of *Corynebacterium glutamicum*.
Appl. Microbiol. Biotechnol, 30: 280-289.
- Wolowodiuk, V. D; Fechheimer, N. S; Nestor, K. E; and Bacon, W. L; (1985): Chromosome abnormalities in embryos from lines of Japanese quail divergently selected for body weight.
Genet. Sel. Evol. 17(2): 183-190.
- Woychick, R. P; Camper, S. A; Lyons, R. H; Horowitz, S; Goodwin, E. C; and Rottman, F. M; (1982): Cloning and nucleotide sequencing of the bovine growth hormone gene.
Nucleic Acids Res. 10(22): 7197-7210.
- Yadav, J. S; Pachlag, S; Burra, M, R; and Yadav, A. S; (1995); Karyotypic analysis of three species of phasianidae (Galliformes: Aves).
Cytobios, 81(325): 119-127.
- Yamakawa, M; Sugisak, K. Morimoto, M; Tanak, M; Yamamoto, M; Ichikawa, T; and Nakashia, K; (1989): Effects of gene dosage on the expression of human growth hormone cDNA in *E. coli*.
Bioch. Bioph. Acta. 1009: 156-160.

- Yamamoto, N; Kino, K; Kato, H; Yamagata, T; and Tomita, T; (1995b): Mini and microsatellite DNA analyses of the irradiated sperm transformed chickens.
Japanese poultry Sci. 32(3): 151-160.
- Yamamoto, N; Otsuka, K; and Kino, K; (1995a): Egg production performances of the brown egg white leghorn hens bred by mean of genetic transformation.
Japanese poultry Sci. 32(4): 283-288.
- Yamamoto, N; and Tomita, T; (1993): Detection of Y-ray irradiated donor sperm DNA in the transgenic chicken embryo by DNA fingerprint analysis.
Japanese Poultry Science, 30(2) 114-122.
- Yoon, J. B; Berry, S. A; Seelig, S; and Towle, H. C; (1990): An inducible nuclear factor binds to a growth hormone regulated gene.
The J, of Biol. Chem. 265 (32): 19947-19954.
- Zackel, B; Zackel, M; Strauss, M; Baumlein, H; Roschlau, K; and Schwerin, M; (1989): Construction of an inducible expression vector for bovine growth hormone.
Biol. Zent. Bl. 108: 9-11.