## CONTENTS

	<u>Page</u>
	LIST OF TABLES
	LIST OF FIGURES III
1-	INTRODUCTION1
2-	REVIEW OF LITERATURE3
3-	MATERIALS AND METHODS 55
4-	RESULTS AND DISCUSSION
	4-1- Propagation by cuttings
	4-1-1- Effect of wounding and some growth regulators 64
	4-1-1-1 Softwood cuttings 64
	4-1-1-2- Hard wood cuttings76
	4-1-2- Anatomy of adventitious root origin82
	4-2- Propagation by budding96
	4-2-1-a- Effect of rootstock and time of budding on growth of Ne Plus Ultra almond budlings96
	4-2-1-b- Specific effect of rootstock on the performance of Ne Plus Ultra almond budlings98
	4-2-2- Performance of unbudded stocks
	4-2-3- Leaf elements content
	4-2-3-1- Budded plants103

<u>Pa</u>	<u>ge</u>
4-2-3-1-a- Effect of rootstock and time of budding on elements content of Ne Plus Ultra almond budlings	03
4-2-3-1-b- Specific effect of rootstocks on the macro-elements content in leaves of Ne  Plus ultra almond budlings	.07
4-2-3-2- Unbudded stock plants1	.10
4-2-4- Anatomy of budunion zone 1	.12
4-3- Tissue culture studies 1	18
4-3-1- Effect of explant preparation time on the performance of shoot-tip and one-node cuttings of three almond rootstocks	118
4-3-1-1- Establishment stage 1	118
4-3-1-2- Proliferation stage	125
4-3-1-3- Rooting stage	131
5- SUMMARY AND CONCLUSIONS	134
6- LITERATURE CITED	143
ARABIC SUMMARY.	165

## LIST OF TABLES

<u>Tab</u>	<u>le</u> Page
1-	Response of Marianna 2624 plum softwood cuttings, planted under mist, to wounding and some growth regulator treatments (prepared in May 1992 &1993)
2-	Response of Okenawa peach softwood cuttings, planted under mist, to wounding and some growth regulators treatments (prepared in May 1992 & 1993)
3-	Response of Marianna 2624 plum softwood cuttings, planted under mist, to wounding and some growth regulator treatments (prepared in July 1992 & 1993)
4-	Response of Okenawa peach softwood cuttings, planted under mist, to wounding and some growth regulator treatments (prepared in July 1992 & 1993)
5-	Specific effect of softwood cuttings preparation time on the rooting and survival percentages of Okenawa peach and Marianna 2624 plum (Average of two years 1992 & 1993)75
6-	Response of Marianna 2624 plum hardwood cuttings to wounding and some growth regulator treatments (prepared in December 1992 & 1993)
7-	Response of Okenawa peach hardwood cuttings to wounding and some growth regulator treatments (prepared in December 1992 & 1993)

<u>Table</u> <u>Page</u>	
8-	Growth of Ne Plus Ultra almond budlings as affected by rootstocks and time of budding97
9-	Nursery performance of Ne Plus Ultra almond budded on different rootstocks
10-	Nursery performance of unbudded rootstock nurslings 102
11-	Leaf nutrient elements content of Ne Plus Ultra almond budlings as affected by rootstocks and time of budding 104
12-	Specific effect of rootstock on macro-nutrient content in leaves of Ne Plus Ultra budlings (1992/ 1993)
13-	Leaf macro element content of rootstock nurslings 111
14-	Effect of explant preparation time on the performance of shoot-tip and one-node cuttings during the establishment stage of three almond rootstocks
15-	Effect of explant preparation time on the performance of shoot-tip and one-node cuttings during the proliferation stage of three almond rootstocks

## LIST OF FIGURES

Figu	<u>Page</u>
1-	A cross section in Marianna 2624 plum stem cutting 83
2-	A cross section in Okenawa peach stem cutting84
3-	A cross section in bitter almond stem cutting85
4-	A cross section in Marianna 2624 plum stem cutting showing root primordia and well developed roots
5-	A cross section in Okenawa peach stem softwood cutting showing an early stage of root primordia
6-	A cross section in bitter almond stem cutting showing an early stage of root primordia
7-	A cross section in Okenawa peach stem cutting showing the beginning of vascular bundle connection between adventitious root and corresponding tissues of the cutting 90
8-	A cross section in Okenawa peach stem cutting showing the penetration of the adventitious roots through the cutting tissues and its connection with the main conductive tissues91
9-	A cross section in Marianna 2624 plum stem cutting showing a well developed adventitious roots and their penetration through the cutting tissues

Figu	<u>Page</u>
10-	A cross section in Okenawa peach stem cutting showing a well developed adventitious roots and their penetration throughout the cutting tissues
11-	Effect of rootstocks and time of budding on elements content of Ne Plus Ultra almond budlings.
	a- Nitrogen
	b- Phosphorus
	c- Potassium
	d- Calcium
	e- Magnesium 106
12-	A longitudinal section in the bud-union of Ne Plus Ultra almond grown on bitter almond rootstock
13-	A longitudinal section in the bud-union of Ne Plus Ultra grown on Okenawa peach rootstock
14-	A longitudinal section in the bud union of Ne Plus Ultra almond grown on Marianna 2624 plum rootstock
15-	Effect of explant preparation time on the performance of shoot-tip and one-node cuttings grown on modified MS
	medium free from hormones during the establishment stage of three almond rootstocks
16-	Shoot-tip of bitter almond in establishment stage
17-	One-node cutting of bitter almond in establishment stage 121

<u>Page</u>	
18-	Shoot-tip of Okenawa peach in establishment stage
19-	One-node cutting of Okenawa peach in establishment stage. 122
20-	Shoot-tip of Marianna 2624 plum in establishment stage 123
21-	One-node cutting of Marianna 2624 plum in establishment stage
22-	Effect of explant preparation time on the performance of shoot-tip and one-node cuttings grown on modified MS medium with 1 mg BA, during the proliferation stage of three almond rootstocks
23-	Shoot-tip and one-node cutting of bitter almond during proliferation stage
24-	Shoot-tip of bitter almond during proliferation stage 128
25-	Shoot-tip of Okenawa peach during proliferation stage 129
26-	One-node cutting of Okenawa peach during proliferation stage
27-	Shoot-tip of Marianna 2624 plum during proliferation stage. 130
28-	One-node cutting of Marianna 2624 plum during proliferation stage
	promeration stage.