
LITERATURE CITED

REFERENCES

- Abousalim, A. (1991a):** *In vitro* propagation of Pistachio (*Pistacia vera* L. cv. Mateur). Effect of culture media. Actes de l'Institut Agronomique et Veterinaire - Hassan - 11. 11, 3, 23- 26.
- Abousalim, A. (1991b).** Multiple shoots formation from *in vitro* germination *Pistacia vera* L., and *Pistacia atlantica* Desf. seeds. Actes de L'Institut Agronomique et Veterinaire Hassan, 11(11):4-5-8.
- Altman, A. (1989).** Polyamines and Plant Hormones. In: Bachrach, U. and Heimer. M.Y. (eds), The Physiology of Polyamines. Vol.2 CRC press. Boca Raton, pp.121-145.
- Arafa, A.M.S. and I.A. Ibrahim, (1994):** Effect of type of medium on growth and development of *Cordyline* and *Gerbera* plants culture *in vitro*. The 1st Conf. of Ornamental Hort. 11(1): 124-136.
- Bajaj, Y. P. S. and P. Nitsch, (1975):** *In vitro* propagation of red cabbage (*Brassica oleracea* L. var. *capitata*). J. Exp. Botany, 26:883 - 890.
- Barghchi, M. and P.G. Alderson, (1983).** *In vitro* propagation of *Pistacia vera* L. from seedling tissues. J. of Hort. Sci., 58(3): 435-445.
- Barghchi, M. and P.G. Alderson, (1985).** *In vitro* propagation of *Pistacia vera* L. and the commercial cultivars Ohadi and Kalleghochi. J. of Hort. Sci., 60(3): 423-430.
- Barlass, M. and K.G.M, Skene (1978):** *In vitro* propagation of grapevine (*Vitis vinifera* L.) from fragmented shoot apices. Vitis 17 : 335 - 340. Cited from Handbook of plant cell culture, Krul, W. R. ; Mowbray, G. H. (1984). vol .(2) : 396 - 42-7.

- Batten, D.J. and P.B. Goodwin, (1978).** Phytohormones and the induction of adventitious roots. In : Letham, D.S.; Goodwin, P.B. and Higgins, T.J.V. (eds). Phytohormones and related compounds: A comprehensive treatise. Vol.2 Amsterdam: Elsevier North-Holand, Biomedical Press, pp. 137-145.
- Biedermann, I.E. (1987):** Factors affecting establishment and development of Magnolia hybrids *in vitro*. Acta Horticulturae, 212.
- Bonner, J. and A.W. Galston, (1959):** Principles of Plant Physiology. Published by W.H. Freeman and Company, San Francisco. pp. 350-387
- Borkowska, B. (1989):** Comparative response of sour cherry cultures to different cytokinins. Acta Horticulturae N 0.239, 109 -112.
- Borkowska, B. and M. Opilowska (1988):** Influence of BA and other cytokinins on proliferation and metabolic status of sour cherry cultures cultivated *in vitro*. Fruit - science - Reports. 15:4, 147 - 156.
- Choudhary, M.L. (1991):** Vegetative propagation of carnation *in vitro* through multiple shoot development. Indian Journal of Horticulture. 48 (2) : 177 - 181 .
- Dolect-Sanjuan, R. and E. Claveria, (1995):** Improved shoot tip micropropagation of *Pistacia vera* L. and the beneficial effects of methyl Jasmonate. Journal of the American Society for Horticultural Science, 120 (6): 938 - 842.
- Duncan, D.B. (1955).** Multiple range and multiple F-tests- Biometrics, II: 1-42.
- Emam, M.E. (1997):** Physiological studies on some small fruit plants by using tissue culture techniques. M. Sc. Thesis, Hort., Fac. Agric. Moshtohor, Zagazig Univ., Egypt.

- Gray, D.J. and C.M. Beneton, (1991):** *In vitro* micropropagation and plant establishment of Muscadine grape cultivars (*Vitis rotundifolia*). Plant Cell, Tissue and Organ Culture, 27(1): 7-14.
- Gruselle, R.; N. Badia and Ph. Boxus, (1987):** *In vitro* problems Related to Mass propagation . Acta. Horticulturae No., 212.
- Gunidy, F.L. (1990):** Production of some fruit rootstocks through tissue culture technique. Ph. D. Thesis, Fac. Agric., Ain shams Univ., Cairo, Egypt.
- Hackett, W.P. (1970):** The influence of auxin, catechol and methanolic tissue extracts on root initiation in aseptically cultured shoot apices of the Juvenile and adult forms of *Hedera helix*. J. Amer. Soc. Hort. Sci., 95 : 398 - 402.
- Hagagy, N.A.A. (1992):** Comparative studies on the effect of cytokinins and cytokinin like substance on growth index of banana (William's cv.) via tissue culture techniques. Annals of Agric. Sci. Moshtohor. 30 (3): 1369 - 1378.
- Hammerschlage, F.A. (1982):** Factors influencing in vitro multiplication and rooting of the plum rootstock Myrobalan (*Prunus cerasifera* Ehrh) J. Amer. Soc. Hort . Sci., 107 (1) 44-47.
- Hansen, K.C. and J.E. Lazarte, (1984).** *In vitro* propagation of pecan seedlings. Hortscience 19 (2): 237-239.
- Hazarika, B.N.; V. Nagaraju and V.A. Parthasarathy (1995):** Micropropagation of *Murraya koenigii* Spreng. Annals of Plant Physiology, 9(2): 149-151.
- Iona Snir (1982):** *In vitro* propagation of sweet cherry cultivars. Hortscience, 2: 101 - 102 .

- Katano, M. (1987):** Propagation of Japanese cherry (*Prunus jumasatura* Sieb ex. Koidz) by shoot-tip culture. Proceedings of the Fac. of Agric. Kyushu, Kakai University. 6, 1 - 4 (c.f. Hort. Abst., 57(9): 7220).
- Kuhne, V.; S. Gennerich; B. Henning, and V. Hanke, (1988):** Possibilities of improving *in vitro* rooting in pome and stone fruits. Gartenban, 35(6): 180-182.
- Lazarte, J.E. (1984):** Propagating pecan rootstock by tissue culture. American-Nurseryman. 159 (11):79 - 82.
- Lee, J.H.; D.L. Kim; S.G. You and E.S. Lee (1986):** Studies on the hardwood cutting of Mulberry (*Morus alba* L.). I-Effect of cutting methods and seasons on rootability. Korean J. of Sericultural Sci., 28: 9-14.
- Loomis, W.D. and J. Battaile (1966):** Plant phenolic compounds and the isolation of plant enzymes. Phytochemistry, 5: 423-438.
- Martinelli, A. (1988):** Use of "*in vitro*" Techniques for selection and cloning of different Pistacia species. Acta. Horticulturae, No. 227, 436 - 437.
- Masuda, T.; H. Bessho; S. Komori and S. Tsuchiya, (1994):** Effect of thidiazuron and casamino acid on adventitious shoot formation from roots of apple (*Malus prunifolia* Borkh, Mo-84) plantlets cultured *in vitro*. J. of the Japanese Soc. for Hort. Sci., 63(1): 39 - 43.
- McCormack, J. (1985):** Rooting of Illinois Everbearing Mulberry cuttings. Pomona, 18: 30-31 (c.f. Hort. Abstr., 56: 5875).
- Miller, G.A.; D.C. Coston; E.G. Denny and M.E. Romeo, (1982):** *In vitro* propagation of Nemaguard peach rootstock. HortScience, 17: 197.

- Mohamed, S.E.F. (1997):** Studies on the vegetative propagation of some nut trees. M.Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ., Egypt.
- Murashige, T. (1974):** Plant propagation through tissue culture. *Ann. Rev. Pl. Physiol.*, 25: 135-166.
- Nassuth, A.; T.M. Wormer; F. Bouman, and G. Staritsky, (1980):** The histogenesis of callus in *Coffea canephora* stem explants and the discovery of early embryoid initiation. *Acta Botanica Neerlandica* 21 (1) : 49 - 54.
- Penuela, R.; C. Garavito; R. Sanchez-Tames, and R. Rodriguez (1988):** Multiple shoot bud stimulation and rhizogenesis induction of embryogenic and juvenile explants of walnut. *Acta - Horticulturae*. No, 457 - 459.
- Pevalek-Kozlina, B. (1985):** Colonial propagation of wild cherry (*Prunus avium* L.) *in vitro*. *Glasnik-Instituta-za-Botaniku-I-Botanicko-Baste-Universziteta-u-Beogradu* 5, 19, 334.
- Pierik, R.L.M. (1987):** *In vitro* Culture of Higher Plants. Dept. of Hort. Agric., Univ. Wageningen. The Netherlands, Martinus, Nijhoff Pub. Dordrecht, Boston, Lancaster, pp. 66-79.
- Poniedzialek, W; M. Malodobry; W. Lech, and A. Malodobry (1986):** Rooting of tartcherry shoots on different media. I. Effect of IAA, IBA, NAA, phoroglucinol and sucrose concentration. *Fruit Science - Reports* 13 : 4, 161 - 165.
- Poniedzialek, W; M. Malodobry; W. Lech, and A. Malodobry (1987):** Proliferation of sour cherry shoots of the cultivar lutowka in sterile cultures. *Plant growth regulator Abstracts* 013 - 01733.
- Pontikis, C.A. (1984).** *In vitro* propagation of *Pistacia terbinthus* L. *Plant Propagator*, 30(3): 14-15.
- Pottino, B.G. (1981):** Methods in plant tissue culture. Dept. of Hort., Agric. College, Maryland Univ., College Park, Maryland, USA, pp. 8-29.

- Pottino, P.J. (1981):** Methods in Plant Tissue Culture. Dept. of Hort. Maryland Agric. College, Maryland Univ., College Park, Maryland, USA, pp. 8-29.
- Preip, W. and M. Englehart, (1977):** Meristem culture of azaleas (*Rhododendron simsii*) Acta Hort., 79; 203-208.
- Rathore, T.S.; R.P. Singh; N.S. Deors and N.S. Shekhawat, (1992):** Colonial propagation of Zizyphus species through tissue culture. Scientia Horticulturae. 51(1): 165 - 168.
- Reeves, D.W.; G.A. Couvillon and B.D. Horton, (1985):** Effect of gibberellic acid (GA_3) on elongation and rooting of St-Julien rootstock *in vitro*. Plant Physiol. & Biochemistry, 26(3): 252-259.
- Reinert, J. and Y.P. Bajaj (1990):** Plant cell, tissue and organ culture. Second Reprint, Narosa Publishing House. 6 Community Center New Delhi (110020).
- Rosati, P.; G. Marino and C.S. Zewski, (1980):** *In vitro* propagation of Japanese plum (*Prunus salicina* Lindl. cv. Calita). J. Amer. Soc. Hort. Sci., 105(1): 126-129.
- Rugini, E. and D. Verna, (1983):** Micropropagation of difficult to propagate almond (*Prunus amygdalus*, Batch) cultivars. Plant Science Letters, 28: 273-281.
- Sabour, A.M. (1988):** Physical anhistological studies on date palm propagation. Ph. D. Thesis, Fac. of Agric., Ain Shams University.
- Scaramuzzi, F. and C. Delia (1984):** Plantlet induction in meristem cultures of *Jasminum* sp. Hen (*J. mesnyi* Hance). Comptes Rendus des Seances de l'Academie de Sciences, III (Sciences de la Vie), 298 (4): 107-112. (c.f. Hort. Abst., 54: 5661).

- Sharma, R. and K.K. Dhir (1985):** *In vitro* culture of axillary buds of Bougainvillea cultivar "Marypalmer". Indian Journal of Plant Physiology, 28(2): 169-176 [c.f. Hort. Abst., 56(7): 588].
- Shim, K.K.; Y.M. Ha. and S.K. Lee (1994):** Mass propagation of new triploid hybrids in Hibiscus syriacus L. through tissue culture. Abstracts XXIV the International Horticultural Congress Kyoto-Japan. Hall 21-27.
- Singh, H.P.; Sanjay-Singh; R.P. Saxena and R.K. Singh (1992):** Pretreatment of nodal segments for *in vitro* establishment and bud activation of *Modhauca latifolia*. Plant Physiology and Biochemistry (New Delhe), 19(2): 116-122 (c.f. Hort. Abstr., 64:3935).
- Siqueira, E.R. De.; M.T. De Jnoue, and E.R. Siqueira, (1991):** Controlling oxidation in the tissue culture of coconut. Resquis, Agropecaria, Brasileria, 26(7): 949-953.
- Skene, K.G. M.; M., Barlass (1981):** Micropropagation of grapevine. Combined proceedings, International plant propagators. Society 1980, Publ . 30 : 564 - 570.
- Skirvin, R.M. and M.C. Chu, (1977):** Tissue culture may revolutionize the production of peach shoots. HortScience, 36(1): 15-17.
- Snir, I. and A. Erez, (1980):** *In vitro* propagation of Malling Merton apple rootstocks. HortScience, 15(5): 597-598.
- Sondahi, (1977):** Applications of tissue culture in the improvement of coffee. Plant Cell, Tissue and Organ Culture, pp. 109-129.
- Srtiskandarajah, S. and M.C. Multins (1981):** Micropropagation of Granny smith apple. Factors affecting root formation in vitro. J. Hort. Sci., 56(1): 71-76.

- Strinivasan, C. Litc; R.C.J. Barker and K. Norstog (1985):** Somatic embryogenesis and plantlet formation from christmas palm callus. *HortScience*, 20: 278-280.
- Tabachnik, L. and D.E. Kester, (1977):** Shoot culture for almond and almond peach hybrid clones *in vitro*. *HortScience*, 12(6): 545-547.
- Tawfik, A.A. (1995):** *In vitro* propagation of *Melaleuca armillaris*. *Assiut Journal of Agricultural Science*, 26(4):
- Tiku, A.K.; B.B. Bindroo and R.K. Pandit (1987):** Studies on the propagation of hardwood cuttings of Kanva-2, a tropical Mulberry variety in the valley of Kashmir. *Research and Development Reporter*, 4:85-88 (c.f. *Forestry Abstr.*, 51: 4823).
- Tisserat, R. (1979):** Propagation of date palm (*Phoenix dactylifera* L.) *in vitro*. *J. of Experimental Botany*, 30 (119): 1275-1283.
- Turk, A.B.; J. Smole, and A. Siftar, (1992):** Micropropagation of plum ectotype (*Prunus domestica* L.) as rootstock for apricot. *Acta Hort.*, 300: 111-114.
- Wood, B.W. (1982):** *In vitro* proliferation of pecan shoots. *HortScience*, 17(6): 890-891.
- Yadav, U.; Lal, M. and V.S. Jaiswal, (1990):** *In vitro* propagation of the tropical fruit tree *Syzyium cuminii* L. *Plant Cell, Tissue and Organ Culture*, 21: 87-92.
- Yang, Z.H. and P. Ludders, (1994):** *In vitro* propagation of pistachio (*Pistacia vera* L.) Gartembou. *Wissenschaft*, 59(1): 30-34.
- Yucel, S.; A. Onay; G. Colak and D. Basaran, (1991):** The researches of obtaining from *Pistacia vera* L. apical bud and nodal bud by micropropagation. *Acta - Horticulturae* - No 289, 167 - 168.

- Zaid, A. (1984):** *In vitro* browning of tissues and media with special emphasis to date palm cultures Date Palm J. 3 (1): 269 - 275.
- Zaid, A. and B. Tisserat, (1983):** Morphogenetic response obtained from variety of somatic explant tissue of date palm. [c.f. Hort. Abstr., 54(10):8379].
- Zayed, Nagwa S. (1997):** Studies on the vegetative propagation of stone fruit trees. Ph. D. Hort., Fac. Agric. Moshtohor, Zagazig University.