

LITERATURE CITED

Abbasova, A. M. (1971):

The effect of fertilizers on the production and physical qualities of cucurbit seeds.

Kartofelya, Uzbekskaya SSR No. 8, 143-150.

(C.F. Hort. Abstr. 43: 6816, 1973).

Abdalla, A. A. and K. Verkerk (1970):

Growth, flowering and fruiting in tomatoes in relation to temperature, cycocel and GA.

Neth. J. Agric., Sci., 18:105-110.

Abdalla, I. M.; M. E. Zaki and R. S. Abd-El-Aal (1979):

Effect of phosphorus fertilization on growth, nutrients uptake and yield of tomato.

Res. Bull. No. 2, 1979. Zagazig University.

Abdalla, I. M.; M. F. Abdel Hamid and M. E., Zaki (1979):

Effect of chloromequat (CCC) on growth and yield of eggplant and pepper.

Zagazig J. Agric. Res., Bull., (1): 1-12.

Abdalla, I. M.; M. R. Gabal; T. A.; Abed and F. M.;

El-Assiouty (1983). Effect of NAA and GA₃ foliar application on growth, seed yield and chemical constituents of common bean.

10th African Horticultural symposium 16-20

January 1984. Addis Ababa, Ethiopia.

Abd El-Aal, A. Z. O. (1979):

Effect of some agricultural treatments on seed production of okra.

M. Sc. Thesis Fac. of Agric. El Minia Univ., Egypt. 72 PP.

Abd El-Al, Z. E. (1965):

Evaluation of some okra varieties and determining the suitable number of plants for each hill.
Golden Vol. No. 139, 1967.

Abd El-Dayem, H. M. (1982):

Physiological studies on the relationship of water requirement to salt tolerance in some plants.
M. Sc. Thesis, Fac. Agric. Moshtohor. Zag. Univ.
140 pp.

Abdel-Hamid, M. F.; Abdalla, I. M. and M. E. Zaki (1976):

Effect of CCC and B-9 on some cucurbitaceous plants II. Effect on total hydrolizable carbohydrate and crude protein contents and their relations.
(Unpublished data, Ann. Agric. Sci., Moshtohor).

Abdel-Maksoud, M.; M. El-Beheidi; I. El-Oksh and M. El Sawah (1975);

Effect of CCC and sucrose levels on the productivity of winter sweet pepper.
Zagazig J. Agric. Res., 2 (1): 131-141.

Abobaker, M. A. (1963):

Inheritance studies of some economic characters in okra, Hibiscus esculentus, L.
Thesis, Fac. Agric., Cairo Univ., PP. 127.

Abo-Sedera, F. A. (1981):

Effect of nitrogenous fertilizer and gibberellic acid on yield and quality of spinach (1981).
M. Sc. Thesis Fac. Agric., Moshtohor, Zagazig Univ. 75 PP.

Afanas'Ev, V. P. (1977):

"Studies on the permissible limit of salt concentration in water for irrigation of cotton".
Referativnyi Zhurnal 7-55. 529.
(C.F. Hort. Abstr. 42 (9): 5759).

Ahmed, S. S. H. (1981):

Effect of some growth regulators on growth, development and yield of okra.
M. Sc. Thesis (Agric.) Cairo Univ. 29 PP.

Ahmed, N. and L. I.; Tulloch-Reid (1968):

✓ Effect of fertilizer nitrogen, phosphorus, potassium and magnesium on yield and nutrient content of okra.
Agron. J., 60: 353-6.

Albregts, E. E. and C. M. Howard (1974):

Response of okra to plant density and fertilization.
Hort. Science 9 (4) 400.

Allam, A. I. and J. P. Hollis (1972):

Sulfide inhibition of oxidases in rice roots.
Phytopathology 62: 634-639.

Amer, S. S. A. (1981):

Effect of some growth regulators and some minor elements on growth and yield of tomato.
M. Sc. Thesis, Fac. of Agric. Sci., Mosh. Zag. Univ. 53 PP.

Ashour, N. I. and M. M. El-Fouly (1970).

A preliminary study on the effect of foliar spray with micro-elements and growth regulators on growth of tomatoes in winter season.
German J. Hort. Sci., 35: 415-418.

Asif, M. I. and J. K.; Greig (1972):

Effects of N, P and K fertilization on fruit yield, macro and micro nutrient levels and nitrate accumulation in okra (Abelmoschus esculentus (L) Moench).

J.-of the Amer. Soc. For Hort. Sci. 97 (4) 440-442.

Avramescu, A.; M. Cristea and N. Zelinschi (1961):

Determining the necessary amounts of mineral fertilizer for cucumbers and early cabbage.

Lucr. Sti. Inst. Cerc. Hort. Vitic.

(c.f. Hort. Abstr. 32: 4831, 1962).

Awad, A. E. (1973):

An anatomical and physiological study of growth regulators as affecting roses.

Ph. D. Thesis, Fac. Agric, Cairo Univ., Egypt.

Bakr Ahmed, M.; A. T. Hegazi; N. I. Ashour; M. M. El-Fouly and H. A., Moursy (1970):

Inducing salt tolerance in wheat.

Beitrag zur Tropischer und subtropischen Landwirtschaft und Tropenkrankheiten. 3: 35.

Baslavskaja, S. S. (1936):

Influence of chloride ion on the content of carbohydrates in potato leaves.

Plant. Physiol., 11: 863-871.

Bisaria, A. K. and A. P. Shamsery (1979):

Effects of different seasons on growth and yield attributes in okra (Abelmoschus esculentus (L.) Moench) Haryana.

J. of Hort. Sci. 8 (314) 156-157.

(c.f. Hort Abstr. 50 (12): 9075).

Brougham, R. W. (1960):

The relation between critical leaf area, total chlorophyll and maximum growth rate of some pastures and crop plants.

Ann. of Bot. 24: 463-474.

Brown, J. D. and Lilleland (1946):

Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry.

Proc. Amer. Soc. Hort. Sci. 48: 341-346.

Cej, A. A. (1969):

Study of initial tomato material for purposes of conserving whole fruits. Sborn. Trud. Aspirant-molod. nauc. sotrud. vses. nauc. issled. Inst.

Rasten. (Rec. WK-postgrad. Jun. Sci. All-un-Sci.-res. Inst. Pl. Industr.) 10: 391-97.

(c.f. Plant Breed. Abstr. 40: 1921, 1970).

Chandrasekharan, P. and C. M. George (1970).

Studies on the effect of NPK in combination with trace elements on the yield of bhindi.

Agric. Res. J. of Ker. 8 (2) 93-97.

(c.f. Hort. Abstr. 42: 7853, 1972).

Chauhan, D.S. and M. L. Gupta (1973):

Effect of nitrogen, phosphorus and potash on growth and development of okra (Abelmoschus esculentus (L.) Moench).

Ind. J. of Hort. 30 (1/2) 401-406.

(c.f. Hort. Abstr. 45: 6: 4086).

Chhonkar, V. S. and S. N., Singh (1963):

Studies on inorganic nutrition of bhindi
(Abelmoschus esculentus (L.) Moench) in sand
culture.

Ind. J. Hort. 20: 51-8.

(c.f. Hort. Abstr. 34: 1: 847, 1964).

Chhonkar, V. S.; P. N. Singh and R. S. Mishra (1977):

Effects of Ethrel and cycocel on growth and
yield of okra (Abelmoschus esculentus (L.)
Moench).

Ind. J. of Hort. 34 (4) 435-436.

Chiotan, G. and others (1971).

✓ The effect of chemical fertilizer applications
on okra production. (Russian Summaries).

(c.f. Hort. Abstr. 41: 4: 9120).

Crewal, B. S.; K. S., Nandpuri and J. C.; Kumar (1975):

Effect of sowing dates, spacing and picking of
green pods on yield and quality of okra seed.

Punjab Hort. J.

(c.f. Hort. Abstr. 45: 6591, 1975).

Das, G. (1973):

Possible mechanism of gibberellin induced
chlorosis in lettuce seedlings.

Canad. J. of Bot. 51 (1) 175-184.

Das, R. C. and A. Pattanaik (1971):

Studies on the effect of growth regulators

✓ treated okra seeds (Abelmoschus esculentus L.M.)

with respect to growth and subsequent development.

Ind. J. of growth and subsequent development. Ind.

J. of Hort. 28 (2) 293-295.

(c.f. Hort. Abstr. 43 (11) 7755).

Eaton, F. M. (1942):

Toxicity and accumulation of chloride and sulphate salts in plants.

J. Agric. Res. 64 (7): 357-399.

Eid, S. M. (1980):

Effect of fertilization and some growth regulators on growth, yield and quality of squash.

M. Sc. Thesis, Fac. of Agric. Mostoh. Zag. Univ. 111 pp.

El-Assiouty, F. M. (1983):

Effect of some minor elements and growth regulators on growth and dry seed yield of Giza 3 common bean cultivar.

M. Sc. Thesis Fac. Agric. Mosh. Zag. Univ. 93 pp.

El-Beheidi, M. and A. E., Mansi; I. M. Abdalla and A. M. Hewedy (1978):

Response of cucumber growth and seed production to phosphorus and Ethrel application.

Res. Bull. No. 906, Ain Shams Univ.

El-Fouly, M. M.; J. G. Salib and F. K., El-Gaz (1968):

Effect of CCC on cotton plants.

Zeitschrift fur pflanzenernahrung und Bodenkunde 121: 66.

El-Saidi, M. T. (1973):

Effect of chloromequat chloride CCC on growth, yield and fiber properties of cotton plants grown under various conditions of soil moisture.

Z. Acker-und pflanzenbau. 137-35.

El-Shourbagy, M. N. and N. L., Missak (1975):

Effect of growing season and salinity on growth, mineral composition and seed lipid characteristics of some Ricinus communis L. varieties.
Flora, Bd. 164: 51.

Eweida, M. H. T.; M. A.; El-Chandour and M. S., Fadl (1978):

Effect of different salts on germination, radicle growth and water inhibition of cotton seeds.
Egypt. J. of Agron. 3 (2) 195-202, Fac. of Agric. Al-Azhar Univ., Cairo, Egypt.

Farag, S. S. (1984):

Effect of some nutrients and growth regulators on growth, flowering, productivity, seed quality and some physiological aspects of squash and pepper.
Ph. D. Thesis, Fac. Agric. Moshtohor. Zag. Univ. 204 PP.

Fawzi, A. (1974):

Enzyme activity and carbohydrate metabolism in carnation as affected by CCC.
Ph. D. Thesis, Fac. Agric., Cairo Univ., Egypt.

Foda, H. A.; M. E. Younis and S. M., Moustafa (1973):

Plant growth and metabolism as influenced by growth retardants I. Differential effects of the growth retardants CCC and B₉₉₅ on growth, flowering and fruiting of broad bean plants.
7th Arab Sci. Congr. 1975.

Fomishina, R. M. (1979):

"NaCl effect on electrophoretic characteristics of proteins of Beta vulgaris leaves".
Ukrains Kii Botanich nii Zhurnal 36 (4) 334-339
(c.f. Hort. Abstr. 43 (11): 9637).

Galun, E. (1969):

The role of auxins in the sex expression of the cucumber.

Plant Phys. 12: 48-61.

Goma, A. (1958):

Chemical and physiological response of squash to some fertilizers.

Ph. D. Thesis, Fac. Agric., Ain Shams Univ.

Hegazy, A. T.; M. M., El-Fouly and H. A., Moustafa (1969):

Preliminary investigation on the effect of CCC on growth and yield of cotton plants irrigated with saline water.

Proc. 6th Arab Sci. Congr. Damascus 2: 171.

Hewedy, A. M. (1978):

Effect of some agricultural treatments on growth, seed yield and quality of cucumber.

M. Sc. Thesis, Fac. of Agric. Zag. Univ.

Hogue, E.; E. Wilcox and D. J. Cantliffe (1970):

Effect of soil phosphorus levels on phosphate fractions in tomato leaves.

Amer. Soc. Hort. Sci. 95, 174-176.

Hooda, R. S.; M. L.; Pandita and A. S. Sidhu (1980):

✓ Studies on the effect of nitrogen and phosphorus on growth and green pod yield of okra (Abelmoschus esculentus (L.) Moench).

Harya. J. of Hort. Sci. 9 (3/4) 180-183.

(c.f. Hort. Abstr. 51: 12: 9405).

Hussein, A. A. (1973):

Physiological studies on okra.

M. Sc. Thesis, Fac. Agric., Cairo Univ. PP. 185.

Imazu, T. and T. Osawa (1954):

The effect of sodium chloride on some vegetables.

J. Hort. Ass. Japan, 22: 197-202.

(c.f. Hort. Abstr. 24: 2413, 1954).

Inoue, Y. and M. Shibuya (1954):

Studies on the reproductive physiology of the common bean (Phaseolus vulgaris, L.). 1. On the differentiation and development of the flower buds.

J. Hort. Ass. Japan, 23: 9-15.

(c.f. Hort. Abstr. 25: 569, 1955).

Iyengar, E. R. R.; J. B. Pandya and J. S. Patolia (1978).

Evaluation of cotton varieties to salinity stress.

Ind. J. of plant physio. 21 (2) 113-117.

(c.f. Soil & Fert. Abstr. 43 (1): 653).

Jasa, B.; V. Vorisek and V. Reznicek (1975).

Studies on the dynamics of growth in Hibiscus esculentus L.

Acta Univ. Agric., Brno. A. 23 (3) 491-496.

(c.f. Hort. Abstr. 48 (2) 1451).

Jassal, N. S.; K. S. Nandpuri and K. S. Randhawa (1972):

Studies on the influence of irrigation and different doses of N, P and K on the flowering behaviour and absorption of nutrients elements in muskmelon (Cucumis melo L.).

J. of Res. Ind. 9 (2), 242-247.

(c.f. Hort. Abstr. 43 (12: 8664, 1973).

John, M. K. (1970):

Colorimetric determination of phosphorus in soil and plant materials with ascorbic acid. Soil Sci. 109: 214-220.

Kamalanathan, S.; S. Thamburaj and S. Sundararajan (1970):

Response of okra (Abelmoschus esculentus (L.) Moench) to time of sowing. Madras Agric. J. 57 (9): 17.
(c.f. Hort. Abstr. 43 (3): 6812).

Karchi, Z.; A. Govers and Y. Neubauer (1977):

Comparative effects of organic manure and N, P fertilizers on yield parameters of the Honey dew melon cv. noy amid. Hassadeh 57 (9) 1671-1675.
(c.f. Hort. Abstr. 48 (2): 1394, 1978).

Khadr, A. A. (1979):

Nitrogen influence on salt tolerance of broadbean, barley and pea seedlings grown in sand culture. Annals of Agric. Sc. Moshtohor, Vol. 12 (1979).

Khalil, M. M.; I. Antar; H. Bakhati and A. Ismail (1977):

Effect of total and specific salinity of irrigation water on salt tolerance and red leaf phenomenon in cotton plant. Agric. Res. Rev. 55 (5) 41-48.

Kharanyan, N. N. and V. N.; Vikhreva (1975):

"The activities of some enzymes in bean leaves treated with CCC (chloromequat) during soil drought".

Fiziologiyor Rastenii 22 (4) 806-809.
(c.f. Hort Abstr. 46 (4): 3305).

- Kim, H. K. Cha; J. W., Kim and J. J., Park; (1970):
Studies on the composition of winter cultivated
chinese cabbage treated with gibberellin.
Korean J. of Hort. Sci. 71: 67-72.
(c.f. Hort. Abstr. 43: 1179).
- Knave1, D. E. (1969):
Influence of growth retardants on growth,
nutrient content and yield of tomato plants grown
at various fertility levels.
J. Amer. Soc. Hort. Sci., 94: 32-35.
- Knysh, A. N. and R. L. Vakulenko (1976):
The effect of mineral fertilizers on watermelon
yield and quality.
Referativny Zhurnal (1976) 655-671.
(c.f. Hort. Abstr. 47: 1461, 1977).
- Koay, S. H. and S. E., Chua (1978):
Effects of fertilizers on vegetative growth and
pod production in okra (Hibiscus esculentus L.)
Singa.
J. of Prim. Indus. 6 (2) 79: 93.
(c.f. Hort. Abstr. 49: 10: 7613).
- Koroleva, G. A. (1978):
"Effect of soil salinity on cotton cv. Tashkent-1
in relation to developmental stages."
Referativnyi Zhurnal 7-55-530.
(c.f. Soil & Fert. Abstr. 42 (10): 6184).

Kuwada, H. (1964):

Studies on varietal characters and their classification in okra (Abelmoschus esculentus).

Tech. Bull. Fac. Agric. Kagawa 15: 79-88.

(c.f. Hort. Abstr. 35: 1124, 1965)

Lanchow wing, K. F. and A. L. Owadally (1980):

The cultivation of okra (Abelmoschus esculentus (L.) Moench) in Mauritius.

Techn. Bull., Min. of Agric. and Natur. Resour. and the Environ., Mauritius (2): 1-5.

(c.f. Hort. Abstr. 52 (4): 2239).

Leela, D.; P. Ravel and V. Shukla (1975):

Effects of foliar and soil application of N and P on the yield and chemical composition of (Abelmoschus esculentus L. M.).

Geobios 2 (2/3) 56-59.

(c.f. H. A. 47: 6: 5623).

Longo, G. (1968):

Variety trials of Hibiscus esculentus grown for the pod production.

Techn.; Agric. 20: 613-27.

(c.f. Hort. Abstr. 40: 3981, 1970).

Lyedorskii, S. YA. (1974).

The effect of chloromequat on changes in photosynthesis and productivity of tomatoes.

From Referativnyi, 5.55.473.

(c.f. Hort. Abstr. 45: 7511).

Mangal, J. L. and K., Singh (1973):

Effect of sodium salts on chlorophyll contents
in green leaves and edible fruits of okra
(Abelmoschus esculentus (L.) Moench).
Harya. J. of Hort. Sci. 2 (1/2) 63-66.
(c.f. Hort. Abstr. 45 (10): 7450).

Mani, S. and K. H. Ramanathan (1980):

Effect of nitrogen and potassium on the yield
of bhendi fruits.
South Indian Horticulture 28 (4) 136-136.
(c.f. Hort. Abstr. 51 (6): 4613).

----- and ----- (1981):

Effect of nitrogen and potassium on the crude fiber
contents of bhendi fruits at successive stages of
pickings.
South Indian Horticulture 29 (2) 100-103.
(c.f. Hort. Abstr. 51 (11): 8608).

Maxwell, D. P. and D. F. Bateman (1967):

Changes in the activities of some oxidases in
extracts of *Rhizoctonia*-infected bean hypocotyls
in relation to lesion maturation.
Phytopathology, 57: 132-136.

Mehrotra, O. N.; R. C., Garg and I. Singh (1970).

Effect of CCC (2-chloroethyl trimethyl ammonium
✓ chloride) on growth and yield of okra (Abelmoschus
esculentus (L.) Moench).
Ind. J. of Plant Physiology 13 (2) 173-179.

Michel, K. A. Gilles; J. K. Hamilton; P. A. Robers, and
F. Smith (1956):
Colorimetric method for determination of sugars
and related substances.
Analytical chemistry Vol. 28 No. 3.

Miller, J. C.; L. G. Jones and W. F. Wilson (1959):
Gold coast, a new variety of okra.
Circ. La. Agric. Exp. Sta. No. 57.
(c.f. Plant breed. Abstr. 30: 2061, 1960).

Morgan, G. W. (1966).
A note on the salt tolerance of okra (Hibiscus
esculentus (L.)).
Trop. Agric. Trin., 43: 263-4.
(c.f. Hort. Abstr. 36 (4): 6722).

Moustafa, M. B.; A. E. Awad; M. H. Owais and A. K. Dawh
(1981):
Physiological studies on growth, chemical
composition and alkaloids of Datura innoxia.
3. Effect on interaction between salinity and
growth regulators.
Annals of Agric. Sc. Moshtohor, Vol. 12, 1984.

Moustafa, S. M. A. (1972):
Studies on certain plant growth retardants.
Ph. D. Thesis Ain Shams Univ., Fac. Sci., Botany
Dept.

Moustafa, S. M. A.; M. A., El-Gandour and S. M. Ghazi
(1977):
Effect of Cycocel and Alar on growth and yield
of Vicia faba plants grown in saline soil.
1st Conf. of Saudi Biol. Soc. (SBC) Riyadh.

Murphy, J. and J. P. Riely (1962):

A modified single solution method for the
determination of phosphate in natural waters.
Anal. Chim. Acta, 27: 31-36.

Nagdy, G. A.; M. K. Fouad and W. SH. Mahmoud (1979):

Effect of Cycocel treatments on pepper plants.
I. Vegetative characters.
Res. Bull. No. 1149. Fac. of Agric., Ain Shams
Univ.

Nandpuri, K. S.; J. S.; Randhawa and K. S. Randhawa (1969):

Influence of plant growth regulators on germination,
growth, flower formation, fruit set and yield of
okra.
(c.f. Hort. Abstr. 40 (3): 6434).

Nieman, R. H. and L. Bernstein (1959):

Interactive effects of Gibberellic acid and
salinity on the growth of beans.
Amer. J. Bot. 46 (9): 667-670.

Omran, A. F.; A. M. El-Bakry and R. A. Gawish (1980):

Effect of soaking seeds in some growth regulator
solutions on the growth, chemical constituents and
yield of okra.

✓ Seed Sci. and Techn. 8 (2) 161-168.
(Hort. Abstr. 51 (2): 1247).

Padma, D. S.; M. S. Saimbhi and J. Singh (1970):

Genetic evaluation and correlation studies in okra
(Abelmoschus esculentus, L. Moench).
Ind. J. Hort., 27: 39-41.

- Pal, N.; K. S. Chauhan and K. C. Pundrik (1970):
Effect of gibberellic acid, indole-3-acetic acid
and beta-naphthoxy-acetic acid as a presowing
seed treatment on germination, vegetative growth
and yield of okra.
Punjab Hort. J. 10: 155-60.
(c.f. Hort. Abstr. 41 (4): 9118).
- Paliwal, K. V. and G. L. Maliwal (1972):
Effects of salts on the growth and chemical
composition of okra (Abelmoschus esculentus) and
Spongegourd (Luffa cylindrica).
J. Hort. Sci. 47, 517-524.
- Patterson, W. K. and T. E. Morelock (1980):
Effects of variety and spacing on okra yield.
Arkan. Far. Res. Exp. Sta., Fayetteville,
Arkansas, U.S.A.
(c.f. Hort. Abstr. 50 (10): 7798).
- Powlowski, H. E.; P. Schwadt and D. Alt (1970):
Cycocel and N fertilization improve quality of
annehegg Poinsettias.
Gartenwelt, 70: 519-541.
- Pawar, P. R.; A. T. Joshi and K. G. Mahakal (1977):
Effect of seed treatment with plant growth
✓ regulators on germination, growth and yield of
okra (Abelmoschus esculentus L.)
J. of Maharashtra Agric. Univ. 2 (1) 26-29.
(c.f. Hort. Abstr. 48 (4): 3530).

Pee, T. Y. (1970):

Analysis of effects of gibberellins on spinach plants.

Malays, Agric. J. 47: 357-367.

(c.f. Hort. Abstr. 41: 979, 1971).

Petolino, J. F. and I. A. Leone (1977):

Effects of saline aerosol on the total nitrogen and chlorophyll content of primary leaves of Phaseolus vulgaris.

Proc. of the Amer. Phytopath. Soc. 4, 195.

(c.f. Hort. Abstr. 48 (12): 10567).

Pregl, E. (1945):

Quantitative organic micro analysis 4th Ed.

J. Chundril, London.

Ramana, K. V. R. and Rama Das. V. S. (1977):

Physiological studies on the influence of salinity and alkalinity. 1. Changes in growth, respiration, carbohydrates and fats during seedling growth of radish (Raphanus sativus L.)

Ind. J. Plant Physiol. 93.

Randhawa, G. S. (1967):

) Growth and development in okra (Abelmoschus esculentus L. Moench) as influenced by time of sowing and row spacings.

J. Res., Ludhiana 4: 365-9.

(c.f. Hort. Abstr. 39 (2): 2908).

- Randhawa, K. S.; N. R. Bhandari and D. Singh (1977):
Influence of phosphorus-zinc application on okra
(Abelmoschus esculentus (L.) Moench).
Progres. Hort. 9 (2) 31-38.
✓ (c.f. Hort. Abstr. 48 (5): 4620).
- Reynhard, G. B. and D. R. Porter (1950):
Emerald okra.
Seed World 67 (6): 38, 47.
(c.f. Hort. Abstr. 21: 684, 1951).
- Roshdy, A. (1975):
Some chemical changes in Vicia faba plant during
maturity stages under different levels of
fertilization and irrigation.
M. Sc. Thesis Fac. of Agric., Ain Shams Univ.
- Ryzhov, S. N.; N. I. Zimina and G. YA. Stamos (1978):
"Effects of fertilizers on cotton under different
Salinity levels".
Referativnyi Zhurnal 12.55.273.
(c.f. Soil & Fert. 43 (7): 5971).
- Saimbhi, M. S. and D. S. Padda (1970):
Effect of nitrogen and phosphate fertilization
on the growth and yield of okra (Abelmoschus
esculentus (L.) Moench).
J. of Res. Ludh. India. 7 (4) 460-463.
(c.f. Hort. Abstr. 42 (1): 1386).
- Sapozhnikova, E. V.; V. P. Magnitskii and N. V. Alba (1970):
Effect of mineral fertilizers on tomato quality.
Agrokhiimiya, 6, 71-76 (R.).
(c.f. Hort. Abstr. 34: 958, 1964).

Sadek, M. A. (1976);

Effect of photo and chemical induction on
flowering and seed setting of spinach.

Ph. D. Thesis, Fac. of Agric. Ain Shams Univ.,
Cairo, Egypt.

Sedlovskii, A. I. (1972):

The chlorophyll content of cucumber leaves in
relation to the effect of different factors.

In Biologiya i Geografiya. Alma-Ata, Kazakh SSR.
No. 7, 50-54.

(c.f. Hort. Abstr., 44: 4722, 1974).

Shafshak, N. S. (1983):

Effect of some micronutrients and growth
regulators on growth, chemical composition, yield
and quality of sweet pepper.

Ph. D. Thesis (Agric.), Zag. Univ. Behna branch.
168 PP.

Shafshak, S. A. (1961).

Influence of fertilizers on the growth, chemical
composition, keeping quality and yield of tomatoes.

Ph. D. Thesis. Fac. Agric. Ain Shams Univ.

Shimose, N. (1972):

Physiology of salt injury in crops. IX. Salt
tolerance of barley, wheat and asparagus.

Reports of Fac. Agric. Okayama Univ. No. 40, 57-68.
(c.f. Hort. Abstr. 45 (3): 1736).

Shukla, S. N. and M. N. Tewari (1973):

Note on the increase in fruit growth of okra.

(Abelmoschus esculentus (L.) Moench) by

✓ treatment with growth retardants.

Ind. J. of Agric. Sci. 43 (10) 969-971.

Siddiqui, S.; D. Kumar; M. P. Singh and S. Kumar (1983):

Salinization and desalinization impacts on certain mineral contents in plant organs of Bonneville pea.

Trans. of Ind. Soc. of deser. Techn. and Univ.

Cent. of deser. stud. 8 (1) 118-122.

(c.f. Hort. Abstr. 54 (1): 349).

Singh, N. P. (1979):

Effect of nitrogen, phosphorus and potassium on bhindi (Abelmoschus esculentus L. Moench)

✓ Progres. Hort. 10 (4) 21-30.

(c.f. Hort. Abstr. 50 (6): 4275).

Singh, K. and M. S. Saimbhi (1968):

Response of Chinese cabbage to plant growth regulators sprays.

Punjab. Hort. J. 8: 50-3.

(c.f. Hort. Abstr. 39: 4682).

Singh, R. K. and K. P. Singh (1977):

Effect of seed treatment with plant growth substances on germination, vegetative growth and yield of okra (Abelmoschus esculentus L.

✓ Moench). Proc. of the Bihar Acad. of Agric. Sci. 25 (2) 24-27.

(c.f. Hort. Abstr. 49 (1): 481).

Singh, K.; and S. K. Upadhyay (1967):

Effect of soil and foliar application of naphthalene acetic acid (NAA) on the vegetative growth and yield of okra. (Abelmoschus esculentus L. Moench).

Ind. J. Agron. 12: 42-5.

(c.f. Hort. Abstr. 38 (3): 5754).

Sistrunk, W. A.; L. G. Jones and J. C. Miller (1960):

Okra growth habits.

Proc. Amer. Soc. Hort. Sci., 76: 486-91.

Snedecor, G. W. and Cochran (1962):

"Statistical Methods".

Iowa State, College Press, Ames, USA.

Sonneveld, C. (1979):

Effects of salinity on the growth and mineral composition of sweet pepper and eggplant grown under glass.

Acta Hort. 89, 71-79.

(c.f. Soil & Fert. 43 (10): 8790).

Srivastava, R. P. and L. Singh (1968):

✓ Effect of pre-sowing treatment with growth substances on important crops. IV. Okra Trop. Abstr. 23 (1): 2608.

(c.f. Hort. Abstr. 29 (2): 2906).

Srivastava, V. K. and S. C. P. Sachan (1971):

Effect of indole acetic acid and gibberellic acid on growth and yield in okra.

Ind. J. Hort. 28 (3) 237-239.

(c.f. Hort. Abstr. 44 (1): 478).

Starck, Z. and E., Czajkowska (1981):

Function of roots in NaCl-stressed bean plants.
Plant and soil (1981) 63 (1), 107-113. Dep. of
pl. Biol., Warsaw Agric. Univ. 02-528. Warsaw,
Pland.

(c.f. Hort. Abstr. 52 (8): 5443, 1982).

Stino, K. R.; M. A. Abdel Fattah; A. S. Abdel-Salam and
N. M. Malash (1971).

A comparative study of fourteen varieties of
cowpea with respect to their growth and flowering
in the New Valley.

The Desert Inst. Bull., Egypt. Vol. XXI No. 1:
239-250.

Stino, K. R.; M. A. Abdel Fattah; A. S. Abdel Salam; W. A.
Warid; I. El-Mofty and M. A. Gawad (1971):

Chemical constituents of the onion plant in
relation to sodium chloride concentration and
variety. II. Calcium, Magnesium, Nitrogen and
total carbohydrates.

Desert Inst. Bull., A.R.E. 22, No. 2, PP. 379-392.
(1972).

Strack, Z.; R. Karwowska and E. Kraszewska (1975):

The effect of several stress conditions and growth
regulators on photosynthesis and translocation of
assimilates in the bean plant.

Acta Societ. Botan. Polon. 44 (4) 567-588.

(c.f. Hort. Abstr. 46 (3): 2610).

Suryanarayana, V. and K. V. S. Rao (1981):

Effect of growth regulators and nutrient sprays
on yield of okra.

Vegetable Science 8 (1) 12-14.

(c.f. Hort. Abstr. 53 (1): 343.

Sutton, P. (1963):

The response of okra to nitrogen, phosphorus
and potassium fertilization.

✓ Proc. Fla. St. Hort. Soc. 76: 149-53.

(c.f. Hort. Abstr. 34 (4): 6859).

----- (1967):

The effect of N, P and K on the yield of okra.

✓ Proc. Fla. St. Hort. Soc. 79: 146-9.

(c.f. Hort. Abstr. 37 (4): 7052).

Swamy Rao, T. (1972):

Note on the natural variability for some
qualitative and quantitative characters in okra
(Abelmoschus esculentus (L.) Moench).

Ind. J. of Agric. Sci. 42 (5): 437.

Thomas, R. J. and D. M. Mclean (1967):

✓ Growth and mineral composition of squash
(Cucurbita pepo L.) as affected by N, P, K.
(c.f. Soil & Fert. 30 (4): 3149).

Turky, K. A. (1982):

Effect of some physiological aspects on growth,
yield and volatile oil of celery.

M. Sc. Thesis, Fac. of Agric., Moshto. Zag. Univ.
85 pp.

Tosh, S.; M. A. Choudhuri and S. K. Chatterjee (1978):
Effects of growth regulators on growth development
and yield of (Abelmoschus esculentus (L.) Moench) -
✓ Lady's Finger.
Sci. & Cult. 44 (12) 544-547.
(c.f. Hort. Abstr. 50 (2): 1086).

Upreti, D. C. and M. N. Sarin (1973):
Effect of soil salinity and growth regulators
on growth and maturation of peas (Pisum sativum L.)
Agric. Agro. Ind. J. 6 (11) 27-33.
(c.f. Hort. Abstr. 46 (5): 4621).

----- and ----- (1975):
Physiological studies on salt tolerance in Pisum
sativum (L.) III. Growth and maturation. Acta
Agro. Academ. Sci. Hunga. 24 (3/4) 452-457.
(c.f. Hort. Abstr. 46 (8): 7676).

Venturi, G. and R. Piazza (1973):
The effects of nitrogen, phosphorus and potassium
on summer squash, Cucurbita pepo.
Rivista di Agronomica, 7 (2/3) 143-149.
(c.f. Hort. Abstr. 44: 5656, 1974).

Verma, V. K.; K. C. Pundrik and K. S. Chauhan (1970):
✓ Effects of different levels of nitrogen, phosphorus
and potassium on vegetative growth and yield of
okra.
Punjab Hort. J. 10: 130-6.
(c.f. Hort. Abstr. 41 (4) 9121).

Watt, B. K. and A. L. Merrill (1963):

Composition of foods. Hand book No. 8, U.S.
Dept. Agric., Wash., D. C. 189 PP.

Zabajska, W. and B. Suramowa (1965):

Trials on acceleration of flowering in species
of medicinal plants with the aid of Gibrescol.
Ginl. Jinist. RSL. Ieczn., 11 (11), 225-36.
(c.f. Hort. Abstr. 37: 1543, 1967).