

References

6. REFERENCES

- Abdel Aziz, I. M; M. H. Mahmoud; M. A. Ashoub and A. O. Osman (1986).** Growth and yield of corn (*Zea mays* L.) as influenced by nitrogen and zinc fertilization. *Annals of Agric. Sci., Ain Shams Univ.*, 31: 1211-1226.
- Abd El-Samie, F. S . (1994).** Growth and yield of maize as affected by N-levels and preceding winter crops. *Annals Agric. Sci., Ain Shams Univ., Cairo*, 39: 623-631.
- Abdullah, S. A. A. (1998).** Response of maize to nitrogen and biofertilizer. *Assiut J. Agric. Sci.*, 29: 59-73.
- Aboulroos, S. A; Sh. Sh. Holah and A. A. Hagag. (1992 a) .** Changes in root growth and nutrient influx in corn at different plant ages. *Egypt J. Soil Sci.*, 32: 497-512.
- Aboulroos, S. A; Sh. Sh. Holah and A. A. Hagag. (1992 b).** Effect of nitrogen and soil moisture on root growth and nutrients influx by corn. *Egypt. J. Soil. Sci.*, 32: 483-496.
- Abu-Grab, O. S. ; F. A. El-Kady and A. A. Darwich. (1997).** Response of some maize cultivars to nitrogen fertilization under North and Middle Delta conditions. *Annals of Agric. Sci. Moshtohor*, 35: 1-14.
- Anita, P.; S. Eklabya, ; L. M. S. Palni; A. Pandey and E. Sharma. (1998).** Influence of bacterial inoculation on maize upland farming systems of the Sikkim Himalaya. *Soil Biol. Biochem.*, 30: 379-384.

- A.O.A.C. (1990).** Association of Official Analytical Chemists, Official Methods of Analysis, 15th Ed. (Horwitz, W., Ed.). Washington DC. USA.
- Arsac, J. F.; C. Lamothe, ; D. Mulard, and J. Fages. (1990).** Growth enhancement of maize (*Zea mays* L.) through *Azospirillum Lipoferum* inoculation: effect of plant genotype and bacterial concentration. Agronomie.10: 640-654. (C.F. CAB Abstract 1990-1991).
- Badran, M.S. S. (2000).** Response of some maize cultivars to biofertilizer (HALEX). Alex. J. Agric. Res., 45: 129-141.
- Basha, H. A. (1994).** Effect of nitrogen fertilizer application time on growth and yield of some maize varieties. Zagazig J. Agric. Res., 21: 329-344.
- Bhandari, A. L.; K. N. Sharma, ; D. S. Rana and S. S. Thind. (1989).** Effect of fertilizers and *Azotobacter* inoculation on yield of maize (*Zea mays*) and wheat (*Triticum aestivum*) under dry farming condition. Ind. J. Agric. Sci., 59: 822-823.
- Chapman, D.H. and P. F. Pratt (1961).** Methods of Analysis for Soils, Plants and Water. Univ. Calif. Div. Agric. Sci.. USA.
- Dinesh, B; S. P. Verma and D. Badiyala. (1990).** Effect of a supplemental sources and fertilizer nitrogen on physico-chemical properties of acid soils of Himachal Pradesh. Ind. J. Agron., 35: 144-149.

- Dobbelaere, S; A. Croonenborghs ; A. Thys; D. Ptacek; Y. Okon and V. Vanderleyden. (2002).** Effect of inoculation with wild type *Azospirillum brasilense* and *A. irakense* strains on development and nitrogen uptake of spring wheat and grain maize. Biol. and Fert. of Soils. 36: 284-297.
- Doran, J. W.; D. G. Fraser; M. N. Culik and W. C. Liebhardt. (1987).** Influence of alternative and conventional Agric.management on soil microbial processes and nitrogen availability. Amer. J. Alter. Agric., 2: 99-106 (C.F. CAB Abstracts 1987-1989).
- Dubey, R.K.; S. B. Agrawal; K. M. Dubey; G. S. Thakur and B. L. Agrawal. (1995).** Role of bio-fertilizer in productivity of fodder maize (*Zea mays*). Adv. Agric. Ind., 4: 87-92.
- Duncan, W.G. (1972).** Plant spacing, density, orientation and light relationships as related to different corn genotypes. Reprint from Proc. 27th Annual Corn and Sorghum Res. Conf. Amer. Seed Trade Assoc., Washington DC
- El-Agamy, A. I.; M.A. El-Lakany; S. B. Mourad and F.H. Soliman (1986).** Response of some varieties and hybrids of maize to plant densities and nitrogen fertilization. Al-Azhar J. Agric. Res., 6: 413-424.
- El-Akabawy, M. A.; M. A., Mahdy; M. M. A. Badr and Nadia O. M (2001).** Effect of bio-fertilizers and Micronutrients on the yield and mineral composition of maize plants at different levels of nitrogen. Egypt. J. Appl. Sci., 16: 332-344.

- El-Bana, A. Y. A., and M. A. Gomaa. (2000).** Effect of N and K fertilization on maize grown in different populations under newly reclaimed sandy soil. *Zagazig J. Agric. Res.*, 27: 1179-1190.
- El-Demerdash, M. E. (1994).** Growth and yield of maize plants as affected by bacterization with diazotrophs and supplementation with half the dose of N-fertilizer. *Annals of Agric. Sci, Moshtohor*, 32: 889-898.
- Elgala, A. M.; Y. Z. Ishac; M. Abdel-Monem; I. A. I. El-Ghandour; P. M. Huang; J. Berthelin; J. M. Bollag; A. D. McGill and A. L. Page. (1995).** Effect of single and combined inoculation with *Azotobacter* and *VA mycorrhizal* fungi on growth and mineral nutrient contents of maize and wheat plants. *Environmental impact of soil component interactions: Volume 2: metals, other inorganics, and microbial activities*. 109-116. (C.F. CAB Abstracts 1995).
- El-Hoseiny, M. M. and M. R. Rabie. (1979).** Effect of bacterization of maize (*Zea mays* L.) seedlings with *Azotobacter chroococcum* on their growth. *Egypt. J. Microbiol.*, 14: 45-57.
- El-Kassaby, A.T. and S.E. El-Kalla (1981).** Effect of different planting dates and nitrogen fertilization levels on growth, yield and its components in corn (*Zea mays*, L.). *J. Agric. Sci., Mansoura Univ., Egypt*, 6 : 824-834.

- El-Shinnawi, M.M; M. S. Omran; M. M. El-Seidy and S. W. Barsoom. (1990).** Nitrogen forms in plant seedlings as affected by nitrogen source in water culture. Egypt. J. Soil Sci., 30: 491-505.
- Esmail, S.E. and M.H. El-Sheikh. (1994).** Relationship between the nitrogen fertilizer levels and the yield of some maize varieties supported by response curve. Menofiya J. Agric. Res., 19: 139-152.
- Faissal, R. I .I; M.H. M. Graish and M.A. Sultan. (1996).** Effect of plant population density and nitrogen fertilization on yield and yield components of some yellow maize hybrids. Mansoura Univ. J. Agric. Sci., 4299-4306.
- Fan, L. and S. Moshe . (2002).** Response of maize to foliar vs. soil application of nitrogen – phosphorus – potassium fertilizers. J. Plant Nutri., 25: 2333-2342.
- Favilli, F.; W. Balloni; A. Cappellini; L. Granchi and G. Savoini. (1987).** The experience of several years of field inoculation of cereal crops with *Azospirillum* spp. Annali-di- Microbiologia-ed-Enzimologia. 37: 169-181. (C.F. CAB Abstract 1987-1989).
- Fayez, M.; N.F. Emam and H.E. Makboul. (1983).** Interaction of the herbicides bromoxynil and Afalon S with *Azospirillum* and growth of maize. Zeitschrift fur pflanzenernahrung und Bodenkunde. 146: 641-751.(C.F. CAB Abstract 1984-1986).

- Fulchieri, M and L. Frioni (11994).** *Azospirillum* inoculation on maize (*Zea mays*): effect on yield in a field experiment in central Argentina. Soil Biol. and Biochem. 26: 921- 923.
- Gascho, G.J., J.E. Hook, and G. A. Mitchell. (1984).** Sprinkler-applied and side-dressed nitrogen for irrigated corn grown on sand. Agron. J., 76: 77-81.
- Genaidy, S.; M. Sobh; M. Hegazy and A. R. Ahmed. (1992).** Nitrogen and phosphorus fertilizers requirements and time of application to maize (*Zea mays* L.). Egypt J. Res., 70 : 339-351.
- Gouda, A.S.A.; M.M. Ragheb and A. A. Bedeer. (1993).** Grain yield of some maize hybrids as affected by plant population density and nitrogen fertilizer levels under different conditions. Bull. Fac. Agric., Cairo Univ., 44: 99-618.
- Govedarica, M. (1991).** A specific relationship between *Azotobacter chroococcum* strains and some corn hybrids. Mikrobiologija Beograd, 28: 45-55. (C.F. CAB Abstract 1995).
- Harding, S.A.; C. F. Clapp and W.E. Larson. (1987).** Soil and crop response to nitrogen fertilization of soil containing decomposed sewage sludge. Agric., Ecosys. and Environ., 8: 313-324.
- Hussain, A.; M. Arshad; A. Hussain and F. Hussain. (1987).** Response of maize (*Zea mays*) to *Azotobacter* inoculation under fertilized and unfertilized conditions. Biol. and Fert. of Soils, 4: 73-77.

- Hussaini, M.A.; V. B. Ogunlela; A. A. Ramalan; A. M. Falaki and A. B. Lawal. (2002).** Productivity and water use in maize (*Zea mays* L.) as influenced by nitrogen, phosphorus and irrigation levels. Crop Res. –Hisar., 23: 228-234.
- Ibrahim, M. E. (1997).** Effect of nitrogen fertilization on dry matter, nitrogen accumulation and yield of corn genotypes differed in prolificacy. Annals of Agric. Sci. Moshtohor, 35: 25-47.
- Jackson, M. L. (1973).** Soil Chemical Analysis. Printice Hall of India private limited. New Delhi.
- Kaloyanova, N.; A. Dimitrova and O. Kostov. (1990).** Effect of *Azospirillum* inoculation on the yield of maize. Agrokemia-es-Talajtan, 39: 395-398. (C.F. CAB Abstract 1992).
- Krishnan, P.K. and A. C. Lourduraj. (1997).** Efficient utilization of coir pith and biogas slurry for maize in red and black soils of Tamil Nadu. Ind. J. Agric. Res., 31: 205-212.
- Krol, M. J. (1999).** *Azospirillum*-associational bacteria in sustainable Agriculture. Folia Universitatis Agriculturae-Stetinensis, - Agricultura. No. 78: 93-102. (C.F. CAB Abstract (1998-2000)).
- Liang, B.C. and A. F. Mackenzie. (1992).** Changes in soil organic carbon and nitrogen after six years of corn production. Soil Sci, 153: 307-313.

- Lin, W.; Y. Okon and R. W. F. Hardy. (1983).** Enhanced mineral uptake by *Zea mays* and *Sorghum bicolor*. Appl. and Environ. Microbiol., 45: 1775-1779.
- Mahgoub, G. M. A.; H. B. Esaad; M. A. Younis and H. Y. S. El-Sherbieny. (1991).** Effect of bacteria inocula and nitrogen fertilizer on maize plants. Annals of Agric. Sci., Moshtohor, 29: 645-655.
- Martinez-Toledo, M.V.; T. Rubia; J. Moreno and J. Gonzalez Lopez. (1988).** Root exudates of *Zea mays* and production of auxins, gibberellins and cytokinins by *Azotobacter chroococcum*. Plant and Soil, 10: 149-152.
- Meshram, S. U. and S. T. Shende. (1982).** Response of maize to *Azotobacter chroococcum*. Plant and Soil, 69: 265-272.
- Milic, V. and M. R. Saric. (1988).** Effectiveness of *Azotobacter* in relation to maize genotype and the nitrogen content of nutrient solution. Mikrobiologijz Beograd, 25: 45-56. (C.F. CAB Abstract 1987-1989).
- Mishra, M.; A. K. Patjoshi and D. Jena. (1998).** Effect of biofertilization on production of maize (*Zea mays*). Ind. J. Agron., 43: 307-310.
- Mohamed, A. A. (1993).** Effect of nitrogen fertilization levels on the performance and combining ability of maize hybrids (*Zea mays L.*). Annals Agric., Ain Shams Univ., Cairo, 38: 531-549.

- Nanda, S.S.; K. C. Swain; S. C. Panda; A. K. Mohanty and M. A Alim. (1995).** Effect of nitrogen and biofertilizers in fodder maize under rainfed upland conditions of Orissa. *Current Agric. Res.*, 8: 45-47.
- Nieto, K. F. (1989).** Cytokinin biosynthesis by soil bacteria and its effect on the growth of *Raphanus sativus* and *Zea mays* L. Dissertation Abs. Inter. Sci.. and Eng., 50: 3, 729.
- Nieto, K. F. and W. T. J. R. Frankenberger. (1991).** Influence of adenine, isopentyl alcohol and *Azotobacter chroococcum* on the vegetative growth of *Zea mays*. *Plant and Soil*, 135: 213-221.
- Nimje, P.M. and J. Seth. (1988).** Effect of nitrogen on growth, yield and quality of winter maize. *Ind. J. of Agron.*, 33, 2, 209-211.
- Omar, M. N. A and A. A. Hassan (1993).** A new biofertilizer formula to increase and improve cereal crops in Egypt. In nitrogen fixation with non-legume. The 6th Inter. Symp. on Nitrogen fixation with Non-legume. Ismailia, Egypt, 6-10 Sept. pp. 507-508.
- Palazzo, D.; G. Capotorti; F. Montemurro and F. Sunseri. (1997).** Productive responses of herbaceous crops to the inoculation of *Azospirillum*. *Informatore Agrario.*, 53: 53-55. (C.F. CAB Abstract 1996-1998).
- Pandey, A. and S. Kumar. (1989).** Potential of *Azotobacter* and *Azospirilla* as biofertilizers for upland Agriculture.: a review. *J. of Scientific and Indust. Res.*, 3: 134-144.

- Paredes, C. E.; M. M. Carcano and E. Z. A. Mascarua. (1988).** Response of maize to inoculation with *Azospirillum brasilense*. Revista Latinoamericana de Microbiologia. 30: 351-355. (C.F. CAB Abstract 1990-1991).
- Patil, S. K.; A. A. Pisal and J. S. Desale. (1992).** Response of fodder maize (*Zea mays*) to biofertilizers. Ind. J. Agron., 37: 357-358.
- Prusty, J. C.; M. Pal and Dayanand. (1987).** Influence of nitrogen on yield and yield attributes of maize under different methods of weed control and cropping systems. Ind. J. Agron., 32: 370-373.
- Raju, R.S., and M. R. Iruthayaraj. (1995).** Effect of irrigation, methods of irrigation and nitrogen levels on nutrient uptake by maize (*Zea mays* L.). Madras Agric. J., 82: 215-216.
- Ramadan, H. M.; E. A. Koreish; H. M. Gaber and M. E. El-Fayoumy. (2002).** Assessment and comparison of bio and mineral fertilization on farm profitability in different newly reclaimed soils. Alex. J. Agric. Res., 47: 133-146.
- Rameshwar, S.; K. L. Totawat and R. Singh. (2002).** Effect of integrated use of nitrogen on the performance of maize (*Zea mays* L.) on Haplustalfs of sub-humid Southern Plains of Rajasthan. Ind. J. Agric. Res., 36: 105-107.
- Richards, L. A. (1954).** The Diagnosis and Improvement of Saline and Alkali Soils. USDA, Handbook.
- Rout, D.; M. R. Satapathy and B. K. Mohapatra. (2001).** Effect of biofertilizers on nitrogen economy in maize. Madras Agric. J., 88: 530-532.

- Salem, M. A. (2000).** Response of maize (*Zea mays* L.) growth and yield to chemical and bio-fertilization. Zagazig J. Agric. Res., 27: 845-858.
- Salmeron, V.; T. M. V. Martinez and L. J. Gonzalez. (1990).** Nitrogen fixation and production of auxins, gibberellins and cytokinins by *Azotobacter chroococcum* strain isolated from the root of *Zea mays* in the presence of insoluble phosphate. Chemosphere. 20: 417-422. (C.F. CAB Abstract 1990-1991).
- Sanaa, A. Othman; A. A. Darwich, and S. A. Hegab. (1998).** Evaluation of starter N-fertilizer on growth, N-uptake and grain yield of maize in alluvial soils. Egypt. J. Appl. Sci., 13: 281-291.
- Santhy, P; P. Muthuvel and D. Selvi. (2001).** Nitrogen fractions: status and impact on yield, uptake and available nitrogen in long term fertilizer experiment. Madras Agric. J., 88: 26-31
- Saxena, B.; A. Desai and V. V. Modi. (1990).** External adsorption of *Azospirillum lipoferum* strain D-2 to plant roots and its effect on plant growth. Current Sci., 59: 424-427.
- Shahaby, A.F; M. Fayez; M. N. Omar and H.S. Shehata (2000).** Integration of diazotrophs inoculation with organic and inorganic fertilization to improve wheat and maize productivity in sandy soils. Egypt. J. Agric.Res., 2: 499-519.

- Shivay, Y. S.; R. P. Singh and C. S. Pandey. (1999).** Response of nitrogen in maize (*Zea mays*)-based intercropping system. Ind. J. Agron., 44: 261-266.
- Snedecor, G.W. and W.G. Cochran. (1967).** Statistical Methods 6th Ed. Iowa State Univ. Press. Amer. Iowa. USA P. 593.
- Soliman, S. and M. A. Monem. (1995).** Influence of N-15 labelled urea and *Azotobacter* on corn and nitrogen budget as affected by organic matter. Egypt. J. Soil Sci., 35: 415-426.
- Stancheva, I; I. Dimitrov; N. Kaloyanova; N. Dinev and N. Poushkarov. (1995).** Improvement of the nitrogen uptake and nitrogen content in maize (*Zea mays* L.) by inoculation with *Azospirillum brasilense*. Agrochimica, 39: 299-306. (C.F. CAB Abstract 1996-1998).
- Sutton, S. D.; G. W. Barrett and D. H. Taylor. (1991).** Microbial metabolic activities in soils of old-field communities following eleven years of nutrient enrichment. Environ. Poll., 73: 1-10.
- Swedrzynska, D. and A. Sawicka. (2001).** Effect of inoculation on population numbers of *Azospirillum* bacteria under winter wheat, oat and maize. Polish J. Environ. Studies, 10: 21-25.
- Thakur, D.S.; S. C. Tiwari and R. A. Sharma. (1992).** Nitrogen fractions as influenced by long-term use of inorganic fertilizers and fertilizer plus FYM in Typic Chromusterts. Crop Res. Hisar, 5: suppl., 110-114.

- Thalmann, A. (1967).** Über die microbielle Aktivität und ihre Beziehung zu Fruchtbarkeitsmerkmalen einiger Ackerböden unter besonderer Berücksichtigung der Dehydrogenaseaktivität (TTC Reduktion). Biss, Gießen. Ph.D. Thesis, W. Germany.
- Tilak, K.V.B.R.; C. S. Singh; N. K. Roy and N. S. Subbarao. (1982).** *Azospirillum brasilense* and *Azotobacter chroococcum* inoculum: effect on yield of maize (*Zea mays*) and sorghum (*Sorghum bicolor*). Soil Biol. and Biochem., 14: 417-418.
- Tyagi, R. C.; S. Devender and I. S. Hooda. (1998).** Effect of plant population, irrigation and nitrogen on yield and its attributes of spring maize (*Zea mays*). Ind. J. Agron., 43: 672-676.
- Venugopal, N and K. Shivashankar. (1989).** Direct and cumulative effect of maize stover residue incorporation in conjunction with nitrogen on maize. Ind. J. Dryland Agric. Res. and Development, 4: 107-116.
- Viets, G. (1965).** The plants need for and use of nitrogen. Bartholomew, W., and Clark, F. (eds.). Soil nitrogen, Amer. Soc. Agron., Madison, USA.
- Vinay, G.; R. D. Gupta and K. K. R. Bhardwa. (1998).** Abundance of *Azotobacter* in Great Soil Group of north west Himalayas. J. Ind. Soc. Soil Sci., 46: 379-383.
- Wedad, E. and K. Vlassak. (1988).** Seed inoculation with *Azospirillum brasilense* and *Azotobacter chroococcum* on wheat and maize growth. Annals of Agric. Sci., Cairo Univ., 33: 833-856.

- Woodard, H. J. and A. Bly. (2000).** Maize growth and yield responses to seed-inoculated N₂ fixing bacteria under dryland production conditions. J. of Plant Nutr., 23: 55-65.
- Yadav, K.; V. Prasad; N. Ahmad and K. Mandal. (1992).** Response of maize genotypes to *Azospirillum lipoferm* in calcareous soils. J. Ind. Soc. Soil of Sci., 40: 195-197.
- Younis, M.A.; G.M.A. Mahgoub; E. A. F. Khedr and F. M. Demerdash. (1990).** Response of some maize hybrids to plant density and nitrogen fertilizer. Egypt. J. Appl. Sci., 5: 125-135.
- Zaghloul, R. A.; A. A. Amer and M. H. Mostafa (1996).** Efficiency of some organic manures and biofertilization with *Azospirillum brasilense* for wheat manuring. Annals of Agric. Sci., Moshtohor., 34: 627-640.
- Zhou, X. M; C. A. Madramootoo; A. F. MacKenzie and D. L. Smith. (1997).** Biomass production and nitrogen uptake in corn-ryegrass systems. Agron. J, 89: 749-756.