

6. REFERENCES

6- REFERENCES

- Abd-Alla, I. M. ; R. S. Abd EL-Aal and M. EL-Saied Zaki (1979).** Effect of phosphorus fertilization on growth, nutrients uptake and yield of tomato. Zagazig J. Agric. Res. Vol. 4, NO. 2 .
- Abdel-Fattah, A. and M. H. Hilal (1985).** Effect of sulphur application on some properties of Egyptian desert soils. Proc. 2nd Arab Regional Conf. on sulphur and its usages. Vol. 1: 39-53. Ryiadh, Saudi Arabia.
- Abdel-Fattah, A. ; M. O. Bakry ; A. M. Selim and K. M. EL-Habbasha.(1990).** Response of garlic to sulphur and phosphorus application. Middle East Sulphur Symp. 12-16 Feb. 1990, Cairo, Egypt.
- Adams, P.(1978).** Effect of nutrition on tomato quality. Glas. Crops. Res. Inst 1142- 1145 (c.f Hort. Abst. 48 : 9914)
- ✓ **AL-Afifi, M. A. ; A. A. Hassan; S. Itani ; H. H. AL-Masri ; I. A. AL-Gharib and S. Khalil (1991).** Response of processing tomato to nitrogen and phosphorus application at moderate and low temperatures. Egyptian J. of Hort. , 18 (1) 45-62 .
- AL-Rawi, A. A. and M. M. Tajuldeen (1985).** Effect of sulphur on the availability of nutrient elements in some calcareous soil. Proc. 2nd Arab Regional Conf. on sulphur and its usages Vol. 1: 71-92 . Ryiadh, Saudi Araiba .
- Anand, N. and C. R. Muthukrishnan (1974/a).** Effect of nitrogen fertilization on tomato. South Indian Horticulture, 22(3/4) 86-91.
(c.f. Hort. Abstr. 46, No.5 : 4683 1976) .
- Anand, N. and C. R. Muthukrishnan (1974/b).** Phosphorus index in tomato .
tomato. South Indian Horticulture, 22(3/4) 92-97.
(c.f. Hort. Abstr. 46, No.5 : 4684 1976) .
- Atherton, J. G. and J. Rudich (1986).** The tomato crop. Chapman and Hall Ltd. London and New York : 661 Pages .
- Association Official Agric. Chem. (A.O.A.C.) . (1970).** Official methods of analysis agricultural chemists 11th ed . Published by the A.O.A.C., Washington, D.C.

- Rabaira, C. J. and C. L. Patel (1980).** Effect of application of iron, foarmyard manure and sulphur on availability of iron in medium black calcareous soils at different moisture regimes. *Indian Soc. of soil Sci. J.*, 28, 3 : 302-306.
- Badra, T. and N. A. H. Elbary (1978).** Comparative effeciancy of different levels of nitrogen and phosphorus supplemented with organic amendments on tomato growth and associated rotylenechulus reniformis. *Indian J. of Nematology* (1978 pupl 1979) 8 (2) : 110-115
(c.f. *Soils and Fertilizers* Vol. 43, No.9 : 7973).
- Bansal, K.N. and H.G. Singh (1975).** Inter-relationship between sulphur and iron in the prevention of iron chlorosis in cowpea . *Soil Sci.*, 120 : 20-24 .
- Besford, R.T. (1979).** Uptake and distribution of phosphorus in tomato plants. *Plant and Soil*, 51 : 331-340 .
- Bhatangar, D.K. and M. L. Pandita(1979).** A note on the effect of nitrogen, phosphorus and spacing on the yield of tomato cultivar HS-102 . *Haryana, J. Hort. Sci.* 8 : 73-75 .
- Black, C.A. (1965).** Methods of soil analysis. Part 2. American Society of Agronomy, INC. , Publisher, Madison , Wisconsin, USA .
- Blair, F.J. ; M.H. Miller and W.A. Mithell (1970).** Nitrate and ammonium as sources of nitrogen for corn and their influence on the uptake of other ions. *Agron. J.* 62 : 530-532.
- Brown, J.D. and Lilleland (1946).** Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry . *Proc. Amer. Soc. Hort. Sci.* 48: 341-346.
- Brun, R. ; P. Cornillon ; J. Peyriere and F Frico (1986).** Fertilization of tomato grown under cover. *Revue Horticole* 272 : 49- 54.
(c. f. *Hort. Abstr.* 57 : 2633 1987)
- Burden, E.H. (1961).** The toxicology of nitrates and nitrites with particular reference to theportability of water supplies. *The Analyst*, 86 :429-433.
- Candilo, M. D. ; C. Leoni and G.P. Silvestri (1993).** Sulphur, phosphorus and potassium in processing tomato grown in high alkaline soil. *Advances in Hort. Sci.* 7(2) : 57-60 .

Castellane, P.D. ; G.C. Churata-Masca and P.R. Brancaleoni (1982) . Effect of levels of single superphosphate on the yield of prostrate tomato plants. Faculdade de Ciencias Agrarias e Veterinarias, Jaboticabal, 13, 31 pp. (c.f. Hort. Abstr. 54, (No. 11) : 8274 1984) .

Cerda, A. ; F.T. Bingham and C.K. Labonauskas (1979). Blossom-end rot of tomato fruit as influenced by osmotic potential and phosphorus concentration of nutrient solution media. J. Amer. Soc. Hort. Sci. , 104 (2) 236-239.

Cerda, A. ; V. Martinez ; M. Caro and F. G. Fernandez (1984). Effect of sulphur deficiency and excess on yield and sulphur accumulation in tomato plants. J. of plant Nutrition, 7 (11) : 1529-1543 .

✓ **Chung, S. J. ; B. S. Seo and B. S. Lee (1992)**. Effect of nitrogen, potassium levels and their interaction on the growth and development of hydroponically grown tomato. J. of the Korean Soc. for Hort. Sci. 33 (3) :244-251 . (c. f. Hort. Abstr. 64 , No. 10 : 7977) .

Churata-Masca, M. G. ; R. S. Biondi ; D. V. Ferreira and P. D. Castellane (1982). Application of different phosphate sources on a crop of determinate tomatoes. Faculdade de Ciencias Agrarias e Veterinarias, Jaboticabal 06, 38 pp. (c.f. Hort. Abstr. 54, No. 11 : 8272 1984) .

Cohenie, A. ; M. Veloo ; L. Kienkens and G. Velghe (1982) . Chemical analysis of plants and soils. Hand Book Ed: A. Cohenie, Gent, Belguems.

Dawood, F. A. ; H. S. Rahi ; K. B. Hummudi and M. Jameel (1990). Sulphur and organic matter relationship and their effect on availability of some micronutrients and wheat yield in calcareous soil. Middle East sulphur symposium, 12-16 Feb. 1990, Cairo, Egypt.

“ **De Classen, M. E. and G. E. Wilcox (1974)**. Effect of nitrogen form on growth and composition of tomato and pea tissues. J. Amer. Soc. Hort. Sci. 99 :171-174.

Devlin, R. M. and F. H. Witham (1986). Plant physiology . 4th Ed. CBS publishers and distributors 485, Jain Bhawan, Shadhara, Delhi, 110032 (India) .

Dimitrov, G. and V. Rankov (1976). The effect of nitrogen dressing on the productivity of early tomatoes grown on heavily leached meadow-cinnamonic soil. Gradinarska; Lozarska Nauka, 13 (8) :70 75. (c.f. Hort. Abstr. 47 , No. 12 : 11518) .

Doss, B. D. ; C. E. Evans and W. A. Johnson (1975). Rates of nitrogen and irrigation of tomatoes. *J. Amer. Soc. Hort. Sci.* 100 (4) : 435-437 .

✓ **EL-Aela, H. (1988).** A study on the effect of heavy urea application on some vegetable crops. M. Sc. Thesis, Soil Dept., Fac. of Agric. Zagazig, Zagazig University.

✓ **EL-Dsuki, M. (1991).** Relation of yield and fruit cracking of tomato with some cultural treatments. M. Sc. Thesis, Hort. Dept. Fac. of Agric., Moshtohor, Zagazig University .

Ezuddin, S. M. and Abdul-Jabbar I. AL-Hassan (1986). Effect of nitrogen and phosphorus fertilizers on growth and yield of tomato . *Annals Agric. Sci. Fac. Agric. , Ain Shams Univ. ,Cairo, Egypt.* 31(1) 613-621.

Famose, E. B. and O. K. Bautista (1983). Sugarcane mulch and nitrogen fertilizer for tomato production. *Philippine Agric.* 66 :109-125.

Feher, B. (1977). Changes in tomato quality in relation to fertilizer rates. *Kertgazdasag*, 9 (1) 71-78. (c.f. *Hort. Abstr.* 47 , No. 12 : 11543) .

Fontes, P. C. ; F. M. Freire and R. F. DE-Novais (1984). Effect of apparent density and phosphorus levels in the soil solution on the root development and phosphorus absorption of the tomato plant. *Revista Ceres*, 31 (177) : 344-35 . (c. f. *Hort. Abstr.* , 55 , No. 7 : 5385) .

Fontes, P. C. and G. E. Wilcox (1984) .Growth and phosphorus uptake by tomato cultivars as influenced by phosphorus concentrations in soil and nutrient solution. *J.Amer. Soci. Hort. Sci.* , 109 (5) 633-636.

✓ **Gabal, M. R. (1973)** . Studies on the effect of elemental sulphur application on tomato yield and quality . M. Sc. Thesis, Faculty of Agric., Alexandria University.

Gabal, M. R. (1983) . Effect of N-doses, N-form and day temperature on nitrate accumulation in sweet peppers. *Acta Agron. Acad Sci. Hungaricae* 32 : 337-387.

Gabal, M. R. ; A. E. EL-Sherbieny ; E. A. Awad and H. A. EL-Aela.(1990). Effect of level and time of urea application on tomato growth, mineral content, yield and fruit quality. *Egypt. J. Appl. Sci.* Vol. 5 (No. 7) : 687-709 .

- Ganmore-Neumann, R. and U. Kafkafi (1980).** Root temperature and percentage $\text{NO}_3 : \text{NH}_4$ effect on tomato plant development : 1- Morphology and growth. *Agron. J.* 72 : 758-761 .
- Garton , R. W. and I. E., Widders (1990).** Nitrogen and phosphours preconditioning of small-plug seedlings influence processing tomato productivity. *Hort. Sci.* 25 (6) : 655 - 657 .
- Gibson , C. J. and W. G. Pill (1983).** Effect of preplant phosphorus fertilization rate and of nitrate and ammonium liquid feeds on tomato growth in peat-vermiculite. *J. Amer. Soc. Hort. Sci.* 108 : 1007-1011 .
- Gomez, A. K. and A. A. Gomez (1984).** Statistical Procedures for Agricultural Research. 2nd Ed. An International Ric Research Institute Book A Wiely Interscience Publ. John Wiley & Sons, New York .
- Govind ,P. ; A. Sapna ; K. Narendra and S. K. Varma (1989).** Changes in growth and yield associated with photosynthetic pigments, Carbohydrate and phosphorus contents in tomato exposed to SO_2 . *Acta Botanica Indica*, 17 (1) 43-48 .
(c. f. Hort. Abstr. , 62 ,No. 2 : 1206) .
- Grela Lorenzo, M. ; M. A. Delgado Navarro ; R. Jimenez Ravelo ; C. Huerres Peres and H. Grela Lorenzo (1988).** Effect of different nitrogen rates and plant spacing on growth and development of commercial tomato cultivars. *Centro Agricola*, 15(4) 55-62 .
(c. f. Hort. Abstr. , 61, No. 6 : 5958) .
- Gupta, A .and V. Shukla (1977).** Response of tomato to plant spacing, nitrogen, phosphorus and potassium fertilization. *Indian J. of Hort.*, 34 : 270 - 276 .
- Gyurov, S.; L. Raikova and V. Rankov (1981) .** Effect of nitrogen fertilization on the nitrate content of glasshouse and field grown tomato fruits .
Gradinarska; Lozarska Nauka , 18(1) : 29 - 35 .
(c. f. Hort. Abstr. , 52 , No. 6 : 3928) .
- Hargitai, L. and E. Vass (1976).** The mobility of nitrogen compounds in tomato. *Kerteszeti Egyetem Kozlemenyei* , 39(7) : 371-383 .
- Hartman, P. L. ; A. H. Mills and J. B. Jones (1986).** The influence of nitrate : ammonium rate on growth, fruit development and element concentration in Floradel tomato plants. *J. Amer. Soc. Hort. Sci.* 111(4) 487 - 490 .

Henmi, S. ; J. Abe and T. Endo (1973) . The effect of starter solution on the growth and yields of tomatoes and cabbage transplanted by machine. Bull. of the Hort. Res. Station, No. 8 : 8 - 27 .
(c. f. Hort. Abstr. ,44 , No. 6 : 4021) .

Heter, B. (1985) . Utilization of sulphur for amendment of calcareous soil in Jordan. Proc. 2nd Arab. Regional conf. on sulphur and its usages, Vol. 1 : 85-100 .
Riyadh, Saudi Arabia.

Ikeda, H. and T. Osawa (1983). Effect of ratios of NO_3 : NH_4 and concentrations of each N-source in the nutrient solution on growth and leaf N constituents of vegetable crops and solution pH. J. of the Japanese Soc. Hort. Sci., 52(2) : 159 -166 .

Jaramillo, V. J. ; A. R. Munoz and P. F. Cardona (1978). The response of tomato to fertilization with N,P,K and various minor elements in alluvial soils of Valle del Cauca (Colombia). Revista Instituto Colombiano Agropecuario, 13(3) 455-463.
(c. f. Hort. Abstr. , 50 , No. 4 : 2615) .

Jones, U. S.(1982). Fertilizers and soil fertility . 2nd Ed . , Reston Publishing company, Reston , Virginia Aprentice Hall company .

Kanazirska,V. and D. Boboshevska (1981). Nitrate accumulation in greenhouse tomato leaves as affected by nitrogen application . Pochvoznanie; Agrokimiya, 16(4) : 29-34.
(c. f. Hort. Abstr., 52 , No. 11 : 7353) .

Kanesiro, M. A. ; R. R. Faleiros ; J. F. Durigan and H. Damato Neto(1978/a). Effect of harvest time and nitrogen and phosphorus fertilizers on some characteristics of the fruits of *Lycopersicon esculentum* Mill. CV. Pavebo. Cientifica 6 (2) : 153-157.

Kanesiro, M.A. ; R.R. Faleiros and V. M. Nascimento (1978/b). A study of the variation of Vitamin-C concentration in tomato fruits given different fertilizers. Cientifica 6 (2) : 225-228 .

Kanesiro, M. A. ;R. R. Faleiros ; J. L. Startari ; W. J. De-Melo ; J. M. Junior and D. A. Banzatto (1982). Effect of nitrogen and phosphorus levels on some chemical characteristics of tomato fruits harvested at different maturity . Cientifica, 10 : 233 -239 .

- Kashirad, A. (1972).** Effect of sulphur and residual sulphur on pH and availability of phosphorus in calcareous soil and effect of applied nitrogen on yield and chemical composition of corn. *Z. Pflanz. Bodenkd.*, 33 : 93-138.
(c. f. *Soils and Fertilizers*, 37 : 405 1974).
- Kashirad, A. and J. Bazargani (1972).** Effect of sulphur on pH and availability in calcareous soils. Influence of sulphur and nitrogen on yield and chemical composition of corn. *Z. Pflanz. Bodenkd.*, 131 : 6-13.
(c. f. *Soils and Fertilizers*, 35 : 4391 1972).
- Khalil, M. A. I. (1982).** Effect of irrigation and fertilization on tomato plants. Ph. D. Thesis Fac. of Agric. Zagazig Univ.
- Khalil, M. A. I. (1990).** Effect of different rates of N, P and K fertilizer on some tomato hybrids (F_1) under plastic houses conditions. *Zagazig J. Agric. Res.* (17) 4 A, 1253-1564.
- Khan, I. and R. S. Misra (1976).** Effect on nitrogen, phosphorus and potash on growth and yield of tomato. Var. Sisux., *Prog. Hort.* 45-52 .
(c. f. *Hort. Abstr.* 47 :6624).
- Khater, A. M. (1981).** A study of sulphur and petroleum by-products as efficient materials affecting the availability of certain nutrients in soils. M. Sc. Thesis, Fac. of Agric. , Ain Shams Univ. Egypt.
- Khushtov, Yu. B. (1974).** The relationship between greenhouse tomato yield and quality and different fertilizer rates and ratios on the calcareous chernozem soils of kabardino- Balkaria. *NII Ovoshchnogo Khozyaistva*, No. 6 :183-186.
(c. f. *Hort. Abstr.* , 46 , No. 2 : 1264 1976).
- Kirkby, E. A. and K. Mengel (1967).** Ionic balance in different tissues of the tomato plant in relation to nitrate, urea or ammonium nutrition. *Plant Physiol.* 42 : 6-14 .
- Kok, L. J. (1989)** Responses of sulphur metabolism in plants at atmospheric hydrogen sulfide. *Phyton* 29 (2) 189-201, Netherlands .
(c. f. *Soils and Fertilizers*, 54, No.9 : 12326 1991).
- Kooner K. S. and K. S. Randhawa (1983).** Effect of different levels and sources of nitrogen on growth and yield of tomatoes. *J. of Res. , Punjab Agric. Univ.* 20 (3) 255-260 .
(c. f. *Hort. Abstr.*, 65, No. 1 : 362 1995).

✓ **Kooner, K. S. and K. S. Randhawa (1990).** Effect of varying levels and sources of nitrogen on yield and processing qualities of tomato varieties. *Acta Horticulturae*, No. 267 :93-99.

Krishchenko, E. F. (1981). Effect of nitrogen form in liquid fertilizer . *Khimiya V Sel Skon Khozyaistve*, No. 8 : 25-28.
(c. f. Hort. Abstr. 52, No 1 : 258 1982).

Leela, D. ; H. S. Dhuria and P. Ravel (1973). Anote on the effects of soil and foliar fertilization on yield of tomato. *Haryana J. of Hort. Sci.* , 2(3/4) : 112-115 .
(c. f. Hort. Abstr. ,46, No.2 : 1267 1976)

Lotstein, R. J. ; D. D. Davis and E. J. Pell (1983) . quality of tomatoes harvested from plants receiving chronic exposures to sulphur dioxide. *HortScience*, 18 (1) :72-74 .

Magalhaes, J. R. and G. E. Wilcox (1984). Growth, free amino acids, and mineral composition of tomato plants in relation to nitrogen form and growing media. *J. Amer. Soc. Hort. Sci.* 109 (3) : 406-411.

Martinez, V. ; A. Cerda ; M. Caro and F. G. Fernandez (1984). Tomato growth under various regimes of sulphate and nitrogen. *Aionp / Gerdat*, 381-388.
(c. f. Solis and Fertilizers, 49, No. 11 : 10925 1986).

Maynard, D. N. ; A. V. Barker and W. H. Lachman (1966). Ammonium induced stem and leaf lesions of tomato plants. *Proc. Amer. soc. hort. sci.* 88 : 516-520.

McGeorge, W. T. and R. A. Green (1935). Oxidation of sulphur in Arizona soils and its effects on soil properties. *Ariz. Agric. Exp. Sta. Tec. Bull.* 59 : 297-235.

✓ **Merkel, D. (1973).** The influence of the relation between NO_3 and NH_4 in the nutrient solution on yield and organic and inorganic ion contents of tomato plant. *Z. Pflanz.Bodenkd.* 134 : 236-246 .

Miamoto, S. and Stroehlein (1975). Sulphoric acid for improving water penetration in some Arizona soils. *Proger. Agric. Ariz.* 27 :13-16 .

Midan, A. A. ; N. M. Malash and M. M. EL-Sayed (1985). Intensification and nitrogen fertilization in relation to tomato yield. *Annals Agric. Sci. Fac. Agric. Ain Shams Univ. Cairo. Egypt.* 30 (2) :1413-1431 .

Minotti, P.L.(1975). Plant nutrition and vegetable crop quality. HortScience, 10 : 54-56.

Miyazaki, M. and S. Kunisato (1975). Studies on the accumulation of nitrate in horticultural products. XIII. The relation between the accumulation of nitrate in tomato fruit and tomato varieties. J. of the Japanese Soc. Hort. Sci., 44 (2) 204 - 210.
(c. f. Hort. Abstr. 47, No. 9 : 8518 1977).

✓ **Montagu, K. D. and K. M. Goh (1990).** Effect of forms and rates of organic and inorganic nitrogen fertilizers on the yield and some quality indices of tomatoes. New Zealand J. of Crop and Hort. Sci. 18 (1) :31-37.
(c.f. Hort. Abstr. , 61, No. 3 : 2064 1991).

Muller, A. T. (1993). Effect of gypsum deep ripping and irrigation on determinate tomatoes. Australian J. Exper. Agric. 33(6) :803-806.
(c. f. Soils and Fertilizers, 57 , No. 8 :7152 1994).

Muller H. W. ; G. Arold and V. Kimmel (1986). Effect of nutrient intensity on the quality of tomatoes . Bayerisches Landwirtschaftliches Jahrbuch, Sonderheft, 63 (1) : 81 - 104
(c. f. Hort Abstr. Vol . 57 7096)

Nezhnev, Yu. N ;E. V. Osipova ; E. P. Bukin ; E. I. Ivanova ; B. H. Shcherbinin ; R. V. Alekseev ; S. Zubanova and A. A. Milovidov (1975). Fertilization and fruit quality of vegetable crops. Oroshoemogo Ovoshehevod Sta ; Bakhchevodstra No. 3/4 :121-129 .
(c. f. Hort. Abstr. , 47 ,No. 1 : 552 1977).

Oswiecinski, W. (1981). Fertilization of greenhouse tomatoes with solutions of mineral fertilizers. Ogrodnictwo, No. 11 : 7-24 .
(c. f. Hort. Abstr. , 52 , No. 3 : 1572 1982).

Pandita, M. L. and D. K. Bhatnagar (1981). Effect of nitrogen, phosphorus and spacing on fruit quality of tomato cultivars. Haryana Agric. Univ. J. of Res. (c. f. Hort. Abstr. , 51 ,No. 7 : 9455 1981).

Papadopoulos, I. (1984). Effect of sulphate water on soil salinity, growth and yield of tomatoes. Plant and soil, 81 (3) : 353-361.

Penalosa, J. M. ; M. J. Sarro ; E. Revilla ; R. Carpena and C. Cadahia (1989). Influence of phosphorus supply on tomato plant nutrition. J . of plant nutrition. 12 (5) 647-657.

Pill, W. G. and V. N. Lambeth (1977). Effect of NH_4 and NO_3 nutrition with and without pH adjustment on tomato growth, ion composition and water relation. J. Amer. Soc. Hort. Sci. 102 (1) : 78-81 .

Pill, W. G. and V. N. Lambeth (1980). Effect of soil water regime and nitrogen form on blossom-end rot, yield, water relations and elemental composition of tomato. J. Amer. Soc. Hort. Sci. 105 : 730-734 .

Pill, W. G. ; V. N. Lambeth and T. M. Hinckley (1978). Effect of nitrogen form and level on ion concentrations, water stress and blossom-end rot incidence in tomato. J. Amer. Soc. Hort. Sci. 103 : 265-268.

Polizotto, K. R. ; G. E. Wilcox and C. M. Jones (1975). Response of growth and mineral composition of potato to nitrate and ammonium nutrition . J. Amer. Soc. Hort. Sci. 100 : 165-168 .

Ramakrishna, H. and U. V. Sulladmath (1979). Effect of nitrogen, phosphorus and potassium on yield and yield components of hybrid tomato Ksrantaka . Mysor. J. Agric. Sci. 13 : 271-274.

Ramirez, R. ; D. Morales and E. Alvarez (1991). Efficient use of phosphorus and potassium in tomatoes. Agronomia Tropical (Maracay) 41(1-2) : 43-53 .

Reddy, K. V. N. and B. Singh (1988). Economics of nitrogen and phosphorus manuring in tomato. Indian Journal of Agronomy 33 (2) : 211-214.

Ronald, W. G. and E. W. Irvin (1990). Nitrogen and phosphorus preconditioning of small - plug seedlings influence processing tomato productivity. Hort. Sci., 25 (6) : 655-657 .

Ryan, J. ; S. Miyamoto and T. L. Storchlein (1974). Solubility of manganese, iron and zinc as affected by application of sulphuric acid to calcareous soils. Plant and soil, 40 : 421-427 .

Samda, Z. C. ; H. A. Mills and S. C. Phatak (1990). Growth and elemental composition of tomato as affected by fungicides and nitrogen sources. J. Plant Nutrition, 13 (9) : 1167-1177.

Shadfan, H. and A. A. Hussien (1985). Effect of sulphur application on the availability of P, Fe, Mn, Zn and Cu in selected Saudi soils. Proc. 2nd Arab Regional conf. on sulphur and its usages. Vol. 1: 39-53 . Riyadh, Saudi Arabia.

Shafeek, M. R. H. (1995). Response of pepper growth and yield to some cultural treatments under plastic house.

Ph. D. Thesis, Hort. Dept. Fac. Agric. Al-azhar Univ., Cairo Egypt.

Stratigakos, A. and D. P. Ormrod (1985). Response of tomato to sulphur nutrition and SO_2 . Water, Air and Soil Pollution, 24 (1) : 19-26 .

(c. f. Soils and Fertilizers, 48 , No. 4 : 4167 1985).

Sulikeri, G. S. ; V. M. Bankapur ; m. n. rao (1975). Effect of varying levels of fertilizers and spacing on the yield of Pusa ruby tomato under dhawar conditions. Current Research, 4 (11) : 190-191 .

(c. f. Hort. Abstr. 46, No. 9 :8493 1976).

✓ **Suniaga, Q. J. ; Y. Dumas and M. Bonafous (1992).** Growth and development of young tomato plants under nitrogen deficiency . Acta Hort. No. 301 :159-164 .

Szwonek, E. ; A. Felczynska and K. Elkner (1990). Yield and some quality attributes of four tomato cultivar grown after complete sulphur application.

Agric. Res. Institute, Ministry of Agric. and Natural Resources Nicosia-Cyprus 21-27 October, 1990, 10th World Fertilizer Congress of CIEC .

Tamara, E. A. (1975). The utilization pf phosphate in tomato plants at different growth; stages. Plant and Soil, 43, No 2 : 443-450.

Troug, E. and A. H. Meyer (1939). Improvement in deiness colorimetric method for phosphorus and aresnic. Ind. Eng. Chem. Anal. Ed. 1 :136-139 .

✍ **Trpevski, V. ; V. Demirovska ; L. Stojcevska and v. ognenovski (1992).** The effect of different rates of nitrogen on the quality and yield of some tomato cultivars. Savremena Poljoprivreda, 40 (1-2): 100-105 .

(c. f. Hort. Abstr. , 63, No. 9 : 6749 1993).

Uzo, J. O. (1971). Effect of nitrogen and potassium on the yield of tomato. Hort. Res. 11 :65-74.

Val Nikov, I. U. ; V. M. Meshchanov and S. H. Nuriev (1973). Effect of sulphur and gypsum on agrochemical properties of derno podzolic soils of predhan. Agrochemia, 9: 83-88 .

- Voican, V. and R. Paun (1983).** The performance of greenhouse tomatoes fertilized with labelled nitrogen. Institutl Agronomic ,N. Balcescu . B .Horticultura, 26:7-13.
(c. f. Hort. Abstr. ,55 ,No. 11 : 8725 1985).
- Voogt, W. and C. Sonneveld (1989).** Tomatoes phosphate concentration in nutrient solution is adjusted. Groenten en fruit, 45(23) 37 .
(c. f. Soils and Fertilizers, 53, No.10 : 12859 1990).
- Ward, G. M. (1976).** Sulphur deficiency and toxicity symptoms in greenhouse tomatoes and cucumbers. Canadian J. of plant Sci., 56(1) : 133-137 .
- Warley, R. E. (1976).** Response of tomato to pH of a coastal plain soiln . J. Amer. Soc. Hort. Sci. , 101(4) : 460-462 .
- Weston, L. A. and B. H. Zandstra (1989).** Transplant age and N and P nutrition effects on growth and yield of tomatoes. HortScience, 24(1) : 88-90 .
- Wilcox, G. E. ; J. E. Hoff and C. M. Jones (1973).** Ammonium reduction of calcium and magnesium content of tomato and sweet corn leaf tissue and influence on incidence of blossom-end rot of tomato. J. Amer. Soc. Hort. Sci. , 98 : 86-89.
- Yanatev, V. P. and A. M. Zharikova (1975).** Effect of fertilizers on tomato yields in irrigated conditions. Khimiya v Sel'skon Khozyaistve , 13(7) :30-32 .
(c. f. Hort. Abstr. , 64, No. 4 : 3395 1976).
- Yousry, M. ; A. EL-Leboudi and Khater (1984).** Effect of sulphur and petrolium by products on soil characteristics. II Availability of some nutrients in a calcareous soil. Egypt. J. Soil Sci. , 24 :195-200 .
- Zidan , E. A. ; M. A. EL-Shal ; A. M. Khalf-Allah and M. R. Gabal (1973).** Yield and quality of tomatoes as affected by methods and levels of sulphur application. Proc. 4th Veg. Res. Conf. Sept. 1973, Alex. Univ. Egypt.
- ✓ **Zornoza, P. ; J. Sanz and O. Carpena (1991).** Analysis of the interaction between light and the type of nitrogen nutrition in tomato plants. Suelo Y planta, 1 (3) : 389-398 .
(c. f. Hort. Abstr., 64, No. 5 : 3671 1994).