REFERENCES

6. REFERENCES

- Abd El-Kariem, A.M. (1994). Chemical studies of some heavy metals in desert soils and their pollution hazard. Ph.D. Thesis, Fac. of Agric., Zagazig Univ., 259 pp.
- Abou Seeda, M.; Khater, A.; Salem N. and Rasheed, M. (1992). Movement and distribution of Fe, Mn, Zn and Cu in sandy soils as affected by the application of sewage sludge. Egypt. J. Soil Sci. 32, (3): 319-330.
- Afonova, V.N. (1958). Changes in some reactive groups of serum protiens in chronic lead poisining. Farmakol. Toksikol., 21: 64.
- Ali, E.A. (1992). Toxic effect of industrial pollution or vegetation and their use as bioindicators. J. Egypt. Soc. Toxicol., 8: 107-112.
- Ali, S.M. (1995). Effect of planting date and fertilization level on yield and quality of lettuce. M.Sc. Thesis, Faculty of Agric. Moshtohor, Zagazig Univ., (Benha Branch), 63 pp.
- Allaway, W.H. (1968). Agronomic controls over the environmental cycling of trace elements. Adv. Agron., 20: 235-274.
- Allen, S.E. (1989). Chemical analysis of ecological materials. Blackwell Scientific Publications, Oxford, London, Edinburg. Boston Melbourne, 565 pp.
- Allinson, D.W. and Dzialo, C. (1981). The influence of lead, cadmium and Nickel on the growth of ryegrass and oats. Plant and Soil, 62:81-89.
- Alloway, B.J.; Jackson, A.P. and Morgan H. (1992). The accumulation of cadmium by vegetables grown on soils contaminated from a variety of sources. Science of the Total Environment, 91: 223-236.

- Anid, P.; Delcarte, E. and Impens, R. (1983). Heavy metals transfer from town refuse compost to plants. In: Heavy metals in the environment. Volume 1: 653-656; Edinburgh, UK; CEP Consultants Ltd.
- A.O.A.C. (1965). Official methods of analysis. 10th ed. Association of Official Agricultural Chemists, Washington, D.C., U.S.A, 432 pp.
- Baszynksi, T.; Wajda, L., Krol, M., Wolinska, D., Krupa, Z. and Tukenodorf, A. (1979). Photosynthetic activities of cadmium-treated tomoto plants. Physiol. Plant., 48: 365-370.
- Behel, D., Darrell, J.R., Nelson, W. and Sommers, L.E. (1983). Assessment of heavy metal equilibria in sewage sludge-treated soil. J. Environ. Qual., 12:181-186.
- Bingham, F.T.; Page, A.L.; Mahler, R.J. and Ganje, T.J. (1975). Yield and cadmium accumulation of plants grown on a soil treated with cadmium-enriched sewage sludge. J. Environ. Qual. 4:207-211.
- Bjerre, G.K. and Schierup, H.H (1985). Uptake of six heavy metals by oat as influenced by soil type and addition of cadmium, lead, zinc and copper. Plant and Soil, 88: 57-69.
- Bloomfield, C. (1978). The effects of aerobic and anaerobic incubation on the extractabilities of heavy metals in digested sewage sludge. Environ. pollut., 8: 217-232.
- Brown, J.D. and Lilleland, O. (1946). Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry. Proc. Amer. Soc. Hort. Sci. 48:341-346.
- Burzynski, M. (1987). The influence of lead and cadmium on the absorption and distribution of potassium, calcium, magnesium and iron in cucumber seedlings. Physiol. Plant., 9 (4): 229-238.

- Cataldo, D.A.; Garland, T.R. and Wildung, R.E. (1981). Cadmium distribution and chemical fate in soybean plants. Plant Physiol., 68:835-839.
- Chaney, R.L. (1973). Crop and food chain effects of toxic elements in sludges and effluents. In Pro. Joint conf. on Recycling Municipal Sludges and Effluents on Land. Nat. Assoc. State Univ. and Land Grant Coll. Washington, D.C. pp. 129-142.
- Checkai, R.T.; Corey, R.B. and Helmke, P.A. (1987). Effect of ionic and complexed metal concentrations on plant uptake of cadmium and micronutrient metals from solution. Plant and Soil, 99: 335-345.
- Chiba, S. and Takahashi, K. (1977). Studies on heavy metal pollution in agricultural land. Part 2 Absorption of cadmium and growth retardation in forage crops. Bull. Shikokv Agric. Exp. STN., 30:49-73.
- Chumbley, C.G. and Unwin, R.J. (1982). Cadmium and lead content of vegetable crops grown on land with a history of sewage sludge application. Environmental-Pollution, 4(1): 231-237.
- Costa, G. and Morel, J.L. (1994). Efficiency of H⁺ ATPase activity on cadmium uptake by four cultivars of lettuce. Journal of Plant Nutrition, 17(4): 627-637.
- Crews, H.M. and Davies, B.E. (1985). Heavy metal uptake from contaminated soils by six varieties of lettuce (Lactuca sativa L.). Journal of Agricultural Science, UK, 105(3): 591-595.
- Cunningham, J.O.; Keeney, D.R. and Ryan, H.A. (1978). Phytotoxicity and metal uptake from soil treated with metal amended sewage sludge. J. Environ. Qual., 7: 455-460.

- Dahdoh, M.S.A.; El-Demerdashe, S.; Foda, M.S.A. and El-Kassas, H.I. (1993). Effect of organic matter-Pb interactions on Pb status in soils and plant grown in calcareous soil. Egypt. J. Soil Sci. (In press).
- Davies, B.E. and Lewis, N.J. (1985). Controlling heavy metal uptake through choice of plant varieties. Trace Substances in Environmental Health-XIX Proceedings of the University of Missouri's 19th Annual Conference on Trace Substances in Environmental Health.
- Davies, B.E. and White, H.M. (1981). Trace elements in vegetables grown on soils contaminated by base metal mining. J. Plant Nutrition, 3 (1-4): 387-396.
- Davis, R.D. (1979). Uptakes of copper, nickel and zinc by crops growing in contaminated soils. Journal of the Science of Food and Agriculture, 30 (10): 937-947.
- DeFilippis, L.F. (1979). The effect of heavy metal compounds on the permeability of Chlorella cells. Z. Pflanzenphysiol., 92: 49. (c.f. Micronutrient News & Information, 1980, Vol. 1 No. 2).
- Driel, W. van; Smilde K.W. and Luit B-van (1985). Comparison of the heavy metal uptake of *Cyperus esculentus* and of agronomic plants grown on contaminated Dutch sediments. Miscellaneous-Paper; US Army Corps of Engineers, D-83-1, 67 pp.
- Dudka, S. and Chlopecka, A. (1990). Effect of solid-phase speciation on metal mobility and phtoavailability in sludge amended soil. Water Air Soil pollut., 51, 153.
- Edelhoch, H. (1958). The effect of various protien denaturants on the kinetics of pepsin inactivation. J. Amer. Chem. Soc., 80: 66-48.

- El-Kassas, H.I. (1992). Control of pollution with lead in soil and plant. Ph.D. Thesis, Inst. of Environ. Res. & Studies, Ain Shams Univ., Egypt, 198 pp.
- El-Kassas, H.I. (1996). Pollution in plant and soil as affected by the application of NPK fertilizers and sewage sludge. Egypt. J. Appl. Sci., 11(11): 248-261.
- El-Kobbia, T. and Ibrahim, A. (1986). Response of different plant species to lead. Desert Inst. Bull., A.R.E., 36 (3): 181-194.
- El-Sherif, A.F. and Yousry, M. (1978). Lead content of clover plants and its relation to other micronutrients. Egypt. J. Soil Sci., Vol. 18. No. 2: 151-157.
- El-Sokkary, I.H. (1980). Contamination of edible parts of seven plant crops and soils by heavy metals in urban area by air pollution in Alex. district, Egypt. Atmospheric Pollution, 8: 433-438.
- Eysinga, JPNLR-van; Cools, MII; Roorda-van Eysinga, JPNL; Van-Eysinga, JPNLR (1988). Cadmium in butterhead lettuce varieties (Lactuca sativa L., var. capitata L.). Acta-Horticulturae, No. 222, 197-200.
- Florijn, P.J.; Nelemans, J.A.; Beusichem, ML-van; Van -Beusichem, M.L. (1991). Cadmium uptake by lettuce varieties. Netherlands-Journal of Agricultural Science, 39(2): 103-114.
- Foroughi, M.; Hofmmann, G.; Teicher, K. and Venter, F.(1976). The effect of increasing levels of Cd, Cr, or Ni on tomatoes in nutrient solution. Agrikwurchemischer and agroliorlogischer. (c.f. Soils and Fert., 854, 1977).

- Foy, C.D.; Chaney, R.L. and White, M.C. (1979). The physiology of metal toxicity in plants. Ann. Rev. Physiol., 29:511.
- Friberg, L., Piscator, M.; Nordberg, G. and T. Kjellstrom (1971). Cadmium in the Environment.2nd Ed.CRC press, Cleveland, OH., 248 pp.
- Garrels, R.M. and Christ, C.L. (1979). Solutions, Minerals and Equilibria, Harer & Row, New York, 218 pp.
- Gaynore, J.D.; Halsted, R.L. and Frank, R. (1976). Chemical and plant extractability of metals and plant growth on soils amended with sludge. Can. J. Soil Sci., 56:1-8.
- Goren-Suchodoller, A. and Wanner, H. (1969). Die Absorption Von Blei und Kupfer durch Wurzein Von Hardeum Culgare. Ber. Schweiz. Bot. Gas., (In English) 80: 334-340.
- Gunnaresson, O. (1983). Heavy metals in fertilizers. Do they cause environmental health problems? Fertilizers and Agriculture, 85: 27-42.
- Hann, S.; Rethfeld, H. and Driel, W. (1985). Acceptable levels of heavy metals in soils depending on their claay and humus content and cation exchange capacity. Plant and Soil, 80(3): 256-273.
- Herms, U.; Scheffer, B.R. and Pluquet, E., (1979). Untersuchungen zur Landbaulichen Nutzbarkeit Ehemaliger Sufedler aus Hafenschlich in Raum Hamburg, University of Hamburg, Hamburg. (c.f. soils and Fert., 6854, 1980).
- Hortenstine C.C. and Webber, L.R. (1981). Growth and cadmium uptake by spinach and corn in an acid typic Hapuldalf as affected by cadmium, peat, and lime additions. Soil-and-Crop-Science- Society-of-Florida-Proceedings, 40: 40-44.

- Isermann, K.; Karch, P. and Schmidt, J.A. (1984). Cadmium content of the edible plant parts of different varieties of several crop species grown on neutral loam soil heavily contaminated with cadmium. Landwirtschaftliche-Forschung. Sonderheft, 40: 283-294.(c.f. Soils and Fert., 9835, 1985).
- Jimmy, J. Street; Lindsay, W.L. and Sabey, B.R. (1977). Solubility and plant uptake of cadmium in soils amended with cadmium and sewage sludge. J. Environ. Qual., 6:72-77.
- John, M.K. (1970). Clorimetric determination of phosphorus in soil and plant materials with ascorbic acid. Soil Sci.,109:214-220.
- John, M.K. (1977). Varietal response to lead by lettuce and oats. Water Air Soil Pollut., 8(2): 133-144.
- John, M.K. and van Laerhoven C.J. (1976). Differential effect of cadmium on lettuce variteis. Environmental Pollution, 10(3): 163-173.
- Judel, G.K. and Stelte, W. (1977). Pot studies on lead uptake from the soil by vegetables. Zeitschrift fur pflanzenernahrung and bodenkunde 140: 421-429 (c.f. Soils and Fert., 5442, 1978).
- Kabata, A.K. and Pendias, H. (1986). Trace elements in soil and plants. CRC press, Inc. Boca Raton, Florida, 389 pp.
- Kannan, S. and Keppel, H. (1976). Absorption and transport of Pb in young pea seedlings. Z. Naturforsch., 31: 393-396.
- Kastori, R.; Petrovie, M. and Petrovic, N. (1992). Effect of excess lead, cadmium, copper and zinc on water relation in sunflower. J. Plant Nutrition, 15 (11): 2427-2439.

- Khalid, B.Y. and Tinsley, J. (1989). Some effects of nickel toxicity on ryegrass. Plant Soil. 55, 139.
- Keshan, U. and Mukherji, S. (1992). Effect of cadmium toxicity on chlorophyll content; Hill activity and chlorophyllase activity in *Vigna radiata* L. leaves. Indian Journal of Plant Physiology, 35 (3): 225-230.
- Khen, D.H. and Frankland, B. (1983). Chemical forms of Cd and Pb in some contaminated soils. Environmental Pollution, 6:15-31.
- Kiekens, L.; Cottenie, A. and Landschoot, G. van (1984). Chemical activity and biological effect of sludge borne heavy metals added to soils. Plant aand Soil, 79 (1): 89-99.
- Kloke, A. (1974). Lead -zinc- cadmium inrichment in soils and plants. Staub Rainhlong der luft "in English", 34 (1): 20-24.
- Kloke, A.; Schenke, H.D. and Weigel, H.J. (1979). Influence of cadmium in soil on yield of various plant secies and their cadmium content. Z. Pflanzenernahr. Boden, 142, 131-6.(c.f. Soils and Fert., 6876, 1980).
- Kobryn, J. (1987). Yield and quality of butter head lettuce in relation to cultivar and density of planting on three dates in autum-winter greenhouse production. Ogrodnictwo No. 210 (15). (c.f. Hort. Abst 58:211)..
- Krupa, Z.; Skorzynska, E.; Maksymiec, W. and Baszynski, T. (1987). Effect of cadmium treatment on the phyotosynthetic aparatus and its photochemical activities in greening Radish seedlings.' photosynthetica, 21:156-164.
- Lagerwerff, J.V. (1971). Uptake of Cd, pb, and Zn by radish from soil and air. Soil Sci., 111: 129-133.
- Lehr, J.J.; Wybenga, J.M. and Hoekendijk, J.A. (1962). On the influence of nitrogen on formation of chlorophyll with special regard to a difference sources. Plant and Soil, 17: 68-86.

- Lindsay, W.L. (1973). Inorganic phase equilibria of micronutrients in solis.163-185 p in J.J. Morvedt, P.M. Giordiano and W.L. Lindsay (eds.) Micronutrients in Agriculture. Soil Sci. Soc. of Am. nc. Madison, Wisconsin.
- Linuman, L.; Pearson, C.H. and Kirkham, M.B. (1973). Cadmium uptake by wheat from sewage sludge used as plant nutrient source. Archives of Environ. Health, 27: 45-47.
- Lund, W. and Onshus, D. (1976). The determination of copper, lead and cadmium in sea water by different pulse anodic stripping. Voltammetry Anal. Chem. Acta., 86:109-122.
- Macnicol, R.D. and Becett, P.H.T. (1985). Tissue concentrations of potentially toxic element. Plant and Soil, 85: 107-109.
- Mahler, R.J.; Bingham, F.T. and Page, A.L. (1978). Cadmium-enriched sewage sludge application to acid and calcareous soils: Effect on yield and cadmium uptake by lettuce and chard. J. Environ. qual., 7:274-281.
- Megnel, K. and Kirkby, E.A. (1982) Principles of Plant Nutrition. International Potash Institute, P.O.Box Ch. 3048 Worblaufen Bern, Switzerland, pp. 23-54.
- Mitchell, G.A.f.; Bingham, T. and Page, A.I. (1978). Yield and metal composition of lettuce and wheat grown on soils amended with sewage sludge enriched with cadmium, copper nickel, and zinc, J. Environ. Qual. 7:167-171.
- Miles, C.D.; Brandle, J.R.; Daniel, D.J.; Chu-Der, O.; Schnare, P.D. and Uhlik, D.J. (1972). Inhbition on photosystem II in isolated chloroplasts by lead. Plant physiol., 49: 820-825.

- Misra, S.G. and Pandy, G. (1974). Effect of different sources of lead on the uptake of nutrients by maize. Bangladesh J.Biol. Sci., 3: 15-16. (c.f. Field Crops Abstracs, 245 1978).
- Misra, S.G. and Pandy, G. (1976). Evaluation of suitable extractant for available lead in soils. Plant and Soil, 45: 623 626.
- Murphy, J. and Riely, J.P. (1962). A modified single method for the determination of phosphate in natural water. Anal. Chem. Acta., 27:31-36.
- Mortvedt, J.J. (1985). Plant uptake of heavy metals in zinc fertilizers made from industrial by-products. J. Environ. Qual., 14 (3): 424-427.
- Nasralla, M.M. and Ali, E.A. (1985). Lead accumulation in edible portion of crops grown near Egyptian traffic roads. Agric., Ecosyst. Environ., 13:73-82.
- Nicoloud, B.A.L.; Meurer, E.J. and Anghinioni, I. (1990). Yield and mineral and organic fertilization. Hort. Breasileira, 8(2): 6-8. (c.f. Hort. Abst., 63:4183).
- Norwal, R.P.; Singh, M.; Singh, J.P. and Dahiya, D.J. (1993). Cadmium Zinc interaction in maize grown on sewer water irrigated soil. Arid Soil Research and Rehabilitation, 7: 125-131.
- Patel, P.M., Wallace, A. and Romney, E.M. (1977). Effect of chelating agents on phytotxicity of lead and lead transport. Commun. Soil Sci. & Plant Anal., 8:733-740.
- Pilegard, K. (1978). Heavy metal uptake from the soil in 4 seed plants. Not. Tidsskr, 73 (3/4): 167-176.

- Prasad, J. and Ram, H. (1988). Uptake of native calcium in green gram Vigna radiata (L.) Wilczek as influenced by zinc, copper and rhizobium inoculation. Legume Research, 11 (2): 66-70.
- Pregl, E. (1945). Quantitive organic microanalysis. 4th ed.; J. Chundril, London. U.K.
- Purves, D. (1977). Trace-element contamination of the environment. Elesevier Sci. Publ. Company. Amsterdam, Netherlands, 432 pp.
- Rabie, M.H.; Abdel-Sabur, M.F., Assy, K.G. and Abdel-Latif, E.A. (1990). Lead accumulation parameters, coefficients of transfer, tolerance index and nutrient uptake by wheat and sorghum plants grown on lead polluted soil. Proc. of the 2nd National Confer. On Environ. Studies and Res., 4; 246-254.
- Roucoux, P. and Dabin, P., (1977). The effect of cadmium on the nitrogen fixation. paper prescented at Semin. on Carbohydrate and Protein Synthesis, Giessen, September 7, 1977, 215.
- Salim, R.; Al-Subu, M.M.; Douleh, A. and Khalaf, S. (1992). Effects on growth and uptake of broad beans (*Vicia faba* L.) by root and foliar treatments of plant with lead and cadmium. J. Environ. Science and Health. Part A. Environment Science and Engineering, 27 (7): 1619-1642.
- Sedky, L.E. (1995). Chemical mobility and reactivity of some soil components and pollutants and their impact on crops in the western desert ecosystems. Ph.D. Thesis, Inst. of Environ. studies and Res. Ain Shams Univ., Egypt, 258 pp.
- Shafshak, Nadia, S. and Abo-Sedera F.A. (1990). Effect of different nitrogen sources and levels on growth, yield and nitrate accumulation in some lettuce varieties. Annals of Agric. Sci., Moshtohor, 28 (1): 619-630.

- Singh, S. (1979). Sorption and release of Cd in some Candian soils. Can. J. soil Sci. 59: 119-130.
- Singh, B.R. (1994). Trace element availability to plants in agricultural soils with special emphasis on fertilizer inputs. Environ. Rev. 2, 133-146.
- Singh, B.R.; Singh, B. and Karwasra, S.P. (1995). Yield and uptake response of carrot and lettuce to cadmium as influenced by nitrogen application. Fert. Res., 18: 128-133.
- Snedecor, C.W. and Cochran, W.G. (1980). Statistical methods. 7th. ed. Iowa State Univ. Press, Ames, USA.
- Soon, K.S. (1981). Solubility and sorption of cadmium in soils amended with sewage sludge. J. of Soil Sci., 32: 85-95.
- Sorteberg, A. (1982). A pot experiment with increasing amounts of a mixture of heavy metals applied to different crops. Norges Landbrukshogskole, 1432 As-NLH, Norway. Meldinger-fra-Norges-Landbrukshogskole.(c.f. Soils and Fert., 8238, 1983).
- Stover, R.C.; Sommers, L.E. and Silvier, D.J. (1976). Evaluation of metals in waste water sludge. J. Water Polut. Control Fed., 48: 2165-2175.
- Strnad, V.; Zolotareva, B.N. and Lisovskij, A.J. (1990). Effect of lead, cadmium and copper contents in the soil on their accumulation in and yield of crops. Rostlinna Vyroba, 36 (4): 411-417. (c.f. Micronutrient News & Information, 1991, Vol. 11 No. 1).
- Thompson, H.G. (1949). Vegetable crops. 4th. ed. Mc-Grow Hill Book Com., New York Inc., USA,356 pp.

- Tyler, L.D. and McBride, M.B. (1982). Mobility and extractability of Cd, Cu, Ni and Zn in oragnic and mineral soil coulmns. Soil Sci., 34:198-205.
- Vakhmistrov, D.B. (1969). Combined action of adenine and agents blocking the protien component of cell membranes on potassium accumulation by barley shoots. (In Rusian) Fiziol. Rast., 16:255.(c.f. Soils and Fert., 1689, 1970).
- Valdares, JMAS; Gal, M.; Mingelgrin, U. and Page, A.L. (1983). Some heavy metals in soils treated with sewage sludge, their effects on yield, and their uptake by plants. J. Environ. Qual., 12(1): 49-57.
- Van Landschoot, G.; Verloo, M. and Cottenie, A.(1984). Agricultural issue of sludge and compost. I Prevention of chemical pollution. EWPA / ISWA Conference. 6th European Sewage and Refuse Symposium Held at Munchen. May 22-25, 1984, 51-64.
- Walker, W.M., Miller, J.E. and Hassett J.J. (1977). Effect of lead and cadmium upon the boron, copper, managense and zinc concentration of young corn plants. Commun. Soil. Sci., Plant Anals., 8:57-66.
- Wallace, A.; Romeny, E.M.; Kinnear, J. and Alexander, G.V. (1981). Single and multiple trace metal excess effects on three plant species. J. Plant Nut. 2: 11-23.
- Webber, L.R. and Beauchamp, E.G. (1975). Heavy metals in corn grown on waste amended soils. Intern. Conf. on Heavy Metals in the Environment. Toronto, Ontairo, Canada, Oct. 27-31, pp. 443-452.
- Weigel, H.J. and Jager, H.J. (1980). Subcellular distribution and chemical form of cadmium in bean plants. Plant Physiol., 65: 480-482.

- Welch, R.M. (1981). The biological significance of nickel. J. Plant Nut., 3,345.
- Wichmann, G.; Liemann, F. and Kn.Sel, D. (1983). Investigations about the influence of low cadmium concentrations related to the metabolism of vegetable plants. Angew. Botanik 57, 331-340.
- Wiersma, D., Van Goor, B.J. and Van der Veen, N.G. (1986). Cadmium, Lead, Mercury and Arsenic concentration in crops and corresponding soils in the Netherlands. Journal Agricultural Food Chemistry 34, 1067-1074.
- Wong, M.H. and Lau- W.M. (1985). The effects of applications of phosphate, lime, EDTA, refuse compost and pig manure on the Pb contents of crops. Department of Biology, Chinese University of Hong Kong, Shatin, Hong Kong. Agricultural Wastes, 12(1): 61-75.
- World Health Organization (1972). Evaluation of certain food additives and the contaminants mercury, lead and cadmium. W.H.O. Tech. Rep. Ser. No. 505.
- Wyn-Jones, R.G. and Sutcliff, M.H. (1972). Some physiological aspects of heavy metal tolerance in *Agrostis tenuis*. Welsh Soils Discussion Group Report No. 13, pp. 1-5.
- Xue, Qi and Harrison H.C. (1991). Effect of soil zinc, pH, and cultivar on cadmium uptake in leaf lettuce. Commun. Soil Sci. Plant Anal., 22 (9 & 10): 975-991.
- Yuran, G.T. and Harrison, H.C. (1986). Effects of genotype and sewage sludge on cadmium concentration in lettuce leaf tissue. Journal of the American Society for Horticultural Science, 111(4): 491-494.

Zimdahl, R.L. and Koeppe, D.E. (1977). Uptake by plants. In: Lead in the Environment (W.R. Boggess (ed.)], pp. 99-104. National Science Foundation, Washington, D.C.