

REFERENCES

Abbas, M.; S.S. Ttomar and K.B Nigam, (1995):

Effect of phosphorus and sulphur fertilization in safflower (*Carthamus tinctorius*). Indian J. Agron., 40 (2) : 243- 248.

Abbott , W.S.(1925):

Methods for computing the effectiveness of an insecticides . J .Econ. Intomol.,18 (2) :265:273 .

Abdel-Maksoud, M.; I.I. El-Oksh; M. El-Behiedi and M.H.El-Sawah (1975):

Effect of phosphorus, staple manure and zinc on the growth, chemical composition, yield and fruit quality of winter sweet pepper. Egyptian J. of Soil Sic., 381-395.

Abo Rady, M.O.K; and Nabulsi, Y. A.(1989):

Effect of high doses of elemental sulfur on barley growth in an alkaline soil. Arld soil Research and Rehabilitation (1989) 3 (4) 451-457.

Abou – Dahab, A. M. ; E . S . Badawy and M.S. Hanafy(1984):

Effect of chemical fertilization on the growth yield , and essential oil production in coriander plants (*Ceriantrum sativam L.*). the first Arab conference of Medicinal plants Cairo, 17 – 21 November (1984).

Abou Zeid, E.N.; N.y. Naguib; M.S. Hussein and S.E. El-Sherneny (1996):

Response of (*Ricinus communis*) to gamma irradiation and sulphur fertilizer. Egypt. J. Appl . Sci., 11 (4), 117 – 130 .

A.O.C.S. (1964):

Official and tentatire methods of American oil chemists society 2nd ed. Published by the American oil chemists society, 35 , Eest wacker Drive, Chicago , Illionois, U.S.A.

Aly, S.A.(1986):

Effect of chemical fertilization and planting spacing on growth, yield and active ingredients of chilies. M. Sc. thesis., Fac. Agric., Cairo

Univ. 2nd ed. Published the American oil chemists society 1351 East wackier Driveichica go, Illinois, USA.

Armiiage, M. S. (1974):

The fertilizing of gladiolus in Swaziland. A preliminary Report. Miscellaneous Report Malkerns Research Station Swaziland (undated) Mo. 91, 21 PP. (c.f. Hort. Abstr., 1974, 44, 12, 9822).

Arshad, M. and W.T. Frankenberger (1990):

Response of (*Zea mays*) and (*Lycopersicon esculentum*) to the ethylene precursors, L-methionine and L- methionine applied to the soil. Plant & Soil, 122: 219 – 227, (Hort. Sci., 26:36) .

Attoa, G. E. I. (1981):

The effects of some chemical and hort. Practices on the growth, flowering and essential oil content of sweet. M. Sc. Thesis Fac. Agric at Moshtohor Zagazig Univ.

Auiakh, M.S., Pasricha, N.S.;and Bahlg. S. (1989):

Effect of date of sowing on efficiency of phosphorus and sulphur use by Linseed (*Linum usitatissum*). Indian J. of Agric. Science (1989) 59 (10) 673-675.

Awad, N.A.E (1991):

Tissue culture studies on (*Cuminum cyminum L.*) and (*Asparagus officinalis*) L. Ph. D. Thesis, Fac. of pharmacy, Tanta Univ .

Azzazy , M.A.; M.A. Maksoud and Laila, F. Haggag (1994):

Biological Farming and sulfur Application for improvement Fe, Zn and Mn up take by guava (PSIDUM – GUAGAVA L..) Seedlings grown on Calcareous soil. Annals Agric. Sci., Ain Shams Univ., - Cairo, 39 (2), 731 – 738,

Badanur, V. P.;and Deshpande, P.B. (1987):

Soil moisture and nutrient interaction effects on yield and nutrient uptake in Rabisorgham grown on avertisol J. of the Indian Society of soil science (1987) 35 (3) 404-411.

Balbaa, S.I; S.H. Hilal; and A. y. ZAKI; (1981):
Medicinal Plant Constituents. Chap (27).P. 293-294 .

Barsoom; S.W. (1996):

Effect of sulphur and gypsum on some micronutrient – nts uptake by different plants grown on sandy and calcareous. 6th Conf. Agric. Dev. Res., Ain shams Univ., Cairo, Dec. 17-19, 1996 Annals Agric. Sci., Sp. Lssue, 299-308, 1996.

Baas, R.; A. Brandts and N. Straver (1995):

Growth regulation of bedding plants and poinsettia using low phosphorus fertilization and ebb and flow irrigation. Acta. Hort. No. 378, 129-137 (C.F. Hort. Abst. Vol. 65:7172) .

Baily . L. H. (1963):

Manual of Cultivated Plants .Vol, I, A-B. Vol, III, F- K 1635 – 1633 .

Behzad , S; Razavi , M;and Mahajeri , M(1992):

The effect of various amounts of ammonium phosphate and urea on saffron production International Horticultural congress, Florence, Italy, 27Aug-1Sep., 1990. Acta-Horticultural. 1992, No. 306, 337-339.

Bigger,D.S.;and Chaney. W.E (1998):

Effect of (*Iberis umbellata*) on insectpests of cabbage and on potential biological control agents. Environmental Entomology , (2/998) 27,1 : 167 .

Bishr, G.A . and Makarim , A.M. (1988):

Effect of tryptophan and urea on the growth and alkaloid content of (*Datura stramonium*), L. I. Effect of tryptophan. Zagazig J. Agric. Res. No . 15(2) : 301-314 .

Cerda, A., Martinez, V.; Fernadez, F.S.; and Caro, N. (1984):

Growth of tomato plants as influenced by sulphate and phosphorus concentrations in growth root media S. and F, 1988.

Chatterjee, B.K. Ghash and P.K. Chakraborty, (1985):

Response of Mustard to sulphur and micro-nutrients. Indian J. of Agronomy, 30:1, 75-78.

- Chattopadhyay, TK; B; Swas-MR; and Jana-Sc (1992):**
Nitrogen and phosphorus effect on growth and production of gladiolus (Cv. *Vinksglory*) Annals of Agric. Research. 192, 13 : 2, 191-192.
- Choudhary, S.K.; N.M. Gogulwar and A.K. Singh, (1992):**
Effect of nitrogen and sulphur on seed yield and oil content of varuna mustard (*Brassica juncea*). Indian J. of Agronomy, 37 : 4, 839-840.
- Curtis, C.F., and O.F., Clark, (1950):**
An Introduction To Plant Physiology, Mc-Graw-Hill Company, Inc..
- Dalen, D. (1958):**
Experiments on the effect of fertilizers on the alkaloid content and yield of (*Atropa belladonna*) in Bulgaria. C.R. Acad. Bulg Sci., 11: 41-422. (C.F. Hort. Abst., 29: 2657, 1959) .
- Detroja, H.J.; N.M. Sukhadia and D.D. Molavia, (1995):**
Yield and nutrient uptake by fenugreek (*Trigonella foenum -gracum*) as influenced by nitrogen, phosphorus and potash. Indian J. Agron. 40 (1): 160-161.
- Devlin, R. M. (1972):**
Plant Physiology. 2 nd Ed. Chap. (13 and 15). East West press, New Delhi , University of Massachusetts.
- Dinan L.; Whiting, P.; Girault, J.P. Lafant ; R.; Dhadialla , T.S., Cress, D.E.; Mugat B.; Antoniewski, C.; and Lepesant, J.A. (1997):**
Cucurbitacins are insect steroid hormone antagonists acting at the ecdysteroid receptor. Bio chemical J. (London), 327:3,643-650.
- Dorer, M.; Lubej, M. and Zelenik, M.(1972)**
:The effect of external factors on the alkaloid and free amino acid production in belladonna plants. Farmaceutski Vestnik, 23 (1) 1-31 (Zhurnal 2.55.855).

Dubey, O.P. and R.A. Khon. (1993):

Effect of nitrogen and sulphur on dry matter, gram yield and nitrogen content of different growth stages of mustard under irrigated vertisol. Indian - J. of Agronomy, 38: 2, 270 - 276.

Dubois, M.K.A.; Gilles, Hamitn. J., Robers, R. and smith, F. (1956):

"Colorimetric method for determination of sugar and related substances" An.Chem.28, 350.

Dzhgeark, Ava, D.V. (1974):

The effect of the types of phosphorus fertilizers on the yield and essential oil content of geranium hybrid No-7. In Sbornik Statei Po-Efirnomasli chnym kulturamuiEfir Maslam. Sukhumi, USSR, Alashara (1974) 127 - 130 from Ref. Z. 3.55, 910 (Hort. Abstr. 45, 1975 : 8801).

El - Aasar, Nadia; I.H. El-Bagouri; M. Wassif . and I.W. Hafez. (1990):

Amino acid Content of fodder Bean Leaves as affected by sulphur and phosphorus Application Grown in Calcareous Soil under saline Irrigation water. Annals Agric. Sci., Agric., Ain Shams Univ., Cairo Egypt, 35 (1) 295 - 305 .

El-Deeb, S. M. A. (1982):

Effect of some fertilization treatments on the growth and active constituents of (*Atropa belladonna*) plants. Ph. D. Thesis Fac. Agric, Ain Shams Univ.

El-Gamassy, A. M.; M. Hassib and A. I. O. Baz (1969):

Effect of fertilization levels on growth, flowering and chemical composition of (*Gerbera jamesonii*) plants. Soc. Hort. Magazine, 14 PP 30-42.

El-Gengaihi, S.E., I.A.Ismail and G. atwa (1996):

Anti-insect properties of the (*Antholyza ringens*) and Family : (Iridacea) extract against the american cotton bobbworm , (*Heliothis armigera*.) J. Egypt. Ger, Soc. Zoal , Vol. 21 (E), Entomology, 107-119, Jul. 96.

El-Kaya.E-F.(1985):

Pest management agents in the extracts of some plants from family Euphorbiaceae. M.Sc. thesis , Fac. of Agric. Moshtohor, Zagazig, University

El-Koholy, M. (1968):

Effect of fertilization and plant spacing on sweet peas (*Lathyrus odoratus* L.) M. Sc. Thesis Fac. Agric. Cairo Univ .

El-Labban, L. M. M. (1989):

Nutritional study on the growth and active ingredients of datura plants. Ph. D. Thesis pac. Agric. Aio Shams Univ .

El-Leithy , A. S., (1987):

Physiological study on French marigold (*Tagetes Patula* L.) plants. Ph. D. Thesis, Fac. Agric. Cairo Univ.

El-Sherbeny, E.S.; B.H. Abou Leila and M.S. Hussein, (1992):

Influence of soil types on growth, oil and carbohydrate content of geranium cuttings. Egypt. J. Physiol. Sci., 16, No. 1-2, 143-153 .

El-Sherbeny, S.E. and Hassan, A.E. (1987):

Physiological studies on (*Datura stramonium*) L., the effect of some alkaloid precursors on growth, chemical composition and leaf alkaloids Bull. NRC, Egypt, 12 : 101 – 110 .

Eataban , E.; M. Gomez and E. Hinotosa, (1971):

Sulphur in soils. Effect of So_4 application. C.f. Soil & Fert. Vol. 35 Ent. 1423.

Farag, S.S.S.(1984):

Effect of some nutrients and growth regulators on growth, flowering productivity, seed quality and some physiological aspects of asquash and pepper. Ph. D. Thesis Fac. Agric. Moshtohor, Zagazig Univ .

Fazal, M. and D.S. Sisodia (1989):

Effect of sulphur and phosphorus on growth , nutrients. and oil content in soybean and there residual effect on wheat crop. Annals

Agric. Sci.; Fac. Agric., Ain shams Univ., Cairo, Egypt. 34(2), 916-924.

Fenwick, G. R., Heaney, R. K. and Mullin W. J., (1983):
CRC Crit. Rev. Food Sci. Nutr. 18, 123 – 201 .

Fernandes, P.D.; H . P. Haag; S. Simao; and J . R. De . Maltos. (1977):
 Mineral nutrition of ornamental plants. VII. Studies on NPK fertilization of *Gladiolus grandiflorus* (cv. Persui). Anais de Escolasuperior de Agric. "Luiz de Queiroz" (1974) 31: 645-666.(c.f. Hort. Abstr., 1977, Vol 47 No. 5, 4779).

Fliner, P.(1966):
 Regulation of nitrate reduces in cultured tobacco Cells . Biochem. Biophys.acta 118:299 – 310.

Frankenberger, W.T. and M. Arshad (1991):
 Yield response of watermelon and muskmelon to L-tryptophan applied to soil Hort. Sci., 26 (1) : 35-37.

Fuller , Rw; Cardellina , JHll;Cragg , GM;and Boyd , MR (1994):
 Cucurbitacins : differential Cytotoxicity , dereplication and first isolation from *Gonystylus Keithii*. J. – of Natural – Products, 57 : 10, 1442 – 1445 .

Fukunaga, Y. and King, J. (1982):
 The effect of L-amino acids on the growth and nitrate reduces activity in cultured cells of *Datura innoxia* plant. Sci. Lett., 24: 45-54.

Gamal E1-Din, K.M.(1992):
 Growth response of *Hyoscyamus muticus* L. to temperature hardening in relation to alkaloid pattern. Ph. D. Thesis, Fa. of Agri, Ain - Shams Univ.

Garnier, J and Morel, G. (1972):
 Alkaloid production by tissues of *Vinca rosea* cultivated under different conditions . (Serv. Biochem. Cell. Veg. Cent. Nat. Rech. Agron., Versailles, Fr.) Physiol. Veg. 10 (4) (Chem. Abst. 78 (17), 106912 Z).

Gibson, C.J. and W.G. Pill (1983):

Effect of preplant phosphorus fertilization rate and nitrate and ammonium liquid feeds on tomato grown in peat-vermiculite. Jour. Amer. Soc. Hort. Sci., 108 (6): 1007-1011.

Goma, A. (1958):

Chemical and physiological response of squash to some fertilizers. Ph. D. Thesis, Fac. Agric., Ain Shams Univ.

Good-Rosd, L.L.; ohki, K; and Witson , D.O. (1989) :

Influnce of sulfur on growth and nutrient composition of saft red winters wheat. J. of plant Nut wilion 12 (8) 1029-10390.

Gupta, V.K.; Raj; S.P.S. Karwasra and S.P. Gupta, (1989):

Response of mustard and wheat to sulphur carriers in aridisols. Crop Research-Hisor, 2:2, 159 – 162. (Field Crops Abst., 43, 6214, 1990).

Haag, H.P.; G.D.De. Oliverira and J.r. Altos. (1973):

Mineral nutrition of ormentals 1. Nutrient absorption by gladiolus crop. Anais la Escol Superior de Agric. "luizde Queiroz" (1970) 27, 125-141.(c.f. Hort. Abstr. 1973 Vol. 43 No. 1. 22 : 8).

Haber, Z. (1970):

Absorption of nitrogen, phosphorus and potassium by gladiolus cv picardy under different Soil moisture conditions. Bull. Hodowli. Aklimat. Rost. 1968, No. 3-4, pp 107-113. (English and Russian summaries from ref. (Rustm) 1970, Abstr., 255-804) Hort. Abstr. 1970 Vol. 40 No. 4 8810.

Hanafy, M.S. (1984):

Studies on the soil type and chemical fertlizer on growth, yield and essential oil production in *Corianderum satinam*. M. Sc. Thesis Hort. Dept. Fac. Agric. Cairo Univ.

Hara, T.; Sudounoto, K.; and Sonobla, Y. (1981):

Nutritional relationship between nitrogen and sulphur in cabbage *Brassica oleracea* var. Capitata. J. of the Japanese Society for Horticultural Science (1981) 50 (1) 60-65.

Harridy, I.M.A. (1986):

Physiological studies on periwinkle plant, *Catharanthus roseus* G. Don. Ph. D. Thesis, Faculty of Agric., Cairo Univ

Hassan, A.H. (1964):

The effect of mineral fertilizers and Ph on the growth of gladiolus. Ph.D. Thesis, Fac. Of Agric. Belgrae Univ.

Hassan, A.H., S.M. Sherifi, Billah and A. Zein El-Abdin, (1971):

The effect of sulfur on growth and yield of tomatoes. Agric. Res. Rev. Vol. 49, PP. 173-186.

Helal, P. A. (1991):

Effect of Adding different levels of sulphur nitrogen and planting distances on growth and productivity of Forage and seed yield of phalaris plants. Ph. D. Thesis Fac. of Agric. Ain Shams Univ. (1991).

Hocking, P.J.; Randall, P.J. and Pinkerton, A. (1987):

Sulphur nutrition sunflower (*Helianthus annus*) as affected by nitrogen supply. Effects on vegetative growth, the development of yield components and seed yield and quality. Field crops Research (1987) 16 (2) 157 – 175.

Hoogeterp, P. and J. Mohimann. (1966):

Foecing gladioll in heated glasshouses. Weekbi Bloemboliult, 1965, 76: 491 Hort. Abstr. 1966 Vol. 36 No. 2, 3225.

Huany, X. P., Renwich, J. A. A. ; Sachdev Gupta, and K. Viposition (1993):

Stimulants and deterrents regulation differential acceptance of (*Iberis amara*) by pierisrapae and P. napioleracea. J. Chemical Ecology (1993) 19 : 8 , 1645 – 1663 .

Hundal, H.S.; and Arora, B.R. (1990):

Urea, S.; a source of fertilizer N and S on Loamy S and soil to wheat, J. of the Indian society of soil science (1990) 38 (1) 164-165 .
Department of soils, punjab Agricultural University Lud-Hiana Punjab, 141004, India, Soils and Fertili- Zers 1991 Vol. 54 No. (677).

Hussein, M.S.; El-Saeid and S.E. El-Sherbeny, (1996):

Yield and quality of lavender in relation to foliar application of sulphur and phosphorus. Egypt. J. Hort. 23, (2), 167 – 178 .

Ishioka, N. and S.Tanimoto (1995) :

Plant regeneration from mesophyll Protoplasts in *Lilium longiflorum*. I. Conditions for isolation and culture. Bull. Fac. Agric. Saga Univ. No. 78, 23-32. (Hort Abst. 65.8158).

Ivanic, J. (1961):

Results of trails on the manuring of red pepper in 1957. (C.F. Hort. Abst., 38:1057, 1961).

Ivanova, L.N. and V.T. Gogiga (1965):

The effect of increased rates of mineral fertilizer on quantity and composition of oil in rose geranium. Trudy Suhum. Opyt. Efirnomost. Kul,tur, 6,63-74. (Hort. Abstr, 38,1968. 1429).

Jana P.K.; S. Ghatak; A. Barik and B.C. Biswas, (1990):

Response of summer groundnut to phosphorus and potassium. Indian J. Agron, 35 (1 & 2) : 137 – 143 .

Janardan , Singh; and singh, J (1997) :

Effect of Levels of potassium and sulphur on of yields of (*Brassica Juncea*) Cruciferae Newsletter. 1997, No. 19, 125 – 126; 1 ref.

Jain, R.c.; D.P. Nema; R. Khandwe and R. Thahur, (1990):

Effect of phosphorus and potassium on yield, nutrients uptake, protein and content of groundnut. (*Arachis hypogaea*). Indian J. of Agric. Sci. 1990, 60: (8) 559 – 561 .

Layanthi, K. and J.V. Gowda (1988):

Effect of nitrogen and phosphorus on growth and flowering of chrysanthemum cv. Local White, Current Res. Univ. Agric. Sci. Bangalore 17 (8): 104 – 106 (C.F. Hort. Abst. Vol. 59: 2268).

Jenkins, P. A. (1974):

Influence of applied indoleacetic acid and abscisic acid on xylem cell dimension in *Pinus radiata* D. Don. In “ Mechanism of Regulation of Plant Growth” (R. L. Bieleski, A. r. Feguson and M.M.Creswee, eds.), bull. 12pp. 737-742. R.Soc. N.Z. Wellington.

Jhon, A.G.; S.S. Saini and P.P. Sharma (1986):

Effect of nitrogen , phosphorus and plant spacing on seed yield in pansy (*Viola tricolor hortensis* L.) Progressive Hort. 18 : 249 – 255, India (C.F. Hort. Abst. Vol. 59 : 439) .

Joshi , P. C; and Patil, N.S .(1992):

Note on effect of Plant density, nitrogen and phosphorus on yield Indian J. of Horticulture. 1992, 49 : 3, 265 – 266 .

Joy, K. W.(1969):

Nitrogen metabolism of *Lemna minor* .I .Growth, nitrogen sources and amino acid inhibition . Plant Physiol. 44, 845-848.

Kabesh, H, M.O. ; El – Baz, F. K.; and Saber, M. S. M.(1988):

Utilization of biofertilizers in field crop production. Effect of elemental sulphur application in the presence and absence of Biofertilization on chemical composition of Maize Grains. Annals Agric. Sci., Fac. Agric., Ain shams univ., Cairo, Egypt . 33 (2) , 1057-1066.

Kandeel A. M. (1982):

Effect of some Agricultural treatments on the Yield oil percentage of chamomile plants (*Matricaria chamomilla*) . M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Kandpal, B.M. and A.S. Chandel, (1993):

Effect of gypsum and pyrite as sources of sulphur on nitrogen fixation, dry matter and quality of soybean. J. Agron, 38 (1) : 137 – 139.

Kaufmann, H.P. (1935):

Studied aufdem Fettgebiet, Verlag Chemine, Berlin, 1935. P. 23, H.P.

Khalaf, S. M.; and Taha, E. M. (1988):

Response of garlic plants grown on calcareous soil to organic manuring and sulphur application, Annals of Agricultural Science (Cairo) (1988) 33, (2): 1219-1232.

Khandkar, M.R.; P.K. Malviya and K.B. Nigam, (1991):

Influence of N and S application on mustard (*Brassica juncea* L.) Research and Development, Reporter, 8 : (2) 189 – 190.

Khanpara, V.D. B.L. Parwal; M.P. Sahu and J.C. patel, (1993):

Effect of nitrogen and sulphur on growth and yield of mustard. Indian, J. of Agronomy, 38 : 2, 266 – 269.

Kondarenko, A.K. (1976):

The effect of phosphorus fertilizers applied in the row on the yield and quality of belladonna herbage. Rabot VNill Rastenii (1975) No. 7, 180 - 183. From Referativnyi Zhurnal (1975), 12-55, 974.

Koriesh E.M.(1984):

Effect of indoleacetic acid, sodium acetate and tryptophan on growth and total alkaloids of *Catharanthus roseus* G.Don. the 2nd General conf. Of Agric Res. Cent. (ARC).

Koti, R. V.; Panchal, Y. C. Manjunath. S. (1989):

Effect of sulphur, on pod yield and oil content of groundnut. J. of Moshtohor Agricultural Universities (1989) 14 (2) 243-244.

Kowalewski, z.;and Wierzbicka, K.(1971):

Flavones in *Iberis amara* L. Flowers. Plants Medica (1971) 20 (Dec); 328-339.

Kulvinder ,S. and B.K. Srivastava (1988):

Effect of various levels of nitrogen and phosphorus on growth and yield of chili (*Capsicum annuum* L.) Indian Jour. Of Hoet., 45 (3/4): 319-324. (Hort).Abst., 60 (2): 1130, 1990).

Lakkinin, KnC. and Y.P. Abrol, (1992):

Sulfur requirements of rapeseed, groundnut and wheat, a comparative assessment. J. of Agronomy and crop. Sci., 169: 4, 281-285.

Lemeni, C. and V. Lemeni (1966):

Effect of fertilizers on gladiolus Grad. Vialiv., 1965, 14 (7): 66-8 Hort. Abstr., 1966 vol. 36 No.1, 1401.

Leonova, L.A. and K.Z. Gamburg (1975):

Synthesis of IAA in normal and autonomous cultures of plant Fiziol. Rast, (Moscow) 22(6): 1213-17 (Chem. Abst., 84 : 86805 K.)

Loiseau, J.; C. Marche and Y.L. Deunff (1995):

Effects of auxins, cytokinins, carbohydrates and amino acids on somatic embryogenesis induction from shoot apices of pea. Plant Cell, Tissue and Organ Culture, 41 (3): 267-272. (Hort Abstr., 66 : 1389).

Mahmoud. M.M. (1970):

Physiological studies on some aromatic plants. M. Sc.. Thesis Fac. Agric. Aia Shams Univ.

Makarim, A.M. and G. A.A. Bishr, (1989):

Effect of spraying with Irral and tryptophan on growth, yield and volatile oil of coriander. Zagazig J. Agric. Res. (Accepted for publication).

Mantrova, E. Z. (1976):

The effect of fertilizers on the carbohydrate content and productivity of glasshouse carnation. Agrokimiya. No 6: 89-93 (C.F. Hort. Abst Vol. 47 : 5727).

Mazid, S.A. (1986):

The response of major crops to sulphur in agricultural soils of Bangladesh, an overview. Sulphur in agricultural soils, Proceedings International symposium Dhaka, Bangladesh, April 20-22, 1986 18 45. (Field - Crops, Abst. 43, 1490, 1990).

Migahid, H. A. (1982):

Studies on the propagation and the effects of fertilizers and some growth regulators on the flowering and concrete oil yield of *Jesminum sabac*. M. Sc. Thesis Fac. Agric. Moshtohor Zagazig Univ.

Mohamed, S. M. (1980):

Effect of sulfur and some other chemicals on the growth, and cormels on *Gladiolus grandiflorus* ph. D. Fac. Agric Mosht., Zag., BN., BR. P, 144 – 145.

Mohamed S.M. (1992):

Effect of different phosphorus and zinc application on growth and flowering of *Gerbera jamesonii*, (Hook) plants. Annals of Agric. Sci., Moshtohor vol . 30 (3) : 1425-1439.

Mohamed S.M. (1992):

Effect of some growth regulating chemicals on growth, flowering and tuberous-Root production of *Dahlia pinnata* L. Annals of Agric. Sci. Moshtohor, Vol. 30 (1), 494 – 508.

Mohamed. S.M. and M.M. Khalil (1992):

Comparison study on the effect of some growth regulators on red and rose pelargonium cvs. Egypt. J. Appl. Sci., 7 (9) : 91 – 103

Mohamed.S.M.;Wahba,H.E.L.and Moer,E.A.(1992):

Effect of some growth regulators on to growth, oil percentage and constituents of *Alpinia nuuaans*. Annals of Agricultural Science, Moshtohor, Vol.30, No.30(3), 1501-1512.

Montengro,B.A; Baherle,V.P; Pihan,S;R; Lizama A,N; Mendez,A. E (1991).

Effect of N-P fertilization rate on transplanted cabbage crop in a vilcun Andisal.II. Absorption of N,P and K by the plants and their contents in the soil A gric. – Tecnica 0 Santiago. 1991, 51:4, 306 – 314 ; 10 ref.

Mortensen , J ;and Nielsen ,JD(1995) :

Zeitschrift – fur – Pflanzenernahrung – and – Bodenkunde . 1995 ,
158 : 1 , 117 – 119 ; 3 ref.

Moursy, A.H.; Hussein, S.M. and El-Bahr, K.M.(1988).

Effect of some alkaloid precursors on the growth and alkaloid production of *Datura stramonium* L. Cultured in Vitro. Egypt, J. Bot. 31 : 153 – 165.

Murphy, J. and Riely, J.P. (1962).

Modified single solution for the determination of phosphate in natural water “ Anal. Chim. Acta., A.27 : 31 – 36 .

Nad., B.K. and M.N. Gaswami, (1983):

Sulphur utilization pattern of some oil seed and legume crops J. of Nuclear. Agric. and Biology, 14 : 4, 154 - 157.

Nageshwarlal, S.K.; R.S. Sarawgi and M. C. Bhambri, (1995):

Effect of nitrogen, potassium and sulphur on seed yield , nutrient uptake, quality and economics of summer sesame (*Sesamum indicum*). Indian J. Agron. 40 (2) : 333 – 335 .

Naphade, P.S. and K.T. Naphade,(1992):

Effect of phosphorus on uptake of nutrients in sunflower. Annals of Plant Physiology, 6 : 1, 119 - 124. (Field Crop Abst.: 47 - 3859, 1994).

Narwal. R.P.; A.P. Gupta; S.P.S. Karwara and R.S. Antil, (1991):

Effect of carries of sulphur on yield and uptake of sulphur in mustard J. of the Indian Society of Soil Science, 39 (2): 324 - 327.

Nuttall, W. F.; Dkrainetz, H.; Stewart, J.W.B.; Spurt.; D.J. (1987):

The effect of nutritive sulphur and boron on yield and quality of rapeseed (*Brassica napas L. and B. campestris L.*) Canadian J. of soil Science (1987) 67 (3) 545-559.

Nickell, L.G. (1977):

Ecophysiology of Tropical Crops. Alvim, P. and Koziowaki, T.T. (eds.) pp. 89-111 Academic Press, New York.

Nofal., E.M.S.(1976):

Studies of some cultural practices and nutrient on *Majorana hortensia*.
M. Sc. Thesis, Fac. Agric. Al-Azhar University.

Okpanyi , S.N .(1993):

The an ti – in Fammatory activity of the plant extract of *Iberis amara*.
41 st Annual congress on medicial plant research, Dusseldorf ,
Germany 31 August – 4 September 1993 . plant a – Medica –1993,59
: 7, A665 – A 666 .

**Okpanyi , SN; Mark , M;wahl , MA;Schil , cher , H (ed.);Phillipson
, JD (ed).; and Loew ,D (1993):**

Gastrointestinal motility modulation with iberogast First world
congress medicinal and aromatic plants for human welfare
(WOCMAP), Maastricht, Netherlands 19-25 July 1992. Acta-
Horticulturae. 1993, No. 332, 277-235;

Osman , A. G. (1997):

Physiological Studies on *Narcissus* plant. Ph. D. Fac. Agric. Mosht.,
ZAG., BEN., BR. P. 148 – 149.

Patau, K.; N.K. Das and F. Skog. (1957):

Induction of DNA synthesis by kinetin and IAA in excised tobacco
tith tissue. *Physiol. Plantarum*, 10: 949-966.

Paulina, Li, and A.C. Caldwell, (1966).

Oxidation of elemental sulphur in soil. *Soil Sci. Soc. Vol, 30; PP, 370-372*

Pergl, K. (1945):

“ Quantitive Inorganic Analysis “. Uthed, Churchil, Ltd., London
PP.72-74.

Phillips, I. D. J. (1971):

Introduction To The Biochemistry And Physiology of Plant Growth
Hormones. Copyright P. 12 McGraw - Hill Book Comp. New York,
London, Toronto and Sydn.

Phillips, J.M.; and Curtis, C.C. (1989):

Sulfur rate and timing effects on costal Bermudagrass Research Series, Arkansas Agris., Experiment Station, No. 385, 31-33.

Plggot, G.S.; Cooper, D.M.;and Ronore, E.N. (1984):

Sulphur fertilizing of a well established pasture on anorthern yellow brown each. Nowx ealand J. of experimental Agriculture, 12 (1) 65 – 68.

Piper , C.S. (1947) .

Soil and plant analysis. P.258 –275, the Univ of Adelaida, Australia.

Post, K. (1959).

“ Florist Crop Production And Marketing “ New York Orange Juld publishing Company, Inc. 1959.

Prasad, F.M.; A. Chandro; M.L.; Varshney and M.M. Verma, (1991):

Growth yield, dry matter and nutrients uptake by mustard in alluvial soil as influenced by phosphorus and organic matter. New Agricultural 2 :1, 31-34. (Soil and fertilizer, 57, 989, 1994) .

Prasad.; D.S. Sisodia; M.L. Varshney and M.M. Verma, (1991):

Effect of different levels of sulphur and phosphorus on growth, dry matter oil content and uptake of nutrient by soybean. New Agricultural, 2 : 1, 5 - 18. (Soil and fertilizer 56, 11923, 1993).

Rathore, P.S and P.L. Maliwal (1990).

Response of mustard to soil and foliar application of sulphur. Haryana J. of Agronomy, 6:1, 96 - 97 .

..... and S.S. Manohar, (1989):

Effect of sulphur and nitrogen on quality parameters of mustard. Farming - systems, 5 : 1-2, 29-32.

Rivera, E. and H. Irizarry (1984):

Effect of fertilization with phosphorus, sulphur and micronutrients on yield of pepper growing on an alkaline soil. Jour. of Agric. of Univ. of Puerto Rico, 68, 1: 1-4.

Roshdy; A. (1975):

Some chemical changes in *Vicia faba* plant during maturity stages under different levels of fertilization and irrigation. M. Sc. Thesis, Fac. of Agric., Ain Shams Univ.

Sachdeu , Gupta , K;Radke , CD;Renwick , JAA.(1993):

Ply to chemistry. 1993, 33:1385 – 1388; Sandhy; Gupta – SK(1998). Effect of sulphur on oil content fatty acid composition of mustard. Cracifera Newsletter. 1998, No. 20, 93 – 94.

Saini J.S.; S.J. Dholiwal, and A.K. Sharma, .(1985):

Effect of sulphur, zinc and boron in relation to nitrogen on the seed yield and oil content of indian mustard (*Brassica juncea L.*). Haryana J. of Agronomy, 1 (1):42-47.

Saleh, M. M.(1962):

The effect of fertilization levels on the quality and quantity of *Matricaria chamomilla L.* M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Saleh, M.A.; Ibrahim, N.A.; El – Bolok, M.M. and Abdel – Salam, K.A. (1986):

Insecticidal activity of selected Egyptian wild plants. Bull. of Fa. Agic., Cairo univ., 37 (1) : 517 – 525 .

Salonen, M. L. (1980):

Glutamate and asparatate derived amino acids as nitrogen sources for the callus of *Atropa belladonna L.* Annals. Botan. Fenn., 17 357 - 378.

Sandhlya; and Gupa; S.k. (1998):

Composition of mustard. Cruciferae- Newsletter. 1998, No 20, 93-94.

Saran, G. and G. Giri,(1990):

Influence of nitrogen phosphorus and sulphur on mustard under similar arid rainfed conditions of North - West India Agronomy, 35 (1-2)431 - 136.

Schneider; E.A.; R.A. Gibson, and F. Wightman. (1972):

Pathways of auxin biosynthesis in shoots of higher plants. Pp 82-90 in D.J. Carr (ed.), "Plant Growth Substances, 1970 Springer - Verlag Berlin.

Selim, M.K. and M.A.A. EI-Seessy, (1991):

Productivity of faba bean as affected by plant population, phosphorus fertilization and sowing methods Egyptian, J. of Agronomy, 16 (1/2) 239 - 251

Shanmugam, M. S. (1985):

Sulphur nutrition of sugarcane. In cian sugar crops J. (1985) 11 (1 / 4) 33 - 36 .

Sharma, uc; Kamla, Singh and Sigh, k (1991):

Integrated management of phosphate and farmyard manure in potato-radish cropping sequence can an acidic soil. J. of the Indian Society of Soil Science. 1991, 39:3, 468- 471; b pef. Central potato research station, Shillong 797009, Meghalaya, India.

Sharma D.V.; V.K. Imaddar; R.A.S. Sharma and D. Singh, (1992):

Effect of different sources and levels of sulphur on nutrients uptake by mustard. Crop, Research Nisar, 5 (1) 50-53. (Field Crop Abst. 47 \ 1832, 1994).

Shelton, J.E. (1976) :

Effect of placement of phosphorous fertilizer and time upon growth of delicious and Golden delicious apple trees . H.A. 1977 Vol.47: 4273.

Singh, B.; A.P. Singh, Surindra-Singh and S. Singh,(1989):

Effect of small doses of pyrites on yield and quality of groundnut and mustard grown in rotation. Agricultural Science - digest - Karnal 9 (2): 57 - 61. (Field Crops Abst., 1990, 43, 06640).

Singh, D. and V. Singh, (1995):

Effect of potassium, zinc and sulphur on growth characters, yield attributes and yield of soybean. Indian J. Agron. 40 (2) : 223 - 227.

Singh, H.C. (1970):

Effect of sulfur in preventing the occurrence of chlorosis in peas.
Agric. on. J., 1970, 62: 708 – 11.

Singh, J. n. and Singh, D.P. (1969):

Effect of phosphorus deficiency and seasonal varta variation on growth and essential oil content on Japanese mint *Mentha arvensis L. Var. Piperascens* Hinds Univ. Varansi, India. Soils & Fertilizers 1970 vol. 33 part J. P. 483.

Singh J.N. V. and D. B. Singh, (1971):

Effect of phosphate fertilization and seasonal variations on Japanese. Mint (*Mentha arvensis L.*). varplperuscens Soil sci. plant Natr. 16 – 95 – 101 . (Hort. Abstr. 41 , 1971: 7403.)

Singh, K.S. and R.C. Bairathi, (1980):

A study on the sulphur fertilization of mustard (*Brassica juncea L.*) in the semi-arid tract of Rajasthan. Annals of Arid zone, 19 (3) 97 – 202. (Field Crops Abst. 37, 4871, 1984).

Singh , Kn; Swarup, A; Sharma, Dpand Rao – Kvgk (1992):

Effect of drain spacing and phosphorus levels on yield, chemical composition and up take of nutrients by Indian mustard (*Brassica juncea*) Experimental – Agriculture. 1992, 28 : 2 , 135 – 142.

Snigh Lodhi, A.K C.N Tewari and R.K Pathak (1990):

Effect of various levels of nitrogen and phosphorus of on florwering of chrysanthemum (*Chrysanthum morifolium Rem.*) Hort. J. 3 : 56 - 58(C.F. Hort. Abst. Vol. 62 1284)

Singh, R.P. and V. Singh (1990):

Effect of S. Mg. And K on yield and uptake by Linsee. J. of the Indian Society of Science (1990) 38 (1) 169-170.

Singh , Vki and Sharma ,HC (1996):

Response to Indian Mustard (*Brassica juncea L.*) to levels and time of sulphur application. Cruciferae-Newsletter. 1996, No : 18, 138 – 139;

Singh, V.K.; S. Vinay; S. Mahaber; V. Singh and M. Singh (1988):
Response of Indian mustard (*Brassica juncea*) to sulphur fertilization. Indian J. of Agric Sciences, 55 10, 754 - 756.

Singh, V.; V.S. Mehta and B. Singh, (1986):
Individual and Interaction effect of sulphur, phosphorus and molybdenum in mustard J. of the Indian Society of Soil Science, 34 (3) 535-538.

Smittle, D. A., (1984):
Responses of onions to sulfur and nitrogen fertilization. Research Report. Experiment Stations, College of Agriculture, University of Georgia (1984). No. 455. 10pp.

Snedecor, G.W. and Cochran, G.G. (1972):
" Statistical Methods " 6th Ed. Iowa state College Press, Am Iowa, U.S.A.

Srredharan, A. and K.C. Nair (1977):
Effect of fertilizers on the yield of rood and oil of vetiver, *Vertiveria zizanioides*. Agric. Res. Hour. Of Jerala, 1975, 13 (2) : 197 - 198.

Stratigakas, A. and Ormrod, D.P. (1985):
Response of tomato to sulfur nitration and SO₂. Water Air and Soil Pollution (1985) 24 (1) 19-26.

Surendra, S.; A.P. Singh; B. Singh and Singh, (1991):
Direct and residual effect of pyrites on yield, sulphur content and quality characters of groundnut and mustard. J. of the Indian Society of Soil Science, 39 (2):328-331.

Swiader, J.M. and R.D. Morse (1984):
Influence of organic amendments on solution requirements for vegetables in mineral soil. Jour. of the erican Society for Hort. Science, 70 g, 21: 150-155.

Taha, A.E.M.E. (1978):
Physiological studies on hardening process in vegetable crops. Ph. D., Thesis, Faculty of Agriculture, Ain - Shams Univ., Cairo, Rgypt.

Taiz, L ; and Zeiger, E. (1996):

Plant Physiology. Chap. (5), P. 307

Thimann, K.V. (1935):

On the plant growth hormone produced by (*Rhizopus sinuis. J*).
Biol. Chem. , 109: 279-291.

Thimann, K.V. (1972):

The natural plant hormones. In "Plant Physiology" Vol. 6 B, (F.C. Steward, ed.), pp. 3-145 Academic Press, New York.

Thomas, R. J. and U. M. Mclean (1967):

Growth and mineral composition of squash (*Cucurbits Pepo L.*) as affected by N, P, K. (C.F. Soil and Fert. 30 (40). 3149).

Tiwari, K.N.; B.S. Dwivedi and A.N. pathok, (1984):

Evaluation of iron pyrites as sulphur fertilizer. Fertilizer-Research, 5 : 3, 235-23. (Field Crops Abst., 38, 7553, 1985).

Tripathi , Nn; Dikshit , A; Tripathi , RD and Dixit , SN (1983):

Fungitoxic properties of (*Iberis amara*) International J. of Crude – Drug – Research. 1983, 21 : 2, 67 – 71 .

Tsao, D.P.N.; Gomez and M.G. Chaub (1961):

Effect of potassium, nitrogen and phosphorus on the growth and glycoside accumulation in (*Digitalis lanata*). I. Leaf yield and total glycosides. J. Pharm. Sci., 1961; 50 : 80 – 2. (C.F. Hort. Abst., 32: 1524).

Upasani, R.R. and H.C. Sharma, (1986):

Effect of nitrogen and sulphur on some growth parameters evapotranspiration and moisture use efficiency of mustard under dry hand conditions. Indian J. of Agronomy, 31 (3) : 222-228.

Vanderhoef, L.N. (1980):

Auxin - regulated cell enlargement: is there action at the level of gene expression? Organization and Expression in Plants, pp. 159-173, Leaver, C.J. ed. Plenum, New York.

Varma, S.C. and V.V.P. Reddy, (1985):

Effect of nitrogen and sulphur on rainfed. Indian Mustard .
agricultural. Science, Digest, Indian, 5 (1) : 10-12. (Field Crops Abst.,
39, 9771, 1986).

Vogel, A.J. (1975):

A text Book of Practical Organic Chemistry. 3rd Edition, Book
society and Longmans Group Ltd. (1975).

Vollosovich, A.C. and R.G. Butenko, (1970):

Culture of *Rouwolfia seroentina* tissue a producer of alkaloids. Kult.
Izolirovanuv. Khorganov, Thanei Kletok East Tr. Vses. Konf. 1th.
1968, 2537, Russ. Chemi, Abst. 74 (21):108183 d.

Weiss, E.A. (1967):

Effect of nitrogen, phosphate and time of cutting on green material
and oil yield. From geranium (*Pelargonium hybrid*) in west kenys.
Exp. Agric., 3, 9 – 103.

Wells, B.R.; Sabbe, W.E.; Bacon, R.K. (1989):

Response of wheat growing on permeable Arkansas soils to sulfur
additions research series, Arkansas Agricultural experiment station
No., 385,74-78.

Winsor, G.W. (1962):

Coronations like liberal NPK. A progress Report on Nutrition Trials at
the G.C.R.I. Grower, 58: 528-9 Wi(C.F. Hort. Abst., 33 : 1116).

Withers – P.J.A. (1992):

Winter oil seed rape : effects of sulphur on seed glucosinolate
contented seed yield H. GCA – oil seeds – Project – Report – 1992,
No. Os 2, 2, PP.;

Ye, C; Fu, B; Jiang ,Y and He, Z. (1987):

Determination of total glucosinolate in cruciferea seeds by semi –
micro grovimetas and spectro photometry with tetrachloropalladate.
Fett – wiss – technical. Sep 1987; 89 (9).

Zaky, N. H. (1990):

Effect of some local substrates on yield and nutrient uptake of greenhouse cucumber . M. Sc. Thesis Fac. Agric. Cairo Univ.

Zayed , Am and Terry , N. (1992):

Selenium Volatilization in broccoli as influenced by sulfate supply J. – of – plant – physiology. 1992, 140:61 646 – 652; 39 ref .

Zenk, M.H.; El-Shagi, H.; Arens, H.; Stoeckigt, J.; Weiler, E.W. and Deus, B. (1977):

Formation of the indole alkaloids serpentine and ajmalicine in cell suspension cultures of (*Chatharanthus roseus*). Plant, Tissues cult. Its. Bio – Technol. Appl., Int. Congr. I st., 27 – 43, Chem. Abst., 88 (11) : 71736.

Zuravlev, Ju P. and V.V. Seberstov (1971):

The effect of mineral fertilizers on the yield and quality of oil poppy. Himija Sel. Hoz., 1970, 8 (8) : 25 – 28.