

REFERENCES

- Abaza, M.M.E. (1996):** Response of various cultivars of tomatoes to salinity. Ph. D.Thesis, Fac. of Agric., Mansoura Univ.
- Abdalla, A.A.(1985):** The effect of salinity and moisture stress on pea plants. M.Sc. Thesis Fac. of Agric. Ain Shams Univ.
- Abdalla, I.M.; S.A.Raafat and M.E.Zaki (1979):** Effect of phosphorus fertilization on growth, nutrients uptake and yield of tomato. Res. Bull. 2 (3), Fac. of Agric. Zagazig. Univ.
- Abd-Alla, A.M., S.M.Adam, A.F.Abou-Hadid and Iman S.S. Benjamien (1996):** Temperature and fertilizer effects on tomato productivity. Acta Hort . 434: 113-119.
- Abd El-Dayem, H.M. (1982):** Physiological studies on the relationship of water requirement to salt tolerance in some plants. M.Sc. Thesis, Fac. of Agric. Moshtohor Zagazig Univ.
- Abdel-Latif, A.M. (1995):** Physiological studies on tomato. M.Sc. Thesis, Fac. of Agric. Cairo Univ.
- Abd El-Zaher,A.M.(1989):** Effects of irrigation treatments and phosphorus fertilization on growth, yield and quality of eggplant. (Solanum melongena, L.) M.Sc. Thesis, Fac. of Agric. Alexandria Univ.
- Abed, T.A;I.M. Abdalla, and F.A.Abo-Sedera (1988):** Effect of irrigation with drainage water on peas (Pisum sativum,L.). I-Vegetative growth and its chemical composition. Annals of Agric. Sc., Moshtohor, 26 (1): 471-485.

- Abed, T.A.; M.E.Zaki, and F.A.Abo-Sedera (1988):** Effect of irrigation with drainage water on peas (Pisum sativum, L.). II-Yield and its quality. Annals of Agric. Sc., Moshtohor, 26 (1): 487-500.
- Abded, T.A.and S.M.M. Eid (1987):** Effect of plant density and fertilization on yield and quality of tomato fruits. Annals of Agric. Sc. Moshtohor, 25 (4): 2299- 2308.
- Abo-Soliman,M.S.M.,M.A.Abu El-Soud and M.H.Hegazy. (1990):** Preliminary studies on the methods and forms of phosphorus fertilizers application on cotton under saline sodic soil conditions. J.Agric.Res.Tanta Univ. 16 (1): 150-156.
- Abo-Soliman, M.S.M.;M.R.Khalifa;W.S.El-Sabryand K.M.Sayed. (1992):** Use of drainage water in irrigation at North of Nile Delta, its effects on soil salinity and wheat production. J.Agric. Res. Tanta Univ. 18 (2): 425 –435.
- Adams, P. (1987):** The test of raised salinity. Grower, 107 (2.S.): 23-27 (c.f. Hort. Abstr., 57: 6449. 1987).
- Adams, P.(1988):** Some response of tomatoes grown in NFT to sodium chloride. Proc. Intr. Cong. on Soil. Cult., 59-71., Wageningen, Netherlands., (c.f. Hort. Abstr., 59: 6651 , 1989).
- Adams, P. (1991):** Effects of increasing the salinity of the nutrient solution with major nutrients or sodium chloride on the yield, quality and composition of the tomatoes grown in rockwool. J.of Hort. Sci., 66 (2): 201 – 207.
- Adams, P.and A.M. El-Gizawy (1986):** Effect of salinity and watering level on the calcium content of tomato fruits. Acta Hort., 190: 253 –259.

- Adams,p.and L.C.Ho(1989):** Effect of constant and fluctuating salinity on the yield, quality and calcium status of tomatoes. J. of Hort., Sci., 64 (6): 725 – 732.
- Akhavan, M.,M.Kharazian; W.F. Campbell; J.J.Jukinak, and L.M.Dudley (1991):** Calcium amelioration of NaCl effects on plant growth, chlorophyll and ion concentration in Phaseolus vulgaris. Arid Soil Res. and Rehabilitation , 2:97 –103. (c.f.Hort . Abstr., 61 (11): 10029. 1991).
- Alam, S.M.; S.S. M.Nagvi and A.R. Azmi (1989):** Effect of salt stress on growth of tomato. Pakistan- J.of Sci. and Indust. Res. 32 (2): 110 –113.
- Alarcon, J.J.; M.C. Bolarin; Sanchez-Blanco and A.Torrecillas (1994):** Growth, yield and water relation of normal fruit and cherry tomato cultivars irrigated with saline water.J.of Hort. Sci., 69 (2): 283.
- Al-Lawendy,W.I. (1985):** Physiological studies on the adaptation of some plants to salinity by using some growth substances. M.Sc. Thesis , Fac. of Sci., Al-Azhar Univ. Girls, Branch.
- Al-Lawendy, W.I. (1990):** Effect of salinity and drought on sugar beet. Ph.D. Thesis, Fac. of Sci.,Al-Azhar Univ. Girls, Branch.
- Al-Najum, M.A.and A.A.Neimmah (1989):** The interactive effects of water quality and fertilizer levels on yield and quality of tomato (Lycopersicon esculentum) in sandy soil. J.Agric. and Water Resources Res., Soil and Water Resources. 8 (1): 113 – 124.
- Amer, M.A. (1964):** Effect of phosphorus on cotton growth and yield. M.Sc. Thesis, Fac. of Agric., Ein Shams Univ.

- Vegetales (1994), 9 (3) 367-375. (c.f.Hort. Abstr. 66 (1): 513, 1996).
- Bates, L.S.; R.P. Waldren and I.D. Teare (1973):** Rapid determination of free proline for water stress studies. *Plant and Soil*. 39: 205-207.
- Belda, R.M.; J.S.Fenlon and L.C.Ho (1996):** Salinity effects on the xylem vessels in tomato fruit among cultivars with different susceptibilities to blossom --end root. *J. of Hort. Sci.*, 71 (2): 173- 179.
- Bernstein, L. (1975):** Effect of salinity and sodicity on plant growth. *A. Rev. Phytopathal.* 13 : 295 --312.
- Bolarin, M.C.; F.Perez-Alfocea; E.A.Cano; M.T.Estan and M.Caro (1993):** Growth, fruit yield and ion concentration in tomato genotypes after pre-and post-emergence salt treatments. *J. Amer. Soc.Hort. Sci.*, 118 (5): 655 -- 660.
- Borkowski; J.(1992 a):** Influence of retardants on tomato transplants. *Biuletyn- Warzywniczy*. 39: 5-12.
- Borkowski, J. (1992b):** Influence of retardants on the growth, flowering and fruiting of field tomatoes. *Biuletyn-Warzywniczy*. 38: 5 -- 20.
- Borkowski, J.; A. Dobrazanski, and J. Bakowski (1989):** The effect of paclobutrazol on the growth and cropping of tomatoes. *Biuletyn -- Warzywniczy. Suppl. II*, 121 -- 124.
- Brown, J.D. and O.Lilleland (1946):** Rapid determination of potassium and sodium in plant material and soil extracts by flamephotometry. *Proc. Amer. Soc. Hort. Sci.* 48: 341-346.

- Caro, M.; V.Cruz; J.Cuartero; M.T. Estan and M.C.Bolarin (1991):** Salinity tolerance of normal fruited and cherry tomato cultivars. *Plant and Soil*, 136 (2): 249 – 255.
- Cavalieri, A.J.And A.H.C. Huang (1977):** Effects of NaCl on the in vitro activity of malte dehydrogenase in salt march halophytes of U.S.A. *Physiol. Plant*, 41: 79- 84.
- Chapman,H.D. and P.E.Pratt (1961):** Methods of analysis for soil, plants and water. Univ. California Div. Agric.Sci.
- Chmeleva, Z.V.; N.Sincl and I.A.Kosareva (1986):** Determining the proline in leaves of plants grown on saline nutrient substrate. *Sbornik Nauchnykh Trudov poprikladnoi Botanike, Genetikei Selektivii* 107: 106-109.
- Chu,T.M.; D.Aspinall and L.G.Paleg (1976):** Stress metabolism. VII-Salinity and proline accumulation in barley. *Australian J.Plant Physiol.* 3: 219- 228.
- Curry, E. A; A.N. Reed and M.W. Williams (1989):** Transitory control of vegetative growth of pome and stone fruit trees with less persistent triazole, derivatives. *Acta, Hort.* 239:229 – 233.
- Dahiya, S.S. and M.Singh (1976):** Effect of salinity, alkalinity and iron application on the availability of iron, manganese, phosphorus and sodium in pea crop. *Plant and Soil.* 44: 697 – 702.
- Dalziel, J.and D.K.Lawrence (1984):** Biochemical and biological effects of kaurene oxidase inhibitors, such as paclobutrazol, p.43-57. In: R.Menhenett and D.K. Lawrence (eds.).*Biochemical aspects of synthetic and naturally occurring plant growth retardants.* British Plant

- Growth Regulators Group. Monograph No. 11, Wantage, England.
- Dárrige, G.M.; L.Rodaelli; A.Lopdolo and G.Sambuco (1983):** Sodium in mineral nutrition. II- The influence of NaCl on the uptake of some trace elements in bean plants (*Phaseolus vulgaris*, L.). *Agronchimca* 27 (213): 165 – 172. (c.f.Hort. Abstr. 546214, 1984).
- Davis, K.; D.Grierson; R.Edwards, and G.Hobson (1991):** Salt-stress induces partial repining of the nor tomato mutant but expression of only some ripening related genes. *J.of Plant Physiol.*, 139 (2): 140-145.
- Davis, T.D. and E.A.Curry (1991):** Chemical regulation of vegetative growth. *Critical Rev. Plant Sci.* 10 : 151-188.
- Davis, T.D.; G.L.Steffens and N.Sankhla (1988):** Triazol, plant growth regulators. *Horticulture Reviews*, (10), 63-105.
- Delbert, D. and J.R.Hemphill (1982):** Phosphoric acid anticrustant improves seedling emergence and P content. *J.Amer. Soc. Hort. Sci.*, 107 (1): 50- 53.
- Dimitrov, G.A. and V.Rankov (1979):** Periodic phosphorus and potassium application to early tomatoes. *Gradinarskai Losarska Nauka* 16:97-103. (c.f.Hort.Abstr. 50:7822, 1980).
- Doikova, M. (1978):** Eggplant fruit quality in relation to fertilizer application. *Blgarski Plodove, Zelenchutsi, Konserv.* 1977, (1): 20-23. (c.f.Hort.Abstr. 48(6): 5612).
- Drews, M. (1991):** Does the quantity of drainage water effect the yield of tomatoes?. *Gratenbau Magazin*. 38 (12): 9-11.
- Dunyamalyev, M.Z. (1977):** The effect of different rates and combinations of mineral fertilizer on the quality of eggplant fruits. *Nauka* (1975), (5): 67-70 from

- Raferativnyi Zhurnal (1977) (2): 55-70. (c.f.Hort. Abstr. 47 (9): 9488).
- El-Bassiouny, R.E.I. (1992):** Effect of paclobutrzaol and calcium compounds on growth, fruit quality and storage behaviour of some strawberry cultivars. Ph. D.Thesis, Fac. of Agric. Cairo Univ.
- El-Desouky, S.A.(1992):** Response of tomato plants (Lycopersicon esculentum Mill)to some growth regulatiors. Egypt J.Appl. Sci., 7 (12): 181-199. Zagazig Univ.
- El-Desouky, S.A.and H.M.M. Abd El-Dayem (1992 a):** Response of sesame plants (Sesamum indicum L.) to the foliar application of paclobutrazol (PP₃₃₃) and ethrel (CEPA). Egypt J. Appl. Sci., 7 (12): 102-119.Zagazig Univ.
- El-Desouky, S.A.and H.M.M.Abd El-Dayem (1992 b):** Response of rapeseed plants (Brassica napus L.) to foliar spray with some growth regulators. I-Growth, seed yield and seed contents. Egypt J. Apple. Sci., 7 (12): 469-479. Zagazig Univ.
- Elfving, D.C.;C.L.Chu;E.C.Lougheed and R.A.Cline (1987):** Effects of daminozide and paclobutrazol treatments on fruit ripening and storage behaviour of "McIntosh" apple. J.Amer. Soc.Hort. Sci. 112 (6): 910 – 915.
- Elfving, D.C.; E.C.Lougheed; C.L.Chu and R.A.Cline (1990):** Effects of daminozide, paclobutrazol and uniconazole treatments on "Mc Intosh" apples at harvest and following storage. J.Amer. Soc. Hort. Sci. 115 (5): 750- 756.
- El-Kholi, M.S.;F.M.Salem;M.E.Omeran and E.H.Mashally (1982):** The combined effect of salinity and Meloidogyne javanics infection on dry matter and nutrient content in tomato plant

- cultivated in different soil types. Res. Bull. Fac. of Agric., Ain Shams Univ., 1755
- El-Khoreiby, A.M.; C.R.Unrath and L.J.Lehman (1990):** Paclobutrazol spray timing influences apple tree growth. Hort Science 25: 310- 312.
- El-Rawahy, S.A.;I.Stroehlein and M.Pessaraki (1990):** Effect of salt stress on dry matter production and nitrogen uptake by tomato. J.of plant Nutrition 13(5):567-577.
- El-Rawahy, S.A.;I.Stroehlein and M.Pessaraki (1992):** Dry matter yield and nitrogen¹⁵, Na⁺, and Cl⁻ content of tomatoes under sodium chloride stress. J.of Plant Nutrition. 15 (3); 341-358.
- El-Sawah, M.H.M.(1979):** Effect of phosphorus, stable manure and zinc on growth, chemical composition, yield and fruit quality of winter sweet pepper. Egypt. J.of Soil. Sci. (1977) Special issue 1975.
- El-Sawy, I.B. (1988):** Effect of frequency of NPK fertilizers application on tomato crop. 2nd Hort. Sci. Conf. Fac. of Agric. Kafr El-Sheikh, Tanta Univ.
- El-Sherif, A.F.;S.M.Shata and R.a.Youssef (1990):** Response of tomato seedlinigs to zinc application under different salinity levels. I-Dry matter, Ca, Mg, K and Na content. Egypt. J. of Hort. 17 (2): 131- 142.
- Faiz, S.M.A.; S.M.Ullah; A.K.M.A.Hussain; A.T.M.M.Kamal and A.Sattar (1994):** Yield, mineral contents and quality of tomato (Lycopersion esculentum) under salt stress in a saline soil. Current Agriculture (1994) 18 (1/2): 9 – 12. (c.f.Hort. Abstr. 66 (6): 5101, 1996).

- Farag, S.S.A. (1984):** Effect of some nutrients and growth regulators on growth, productivity, seed quality and some physiological aspects of squash and pepper. Ph. D.Thesis, Fac. of Agric . Moshtohor, Zagazig Univ.
- Farrag, A. A. (1970):** Effect of phosphorus nutrition on growth and development of broad bean plant grown under saline conditions. M.Sc. Thesis, Fac. of Agric. Cairo Univ.
- Farrag, A.A. (1978):** Salt tolerance studies on broad bean plants using some micro –nutrients. Ph. D. Thesis, Fac. of Agric. Cairo Univ.
- Feigin,A.;I.Rylski; A.Meiri and J.Shalhevet (1987):** Response of melon and tomato plants to chloride nitrate in saline nutrient solutions. J.of Plant Nutrition, 10 (9/16): 1787-1794.
- Flett, S.P.;W.Ashcroft; T.Lim and P.Jerie (1990):** Evaluation of phosphonic (phosphorus) acid for the control of phytophthora root rot in processing tomatoes. Australian-Plant- Pathology. 19 (4): 131-132.
- Flowers, T.J.; P.F.Troke and A.R.Yeo (1977):** The mechanism of salt tolerance in halophytes. Ann.Rev. Plant Physiol. 28:89-121.
- Gibson. T.S.(1988):**Carbohydrate metabolism and phosphorus / salinity interactions in wheat (Triticum sativum L.). Plant Soil 111 : 25 – 35.
- Globerson,D.; M. Mills; R.Luner; J.Windler; R.Ben-Yehuda; M.Levy and R. Eliassay (1989):** Effects of paclobutrazol (PP₃₃₃) on flowering and seed production of onion, cucumber and carrot. Acta Hort. 253: 63- 71.

- Gomez, K.A. and A.A.Gomez (1984): Statistical procedures for agricultural research. 2nd Ed. John Wily and Sons pub., 139-153.
- Grattan, S.R.; C. Shennan; D.M.May and B.Roberts (1994): Utilizing saline drainage water to supplement irrigation water requirements of tomato in rotation with cotton. In proc. of the 3rd Cong. of the European Soc. for Agronomy, Padova Univ. Italy, (c.f. Hort. Abstr. 67 (2): 1348, 1997).
- Grattan, S.R.; C. Shennan; D.M.May; J.P. Mitchell and R.G. Bureau (1987): Use of drainage water for irrigation of melons and tomatoes. California Agriculture. 41: 9-10, 27-28; 2 col. pl.
- Greenway, H. (1963): Plant response to saline substrates. III. Effect of nutrient concentration on the growth and ion uptake of Hordeum vulgare during NaCl stress. Australian J. Biol. Sci., 16 (3): 616 – 628.
- Grimstad, S.D. (1993): Influence of paclobutrazol residues on greenhouse bench surfaces and the effect on growth and development of cucumber and tomato young plants. Gartenbau wissenschaft. 58 (2): 59- 63.
- Guerrier, G. (1984 b): Selectivity of sodium fixation at the embryo and seedling level in NaCl-sensitive and NaCl tolerant plants. J. Bot., 62 (9): 1791- 1798.
- Guerrier, G. (1985): Influence of NaCl on the photosynthetic capacity of isolated chloroplasts and on the photorespiratory capacity (glycolate oxidase) of cotyledons of seedlings sensitive and tolerant of salinity. Photosyn., 19 (4): 542- 549.

- Hashim, M.M.; A.S.El-Beltagy and R.A.Jones (1988 a):** Salt tolerance in Lycopersicon esculentum I. The effect of salinity on growth. Egypt. J.Hort. 15 (1): 85- 96.
- Hashim, M.M.;A.S.El-Beltagy and R.A.Jones (1988 b):** Salt tolerance in Lycopersicon esculentum II-Ion accumulation patterns. Egypt. J.Hort. 15 (1): 97- 106.
- Helmy, H.I.Y. (1992):** Physiological studies adaptive mechanism related to salt tolerance in some vegetables. Ph. D.Thesis, Fac. of Agric., Ain Shams Univ.
- Hummadi, K.B. and J.D.Ghleim (1987):** The influence of water salinity on growth and productivity of tomato . Iraqi J.Agric. Sci. 5 : 85 – 95.
- Ismaeil, F.H.M. (1995):** Effect of gamma radiation and paclobutrazol on Vicia faba from the botanical point of view. M.Sc.Thesis, Fac. of Agric. Moshtohor, Zagazig Univ.
- Jackson, G.(1976):** Crystal violet and erythrosin in plant anatomy. Stain Tech., 1:33 –34.
- Jackson, N.L.(1958):** Soil chemical analysis. Constable & Co. Ltd. London pp498.
- Jaramillo, V.J.; A.R.Munoz and P.E.Cardona (1978):** The response of tomato to fertilization with N,P,K, and various minor elements in alluvial soils of Vall Del-cauca (Colombia). Revista Instituto Colombiano Agropecuario 13 (3): 455 – 463. (c.f.Hort. Abstr., 50: 2615, 1980).
- John, M.K.(1970):** Colorimetric determination of phosphorus in soil and plant material with ascorbic acid. Soil Sci., 109: 214 – 220.
- Jones, K.M.;P.Jotic; T.B.Koen; S.B.Longley and G.Adams (1988):** Restructuring and cropping large “Red Delicious” apple

- trees with paclobutrazol and daminozide. J.Hort. Sci., 63 (1): 19-24.
- Kandil, N.F.E. (1990):** Effect of using drainage water on soil physical, chemical & hydrological properties in some soils of Egypt. Ph.D.Thesis, Fac. of Agric. Cairo Univ.
- Kanesiro, M.A.B.;R.R.S.Falerso; J.L.Satori; W.J.Melow; J.M. Pizauro and D.A.Banzatto (1984):** Effect of nitrogen and phosphorus levels on some chemical characteristics of tomato fruit harvested at different maturity stages (c.f. Hort. Abstr. 55: 1208, 1985).
- Katkat, A.V.;A.Özgümüs; Z.Tümsavas; N.Cil;C.Korkmaz and H.Basar (1996):** The possibility of using waste water from the Gemlik fertilizer factory in agriculture. Turkish J.of Agric. and Forestry 20 (6): 507 –514. (c.f. Hort. Abstr. 57 (6): 5025, 1997).
- Katz, A.and M.Tal (1980):** Salt tolerance in the wild relatives of the cultivated tomato: Proline accumulation in callus tissue of Lycopersicon esculentum and L.peruvianum. Zeitschrift – fur - Pflanzenphysiologie. 98 (5): 429 – 435.
- Khadr, A.A.(1979):** Nitrogen influence of salt tolerance of broad bean, barley and pea seedlings grown in sand culture. Annals of Agric. Sci., Moshtohor, 12: 159-169.
- Khadr,A.A.; N. Nowaigy and M.H.Hussein (1980):** Differential tolerance of wheat, barley, broad beans and pea seedling to various levels of salinity. Bull, N.R.C.Egypt, 5, 283-289.
- Lapushner, D.;R.Frankel and Y.Fuchs (1986):** Tomato cultivar response to water and salt stress. Acta Hort., 190: 247-252.

- Latimer, J.G. (1992):** Drought, paclobutrazol, abscisic acid, and gibberellic acid as alternatives to daminozide in tomato transplant production. J. of the Amer. Soc. for Hort. Sci., 117 (2): 243- 247.
- Lipkind, L.M. and L.M. Dzhumaeva (1973):** Effect of fertilizers on development and productivity of cotton grown on saline soil. Problemy genezisa imeoratsii oroshaemykh poehv. Chast 4: 72-77, Moscow, USSR.
- Liu-Kebin and Li Shuxuan (1989):** Genotypic differences in salt tolerance of tissue cultures in tomato species. Acta Agric. Univ. Zheijiangensis (China) 12 (2): 209 – 218.
- London, J.R. (1984):** Booker tropical soil manual. A Handbook for soil survey and agricultural land evaluation in the tropics and subtropics. 106. 177.
- Looney, N.E. and J.E. McKeller (1987):** Effect of foliar- and soil surface – applied paclobutrazol on vegetative growth and fruit quality of sweet cherries. J. Amer. Soc. Hort. Sci., 112 (1): 71-76.
- Lunin, J. and M.H. Gallatin (1965):** Salinity fertility interactions in relation to the growth and composition of beans. Agronomy. J. 57 (4): 339- 345.
- Mahmoud, M.H., A.S. El-Beltagy; R.M. Helal and M.A. Maksoud (1986 a):** Tomato variety evaluation and selection for salt tolerance. Acta Hort. 190: 559 – 566.
- Mahmoud, M.H.; R.A. Jones and A.S. El-Beltagy (1986 b):** Comparative response to high salinity between salt-sensitive and salt –tolerant genotypes of the tomato. Acta Hort. 190: 533-543.

- Malik, Y.S.; M.L. Pandita and R.C. Jaiswal (1977):** Effect of salinity on germination, growth, yield and quality in pea (Pisum sativum, L.). Haryana J. of Hort. 6: 181-185. (c.f. Hort. Abstr. 48: 8204, 1978).
- Manchanda, H.R.; S. Sharma and D.K. Bhandari (1982):** Response of barley and wheat to phosphorus in the presence of chloride and sulphate salinity. Plant and Soil 66: 233-241.
- Martinez, V. and A. Cerda (1987):** Influence of nitrogen fertilization under saline conditions on the growth of tomato and cucumber plants. II. Leaf mineral composition. An Edafol Agrobiol 46 (11/12): 1409-1418.
- Masaguer, A.; C. Cadahia, A. Saa and M.J. Sarro (1991):** Influence of the phosphorus dose in the fertigation solution on tomato plants grown in sand culture under saline conditions. Suelo-y-Planta 1:2, 203-214.
- Mass, S.V.; G.J. Hoffman and M. Asce (1977):** Crop salt tolerance – current assessment. J. of the Irrigation and Drainage Division. Asce, 10: 115-134.
- Mengel, K. and E.A. Kirkby (1979):** Principles of plant nutrition. International Potash Institute Berne, Switzerland.
- Mininberg, S.Y. and A. Lezu (1973):** The effect of salinity and trace elements nutrition on the state of pigments and activity of chlorophyllase in bean leaves. Fiziologiya Biokhimiya Kulturnykh Rastenil 5 (2): 187-190. (c.f. Hort. Abstr. 44: 1569, 1974).
- Mitchell, J.P.; C. Shennan; S.R. Grattan and D.M. May (1991):** Tomato fruit yields and quality under water deficit and salinity. J. Amer. Soc. Hort. Sci., 116 (2): 215-221.

- Mizrahi, Y. (1982):** Effect of salinity on tomato fruit ripening. *Plant physiol.* 69:966-970.
- Mizrahi, Y.; E. Taleisnik; V. Kangan-Zur; Y. Zohar; R. Offenbach; E. Matan and R. Golan (1988):** A saline irrigation regime for improving tomato fruit quality without reducing yield. *J. Amer. Soc. Hort. Sci.*, 113 (2) : 202-205.
- Mizrahi, Y.; Y. Zohar and S. Malis Arad (1982):** Effect of sodium chloride on fruit ripening of non ripening tomato mutants nor and rin. *Plant Physiol.*, 69:498-501.
- Mohamed, H.M. (1987):** Genetical and physiological studies on the nature of salt tolerance in tomato. Ph. D. Thesis, Fac. of Agric. Ain Shams Univ.
- Mohamed, M.A. and L.A. Hussein (1992):** Tolerance of some tomato cultivars to salinity. *Acta Hort.* 323: 183-189.
- Morishita, T.; N. Shirasuna; M. Segawa and Y. Ohta (1986):** Changes in the contents of organic acids and mineral ions in saps of cucumber and tomato plants under excess supply of sodium chloride. *Soil Sci. and plant Nutrition*, 32 (3): 469 – 473.
- Murphy, J. and J.P. Riely (1962):** A modified single solution method for the determination of phosphorus in natural waters. *Anal. Chim. Acta*, 27:31-36.
- Nerson, H.; R. Cohen; M. Edelstein and Y. Hurger (1989):** Paclobutrazol -a plant growth retardant -for increasing yield and fruit quality in muskmelon. *J. Amer. Soc. Hort. Sci.* 114 (5): 762-766.
- Nunung, N. (1980):** The effect of NPK levels on yield of tomatoes. *Buletin Penelitian Hortikultura*. 8 (4): 3-7. (c.f. Hort. Abstr. 53(10): 7163, 1983).

- Ohta, K.;N. Ito; T.Hosoki and H.Higashimura (1991):** Influence of relative humidity on fruit cracking of cherry tomato grown in hydroponic culture and its control. J.of Japanese Soc. for Hort. Sci., 60 (2): 337-343. (c.f.Hort. Abstr. 62 (6) : 8341).
- Osman, O.A.A. (1987):** Response of tomato to salinity stress. Ph. D.Thesis, Fac. of Agric. Ain shams Univ.
- Patel.P.and A.Wallace(1976):** P fertility and mixed salinity on growth and Ca, Mg, Na, P and Cl concentrations of tomato, corn and Sudan grass grown in sand culture. Communications in Soil Science and Plant Analysis 7 (4): 375- 385.
- Pasternak, D.;Y.Malach and I.Borovic (1986):** Irrigation with brackish water under desert conditions VII. Effect of time of application of brackish water on production of processing tomatoes (Lycopersicon esculentum Mill). Agricultural –Water-Management. 12 (1/2): 149- 158.
- Pasternak, D.;Y. Malach and D.Y. Malach (1995):** Irrigation with brackish water under desert conditions. X. Irrigation management of tomato (Lycopersicon esculentum Mill) on desert and dunes. Agricultural Water Management. 28 (2): 121- 132.
- Pèrez-Alfocea, F. ;M.E.Balibrea;A.Santa Cruz, and M.T.Estan (1996):** Agronomical and physiological characterization of salinity tolerance in a commercial tomato hybrid. Plant and Soil 180 (2): 251-257.
- Pokrovskaya, E.I. (1954):** Metabolism of plants on saline soils. Avtoreferat Kandidatskoi dissartatsii. Moskva.

- Pokrovskaya, E.I. (1957):** Some data on oxido –reductive processes in halophytes. In “Pamyati akademika N.A.Maksimova” Izdatelstvo Akademii Nauk. SSSR.
- Ponomareva, S.A. and S.N.Kubuzenko (1984):** Tomatoes under saline conditions. *Kartofel Ovoshchi*, 10: 24-25., (c.f. *Plant Breed. Abstr.*, 56: 9189, 1986).
- Pregl, E.(1945):** Quantitative organic microanalysis. 14th Ed. J.Chundrill, London.
- Prive, J.P.;D.C.Elfving and J.T.A.Proctor (1989):** Paclobutrazol, gibberellin, and cytokinin effects on growth, development and histology of apple pedicels and fruits. *J.Amer. Soc. Hort. Sci.*, 114 (2): 273 – 278.
- Raafat, A.S.A.Habib;I.Z.El-Shami and H.M.El-Antably (1991):** The effect of salinity on the anatomical features of tomato plants. *Annals of Agric. Sci. Cairo* 36 (2): 307- 321.
- Rajasekaran, L.R. and K.G.Shanmugavelu (1983):** Studies on the leaf tissue nutrient content as influenced by different types of soil and water in tomato (*Lycopersicon esculentum*, Mill). *Proceedings of National Seminar on the Production Technology of Tomato and Chillies*. 49 – 51.
- Renard, M. and G.Guerrier (1997):** Is proline a compatible solute in calli from NaCl-sensitive *Lycopersicon esculentum* and NaCl-tolerant *L.pennellii* ? *J.Plant Physiol.*, 150 (3): 331 – 337.
- Richards, L.A. (1954):** Diagnosis and improvement of saline and alkaline soils. U.S.Dept. of Agric. Handbook No. 60: 94.
- Rizk, F. A.M. (1993):** Physiological response of tomatoes to salinity and some herbicides. Ph. D. Thesis Fac. of Agric. Ain Shams Univ.

- Rosario, D.A.; A.C. Sumague; V.P. Roxas and A.T. Bautista (1990):** Response of tomato (Lycopersicon esculentum, Mill) to salt stress. Philippine Agriculturist, 73 (2): 193-198. (c.f. Hort. Abstr., 63: 2024).
- Rush, D. W. and E. Epstein (1976):** Genotypic responses to salinity. Plant physiol., 57: 162-166..
- Rush, D. W. and E. Epstein (1981):** Comparative studies on the sodium, potassium and chloride relations of a wild halophytic and a domestic salt-sensitive tomato species. Plant Physiol., 68: 1308-1313.
- Salem, M.A.; A.S. El-Leithy and E.E. El-Maaddawy (1991):** Effect of uniconazole and paclobutrazol foliar application on growth, flowering and sugars contents of globe amaranth (Gomphrena globosa L.) J. Agric. Res. Tanta Univ., 17 (2): 492-500.
- Sarg, S.M.H. (1991):** Salt tolerance in the Edkawy variety of tomato. Ph. D. Thesis, Fac. of Agric. Suez Canal, Univ.
- Sarg, S.M.H.; R.G. Wynjones and F.A. Omar (1993):** Salt tolerance in the Edkawy tomato. Towards the rational use of high salinity tolerant plants. V. (2).
- Sass, J.E. (1967):** Botanical Microtechnique. Oxford and IBH Publishing Co. Calcutta, 3rd Ed.
- Satsijati and Soebijanto (1980):** The nitrogen requirement of tomato variety AV-33 on alluvial soil at Cilarusoh, Bekasi. Buletin Penelition Hortikultura. 8 (10): 27-30. (c.f. Hort. Abstr. 53 (1): 8625, 1983).
- Satti, S.M.E. and R.A.Al-Yahyai (1995):** Salinity tolerance in tomato: implications of potassium, calcium and

- phosphorus. Communications in Soil Sci. and Plant Analysis, 26 (17/18): 2749-2760.
- Satti, S.M.E.; R. A. Al-Yahyai and F. Al- Said (1996):** Fruit quality and partitioning of mineral elements in processing tomato in response to saline nutrients. J. of plant Nutrition, 19 (5): 705-715.
- Selim, Y.S. (1990):** Effects of planting date and phosphorus fertilization on growth, yield and quality of peas (Pisum sativum, L.) M. Sc. Thesis Fac., of Agric. Alexandria Univ.
- Shafshak, Nadia, S. (1989):** Response of broad bean to irrigation frequency with drainage water under different levels of phosphorus fertilizer. Annals of Agric. Sci., Moshtohor, 27 (3): 1791-1804.
- Shaheen, A. M. (1984):** Growth analysis and photosynthetic pigments of broad bean Vicia faba plants in relation to water stress and GA application. Beritrag Zurtropischen Landwirtschaft. 22 (3): 263-268.
- Sharaf, A.; S. Labib, and R. El-Massry (1985):** Effect of kinetin on the biochemical constituents of tomato plants under different levels of salinity. Zagazig J. Agric. Res., 12, 2. 417-441.
- Shennan, C.; S.R. Grattan; D.M. May; C.J. Hillhouse; D.P. Schachtman; M. Wander; B. Roberts; S. Tofoya; R.G. Bureau; C. McNeish and L. Zelinski (1995):** Feasibility of cyclic reuse of saline drainage in tomato-cotton rotation. J. of Environmental Quality 24 (3): 476 486.

- Singh, T.N.; D.Aspinall and L.G. Paleg, (1973):** Stress metabolism II. Changes in proline concentration in excised plant tissues. Australian J. Biol. Sci., 26: 57-63.
- Soliman, M.S. and M. Doss (1992):** Salinity and mineral nutrition effects on growth and accumulation of organic acid and inorganic ions in two cultivated tomato varieties. J. of Plant Nutrition, 15 (12): 2789-2799.
- Stewart, G.R. and J.A. Lee (1974):** The role of proline accumulation in halophytes. Planta 120: 279-289.
- Strogonov, B.P. (1962):** Physiological basis of salt tolerance of plant. Academy Science of USSR, Institute of Plant Physiology, English translation by Israel Program for Scientific Translations. (1964).
- Subba-Rao, N.; G.V. Subbaiah and B. Ramaiah (1987):** Effect of saline water irrigation on tomato yield and soil properties. J. of the Indian Soc. of Coastal Agric. Res. 5 (2): 407-409.
- Table, M.M.; S.H. Abou-Khadrah; S.M. El-Aishy and R.A. Ebaid (1991):** Response of faba bean plants (Vicia faba L.) to phosphorus and 2, 3, 5- tri iodobenzoic acid (TIBA). J. Agric. Res., Tanta Univ. 17 (2): 265-275.
- Table, M.M.; S.M. El-Aishy; S.H. Abou Khadrah and R.A. Ebaid (1991):** Influence of phosphorus fertilizer and gibberellic acid as foliar application on yield and yield components of faba bean (Vicia faba L.) J. Agric. Res. Tanta Univ. 17 (2): 276-286.
- Tal, M. and A. Katz (1980):** Salt tolerance in the wild relatives of the cultivated tomato: the effect of proline on the growth of callus tissue of Lycopersicon esculentum and L.

- peruvianum under salt and water stress. Zeitschrift-fur-Pflanzenphysiologie. 98 (4): 283-288.
- Tal. M.; A. Katz; H. Heikin and K. Dehan (1979):** Salt tolerance in the wild relatives of the cultivated tomato: proline accumulation in Lycopersicon esculentum Mill, L. peruvianum Mill and Solanum pennellii Cor. treated with Na Cl and polyethylene glycole . New Phytologist. 82 (2): 349-355.
- Taleisnik-Gertel, E.L. (1984):** Comparative studies on some physiological aspects of the response to salinity in the cultivated tomato and two related wild species Lycopersicon pervianum and L. pennellii. Ph. D. Thesis, Biol. Dep., Fac. Nat. Sci., Ben-Gurion Univ.
- Taya, J.S.; Y.S. Malik; M.L. Pandita and S.C. Khurana (1994):** Fertilizer management in potato based cropping system II: effect of residual and applied fertility on first succeeding crops of tomato and okra. J. of the Indian Potato Association 21 (3/4): 189 -194. (c.f. Hort. Abstr. 66 (1): 510, 1996).
- Tenebe, V.A.; Y. Yusuf; B.K. Kaigama and I.O.E. Asenime (1995):** The effects of sources and levels of phosphorus on the growth and yield of cowpea (Vigna unguiculata (L) Walp) varieties. Trop. Sci. 35; 223-228.
- Thompson, H.C. and W.C. Kelly (1957):** Vegetable crops. 5th Ed. McGraw Hill Book Company, Inc. New York.
- Tipirdamaz, R. and S. Karakullukcu (1993):** Effects of proline and lycinebetaine on growth and some internal solute changes of cultured tomato embryos under saline conditions. Turkish J. of Botany 17 (2): 57 - 64.

- Treichel, S. (1975):** The effect of Na Cl on the concentration of proline in different halophytes. *Z. Pflanzen Physiol.*, 76: 56-68. (c.f. *Amer. J. Bot.* 66 (3): 307- 312).
- Vernooy, C.J.M. and J. Nienhuis (1991):** Up to 50% saving in floriculture. Re-use of drainage water offers great advantages. *Vakblad-Voor-de-Bloemisterij*. 46 (3): 28-29.
- Vespasiani, C.; C. Arias, and E. Taleisnik, (1995):** Effect of salinity in the early stages of tomato fruit growth. *Acta Phytopathologica et Entomologica Hungarica*. 30 (1/2): 21-25. (c.f. *Hort. Abstr.*, 67 (7): 6012, 1997).
- Wageeh, M.G.M. (1994):** Effect of some treatments on salt tolerance of plants. Ph. D. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ.
- Wanas, A.L. (1992):** Botanical studies on some members of Fabaceae family M. Sc. Thesis, Fac. of Agric. Moshtohor. Zagazig Univ.
- Wanas, A.L. (1996):** Botanical studies on some economical plants tolerating salinity, Ph. D. Thesis, Fac. of Agric. Moshtohor, Zagazig Univ.
- Yong, C.J.; D.S. Seo, and C.S. Ju (1996):** Effects of salinity in nutrient solution after transplanting on the growth and fruit quality of aeroponically grown tomato. *J. of the Korean Soc. Hort. Sci.* 37 (5): 633-637. (c.f. *Hort. Abstr.* 67 (2): 1375, 1997).
- Yurtsever, E. and B. Sönmez (1996):** The effect of irrigation water salinity on the yield of tomato and soil salinization. *Turkish J. of Agriculture & Forestry*. 20 (1): 27-33.