

REFERENCES

LITERATURE CITED

Ahmed, S. (1960):

Alternate bearing in citrus fruits. Punjab Fruit
J. 1960, 23(81): 1-3.
(Hort. Abs. 31: 5162).

Ali, A.A. and Niaz, A. (1970):

Effect of growth regulators on physico-chemical
and fruit quality of Kinnow mandarin.
Pakistan Journal of Science, 22 (5/6): 233-238.

Ali, M.K. (1977):

Physiological studies on the effect of some growth
regulators on growth, flowering and fruiting of
orange trees.
M.Sc. Thesis, Fac. of Agric., Cairo Univ.

Allen, F.W. (1953):

The influence of growth regulator sprays on the
growth, respiration and ripening of Bartlett pear.
Proc. Amer. Soc. Hort. Sci., 62: 297-98.

A.O.A.C. (1960):

Official methods of analysis of the Association
of Official Agricultural Chemists. Washington D.C.
USA pp. 832.

Ayalon, S. and Monselise, S.P. (1965):

Flower bud induction and differentiation in the
Shamouti orange.
Proc. Amer. Soc. Hort. Sci., 75: 216-221.

Babu, H. and Kaul, G.L. (1972):

Studies on time of fruit bud differentiation in sweet orange varieties under Tarai conditions of U.P.

Punjab Horticultural Journal, 12 (2/3): 93-96.
(Hort. Abst. 43: 910).

Badawi, A.M.; Stino, G.R.; Sweidan, A.M. and Al-Doori, A.H. (1978a):

Growth and fruiting responses of "Le-Conte" pear trees to succinamic acid 2, 2-dimethylhydrazide "SADH". Egyptian Journal of Horticulture, 5(2): 143-152. (Hort. Abst., 49: 6627).

Badawi, A.M.; Stino, G.R.; Sweidan, A.M. and Al-Doori, A.H. (1978b):

Effect of "SADH" on the endogenous gibbrellin like substances of buds and spurs in relation to floral differentiation and biennial bearing of "Le-Conte" pear trees. Egyptian Journal of Horticulture, 5, (2): 153-165. (Hort. Abst., 49: 6628).

Bajwa, M.S. (1971):

Effect of growth regulators on fruit-diameter and fruit-drop in Santa Rosa plum.

Himachal Jour. of Agr. Res. 1(1): 71-8.
(Hort. Abstr., 42: 611).

Bajwa, M.S. and Mishra (1969):

Effect of plant growth regulators on fruit quality of New Castle apricot (*Prunus armeniaca* L.) J. Res, Ludhian, 6: 858-61.

(Hort. Abst., 41: 3262).

Bangerth, F. (1978):

The effect of a substituted amino acid on ethylene biosynthesis, respiration, ripening and preharvest drop of apple fruits.

Jor. Amer. Hort. Sci., 103: 3, 401-404.

Batjer L.P. (1978):

Controlling preharvest drop of Bartlett pears.
Proc. Amer. Soc. 51: 71-74.

Batjer, L.P.M.; Williams, W. and Martin, G.C. (1964):

Effect of N-Dimethyl amino succinamic acid/B.9/on vegetative and fruit characteristic of apples, pears and sweet cherries. Proc. Amer. Soc. Hort. Sci., 85: 11-16.

Bini, G. and Raddi, P. (1966):

Studies on fruit thinning in the apple variety Abbondanza. Riv ortofloro-fruttic. Ital., 50: 358-57. (Hort. Abst., 37: 2379).

Bonfante, S. (1964):

Apple fruit thinning. Reprint from Inf. agrar., Verona, No. 52, PP. 5 (Hort. Abst., 37: 6360).

Brown, J.D. and Lilleland, D. (1949):

Rapid detremination of potassium and sodium in plant material and soil extracts by flame photometry. Proc. Amer. Soc. Hort. Sci., 48: 341-346.

Burns, R.M.; Boswell, S.B. and Hield, H.Z. (1960):

Chemical inhibition of top regrowth on lemon trees with KHM, Alar and NIA 10637 sprays. Calif. Agric. 24(5): 8-10. (Hort. Abst., 41:2341).

Cameron, A.E. (1950):

Alternate cropping: thinning and pruning trees in "on-year" to avoid wide yield fluctuations. Citrus News, 26: 19.
(Hort. Abs. 20: 1915).

Cameron, S.H.; Muller, R.T.; Wallace, A. and Estertori (1952):

Influence of age leaf, season of growth and fruit production on the size and inorganic composition of Valencia orange leaves.
Proc. Amer. Soc. Hort., Sci., 60: 42-50.

Cartwright, J. (1973):

The influence of growth regulators on fruit production in young trees of Bramley's seedling. Acta Horticulturae No. 34, 221-224. Horticultural center, Loughgall, U.K. (Hort. Abst., 44: 7337).

Chadha, T.R. and Panwar, P.C. (1974):

Effect of growth regulators and ripening on preharvest drop in Golden Delicious apple. Punjab Hort. Jour. 14(3/4) 125-128.
(Hort. Abst. 46(6): 5409).

Cobianchi, D. (1972):

The effect of TIBA and other growth regulators on vegetative development and flower induction in young apples. *Annali dell'Istituto Sperimentale per la Frutticoltura* 3, 183-209.
Rome, Italy. (Hort. Abst., 44: 7333).

Cooper, W.C. and Henry, W.H. (1968):

Effect of growth regulators on the colouring and abscission of citrus fruit. *Israel J. Agric. Res.*, 18: 161-74. (Hort. Abst., 39: 5610).

Costa, G. and Filiti, N. (1971):

Studies on quality improvement in Stark Delicious apples by using the growth substances Alar and ethephon. *Rivista della Ortoflorofrutticoltura Italiana* 55(4) 338-349. Università di Bologna, Italy (Hort. Abst., 42: 5393).

Costa, G. and Filiti, N. (1973):

The use of Alar ethephon on Stark Delicious apples. *Informatore Agrario* 29(7) 11615-11618. University di Bologna, Italy. (Hort. Abst., 43: 6583).

Crescimanno, F.G. and Calabrese, F. (1966):

Quantities of nitrogen accumulated by the flowers and variations in the percentages in the leaves of citrus trees. *Riv. Ortoflorafruttic ital.*, 50: 251-8 (English summary).
(Hort. Abst. 37: 1705).

Dedolf, R.R. (1962):

Effect of Benzothiazole-2- oxyacetate on flowering and fruiting of papaya. Bot. Gaz., 124: 75-78.

Deidda, P. and Viridis, M. (1969):

"Variations in the contents of certain major elements in the leaves and fruit of different citrus species in relation to biological stages in the annual cycle". Studi Sassar., Sez. 111, 17: 217-40, (Hort. Abst. 41: 4869).

Del Rivero, J.M.; Veyart, P. and Gomez De Barreda, D. (1969):

Improving fruit set in Clementine mandarine with chemical treatments in Spain. Proc. 1st. Int. Citrus symp, 3 pp. 1121-4. (Hort. Abst., 41:2358).

Dzasi, R.G. (1965):

Dynamics of carbohydrates in leaves of the lemon tree under different ecological conditions. (Russian with English Summary).

Subtrop. Kul"tury, 1965, No. 1, pp. 81-6, from Ref. Z. (Raten), Abstr. 16-55. 341 (Hort. Abs. 36: 1843).

El-Ashram, M.; Abdel-Aziz, A.Z.; Khamis, M.A.; Sharf, M.M. and Youssef, E.Y. (1985):

Effect of some growth regulators on fruit set, June drop and fruit quality of Meet Ghamr peach variety. Annals of Agric. Sci., Moshtohor, Vol. (23) (Under press).

El-Dairi, N.N. (1970):

Effect of some growth-regulating substances on fruit set and development of volos apples.

Ph.D.Thesis, Fac. Agric., Ain Shams Univ.

El-Gazzar, A.E.A.M. (1961):

Studies on alternate bearing of mandarin. M.Sc. Thesis, Ain Shams Univ.

El-Naggar, S.Z.A. (1964):

Physiological studies concerning maturation and fruit set of some citrus trees. Ph.D. Thesis, Ain Shams Univ.

El-Masry, H.M. (1982):

Physiological studies on alternate bearing in Mangoes. Ph.D. Thesis. Ain shams Univ., Egypt.

El-Wakeel, A.T. and Ibrahim, M.N. (1972):

Effect of Cycocel treatment on fruit quality of Egyptian mandarins.

Agric. Res. Rev., Cairo (5): 40-44.

Erasmus, S.P. and Zyl, H.G.M. Van (1974):

The effects and possible uses of Alar on apple trees. Deciduous fruit Grower 24(2): 32-34. Stellenbosch University, South Africa. (Hort. Abst., 44: 9264).

Folscher, W.J. and Brower, A.A.B. (1967):

Nutrient element status of leaves and quality characteristics of Valencia oranges. S. Afr. J. Agric. Sci., 10: 267-77 (bibl. 16) (Agrikaans and french summeries).

(Hort. Abs. 38: 4170).

Fujita, K. and Yagi, T. (1956):

Studies on flower bud differentiation and development in some orange trees.

Kanagawa Agric. Exp. Stat. Hort., Sect. 23-8, 28-32.

(Hort. Abst. 27:1822).

Furr, J.R. and Armstrong, W.W. (1956):

Flower induction in Marsh grapefruit in the Coachella valley, California.

Proc. Amer. Soc.. Hort. Sci., 67: 176-182.

Gallasch, P.T. (1969):

Biennial cropping of Valencias.

Aust. Citrus News, 45(9):10.

(Hort. Abst. 40: 7230).

Gil, G.F. and Bruzzone, E. (1973):

Quality and storability of Richared Delicious apples treated with Alar and NAA before and after harvest.

Agricultura yeenica 33(1): 30-6.

(Hort. Abstr., 44: 1326).

Greenhalgh, W.J. and Edgerton, L.J. (1966):

Interactions of growth retardant (Alar) and gibberellin sprays on growht and flowering of the apple.

Proc. 17th. Int. Hort. Congr. Md., 1: 283. (Hort. Abst., 38: 375).

Griggs, W.H. and others (1970):

Effect of 2-chloroethylphosphonic acid and cycloheximide on abscission and ripening of "Bartlett" pears.

Hort. Science, 5: 264-6.

Guardiola, J.L. and Martin, B. (1969):

Foliar analysis in the genus Citrus. VI. The effect of fruiting on the content of mineral elements of the leaves. An. Inst. nac. Invest. agron., Madrid, 18: 257-67 (bibl. 7). (Hort., 40: 9197).

Halevy, A.H. (1963):

Interaction retarding compounds and gibberellin on indoleacetic acid oxidase and peroxidase of cucumber seedlings. Plant Physiol., 38: 731-737.

Harrrts, W.B. (1951):

Preharvest drop of pears. J. Dep. Agric. S. Aust., 54: 593-5.

(Hort. Abst. 22: 186).

Hayes, W.B. (1945):

Fruit Growing in India.

Kitabistan, Allahabad (India).

Hield, H.Z.; Coggins, C.W. and Burns, R.M. (1964):

Chemical fruit thinning of fruits. Calif. Citrogr., 49: 184-8.

Hilgeman, R.H.; True, L. and Dunlap, J.A. (1964):

Effect of NAA spray and hand thinning on size of Kinnow mandarin fruit in Arizona. Proc. Fla. St. Hort. Soc., 1964, 1965, 77: 84-7, (bibl. 3).

Hilgeman, R.H. and Sharp, F.O. (1967):

Arizona Valencia orange trials. Calif. Citrogr, 52: 360, 370, 372 (bibl. 6).

Hodgson, R.W.; Cameron, S.H. and Eggers, E.R. (1939):

Effect of time and amount of harvesting on alternate bearing and fruit size in valencia oranges. Proc. Amer. Soc. Hort. Sci., 38: 196-202.

Hohmann, G. (1970):

The use of Alar 85 on young Roter Berlepsch apple trees in the juvenile stage. Erwerbsobstbau, 12: 108-11.
(Hort. Abst., 41: 352).

Holtzhausen, L.C. (1968):

Effect of blossom thinning on the set development of Citrus sinensis cultivar Washington Navel. S. Afr. Citrus J., No. 415 pp. 5-13.
(Hort. Abst. 39: 3625).

Hussain, F.A. (1979):

Comparative study on the effect of some growth regulators and zinc on growth, flowering and fruiting of amoun orange trees: Ph.D. Thesis. Hort. Dept., Fac. Agric., Cairo Univ.

Iliev, L. and others (1962):

Restricting pre-harvest drop of apples and pears by means of synthetic chemicals.

Lzv. Inst. shig. Sredstva pel. Stop., 1962, 1: 63-80, from Abstr. But. Sci. Lit. (Agric. For. vet. Mod.), 7, Avt. 640.

(Hort. abst. 34: 407).

Iwasaki, T. (1961):

Studies on the control of alternate bearing in Citrus. V. Effect of harvesting date on the number of flowers and shoot growth in the following year. (Japanese with English Summary 1/4 P.) J. Jap. Soc. Hort. Sci., 30: 197-202; bibl. 4. illus. (Hort. Abs. 32: 5469).

Iwasaki, T. and Owada, A. (1960):

Studies on the control of alternate bearing in citrus, II. The effect of fertilizing in late autumn on the number of flower and the growth of shoots. (Japanese with English summary ¼ p.). J. Hort. Ass. Japan, 29: 101-6, bibl. 10, illus. (Hort. Abs. 3130).

Iwasaki, T.; Owada, A. and Liya, Y. (1959):

Studies on the differentiation and development of the flower bud in citrus. Bull. Tokai-Kinki Agric., Exp. Stat., Hort. Stat., 5, pp. 1-76. (Hort. Abst. 30: 4317).

Jaafar, E.A. (1962):

Some studies on flowering in citrus.

M.Sc. Thesis, Ain Shams University.

Jaumien, F. (1973):

The long-term effects of chlormequat on Doyenne du Domice pear. Acta Hort., 34: 199-202.

Jawanda, J.S.; Pal, R.N. and Singh, R. (1974):

Effect of 2, 4-D, Alar and cycocel on the preharvest fruit drop in sweet orange. CV. Blood Red. Regional fruit research station, Punjab agricultural university, Abohar. Indi. J. Hort., 31, 1: 45.

Jones, W.W. and Parker, E.R. (1951):

Seasonal trends in mineral composition of Valencia orange leaves.

Proc. Amer. Soc. Hort. Sci., 58: 101-103.

Jones, W.W. and Cree, C.B. (1954):

Valencia orange production influenced by time of harvest.

Calif. Citrogr., 40: 3, 34-5, bibl. 6.

Jones, W.W. and others (1970):

Carbohydrates and fruiting of Valencia orange trees.

J. Amer. Soc. Hort. Sci., 95: 380-1 bibl. 11.

(Hort. Abs. 41: 2360).

Kabu, K.L. and Chagtu, S.K. (1977):

The improvement in size and quality and influence on repeat bloom in Maharaji apples by use of chemical thinners.

Progressive Horticulture, 9(2): 21-6.

Plant Growth Regulator Abstracts, 4: 883.

Keleg, F.M. and Minessy, F.A. (1964):

Effect of 2, 4, D on June drop, preharvest drop, fruit quality and alternate bearing in "Balady" mandarin and Washington Navel orange.

Alex. J. Agric. Res. 1965, 12(2): 47-72, bibl. 17, illus.

Khamis, M.A. (1974):

Studies on growth and flowering of guava trees. M.Sc. Thesis, Ain Shams Univ.

Khamis, M.A. (1978):

The influence of some growth regulators on frost tolerance, growth and flowering of some peach cultivars. Ph.D. Thesis, Poznan Univ., Poland.

Khamis, M.A.; Abd El-Aziz, A.Z.; Youssif, E.Y. and Darwish, M.S. (1981):

Effect of foliar application of urea, manganese, zinc and CCC on vegetative growth, leaf mineral content, Yield and fruit quality of Washington navel orange trees. Res. Bull. No., 352 Zagazig Univ.

Khamis, M.A.; Sharaf, M. and El-Ashram, M. (1985):

Control of flowering and fruiting by foliar applications with gibberellic acid and cycocel in baladi lime trees. Annals of Agric. Sc., Moshtohor, Vol. 23(1): 401-413.

Kim, C.C.; Kim, W.C.; Kim, K.Y. and J.Y., Im, (1974):

The effect of succinic acid 2,2-dimethyl hydrazide on early fruit bearing and fruit characteristics of apple. RES RES OFF RURAL DEV. (HORTIC)(SUWOM) 16: 69-78. Biological Abstract, 59:45995.

Kinman and Magness, J.R. (1949):

Pear growing in the pacific Coast States. U.S. Dept. Agr. Bull. 1739.

Konakahara, M. (1956):

Some effects of foliar sprays of monobasic potassium phosphate, two or three kinds of phosphoric acid and potash salt on flower bud formation on Satsuma orange trees. (Japanese with English summary 1½ P.). Bull. Citrus Exp. Stat., Shizuoka, No. 3, pp. 3-24, bibl. 16, illus. (Hort. Abst. 28: 769).

Kato, M. and Takeshita, S. (1956):

Experiments on leaf analysis of Satsuma orange 2. On the seasonal changes in the leaves of mature Satsuma orange trees in relation to biennial bearing. Part I. (Japanese, with English summary ¼ P.). Bull. Kanagawa agric. Exp. Sta. Hort. Sect., No. 4, pp. 43-52, bibl. 21. (Hort. Abst. 27: 1811).

Lal, B.B. and Thakur, D.R. (1978):

Effect of NAA and 2, 4, 5-T on thinning and quality of Santa Rosa plum.

Haryana Journal of Horticultural Science, 71: 21-24.

Plant Growth Regulator Abstracts, (5): 1240.

Lenz, F. (1966):

Flower and fruit development in Valencia late orange, as affected by type of inflorescence and nutritional status. Hort. Res., 6: 65-78.

(Hort. Abst. 38: 1917).

Lewis, L.N.; Coggins, C.W. and Hield, H.Z. (1964):

The effect of biennial bearing and NAA on the carbohydrate and nitrogen composition of wilking mandarin leaves.

Proc. Amer. Soc. Hort. Sci., 84: 174-51.

Looney, N.E. (1969):

Importance of time and concentration of annual applications of succinic acid 2, 2-dimethyl hydrazide (Alar) to pome fruits. I. McIntosh and Spartan. Canad. J. Plant Sci., 49:489-94.

(Hort. Abst., 40: 287).

Lord, W.J. and Cromack, L.G. (1971):

The effect of annual sprays of Alar on fruiting, fruit and preharvest drop on Delicious apple trees. In Proceedings, Annual Meeting Massachusetts Fruit Growers' Association Inc. North Massachusetts USA 77, 80-88. Massachusetts University, Amherst.

(Hort. Abst., 42: 355).

Luckwill, L.C. (1968):

The effect of certain growth regulators on growth and apical dominance of young apple trees. J. Hort. Sci., 43: 91-101.

Ludders, P. (1973):

Möglichkeiten der Ertragssteigerung durch Einsatz von triebwachstumshemmenden Mittlen, Mitt, Klostermeiberg 23: 34-52.

Ludders, P. and Debor, H.W. (1975):

TIBA in fruit growing. Aktuelle Literaturinformationen aus dem Obstbau, Heft Nr. 40. Universitätsbibliothek der Technischen Universität Berlin.

Ludders, P. and Bebor, H.W. (1977):

Application and effect of Alar on apples, Aktuelle Literature informationen aus dem Obstbau. Heft Nr. 62, Universitätsbibliothek der Technischen Universität Berlin.

Maichel, K.A.; Gilles, J.K.; Hamilton, P.A.; Robers, and Smith, P. (1956):

Colorimetric method for determination of sugars and related substances. Analytical Chemistry Vo. 28, No. 3.

Maiti, S.C.; Basu, R.N. and Sen, P.K. (1972):

Chemical control of growth and flowering in Mangifera indica L. Acta Horticulture No. 24, 192-195. Calcutta University, India. (Hort. Abst., 43: 3236).

Maiti, S.C.; Mukhopadhyay, A.K. and Sen, P.K. (1971):
Effect of growth retardants on flowering and apical dominance of mango (Mangifera indica L.). Current Science 40(14) 388. Calcutta University, India. (Hort. Abst., 42: 5044).

Maiti, S.C. and Sen, P.K. (1968):
Effects of growth retardant on flowering and fruiting of Langra mango. Curr. Sci. 37: 566-7. (Hort. Abst., 39: 5793).

Marcelle, R. (1966):
Effects of 2-chloroethyl/tri-methylammonium chloride and of Maleic hydrazide on young apple trees of the "Tydeman's Early Worcester" variety. Hort. Res., 6: 100-112.

Marsh, H.V.; Southwick, F.W. and Weeks, W.D. (1960):
The influence of chemical thinners on fruit set seed development and preharvest drop of apples. Proc. Amer. Soci. Hort. Sci. 75: 5-21.

Mc Donnell, P.E. and Edgerton, L.J. (1970):
Some effects of CCC and Alar on fruit set and fruit quality of apple. Hort., Science, 5:89-91.

Micke, W.C.; Tyler, R.H. and Yeager, J.T. (1977):
Growth regulators affect apple maturity. California Agriculture, 31(3): 15. (Hort. Abstr., 47: 9117).

Milella, A. (1968):

Seasonal variation in the nitrogen, phosphorus and potassium content of sweet orange leaves. *Studie Sassar.*, Sez III, 16: 544-56 bibl. 10. English Summary.
(Hort. Abst. 40: 4702).

Modilibowska, I. (1966):

Effects of GA and CCC on growth, fruit bud formation and frost resistance of blossoms of young Williams Chretien pears. *Ann. Rep. of the East Malling Res. Sta.* 1965: 88-93.

Monselise, S.P. and Halevy, A.H. (1962):

Effect of gibberellin and Amo-1618 on growth, dry matter accumulation, chlorophyll content and peroxidase activity of citrus seedlings.
Amer. J. Bot., 49: 405-412.

Monselise, S.P. and Halevy, A.H. (1963):

Chemical inhibition and promotion of citurs flower bud induction.
Proc. Amer. Soc. Hort. Sci., 84: 141-146.

Monselise, S.P. and Halevy, A.H. (1964):

Chemical inhibition and promotion of citurs flower bud induction.
Proc. Amer. Soc. Hort. Sci., 84: 141-6.

Monselise, S.P.; Goren, R. and Halevy, A.H. (1966):

Effects of B nine, cycocel and benzothiazole oxyacetate on flower bud induction of lemon trees.
Proc. Amer. Soc. Hort. Sci. 89: 195-200.

Moss, G.I. (1970a):

Biennial bearing of citrus: its causes and control.
Fmrs Newslett., 106, pp. 17-19, 21.
(Hort. Abst. 41: 2353).

Moss, G.I. (1970b):

Fruit set in sweet orange: the influence of
inflorescences-leaves.
Phyton, B. Aires, 27: 141-7.
(Hort. Abst. 41: 9779).

Moss, G.I. (1971):

Effect of fruit on flowering in relation to biennial
bearing in sweet orange. J. Hort. Sci., 46: 177-84.

Murphy, J. and Riely, J.P. (1962):

A modified single solution method for the determi-
nation of Phosphate in natural water. Anal. Chem.
Acta, 27: 31636.

Naik, K.C. (1949):

"South Indian fruits and their culture". P.
Vardachary and Co. India.

Ogaki, C.; Fujita, K. and Ito, H. (1963):

Investigations on the cause and control of alternate
bearing of Unshiu orange trees. III- Effect of
fruiting in the previous sason on flower formation.
(Japanese, with English Summary $\frac{1}{2}$ P.)
J. Jap. Soc. Hort. Sci., 32(1): 13-19, bibl. 4.
(Hort. Abst. 34: 3605).

Ogaki, C.; Fujita, K. and Ito, H. (1965):

Investigations on the cause and control of alternate bearing of Unshin orange trees V. Effect of time and severity of thinning and time of harvest on flower formation. (Japanese, with English summary 1/3 P.).

J. Jap. Soc. Hort. Sci., 34: 1-8, Bibl. 18. (Hort. Abs. 36: 1822).

Ogaki, C.; Fujita, K. and Ito, H. (1966):

Investigations on the cause and control of alternate bearing of Unshiu orange trees. VI. Seasonal changes in nitrogen, phosphorus, and potassium absorption in alternate and annual bearing trees. (Japanese, with English Summary).

J. Jap. Soc. Hort. Sci., 35: 8-18, bibl. 22.
(Hort. Abs. 37: 3737).

Ogaki, C.; Fujita, K. and Ito, H. (1968):

Investigations on the cause and control of alternate bearing of Satsuma orange, citrus Unshiu, trees. VIII. Effect of fruit thinning, pruning and fertilizer application.

(IX.) (Conclusion).

J. Jap. Soc. Hort. Sci., 37: 312-18, bibl. 19.

Japanese with English summary 1.

Bull. Kanagawa Hort. Exp. Stat., No. 16, pp. 1-3.

(Hort. Abs. 40: 2222).

Ohlers, H. (1960):

Experiment, on the fruit thinning of apples by hormone sprays.

Tidsskr. planteavl, 64: 213-43.

(Hort. Abst., 31: 319).

Olsen, K.L.; Schomer, M.A. and Batjer, L.P. (1968):

Quality of Starking and Golden Delicious apples from trees sprayed with Alar.

Proc. Wash. St. Hort. Ass. PP. 27-30.

(Hort. Abst., 41: 8267).

OM, H.; Srivastava, R.P.; Misra, R.S. and Bana, D.S. (1975):

Effect of growth substances on the drop, further retention and quality of apple Cv. Red Delicious.

Progressive Horticulture 7(1): 57-66.

(Hort. Abst., 46: 6472).

Parsons, J. (1967):

Alar report for 1966.

B.C.F.G.A. Quart. Rep., 11(4):

(Hort. Abst. 38: 378).

Perraudin, G.; Evequoz, M. and Rapillard, C. (1970):

Fruit thinning.

Rev. suisse vitic. Arboric., 1970, 2:64.

(Hort. Abst., 41: 3204).

Pfammatter, W. (1972):

The effects of a single or two consecutive treatments with Alar on the growth of cv. Maigold. *Revue Suisse de Viticulture, Arboriculture, Horticulture* 4(6): 206-207. station Federale de Recherches Agronomiques, Lausanne, Switzerland (Hort. Abst., 44: 94).

Pieber, K. (1982):

Application of Alar 85 to various pear varieties. Anwendung Von Alar 85 bei verschiedenen Birnsorten (1), (2), (3). Teil und jschluss. *Resseres obst.* (1982) 27(5, 7, 8) 8284: 188-189, 209-211 (De, 5 ref; 10 pl) Universitat fur Bodenkultur, Vienna, Austria (Hort. Abst., 53: 1553).

Pregel, F. (1945):

Quantitative Organic Micro-Analysis. 4th ed., J. & A. Churchill, Ltd., London.

Randhawa, G.S. and Dinsa, H.S. (1947):

Time of blossom bud differentiation in citurs. *Proc. Amer. Soc. Hort. Sci.*, 50: 165-171.

Randhawa, G.S. and Sinha, R.B. (1963):

Fruiting in relation to growth in citrus 1. Sweet orange (Citrus Sinensis Obsbeck). *Indian J. Hort.*, 20: 1-11, bibl. 11.

Randhawa, G.S. and Chopre, S.K. (1964):

Studies on blossom bud differentiation in mandarin var. Kaula.

Indian J. Hort., 21: 132-5.

Randhawa, G.S. and Kar, P.L. (1967):

Seasonal changes in the mineral composition of non-bearing and bearing shoots of mandarin (Citrus reticulata Blanco).

Indian J. Hort., 24: 38-49 (bibl. 22).

(Hort. Abst. 38: 6415).

Reece, P.C. (1945):

Fruit set in sweet orange in relation to flowering habit.

Proc. Amer. Soc. Hort. Sci., 46: 81-86.

Reitz, H.J. (1961):

Citrus needs adequate nutrition.

Bett. Crops. July-August, 1961, pp. 10-14. Univ. Fla.

Reuther, W.P.F.; Batchelor, L.D. and Webber, H.J. (1968):

The citrus industry.

Calif. Univ. Press.

Reuther, W. and Smith, P.F. (1950):

Seasonal changes in Valencia orange leaves. 1-Changes in leaf dry weight, ash and micronutrient elements.

Proc. Amer. Soc. Hort. Sci., 55: 61-72.

Rogers, B.L. and Thompson, A.H. (1969):

Chemical thinning of apple trees using concentrate sprays.

J. Amer. Soc. Hort. Sci., 94: 23-5.

Sako, J. (1959):

The chemical thinning of apples.

Valt. Maatalousk. Julk, 174, PP. 22.

(Hort. Abst., 30: 247).

Samoladas, G.H. (1963):

Effect of growth stimulators on mandarins.

Sadovodstvo, 12: 32-3.

(Hort. Abst., 34: 3601).

Saur, M.R. (1951):

Growth of orange shoots.

Aust. J. Agric. Res., 2: 105-17.

Schumacher, R. and Fankhanser, F. (1972):

Fruit thinning in Prunus domestica cultivar fellenberg with Ethrel.

Schweizerische Zeitschrift fur obst-und Weinbau
108(4): 74-80. (Hort. Abst., 42: 5564).

Sen, P.K. and Mallick, P.C. (1940):

Embryo of Indian Mangoes.

Indian Journal of Agricultural science Vo. 10-40.

Sen, P.K.; Sen, S.K. and Guha, D. (1963):

Carbonhydrate and nitrogen content of mango shoots in relation to fruit bud differentiation on them. Indian Agriculturist, 1963, 7:133-8, bibl. 6.

Singh, K.K.; Grewal, K.S. and Jawanda, J.S. (1962):

Alternate bearing in citrus. Punjab Hort. J. 1962, 2: 245-53, bibl. 13. (Hort. Abst. 34: 1491).

Singh, L.B. (1957):

Biennial bearing in Mango. Hort. Advance, 1: 7-22 bible, 38, illus.

Sinha, R.B. and Randhawa, G.S. (1961):

Seasonal changes in mineral composition of twigs of different growth flushes in Sweet orange. Hort. Advance, 5: 25-38, bibl. 24. (Hort. Abst. 33: 1583).

Smith, P.F. and Reuther, W. (1950):

Seasonal changes in Valencia orange trees. 1-Changes in leaf dry weight, Ash and Macro-nutrient elements. Proc. Amer. Soc. Hort. Sci., 55: 61-72.

Smith, P.F.; Reuther, W. and Specht (1952):

Seasonal changes in Valencia orange trees. 1-Changes in micro-elements, Sodium and Carbohydrates in leaves. Proc. Amer. Soc. Hort. Sci., 59: 31-35.

Snedecor, G.W. and Cochran, W.G. (1972):

Statistical Methods 6th ed. The Iowa State Univ. Press, Ames. Iowa, U.S.A., pp. 593.

Soczek, Z. and Zaziabl, F. (1971):

The effects of the retardants Phosphon D, CCC and Alar (B₉) on apple trees. Prace Instytutu Sadownictwa Skierniewcach 15, 25-36. Instytut Sadownictwa, Skierniewice, Poland. (Hort. Abst., 43: 8398).

Sohrab, R. Gandhi, (1959):

The Mango in India.

Farm Bull. No. 6.

Ministry of Food and Agriculture New Delhi.

Southwick, F.W. (1962):

Sevin and hormones as thinning agent, for apples.

Proc. 71 st annu. Mtg. Conn. pomol. Soc., pp. 22-36. (Hort. Abst., 32: 6107).

Southwick, F.W.; Lord, W.J.; Greene, D.W.; Cromack, L.G. and Shipway, M.P. (1971):

The carry-over effect of summer applications of Alar on the flowering, seed development, fruiting, abscission and flesh firmness of McIntosh apples. In Proceedings, Annual Meeting Massachusetts Fruit Grower's Association Inc. North Amharst, Massachusetts, USA 7789-94. Massachusetts University, Amherst (Hort. Abst., 42: 358).

Spolitis, A.K.; Peterson, E.K. and Grinblate, S.T. (1974):

The application of growth regulators to reduce preharvest fruit fall in the Baltic region.
(Hort. Abst., 46(1): 91).

Srivastava, R.P.; Agarwal, N.C. and Varma, V.K. (1973):

Effect of plant growth regulators on the drop, fruit size, maturity and quality of peach (Var Alexander). Progressive Horticulture 5(2): 11-21.
(Hort. Abst., 45: 4717).

Stembridge, G.E. and Ferree, M.E. (1969):

Immediate and residual effects of succinic acid, 2,2-dimethyl hydrazide (Alar) on young Delicious apple trees. J. Amer. Soc. Hort. Sci. 94(6): 602-604.

Stohr, J.; Dufkova, V. and Chuojka, L. (1972):

The effect of mixtures of CCC, B₉₉₅ and some vegetable oil fractions on the growth of apple shoots. Rostilimna vyroba 18(7): 751-755. Ustav Ovocnrsky, Holovousy, Czechoslovakia. (Hort. Abst., 43: 4996).

Strickland, A.G. (1941):

Spraying with plant growth substances, Fruit world and Market Crowor (Australia) 42: 7-10.

Sullivan, D.T. (1968):

The effect of N-Dimethyl amino succinamic acid/Alar/on size, shape and maturity of Delicious apples. Hort. Sci., 3:1-18.

Sullivan, D.T. and Widmoyer, F.B. (1970):

The effect of Alar on fruit cracking of Stayman winesap apple.

Fruit. Var. Hort. Dig., 24: 17-8.

(Hort. Abst., 40: 7840).

Tahashi Mizuno an Katsuhiro Hakamata (1967):

Carbohydrates of citrus trees. I. Quantitative determination of the leaf starch and its seasonal variation.

Nippon Nogei Nagaku Kaishi 41(10), 534-9 (Japan).

(Chem. Abst. 1968, Vol. 68: 66372 h).

Teaotia, S.S.; Srivastava, R.P. and Bana, D.S. (1971):

Fruit thinning of apples with Alar and Carbaryl.

Progressive Horticulture, 3(1): 5-10.

(Hort. Abst., 44: 1323).

Teskey, B.J.E.; Priest, K.L. and Loughheed, E.C. (1972):

Effects of succinic acid 2,2-dimethyl hydrazide (Alar) and 2-chloroethyl phosphonic acid (ethephon) on abscission and storage quality of McIntosh apples.

CAN. J. Plant SCI, 52(4): 483-91.

(Biol. Abst., 55: 31078).

Trecceni, C.P. and Matte, P. (1975):

Effect of succinic acid 2,2-dimethyl hydrazide (Alar) on ripening of Stark Delicious apples at harvest and after storage.

Internationaux du centre National de la Recherche Scientifique, No. 228, 115-110.

(Hort. Abst., 46: 4249).

Tromp, J. (1972):

Effects of growth-regulating substances and tree orientation on growth and flower-bud formation in apple. J. Hort. Sci. 47(4): 525-533.

Vancauwenberghe, E. (1951):

Results of using hormones to control fruit drop and their use in other ways.

Fruit belge, 19: 94-96.

Veinbrants, N. (1972):

Effects of succinic acid 2,2-dimethyl hydrazide (Alar) or scoring on growth and flower initiation of young apple trees. Australian Journal of Experimental Agriculture and Animal Husbandry 12(54) 89-95. Scoresby Horticultural Research Station, Victoria. (Hort. Abst., 43: 966).

Wallace, A.R.; Zidan, Z.I.; Muller, R.T. and North, C.P. (1954):

Translocation of nitrogen in citrus trees. Proc. Amer. Soc. Hort. Sci., 64: 87-104.

Webster, D.H. and Crowe, A.D. (1969):

Effects of gibberellic acid N-dimethyl aminosuccinamic acid (Alar), ringing and thinning on Mc-Intosh apple shape. J. Amer. Hort. Sci. 94: 308-310.

Webster, D.H.; Crowe, A.D. and Brown, G. (1976):

Current season and holdover effects of low concentrations of SAHD applied as split or single sprays on preharvest drop, firmness and other responses of Mc Intosh apple. Canadian Journal of plant Science., 56(2): 311-318. (Hort. Abst., 47: 1179).

Wertheim, S.J. (1969):

Advice concerning Alar for 1969.
Fruittelt, 59: 472-3.
(Hort. Abst., 39: 4250).

Wertheim, S.J. and VanBelle, O.C. (1967):

The use of Alar on young apple and pear trees.
Meded. Dir. Tuinb, 30: 140-52.
(Hort. Abst., 37: 6332).

West, E.S. and Barnard, C. (1935):

Alternation of heavy and light crop in Valencia orange trees.
J. of the Council for scientific and Industrial Research, 1935, pp. 95-100, 215-24.

Williams, M.W. and Schomer, H.A. (1970):

The effect of early and late applications of succinic acid 2,2-dimethylhydrazide to apples. In Proceedings, 66th Annual Meeting Washington State Horticultural Association, Yakima, USA (108-110, 112-113, 115 USDA Wentachee, Washington (Hort. Abst., 42: 353)).

Wittwer, S.H. and Bukovac, M.J. (1962):

Exogenous plant growth substances affecting floral initiation and fruit set. Proc. plant. Sci. sym., Capbell soup Co., Camden, N.J.: 65-87.

Yang, H.T. and Nakagawa, S. (1970):

Studies on the male sterility of Satsuma orange. Effect of temperature on the recovery of pollen fertility concerning the metabolism of carbohydrates and enzyme activities in anther.

J. Jap. Soc. Hort. Sci. 39: 6-20.

(Hort. Abst. 41: 4939).

Ystaas, J. (1971a):

The effect of Alar on growth yield, fruit quality and the main mineral contents in the apple leaf.

Gartner-Yrket, 61(11): 200-4.

(Hort. Abst., 42: 354).

Ystass, J. (1971b):

Effects of Alar on shoot growth and fruit ripening and Alar residues in sweet cherries. Landhruket

244(5), 451-461. Ullensvang Forsoksgrad, Norway.

(Hort. Abst., 44: 6369).

Zidan, Z.I. (1954):

Nitrogen translocation in citrus. Ph.D. Thesis, Univ. Calif. Loss Angelos.

Zidan, Z.I. and Maximos, S.E. (1962):

Seasonal changes in the chemical composition of mango leaves. Ann. Agric. Sci., Cairo, 1962-7(2):

337-51. (bibl. 12, Arabic summary, issued 1965,

received 1967). Hort. Abst. 38: 4456.

Zidan, Z.I.; El-Tomi, A.L. and Gazzar, A.M. (1961):

Effect of fruit thinning and nitrogen fertilization on alternate bearing in "Baladi" mandarin. Ann. Agric. Sci., Cairo, 1961, 6(2): 183-98 (bibl. 11).

Zidan, Z.I. and El-Tomi, A.L. (1962):

Seasonal changes in nitrogen content of Balady mandarin leaves and twigs in relation to alternate bearing.

Ann. Agric. Sci., Cairo, 1962, 7(1): 229-44 (bibl. 8).