



**LITERATURE
CITED**

- **Christidis, B. G. and Harrison, G. T. (1955):**

Cotton Growing Problems. Mc Grow-Hill Book Co. Inc., New York. Toronto, London. pp. 633.

- **Corr – BE; and Widmer – RE. (1991) :**

Paclobutrazol, gibberellic acid, and rhizome size affect growth and flowering of *Zantedeschia*. HortScience. 26 : 2, 133 –135.

- **Cox, D. (1989):**

Gibberellic acid reversal of excess paclobutrazol effects on geranium. Proc. 86th Ann. Meet Amer. Soc., Tulsa – Oklahoma, 29 July, 116 p. 73.

- **Deotale, A. B.; Belorkar, P. V. Dahale, N. H.; Patil, S. R.**

and Zade, V. N. (1995) :

Effect of date of planting and foliar application of gibberellin on growth of *chrysanthemum*. Journal-of-Soils-and-Crops, 5 (1): 83-86.

- **Dessouky, M. M. (1986) :**

Effect of some growth regulators and fertilization on growth and active constituents of *Vinca sp.* plants. M. Sc. Thesis, Fac. of Agric. Zagazig Univ.

- Dhru. P. and Gupta S. K. (1991) :

Nutrient status of *Nerium oleander* and *Urginea indica* as influenced by growth regulators. Advances in Plant Sciences, 4 (2) 359-365 (Hort. Abst., 63 : 583)..

- Dhua, R. S.; S. K. Ghosh; S. K. Mitra; L. P. Yadav and T. K. Bose (1987):

The effect of bulb size, temperature treatment of bulbs and chemicals on growth and flower production in tuberose (*Polianthes tuberosa* L.). Acta-Hortic. No. 205, 121 -128 (Ornamental Hort., 13 : 1742).

- Diveker, C. B. (1960) :

Behaviour of Jayadhor cotton when grown as an intercrop with groundnut. Mysore Agric. H., 35 : 202 -215.

- Diveker, C. B. and Kurtakati, F. B. (1961) :

Studies relating to the intercropping of groundnut in cotton. Indian Cotton Grow. Rev., 15 : 233 -237.

- Doss-RP. (1981) :

Effects of durations of 32°C and 20°C postharvest bulb treatments on early forcing of Ideal *iris*. Canadian-Journal - of Plant -Science, 61 (3): 647 -652.

- Dua-I. S; Sehgal- O. P; Chark-K. S. (1984):

Gibberellic acid induced earliness and increased production in gladiolus. Gartenbeuwissenschaft, 49 (2): 91-94.

- **Eaid, A. A. H. (1970):**

Effect of interplanting onion in cotton rows under different nitrogen levels on the growth and yield of cotton. M. Sc. Thesis
Fac. Agric. Alex. Univ.

- **El- Debaby, A. E.; Shafshak, S. E. and Salem, M. S.
(1979):**

The effect of some forage crop mixtures and nitrogen fertilizer on the forage yield and its chemical contents. Beiträge Trop. Landwirtschaft. Veterinärmedizin, 17: 49 –53.

- **El Hanafy, S. H. M., (1994) :**

Physiological studies on Iris (*Iris sp.*). Ph. D. Thesis, Fac. Agric., Cairo Univ.

- **El-Hanafy, S. M. M. (1985) :**

Effect of some growth regulators, chemical fertilization and planting date on growth and flowering of *Dahlia* and *Gladiolus* plants. M. Sc. Thesis, Fac. Agric., Cairo Univ.

- **Eliwa, N. Y. L. (1994):**

Effect of Gibberellic acid (GA_3) and Pachlobutrazol (pp₃₃₃) on *Solanum capsicastrum* var. Melvinii M. Sc. Thesis, Faculty of Agric. Cairo Univ.

- ***El-Khateeb, M. A.; Badawy, E. M. and Boselah, N. A. E. (1991) :***
Effect of some growth regulators on growth, chemical composition and essential oil of *Ruta graveolens* L. plants. Bull. Faculty of Agriculture, Cairo Univ., 42 (3): 829 – 848.

- ***El-Leithy, A. S. (1987) :***
Physiological studies on French marigold "*Tagetes patula* L. plants". Ph.D. Thesis Fac. of Agric., Cairo Univ.

- ***El-Maadawy, E. I. I. (1988) :***
Physiological studies on *Polianthes tuberosa* L. plants. Ph. D. Thesis Fac. Agric. Cairo Univ.

- ***El-Maadawy, E. I. (1993) :***
Effect of flurprimidol (El-500) and paclobutrazol (PP333) on the growth and chemical constituents of *Epipremnum aureum*. (Linden and Ander) Bunt. plants. Egypt. J. Appl. Sci.; 8 (1): 688 – 706.

- ***El-Maadawy, E. I.; H. A. Mansour and A. El-Tantawy (1994):***
The use of paclobutrazol and uniconazole to control the growth of *Syngonium podophyllum* plants. Egypt. J. Appl. Sci., 9 (3) : 435 –459.

- **El-Mahrouk, E. M.; Abdel-Maksoud, B. A. and Menesy, F. A. (1992):**
Influence of some growth regulators on *Bellis perennis* L. and *Gaillardia pulchella*. Foug. J. Agric. Res. Tanta Univ., 18 (4) : 786 –799.

- **El-Mergawi, R. A. (1987) :**
Chemical studies on oil constituents of *Polianthes tuberosa* and effect some growth regulators on the oil constituents, M. SC. Thesis, Fac. Agric., Cairo Univ.

- **El-Mowafy, D. A. S. (1996):**
Effect of nitrogen fertilization and paclobutrazol treatments on *Pelargonium graveolens* L. plant. M. Sc., Thesis, Fac. Agric., Cairo Univ.

- **El- Naggar. S. M. H. (1970):**
Pysiological studies on *Gladiolus* (Effect of some growth regulators). M. Sc. Thesis, Fac. Agric., Cairo Univ.

- **Elphinstone –ED; Rees –AR; Atherton- JG. (1990):**
Temperature and development in *Iris X hollandica* during per-planting storage. II. Floral initiation. Journal – of – Horticultural – Science, 65 (2): 185 –192.

- **El-Quesni, F. E. (1968) :**
Studies of chemical fertilization and gibberellin spray of *Gladiolus*. M. Sc. Thesis. Fac. Agric. Cairo Univ.

- ***El-Sayed, A. A.; Salem, M. A. and El-Hanafy, S. H.***

(1994):

Response of two *Dutch Iris* cultivars (Ideal and Purple Sensation) to paclobutrazol (PP333) treatments. Zagazig, J. Agric., 21 (5) : 1497 –1510.

- ***El- Shafie, S. A. (1988):***

Effect of chemical fertilization and some growth regulators on growth and concrete oil yield of *Viola odorata*. Ph.D. Thesis, Faculty of Agric., Zagazig Univ.

- ***El-Shamy, S. M. (1982):***

Effect of chemical fertilization and some growth regulators on growth, flowering and concrete oil yield of carnation (*Dianthus caryophyllus*). M.Sc. Thesis, Fac. Agric. Cairo Univ.

- ***Espanol – Sendra-J; Blopez-Perez-D; Lopez- Oliveras-A;***

Masvidal-Calpe-L; and Ruiz- Fernandez-J (1983):

Influence of storage temperature on flowering of *Iris* cultivar Professor Blaauw. Primer – Congreso-Nacional, 1 : 39 –44.

- ***Farina – E; Guda – C. – Scordo – E; Cervelli – C; and***

Dalla – G. – C. (1994) :

Storage of forced *Ranunculus* corms and their production. Colture – Protette. 23 : 9, 113 – 115; 4 col. pl.

- Hanks- GR; and Rees – AR (1984):

Early forcing of *Narcissus*: the effects of lifting date and state of floral development at the start of cooling. *Scientia – Horticulturae*, 23 (3): 269 – 278.

- Helal, A. A. (1993) :

Physiological studies on controlling the growth and flowering of *Euphorbia pulcherrima*. Ph. D. Thesis, Fac. Agric., Zagazig Univ.

- Herbert, D; Phlipps, P. J. and Strange, R. E. (1971) :

Determination of total carbohydrate, *Method in Microbiol*, 58; P, 209 – 344.

- Hof- NAA (1981):

Do not allow *Irises* intended for early flowering to be exposed to handling temperatures for too long. *Bloembollencultuur*, 92 : 4, 92.

- Hof- NAA. (1986) :

Precise temperature prevents flowering in *Irises* *Bloembollencultuur*. 97 : 31, 14 –15; 4 pl.
(ornamental Hort. 13 : 1056).

- Hussein, A. H. A. (1981) :

Effect of some agronomic practices on growth and yield in soybean. Ph. D. Thesis, Fac. Agric. Al-Azhar Univ. Cairo Egypt.

- Hwang – EG; Suh-JK; and Kwack-BH (1986):

The influence of paclobutrazol; on growth and flowering of pot-grown gladiolus (*Gladiolus gandavensis*). Journal – of – the – Korean – Society – for – Horticultural – Science, 27 (1): 73 –80.

- Ibrahim, A. F.; Al –Rawi, K. M. and Salman, A. A. (1977):

Performance of corn (*Zea mays* L.) and soybean [*Glycine max* (L.) Merr.] under intercropping in alternative rows and at different plant population densities. Z. Acker – U. Pflanzenbau, 145 : 224 – 237.

(C. F. Msc. Thesis No. 24, 180. Fac. of Agric. at Moshtohor).

- Imanishi – H. (1996) :

Cut flower production from bulbs in Japan. Journal – of – the – Korean – Society – for – Horticultural – Science. 37 : 6, 836 – 841.

- Jana-Bk; and Biswas-S (1982):

Effects of growth regulators on growth and flowering of tuberose. South –Indian – Horticulture, 30 (2): 163 – 165.

- Katedra Roslin Ozdobnych, Akdemii Rolniczej W Poznaniu, Poland. (1993):

Effects of planting date on alstroemeria yields.

Prace - Z – Zakresu – Nauk – Rolniczych. 75: 107-113.

- ***Khattab, M. and Hassan, M. K. A. (1981):***

Effect of gibberellic acid on growth of *Chrysanthemum* plants.
Alex. J. Agric. Res., 2, (3): 1393 – 1399.

- ***Khobragade – RI; Damke – MM; Jasdhao – BJ; and
Hedau – CV. (1997) :***

Effect of planting time and spacing on growth, flowering and
bulb production of tuberose cv. Single. PKV – Research –
Journal, 21 (1): 44 – 47.

- ***Kiplinger, D. C.; Tayama H.K. and Mc Dowell T. C.
(1971):***

Pre-Cooled and controled temperature forced Easter Lilies.
Effect of initial low temperature during forcing on Ace lilies.
Ohio Flor. Ass. Bull No. 496, p. 2-3 (Hort. Abst, 41 : 9368).

- ***Koike – Y; and Imanishi – H. (1993) :***

Long term freezing storage of bulbs to retard flowering in
Asiatic hybrid lilies. Journal – of – the – Japanese – Society –
for – Horticultureal – Science, 62: 1, 181 – 187.

- ***Koike – Y; Ohbiki – A; Mori- G; and Imanishi – H.
(1994) :***

Effects of bulb storage temperatures and duration on the flowering
of *Narcissus tazetta* var. *Chinensis*. Journal – of – the – Japanese –
Society – for – Horticultural – Science. 63 : 3, 639 – 644.

- Kosugi, K. and M. Otani. (1954):

Studies on flower bud differentiation and development in Freesias 11. Effects of low temperature on flower bud differentiation and flowering in Freesia. J. Hort. Ass. Japan, 23 : 167 –171 (Hort. Abst, 35 : 3107).

- Kukushkin-VA (1983):

Morphogenesis of cromel buds of hybrid gladioli stored at different temperature regimes. Byulleten' – Glavnogo-Botanicheskogo – Sada. No. 129, 76 : 79.

- Latimer, J. C. (1991) :

Growth retardants affect landscape of *Zinnia*, *Impatiens* and *marigold*. Hort, Sci., 26 (5) : 556 – 560. (Hort. Abst. 62-269).

- Lee – JongWon; Kim – TaeJoung; Kim – JuHyoung; Lee – CheolHee; Jeong – InMyeong; Paek – KeeYoeup; Lee-JW; Kim – JH; Lee – CH; Heong – IM; and Paek – KY. (1997):

Effect of cultivation area and planting time on growth and yield of *Lilium formolongi*. RDA – J – Hort – Sci. 39 (2): 91 –95.

- Leena – Ravidas; Rajeevan – PK; Valsalakumari – PK; Ravidas – L (1992)

Effect of foliar application of growth regulators on the growth, flowering and corm yield of gladiolus cv. Friendship. South – Indian – Horticulture. 40 : 6, 329 – 355.

- ***Leewen –CAM-Van; and Winter-JAJ-de. (1983):***
Combined culture of 5°C tulips with *Ixia* or *Brodiaea*. Vakblad-voor-de- Bloemisterij. 38: 47, 34-35.

- ***Leocov – M; and Vidrascu - P. (1989):***
Experimental data on growing the hybrid species *Crocasmia* X *crocasmiflora* (Lemoine) N. E. Br. In the Iasi Botanic Garden. Cercetari – Agronomice – in – Moldova. 22: 2, 94 –96.

- ***Maeda – M; Dubouzet – JG; Arisumi – KI; Etoh – T; and Sakata – Y. (1994):***
Effects of cold storage and staggered planting in forcing culture of spring –flowering *Allium* species. Journal –of –the – Japanes – Society – for – Horticultural – Science. 63 : 3, 629 –638.

- ***Magnani- G; and Grassotti –A (1987):***
The effect of planting date and cladding materials on the flowering of *Lilium*. Culture – Protette. 16:12, 39-48.

- ***Mahesh –KS; and Misra-RL (1993):***
Effect of growth regulators on *Gladiolus*. Journal – of – Ornamental – Horticulture, 1 (2): 12-15.

- ***Mansour, H. A. (1989):***
The effect of paclobutrazol on the morphological and phsiological behaviour of *Peperomia obtusifolia* L. A. Dietr. Ph. D. Thesis. Fac. Agric., Cairo Univ.

- Mao, L; Gao; Y. Yao; Y. Qian and Y. Tang Y. (1991):

Dwarfing effects of paclobutrazol, daminozide and chlormequat on potting scarlet sage. Acta Hort., 18 (2) : 177 – 179.

- Masuda, M. and T. Asahir (1978):

Changes in endogenous cytokinin-like substances and growth inhibitors in Freesia corms during high temperature treatment for breaking dormancy. Scientia Horticulturae, 8 (4) 371 – 3882 College of Agric., Kyoto Univ., Kyoto 606, Japan (Hort. Abst. 48 : 9984).

- Matsu, E. and J. V. Tuyl. (1984):

Effect of bulb storage temperature on leaf emergence and plant development during scale propagation of *Lilium longiflorum*. White American Scientia Horticulturae 24 : 959 –66 (Hort. Abst, 54 : 5580).

- Meeteren–U–Van; Berghof – J; Slootweg – G; and Zevenbergen – AP.(1986) :

Possibilities to force miniature *Gladiolus* year round. Acta – Horticulturae, 177, 11. 645 –650.

- Menesy, F. A.; Noful, E. M. S. and El-Mahrouk, E. M. (1991) :

Effect of some growth regulators on *Calendula officinalis* L. Egypt. J. App. I. Sci., 6 (2) : 1-15.

- ***Menhenett, R. and Hanks, G. (1992):***

New retardant shows promise for pot-grown lilies and tulips.
Grower, 97 (20): 17 – 20 , Glasshouse crops Res. Inst.

- ***Midmore, D. J; Roca, J. and Berrios, D. (1988):***

Potato (*Solanum spp*) in the hot tropics. IV. Intercropping with maize and the influence of shade on potato microenvironment and crop growth. International Potato Center, Lima Peru. Field Crops Res., 18 : 141 – 157.

- ***Misra –RL. (1993) :***

Effect of staggered plantings on flowering and propagation coefficient of *Gladiolus* var. Christian Jane. Progressive – Horticulture, 25 (3-4): 168-172.

- ***Misra –RL; Tripathi-DK; and Chaturvedi-OP. (1993):***

Implication of gibberellic acid sprayings on the standing crop of *Gladiolus* var. Sylvia. Progressive – Horticulture. 25 (3-4): 147-150.

- ***Misra –RL; (1997) :***

Residual effect of previous planting seasons on growth and flowering of *Gladiolus* in the following growing season. Annals – of – Agricultural – Research. 18 (2): 222 – 224.

- **Mohamed, S. M. (1992) :**

Effect of some growth regulators chemicals on growth, flowering and tuberous-root production of *Dahlia pinnata* L. Annals of Agric. Sci. Moshtohor, 30 (1), 494 –508.

- **Mohamed, S. M.; Wahba, H. E. L. and Moer, E. A. (1992) :**

Effect of some growth regulators on the growth, oil percentage and constituents of *Alpinia nutans*. Annals of Agric. Sci. Moshtohor, 30 (3): 1501 – 1512.

- **Mohanty-C.R; Sena-DK; and Das-R.C. (1994):**

Studies on the effect of corm size and pre-planting chemical treatment of corms on growth and flowering of *Gladiolus*. Orissa- Journal – of – Horticulture, 22 : 1-2 , 1-4.

- **Moursi, M. A. (1965) :**

The interaction between cotton and other crops growing together. Ann. Agric. Sci., Fac. Agrtic., Ain-Shams, Univ. Egypt, 10 : 246 – 275.

- **Moursi, M. A. (1966):**

The interaction between cotton and other crops grown together. Ann, Agric., Sci. Fac. Agric. Ain-Shams Univ. Egypt, 11: 229 –241.

- **Mousa, F. E. A. (1994) :**

Effect of some growth regulators on growth, yield and active ingredients of marigold (*Calendula officinalis* L.) and rue (*Ruta graveolens* L.) plant and their effect of foot and mouth disease virus. M. Sc. Thesis, Faculty of Agric. Cairo Univ.

- **Mukhopadhyay-A; and Bankar- GJ (1983):**

Regulation of growth and folwering in *Polianthes tuberosa* L. with gibberellic acid and Ethrel spray. Scientia-Horticulturae. 19 : 1-2 , 149 – 152.

- **Mukhopadhyay, S. (1990) :**

Responses of carnation to spray application of NAA and gibberellic acid. Haryana Jour. Hort. Sci., (Ornam. Abst., 17 : 1532).

- **Munro, J. n. (1950):**

Cotton, maize intercropping. Progr, Rep. Exp. Sta. Emp. Cotton Grow. Nyasaland Protect. (c. f. Field Crop Abst, 13 : 296).

- **Nabih, A. (1976):**

Studies on storage of *Iris tingitana* var. Wedgewood bulbs. M.Sc. Thesis. Fac. Agric. Cairo Univ.

- **Nabih, A. (1992) :**

Effect of corm storage, planting dates and shading on growth, flowering and corm productivity of *Freesia refracta* cv. Aurora. J. Agric. Res. Tanta Univ., 18(3): 494 –527.

- **Nabih, A. and A. Aly (1988):**

Effect of bulb size and methods of picking stem spikes on growth, flowering and bulb formation of *Iris* bulbs cv. Ideal. Fayoum J. Agric. Res. & Dev. (1): 658 – 671.

- **Nabih, A. and S. S. Saker (1992):**

Physiological, anatomical and morphological studies on flowering of *Iris* as affected by cold storage treatments. Bull. Fac. of Agric. Univ. of Cairo, Vol 43 No 3: 939 –964.

- **Nard- M- M- Le; and Le-Nard – M (1993) :**

The use of bulb dipping in an ethephon solution to enhance early flowering of *Iris*. P. H. M. – Revue –Horticole, No. 239; 27-33.

- **Ohkawa – K (1986):**

Growth and flowering of *Ranunculus asiaticus*. Acta - Horticulturae. No. 177, Vol. 1, 165 – 172.

- **Olasantan, F. O. (1988) :**

Intercropping of cassava (*Manihot esculenta*) with maize or cowpea under different row arrangements. Dep. Of Agriculture, Oyo State College of Education, Ila- Orangun (Nigeria). Field Crops Res., 19 : 41 – 50.

- Park – I.H; and Choi – ST. (1989):

Effect of planting date on the flowering of *Liatris spicata* cv. Floristan Violet in outdoor cut flower cultivation. Journal – of – the – Korean – Society – for – Horticultural – Science, 30 (4): 331-335.

- Park, H. E. and Lee, J. M. (1989):

The effect of growth regulator treatments on growth and other characteristics of peppers (*Capsicum spp.*). J. Kor. Soc. Hort. Sci., 7 (1) : 40 – 41. (Hort. Abst., 59 : 858).

- Park – IH; Chun – CK; Choi – ST. (1989):

The effect of planting date on the flowering of *Liatris spicata* cultuivar Floristan Violet. Abstracts-of-Communicated-Papers-Horticulture-Abstracts, - Korean – Society - For– Horticultural – Science. 7:1, 186 –187.

- Pavel, Afrodita; Pitis and Solange (1972):

Effect of the preservation conditions of the bulbs on the production and chemical composition of tuberoses (Univ. Craiova, Craiova, Ram.) Univ. Craiova, An., Ser. 3, 1972, 4, 215-20 Rom. (C. F. Chem. Abst, 1974, Vol. 81, 47562 x).

- Preeti-H.; Gogoi-S; Mazumder -A; and Hatibarua-P (1997):

Effect of pre-plant chemical treatment of buls on growth and flowering of tuberose (*Polianthes tuberosa L.*) cv. Single. Annals – of Biology – Ludhiana, 13 (1): 145-149.

- ***Presta –A.D (1987):***

A study on the possibility of continuous production of Irises in the winter-spring period. Notiziario– di–Ortoflorofrutticoltura. 13 : 3, 127 – 129.

- ***Rakhimbaev, I. R.; Syrtanova, G. A.; and Solomina, V. F. (1978):***

The effect of cold treatment on the extent of biological activity of endogenous growth regulators in tulip bulbs. Fizologiya Rastenii (1978) 25 (2) 249 – 253 (Ru, en 15 ref).
(C. F. Hort. 1978, Vol. 48, No. 8, 7458).

- ***Rees – A.R; and Hanks, G.R. (1984) :***

Storage treatments for very early forcing of Narcissus. Journal – of – Horticultural – Science, 59 : 2, 229 239.

- ***Rice, E. L. (1974) :***

Allelopathy. Academic Press, New York.

- ***Risser, P. G. (1969) :***

Competitive relationships among herbaceous grassland plants. Bot. Rev., 35 : 251.

- ***Ruamrungsri – S; Ruamrugsri – S; Ooi - S; Tanaka – Y; Sao – T; Ohyama – T; Ikarashi – T (1997):***

A comparative study of mineral elements in bulbs among 6 cultivars cultivars of Narcissus.
Bulletin – of – the Faculty – of – Agriculture, - Niigata – University. 50 : 1, 73 –81.

- **Ryczkowski- M; Reczynski – W (1991):**

The concentration of elements in the central vacuole sap and endosperm tissue during embryogenesis (*Clivia miniata* Regel).
Acta – Societatis – Botanicorum – Palonia. 60 1-2, 111-118.

- **Ryu, B. Y. and Lee J. S. (1993) :**

Effects of growth regulators on growth and flowering of *Aster tataricus* var. minor M. Journal of the Korean Society for Horticultural Science, 3492, 120 –128. Hort. Abst. 65 2, 1406.

- **Saini – RS; Gupta – Ak; and Yamdagni – R (1988) :**

Effect of planting time on the flowering and cormel production of gladiolus (*Gladiolus floribundus* L.). South – Indian – Horticulture – 36 (5): 248 – 251.

- **Salem, M. A. (1984) :**

Effect of some growth regulators, lighting and low temperature on marguerite daisy (*Chrysanthemum frutescens* L.) Ph. D. Thesis, Faculty Agric. Cairo Univ.

- **Salem, M. A. and El-Kateeb, M. A. (1988):**

Effect of Paclobutrazol (PP333) on growth, flowering and sugars contents of *Chrysanthemum frutescens* L. plants. J. Agric. Res. Tanta. Univ., 14 (3) : 1661- 1662.

- **Salem, M. A. and Mansour, H. A. (1994) :**

Studies on flowering bedding plants. Evaluation of growth, flowering and chemical composition of strawflower *Helichrysum bracteatum* as affected by paclobutrazol. Jour. Agric. Sci., Mansoura Univ, 19 (8) : 2637-2655.

- **Sanchez, P. A. (1976) :**

Multiple cropping: An appraisal of present knowledge and future needs. Multiple cropping, A. S. A. Special Publication No. 27 : 273 – 278.

- **Sano, Y., (1974) :**

Relationship between physiological condition of bulbs and effect of low temperature on the flower bud formation in *iris* cv. Wedgewood. Journal of the Japanese Society for Horticultural Science (1974) 42 (4) 333-340 (C. f. Hort. Abst. 45, 4268).

- **Sano, Y. (1975):**

The effect of cooling, forcing temperature and gibberellin treatment on the growth and flowering of *Iris* Wedgewood. Journal of the Japanese Society for Horticultural Science, 44 (1) 59 –65, Shinshu University, Ina Nagano, Japan (Hort. Abst, 46 : 8560).

- **Schipper – J.A; and Weijden – J.Av –d. (1986) :**

Precise storage treatment reduces the effect of climate. Bloembollencultuur, 97 : 24 , 12 –13.

- **Schipper – JA; and V. Weijden (1989):**

After-treatment of *Iris* bulbs at a constant 9°C. The risk of *Penicillium* infection is limited by longer storage. *Laboratorium voor Bloem bollen Culture*. 100 : 19, 24 –26.

- **Shalaby, A. S.; Hassan, A. H.; Agina, E. A. and Hamied, H. A. (1989):**

Effect of growth substances gibberillic acid and B-nine on the growth, flowering and concrete yields of *Jasminum sambac*. Ait. *Indian Perfumer* 33(4) : 232 –237.

- **Shanumugam, A. and Muthuswamy, S. (1974) :**

Influence of photoperiod and growth regulators on the nutrient status of *Chrysanthemum*. *Indian J. Hort.*, 31, (2) : 186-193. (*Hort. Abst.* 46 : 3466).

- **Shaw, S. L. and Hayslett, W. F. (1991):**

Effect of paclobutrazol and uniconazol on marigold and *Ageratum*. *J. Hort. Sci.*, 26 (6), 684-685.

- **Shedeed, M. R.; El-Gamassy, K. M. and Almulla, A. M. (1990) :**

Effect of foliar fertilization and some growth regulators on growth of croton plants. *Proc. 87th. Meet. Amer. Soc., Hort. Sci.*, 25 (9) : 1101.

- ***Shi-YiMin; Tao-YiWei, Qin-Wen Ying; Fei-Xue Nan;***
Shi-YM; Qin-WY; and Fei-XN. (1997):
Effects of chilling and plant growth regulators on *Freesia* flowering. Acta- Horticulturae, 24 : 2, 185-188.

- ***Singh, N. D. (1977) :***
Effect of intercropping maize with soybean on nematoda population and grain yield. Extension Newsletter, Dep. Agric. Ext. Trininad and Tobage, 8 : 8- 9.

- ***Singh, Y. P.; and Sharma, R. P. (1987) :***
Intercropping in rabi maize for higher production. Dep. Agron., Bihar Agric. College, Sabour, India Seeds and Farms 13 : 12 – 14. (C. F. The Commonwealth Agricultural Bureaux Abstracts, Dialog File No. 88 -121539).

- ***Snedecor, G. W. and W. C. Cochran (1972):***
“Statistical Methods 6th ed. Iowa state Univ. Press, Ames, Iowa,. S. A., pp. 593.

- ***Staden, J. Van. (1978):***
The levels of endogenous cytokinins in daffodil bulbs stored under different environmental conditions.
Zeitschrift fur Pflanzen. Physiologie, (1978) 86 (4) 323 –330
(En, 19 ref., 2 Pl.).
(C.F. Hort. Abst. 1978, Vol – 48, No. 9 , 8395).

- ***Steel, R. G. and Torrie, H. J. (1980):***

Principles, and Procedures of Statistics with Special Reference to Biological Sciences, Mc Graw Hill. Co. Inc. New York, Toronto and London.

- ***Suh – JK (1989):***

Corm formation in gladiolus as influenced by dormancy breaking methods and cormel planting and corm harvesting dates. Abstracts – of – Communicated – papers – Horticulture – Abstracts, - Korean - Society – for – Horticultural – Science. 7:1, 158 – 159.

- ***Suh – JK; Kwack – BH (1990):***

The corm formation of *Gladiolus as* influenced by dormancy-breaking methods, cormel planting and corm harvesting times. Journal – of – the Korean – Society – for – Horticultural – Science. 31: 3, 294 – 299.

- ***Sun – WQ; Lu – YS; Hu- QH; Wu – SJ. (1991):***

The effect of PP333 on mineral uptake by Narsissus plants. Acta – Horticulturae – Scince, 18 (3): 275 – 277.

- ***Suskov, K. L., and Lapteva, A. V., (!969):***

The effect of temperature during summer dormancy on organogenesis in bulbous *Iris*.

Vestn. Akad. Nauk. Kaz. SSR, 1969, No. 11, pp. 67-69

(Russian, from Ref. Z. (Rasten.), 1970. Abstr. 7. 55. 7767.

(C. F. Hort. Abst. (1971), Vol. 41 , 4419).

- **Unamma, R. P. A.; Orkwor, G. C. and Igbokwe, M. C. (1987) :**
Evaluation of chemical seedbeds and preemergence herbicides for weed control in sweet potato maize intercrops. National Root Crops Res. Inst., Umudike, Nigeria. Proc. of the Third Triennial Symp. of the Interna. Soc. for Tropical Root Crops. Africa Branch, held in Owerri, Nigeria, 17 – 23 Aug. (C. F. The Commonwealth Agricultural Bureaux Abstracts, Dialog File No. 89 – 243156).

- **Vreeburg – P.J.M.; and Dop – A.J. (1990):**
Culture of *Narcissus tazetta* “Ziva” in the Netherlands. Acta – Horticulturae. No. 266, 267- 272; Fifth international Symposium on Flower Bulbs, Seattle, Washington, USA.

- **Wahba, H. E. S. (1989):**
Some physiological studies on growth, flowering and essential oil of *Polianthes tuberosa* L. Ph.D. Thesis, Faculty of Agric. Science at Moshtohor, Zagazig Univ.

- **Wainwright, H. and Irwin, H. L. (1987):**
The effect of paclobutrazol and pinching on *Antirrhinum* flowering pot plants. J. Hort. Sci, 62 (3) : 401 – 404 (Ornamental Hort., 13 (10) : 1410).

- **Wang, T. Y. (1990) :**

Effect of growth regulating substances on growth of *Hibiscus* treated with uniconazol. Proc. 87th. Ann. Meet. Amer. Soc. Hort. Sci., 25 (9) : 1125.

- **Wang, L; Shun, W. and Li, Y. (1990):**

A preliminary study on dwarfing effect of paclobutazol on *Narcissus* plant and its possible mechanism. Acta-Horticulture. Sincia, 17 (4) : 313-315.

- **Whealy, C. A.; Nell, T. A. and Barrett, J. E. (1988):**

Plant growth regulator reduction of by pass shott development in Azalea. Hort. Sci., 23 : 1, 166 –167.

- **Whipker –B.E; and Hammer-PA (1997):**

Efficacy of ancymidol, paclobutrazol, and uniconazole on growth of tuberous – rooted *Dahlias*. Hort-Technology, 7: 3, 269 –273.

- **White, J. W. (1990):**

Garden bulb crops as pot plants using growth regulators. Bullet. Pennsylv., Fl. Grow., No. 402: 1-4.

- **Willey, R. W. (1979):**

Intercropping, its importance and research needs. Agronomy and Research Approaches. (Part 2). Field crop Abst., 32 : 73 – 85.

- **Winter, J. A. T. (1974):**

The effect of planting time on crop development and bulb yield in ZeelandBloem bollen, 84. 1103 (Hort. Abst., 45: 3363).

- **Winter, J.A.T.(1986) :**

Flowering in Ixia: influence of storage temperature and planting date under natural and artificial lighting. Acta – Horticulturae. No. 177, Vol. 11.

- **Yahel – H; and Sandler – D. (1986) :**

Retarding the flowering of *Narcissus tazetta* cv. ‘Ziva Acta – Horticulturae. No 177, Vol. 1, 189 – 195.

- **Yahel – H; Sandler -Ziv-D; Ron-M; Ziv-DS. (1990):**

Growth retardants for flowering pot plant production of *Narcissus* “Grand Soleil Dior”. Acta-Horticulturae, No. 266. 205-210.

- **Yoro, J. Y. (1987):**

Agronomic and physiological response of tobacco (*Nicotiana tabacum* L.) intercropped with some annual upland crops at two spatial arrangement (Philippines). M. Sc. Thesis in Agron, Los Banos, College, Laguna (Philippines). (C.F. The Commonwealth Agricultural Bureaux Asbtracts, Dialog File No. 89 –085226).

- ***Yue – D, Komi – Y and Imanishi – H (1988) :***

Effect of ethylene exposure on flowering of Dutch Iris “ Blue Magic” grown in the open. Journal – of – the – Japanese – Society – for – Horticultural – Science, 59 (3): 481 – 486.

- ***Yue – D.; Kusumoto, S. and Imanishi, H. (1991):***

The method of pre-cooling to improve flower quality of forced *Dutch Iris* cv. Blue Magic. Journal of the Japanese –Society for Horticultural Science 59:4, 781-785 (Ornamental Hort., 810 : 863).

- ***Zizzo – G; Facella – G; and Agnello – S (1999):***

Tuberose, Effect on flowering of planting date and bulb size. Colture – Protette. 28 : 4, 71 – 74.