




REFERENCES

6. REFERENCES

- A.O.A.C. (1990):** official methods of Analysis of Association of official Analytical chemists. Pub. A.O.A.C. INC. swite 400,22201 USA. fifteenth Ed.(1990); PP: 62-63, 236 and 877-878.
- Abd EL-Latif, T.A. (2002):** Effect of organic manure and biofertilizer on caraway plants (*Carum carvi*, L.). J. Agric. Sci. Mansoura Univ., 27 (5): 3456-3468.
- Abd El-Malik M. H. (2004):** Effect of some chemical and bio-fertilization treatments on growth yield and active ingredient of *Tagestes minuta*, L. plants Ph.D Thesis, Fac. Agric. Minia Univ. Egypt .
- Abd EL-Naeem, I. M. A. (2008).** Response of caraway plants to some organic and biofertilization treatments M.Sc. Thesis, Fac. Agric. Minia Univ., Egypt.
- Abdel-Kader, H. and G. Ghaly Nawal (2003):** Effects of cutting the herb and the use of Nitroben and Phosphorine associated with mineral fertilizers on growth, fruit and oil yields, and chemical composition of the essential oil of coriander plants (*Coriandrum sativum* L.) J. Agric. Sci. Mansoura Univ., 28 (3): 2161-2171.
- Abd-El-Latif (2002):** Effect of organic manure and biofertilizer on caraway plants. J. Agric. Sci. Mansoura Univ., 27 (5) : 3463-3472, 2002 ,

- Abd-EL-latif. T.A.; G. Salem Amal N. G. Ghaly (2002).**
Effect of chemical and bio nitrogen fertilizers on chamomile plants (*Matericaria chamomilla* L.) .J. Agric. Sci., Mansora univ., 27(3) : 1757-1771.
- Abdo, A. E. (1972).**"Growth of *Cupressus sempervirens* seedlings as affected by chemical fertilization". M.Sc. Thesis. Fac. Agric., Cairo Univ.
- Abdou, M. A. (2002):** Influence of NPK and micronutrients on growth, flowering and chemical constituent of borage (*Borago officinalis*, L) plants grown in sandy soil. Minia. J. Agric. Res & Dev., 22 (2): 1659 – 1672 .
- Abdou, M. A. H.; EL-Sayed, A. A.; Badran, F. S. And salah EL-Deen, R. M. (2004b)** . Effect of planting dendity and chemical and biofertiliztion on vegetative growth, yield and chemical composition fennel (*Foeniculum vulgare*, miller). 11- effect of NPK chemical fertilization and biofertilization teartments Annals of Agric. Sci. Moshtohor, 42(4): 192-937.
- Abdou, M. A. H.; EL-Sayed, A. A.; Badran, F.S. and saleh EL-Deen, R. M. (2004b).** Effect of planting density and chemical and of fennel (*Feniculum vulgare*, miller). 11- effect of NPK chemical fertilization and biofertilization treatments. Annals of Agric. Sci. Moshtohor, 42(4): 192-937.
- Abdou, M. A.H. and El-Sayed, A.A. (2002):** Effect of planting date and biofertilization treatments on growth and yield characters of *Carum carvi*, L. 1- proc. 2nd Hort. Sci.

Conf., Egypt. 10- 12 Sept. 2002, Kafr El-Sheikh , Tanta Univ .

Abdou, M.A. (2002): Influence of N P K and micronutrients on growth, flowering and chemical constituents of borage (*Borago officinalis*, L) plants grown in sandy soil. Minia J. Agric. Res. & Dev ., 22(2):1659-1672.

Abdou, M.A.H.; Badran, F.S. and Hassanein, M.M. (2003): Response of *Calendula officinalis*, L. plants to some agricultural treatments. I-Effect of nitrogen fertilization sources and rates. Minia J. Agric. Res. & Dev., 23(1):21-36.

Abo EL-Ala (2002): Biofertilization techniques used for improving production of some medicinal plants in desert soil . Ph.D. Thesis, Inst. Environ. Studies and Res. Ain Shams Univ., Cairo Egypt.

Abo-Hassan, A. A.; Zeawail, E. F. and Souidan, A. A. (1994). "Effect of different planting substrates and dates on rooting potential of *Ficus infectoria* cuttings". Annals of Agricultural Science, Moshtohor, 32(2) 973 - 986. (Hort. Abst. 66 : 6218).

Abou-Dahab, A. M.; Y. Shafiq and M. O. Abdallah (1978). "The influence of fertilizer on the growth and development of *Pinus brutia*, L. seedlings. Res. Bult. 90 Fac. Agric., Ain Shams Univ. May 1978.

Abou-Dahab, T. A. M. (1992). "Effect of growing media and chemical fertilization on growth and chemical

composition of *Chlorophytum comosum*. Thund and *Asparagus sprengeri* L. plant. M.Sc. Thesis, Fac. of Agric., Cairo Univ.

Accati, E. G. and Volpi, L. (1975). "The effect of different substrates on rooting subsequent development of *Codiaeum* and *Dieffenbachia* under glass". *Annali dIF Istituto Sperimentle per la floricoltura*, 6(1): 113 - 126. (Hort. Abst. 47 : 11665).

Adel –Malik, M.H.(2004): Effect of some chemical and bio fertilization treatments on growth, yield and active ingredient of *Tagetes minuta*, Lplants. Ph. D. Thesis, Fac. Agri. Minia. Egypt.

Agina, E. A.; Attoa, G. I. and EL-Khayat, A. S. (2001). Physiological and chemical response of *Nigella sativa*, L. plants, grown of lemongrass (*Cymbopogon citrates*). Plants to some mineral fertilizers. *Annals of Agric. Sci.*, Moshtohor, 39(2): 1067-1088.

Agut, A. (1984). "Response of *Pothos* in ten greenhouse media". *Acta Horticulture* No. 150 : 247-253.

Agut, A. and Hartley, D. E. (1981). "Plant growth in greenhouse media Containing Colorado Peat". *Research Bulletin Colorado Greenhouse growers, Associations*?8, 4pp. (Hort. Abst. 52 : 5536).

Ahmed, E. F. A. (2007). Evaluation of certain fertilizing programs on anise and black cumin plants. PH.D. Thesis. Fac. Assiut Univ. Egypt.

- Ahmed, F. A. (2001):** Response of pot marigold (*calendula officinalis* L) plants to some rock phosphate sources and yeast. 5th Arab. Hort. Conf., Ismailia, Egypt, pp : 31 - 41
- Ahmed, Sh. K., Ali, A. F. and Khater, M. R. (2001):** Effect of salinity treatments and active yeast on growth and active ingredients of *Ambrosia maritime*, L. proceeding of the Fifth Arabian Horticulture Conference. Ismailia. Egypt, March 24 – 28 – 2001: 127 – 224
- Al-Bahrany, A. M.; Abou Dahab, A. M. and Al-Ghamdi, A.S.** "Effect of chemical fertilization on growth of *Schefflera* plant (*Schefflera actinophylla*)". Bulletin of Faculty of Agriculture, University of Cairo 42 : 1401-1417. (Hort. Abst. 62 : 7505).
- Albery, P. E. (1975).** "Sawdust as a container growing medium" Combined of the International Plant Propagators Society 25, 272-275 (Hort. Abst. 47:7602).
- Ali, F. A. (2000).** Studies on production of *Nigella sativa*, L. and *Ocimum basilicum*, Sims and effect of their oils as adjuvant and food and mouth disease vaccine. Ph.D. Fac. Agric. Cairo univ., Egypt.
- Ali. Aisha H. (2000):** Effect of some sources of phosphorus fertilizer on the growth and yield of cowpea plants. J. Agric. Sci. Mansoura Univ., 25 (4): 2357-2368.

- All, M. S. (1991)."Effect of growing media on growth of *Chlorophytum comonosum* "Variegatum" and *Ficus benjamina*. Egypt. J. Sc. 6 (4) :307-319.
- Al-Sharief, A. M. O. (2006): Response of caraway plants grown in sandy soil under drip irrigation system some biofertilization and antioxidant treatments. M. Sc Thesis. Fac. Agric. Minia Univ . Egypt.
- Aly, M. K., Mohammed, M. A. H., Attia, F. A., El-Sayed, A.A. and Abd El-Gawad, M.A.I. (2007b): Effect of some organic and biofertilization treatments on coriander plants. 2-Chemical composition. The 1st Inter Conf. Desert. Cultivation, Minia Univ., Egypt , March 27 – 29 in press.
- Anuradha, K.; Pampapathy, K. and Narayana, N. (1988). " Effect of N and PiOs on the nutrient composition and uptake by Marigold". South India Horticulture 36 (4): 209-211. (Hort. Abst. 60: 7443).
- Arno, J. and Soliva, M. (1985). "Behaviour of two different composts used as substrates". Acta Horticulturae (172), 133-140. (Hort. Abst. 56 :455).
- Ashraf, M.; Ali, Q. and Iqbal, (2006): Effect of nitrogen application rates on the content and composition of oil, essential oil and minerals in black cumin (*Nigella sativa*, L)seeds .J. Food sci. and Agric .,86(6):871-879.
- Attia, F. A. and Saad, O. A. (2001): Biofertilizers as partial alternative of chemical fertilizer for catharanthus

ronseus. J. Agric. Sci. Mansoura Univ., 26 (11) : 7193 – 7208 .

Ayat, (2007): Effect of fertilization with macro, micro nutrients and antioxidants on conriander(*coriandrum sativum*, L.) plants grown in new reclaimed. M.Sc Thesis, Fac. Agric Minia Univ. Egypt.

Badawi, A.M.A. (2000). Effect of some agricultural treatments on growth and active ingridents in roselle plants in North Sinai, Ph.D. Thesis. Fac. Agric Ain Shams Univ.

Badawi, A.M.A. (2000): Effect of some agriculture treatments on growth and active ingredients in roselle plants in North Sinai. Ph.D Thesis, Ain Shams Univ. Egypt.

Badran, F. S.; Attia, F. A.; Ahmed, E. T. and Soliman, H. S. (2003 a): Effect of chemical and biological fertilization on growth, yield and oil production of anise (*pimpinella ansium*, L.) plants I Effect of different potassium and phosphorus fertilization retes. Proc. 1st Egypt & syr. Conf. for Agric & food, El-Minia: Dec. 8– 11, 2003, 1 (1) : 103- 112 .

Beel, E. and Herregods, H. (1972). "Additional data on the substrate and nutrition of Philodendron". B.V.O. Mededelingen, 74 : 5 (Hort. Abst. 43: 4679).

Beel, E. and Piens, G. (1984). "Irrigation systems and their influence on the quality of azelea plants". Verbondsnieuws voor deBelgische sierteelt 28 (17) 825-831. (Hort. Abst. 55 : 3745).

- Beel, E. and Herregods, H. (1970). "Vegetative propagation and manuring of *Philodendron* cuttings". B.V.O. Mededelingen, 57 (4). (Hort. Abst. 42: 1829).
- Beel, E. and Schelstraete, A. (1980 a). "The culture and fertilizer trials on *Calatha ornate?*". Verbondsnieuws voor de Belgische Serteelt. 24 (19): 763-764 (Hort. Abst. 51 : 3793).
- Beel, E. and Schelstraete, A. (1980). "Culture and fertilizer trials on *Dieffenbachias*". Verbondsnieuws voor de Belgische sierteelt, 24 (13) 505-509 (Hort. Abst. 51: 2040).
- Bhuvaneshwari, F.; Sreeramu, B. S. and Srinivasa, K.N.(2003) influence of nitrogen, phosphorus and potassium levels on growth, seed yields essential oil content in anise (*Pimpinella anisum*, L) journal of spices and aromatic crop, 11(2):112-117.(Hort. ABST., 73(12) 11071.
- Broschat, T.K. (1982). "Effect of container size and fertilization rate on quality of three species of foliage plants. Proc. Fl. Hort. Soc., 94 : 113-144 (Hort. Abst. 52: 1157).
- Brown, J.D. and O- lilland (1946): Rapid determination of potassium and by flame photometry. Prof. Amer. Soc., Sci., 73, 813.
- Cappaert, L.; Verdonck, O. and Boodt, M. de. (1973). " Bark waste as a growing medium for plants". Mededelingen-

van-de-Faculteit Landbouwwetensch: appen
Rijksuniversiteit, Gent. 38 : 2013- 2022.

Cardos, G.; Cerny –Koenig, Koenig and Jelgren (2007):
characterizing fertilizer and media ph requirments for green
house.Native –plants –J. 8(2):114-121.

**Cardosso, G.; Cerny – Koenig, T.; R. Koenig and R.
Kjelgren. (2007):** Characterizing Ferticizer and mealra
ph require ments for green house. Native Plants J. 8 (2)
: 114-121

Carrion, M. and Vinent, E. (1986). "Different levels of
nitrogen application on henequen. I. Effect on growth
and yield". (Hort. Abs. 58 : 2321).

Chase, A. R. (1988). "Effect of fertilizer rate on growth of *Ficus
lyrata* ,and susceptibility to *Pseudomonas chichorii*".
HortScience, 23 (1) : 151-152 (Hort. Abst. 58 : 4398).

Chase, A. R. and Poole R. T. (1987). "Factors affecting growth
of Fatsia " Foliage Diegest. Agric. Res. Edu. Cent (Hort
. Abst. 57 : 4674).

Chmid, H. and W. Stasiak (1997): Effectted of different
Hydrogels as said amemdents engrowth of five fern
species J. article, zeszyty, 449:31-42 .

Chmiel and Stasiak (1997): Effect of different hydrogels as soil
amendments on the growth of five fern species –J-Article ,
Zzeszyty, 449:31-42.

- Conover C. A. and Poole R. T. (1976).** "Influence of nutrition on yield and chilling injury of *Sansevieria*". Proceedings of the Florida state Horticultural society 89 : 305-307.
- Conover C. A. and Poole R. T. (1986).** "Physical and chemical characteristics of potting media containing Solite". Foliage Digest 9: (8) 4-6. (Hort. Abst. 56 : 9875).
- Conover C. A. and Poole, R. T. (1974a).** "Influence of shade, nutrition and season on growth of *Aglaonema*, *Maranta* and *Peperomia* stock plants". Proceedings of the Tropical Region. American Society for Horticultural Science. 18 : 280-287. (Hort Abst. 48 : 685).
- Conover C. A. and Poole, R. T. (1975).** "Influence of media and fertilizer rates on *Aglaonema* "Fransher" Proceedings of the Florida State Horticultural Society 1974, 87: 431-435 (Hort. Abst. 46 : 8584).
- Conover C. A. and Poole, R. T. (1979a).** "How shade and fertilizer levels affect acclimatization". Amer. Nurse., 147 : 90-92 (Hort. Abst. 49 :1371).
- Conover C. A. and Poole, R. T. (1986a).** "Nitrogen source effect on growth and tissue content of selected foliage plants". HortScience 21 (4): 1008-1009.
- Conover, C. A. and Poole, R. T. (1975a).** "Influence of shade and fertilizer levels on production and acclimatization of *Dracaena marginata* ". Proc. Fla. State Hort. Soc. 88 : 606-608.

Conover, C.A. (1992). Foliage plants. Introduction to Floriculture, 2nd Edition. Academic Press, Inc. pp 571-527.

Conover, C. A. and Poole, R. T. (1972). "Influence of shade and nutritional levels on growth and yield of *Scindapsus aureus*, *Cordyline terminalis* Baby Doll and *Dieffenbachia exotica* " Proceedings of the Tropical Region. American Society for Horticultural Science, 16: 277-281. (Hort. Abst. 44 : 6895).

Conover, C. A. and Poole, R. T. (1977 a). "Effect of cultural practices on acclimatization of *Ficus benjamina* L". J. Amer. Soc. Hort. Sci. 102 (5): 529-531.

Conover, C. A. and Poole, R. T. (1979 b). "Effect of light and fertilizer levels on cut foliage production". Proceeding of the Florida State Hort. Soc. 39, 210-212.

Conover, C. A. and Poole, R. T. (1979). "Influence of a Florida humate on foliage plant growth ". Soil and Crop Sci. Soc. of Fla. Proc. 38,5-7.

Conover, C. A. and Poole, R. T. (1980). "Interior quality of *Dracaena angustifolia* Roxb. "Honoriac" as influenced by light and fertilizer during production ". HortScience 15 : 1, 24-26.

Conover, C. A. and Poole, R. T. (1983). "Sedge moss peat, Solite, and Melaleuca quinquenervia as potting medium components for shade house production of foliage

- plants". HortScience 18 (6) 888-890 (Hort Abst. 54: 4690).
- Conover, C. A. and Poole, R. T. (1987).** "Influence of fertilizer source, rate and application method on growth of *Brassaia actinophylla* and *Viburnum odoratissimum*". Proc. Fl. Stat. (98) : 82-85 (Hort. Abst. 57 : 1308).
- Conover, C. A. and Poole, R. T. (1988).** "Growth of foliage plants in differentially compacted potting media". Journal of the American Society for Horticultural Science, 113(1):65-70. (Hort. Abst. 58:2252).
- Conover, C. A. and R. T. Poole (1977).** " Influence of potting media and fertilizer source and level on growth of foliage plants on capillary mats" . Proc. Fla. State Hort. Soc. 90, 316-318.
- Conover, C. A.; and Poole, R. T. (1974).** "Influence of shade and fertilizer source and level on growth, quality and foliar content of *Philodendron oxycardium* Schott ". J. Amer. Soc. Hort. Sci. 99 (2) : 150-152.
- Conover, C. A.; Poole, R. T. and Nell, T. A. (1982).** "Influence of intensity and duration of cool white fluorescent lighting and fertilizer on growth and quality of foliage plants". Journal of the American Society for Horticulture Science (1982) 107 (5) 817-822. (Hort. Abst. 53 : 2788).
- Crockett, J. U. (1975).** "Foliage House Plants ".90-91 / 98. Time Life Books, New York.

- Dessouky, M. M. (2002):** A comparative response of *Borago officinalis* L. plant to the biochemical fertilization and adenosine triphosphate (ATP) treatments, Bull Fac. Agric., Cairo Univ., Egypt 53: 613 – 638.
- Devlin, R.M. (1972):** Plant Physiology 3th ed., Affiliated East-West Press Pvt. Ltd., New Delhi.
- Driessche, R. Van. Den. (1977).** "Relationship between Douglas Fir seedling growth and levels of some soil". Forst. Abst. Vol. 31 (2).
- Dumintrascu, M., Stanica A. G. Petical, V. E . Davidescus, and R.M. Madjar. (2003):** Rooting of Evergreen stem cuttings In Different Substrates . Acta Hort . 608 : 267-271 .
- Eccher, T. and Villani, G. (1973).** "The use of a foliar fertilizer for *Cordyline terminalis*". Informatore Agrario, 29 (20): 12484 -12487.
- EI-Fadaly, H. G. (1994).** "Effect of chemical fertilization and gibberellic acid treatments on growth, flowering and chemical composition of *Jasminum sumbac* L. Plants". M. Sc. Thesis, Fac. of Agric., Cairo Univ.
- EI-Kiey, T. and EI-Mana, F. (1989).** "Response of three selected foliage plants to different nutritional regimes". J. Agric. Res. Tanta Univ., 15 (4): 683-689.
- El- Gendy W. N: A. M . Hosni : S.E.Saleh and M.A. Zaghloul (1995):** Effect of different levels of nitrogen fertilization

on the growth of *Dracaena draco* (Darke). Ann . Agric . Sci ., 40(2) : 867-876 .

El -Hinidi, K.M. and El-Boraie, E.A. (2004): Effect of spraying active yeast on growth and storage period on the essential oil of marigold plant (*Tagetes minuta*, L). J. Agric Sci. Mansoura Univ., 29(11):6455-6468.

El-Afaghani, S. A. (1981). "Effect of soil mixture on the growth of *Eucalyptus camaldulensis* and *Cupressus sempervirens* transplants in the nursery". M. Sc. Thesis, Fac. Agric., Al-Fateh Univ., Tripoli, Libya.

El-Agamawy, H. M. (1981). "Effect of chemical fertilization and Light intensity on Production of drug and essential oil of pain plants *Melissa officinalis* L". M. Sc. thesis Fac. Agric. Cairo Univ.

El-Deeb, Ehsan E.A. (1999): Physioligical studies on peperomia obtusifolia L. and Scindapsus aureus schott plants plants . M Sc. Thesis , Fac . Agric., Cairo Univ .

El-Fouly, Amal S. (1994): Physiological studies on *Peperromia obtusifolia* L. and *Scindapsus aureus* Schott plants. M.Sc. Thesis, Fac. Agri., Cairo Univ.

El-Gendi, W. M. N.; Hosni, A. M.; Saleh, S. E. and Zaghloul, M. A. (1995). "Effect of different levels of nitrogen fertilization on the growth of *Dracaena draco* (drake)". Annals of Agriculture Science (Cairo) 40 (2) 867-876.

El-Gendy, W. M. N.; A. M. Hosni; S. E. Saleh and M. A. Zaghloul (1995): Effect of different levels of nitrogen

fertilization on the growth of *Dracaena draco* (Drake).Ann. Agric. Sci., 40(2):867-876.

El-Kasnlan, Salwa. H. (2001): Physiological studies on reselle (*Hibiscus sabdariffa* L.) Ph. D. Thesis, Fac. Agric., Kafr El-Shikh, Tanta University , Egypt.

El-Khayat, A. S. and Zaghloul, R.A.(1999): Biofertilization and organic manuring efficiency on growth and yield of caraway plants (*Carum carvi*, L.) Annals of Agric. Moshtohor, 37(2):1379-1397.

El-Sayed, B. A. (1994). "Effect of media and nitration on some ornamental plants. M. Sc. Thesis Fac. of Agric., Moshtohor, Zagazig University.

El-Shayeb- Nahed (2009). Physiological studying on oenothera biennis (Evening primrose). Ph.D. Thesis Fac. Of Agric., Moshtohor, Benha university.

Farina, E.; Mosci, M.; Pasini, C. and Volpi, L. (1985). "Experimental results concerning the use of worm compost in floriculture". Annali delP Istituto Sperimentale per la floricultura 16:1, 81-92.

Farmer, R. E. (1971). "Effect of nitrogen and phosphorus fertilization on juvenile growth of plants yellow popular on an erodid old field". Soil and Fertilizer 34 : 928.

Gad, W.M. (2001): Physiological studies on foeniculum vurlgare, mill. And Anethum Graveolens, L. M.Sc. Thesis, Faculty of Agric., Kafr El-Shekh , Tanta Univ ., Egypt .

- Gomaa, A. O. and H. E. Abou – Aly (2001):** Efficiency of bioferilization in the presence of both inorganic and organic fertilizers on.
- Grantzau, E. (1995).** "Wood Fibre substrates are also suitable for foliage plants". *Gartenbaumagazin* 4 (12) 20-21. (Hort Abst. 66: 8825).
- Haber, Z. and Kalwinska, A. (1982).** "Effect of nutrient concentration of the decorative value of some ornamental species in water-gravel culture". *Roczniki Akademi I Rolniczej w Poznaniu. Ogrodnictwo*, 137 (10): 69-76 (Hort. Abst. 53 : 5234).
- Haber, Z. and Kalwinska, A.(1982).**Effect of nutrient concentration of the decorative value of some ornamental species in water –gravel culture *Roczniki AKademi I Rolniczej W Poznaniu Ogrodnictwo*, 137(10):69-76(Hort .Abst.53;5234).
- Habib, A. (1992).** "Effect of planting media and chemical fertilization on growth and composition of Geranium. M. Sc. Thesis Ornam. Hort. Fac. of Agric., Cairo Univ.
- Hafez, Y.A. (2003):** Effects of sow spacings, nitrogenous and biofertilization treatment on growth, yield and chemical composition of *Borago officinalis*, L.Ph.D. Thesis, Fac. of Agric., Fayoum , Cairo Univ ., Egypt .
- Haggag, A. A. (1987).** "Studies on propagation methods of *Ficus elastica* var. *decora*". M. Sc. Thesis, Fac. Of Agric., Ain Shams Univ.

- Hamed (2004).** Studies on planting of some medicinal plants in the desert. M.Sc. Thesis, Fac. Agric. Kafr-El.Sheikh, Tanta. Univ, Egypt.
- Hammad, H. H. (1994).** "Physiological studies on the growth of some tree seedlings". M.Sc. Thesis. Fac. Agric. Moshtohor, Zagazig Univ.
- Hanger B-B and A- Brown (1985):** Liquid reading of meiden hour fern (*Adiantum raddranum*) art. Australian – Hart 83 (12) : 60-63 .
- Harbert, D.; Phipps, P.T. and P.E. Strange(1971):** Determination of total carbohydrates, methods in microbiology, 5(8):290- 344.
- Hassan, A. M. A. (1996):** Effect of chemical fertilization , growth media and gibberllic acid on growth of *Aspidistra eltiior* Blume. M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Hedage, D. M.; Dwivedi, B.S. and Sudhakara, B.S.S. (1999):** Biofertilizers for cereal production in India J.Agric .Res .69(2):73-83.
- Hemdan, S.H.O. (2008).** Effect of some organic and biofertilization treatments on anise plants. M.Sc. Thesis, Fac. Agric. Minia Univ., Egypt.
- Hipp, B. W.; Colbaugh, P. F. and Dileo, M. (1979).** "Influence of fertility and moisture level on growth of *Chlorophytum*". Hort. Science, 14 (1): 65-66.

- Hornis, A.; Leinfelder, J. and Rober, R. (1983).** "Blahton and Blahschiefer are better than chamotte. A comparison of various substrates in hydroculture". Deutscher Gartenbau, 37 (26): 1202-1204. (Hort. Abst. 54 : 233).
- Ibrahim Zahira, T.Z. (2000):** Effect of some cultural practices on growth and chemical composition of some medicinal plants under conditions of northern Sinai. Ph. D. Thesis, Fac. Agric. Kafr El-Sheikh Tanta Univ.
- Ibrahim, T.Z.(2002):**Effect of cultural practices on growth and chemical composition of some medicinal plants under conitions of Northeern Sinai. Ph.D. Thesis, Fac. Agric. Kafr El-Sheikh, Tanta Univ., Egypt.
- Ibrahim.S.M.(2002):** Effect of seeding rate and biofertilization on fennel (*foeniculum vulgare*, Miller) plants. M.Sc. Thesis, fac Agric., Minia Univ., Egypt.
- Jimenez, J.; Castillo, J. L.; Ruiz, V.; Martell, R. and Govin, F. (1987).** "Resposne of Sisal (*Agave fourcroydes*) to N, P, K and Ca application in a typic red ferrallitic soil". Cienciay Tienicaen la Agricultura, Suelos y Agroquimica 10 (2) 55-61. (Hort Abst. 59: 3258).
- Joiner, J. N.; Conover, C. A.; Poole, R. T.; Johnson, C. R. and Ramcharam, C. (1978).** "Effects of ancymidol and N, P, K, on growth and appearance of *Dieffenbacia maculata* Baraquiniana". HortScience, 13 (2): 182 - 184.
- Kandeel , Y.M.R. (2004).**Effect of bio organic and chemical fertilization on growth ,essential oil productivity and

chemical composition of *Ocimum basilicum*, L. plant,
Annals of Agri. Sc., Moshtohor. 24(3): 1253-1270.

Kandeel, Y. M.; Manesy, F. A., Khalafalla, M. M. and Gad, W. M. (2004a): Effect of some commercial bio fertilizers on growth, seed volatile oil yield and chemical composition of *Anethum graveolens*, J. Agric .Res .Tanta univ 30(3):705-720.

Kandeel, Y. M.; Nofal, E. S.; Menesi, F.A.; Reda .K.A.; Taher, M. and Zaki, Z. T. (2001): Effect of some cultural practices on growth and chemical composition of same medical plants in Northern Sinai – *Foeniculum vulgre*, Mill. Proc Fifth Arabin Hort. Conf . Ismailia Egypt March 24 – 28, 2001.

Kandeel, Y.M.; Menesy, F.A.; Khalafalla, M. M. and GAD,W.M. (2004b): Effect of some commercial on growth .seed, volatile oil and chemical composition of *foeniculum vulgare*, Mill. J Agric. Res. tata Univ.,30(3):721-737.

Kandeel, Y.R.; E.S., Nofal; F.A. Menesi; K.A. Reda; M. Taher and Z.T. Zaki (2001). Effect of some cultural practices on growth and chemical composition of *Foeniculum vulgure* Mill. Proc. fifth Arabian Hort. Conf. Ismailia, Egypt, March 24-28.pp.61-72.

Kausch, W. and Haas, W. (1967). "More slits and holes in the Monstera leaf through increased mineral salt application". Naturwiss-enschaften. 54 : 24 (Hort. Abst. 37 : 3383).

- Kenawy, A. G. (2005):** Effect of some biofertilization treatments on the growth, yield and chemical composition of *Hibiscus sabdariffa*, L. plants .M.Sc. Thesis .Fac.Agric. Minia Univ.,Egypt.
- Korkar, H. M. M. (1996).** "Physiological studies on some ornamental plants". M.Sc. Thesis Fac. of Agric. Moshtohor, Zagazig University.
- Koval'skaya, L. A. and Zaimenko, N. V. (1991).** "Choice of substrate and mineral fertilizers for *Dendrobium phalaenopsis* Fitzg seedlings of different ages".(Hort. Abst. 64 : 3837).
- Lai, ML.; Shu, S. T.; Mao, C. P. and His, Y. G. (1975).** "The effect of fertilizers applied to sisal grown in acid soil". Taiwan-Agriculture-Quarterly (1975) 11 (2), 44-54.
- Lamanna, D.; Castelnovo, M. and D'Angelo, G. (1991).** "Compost-based media as alternative to peat on ten pot ornamentals". Acta Horticulturae 294. 125-129. (Hort. Abst. 63 : 5972).
- Lammers, S. M. (1982).** All about House Plants. Ortho Books, San Ramon, CA 94583.
- Larsen, P.; A. Harbo; S. Klungsour and T. Aasheim.(1962).** "On the biogenesis of some indole compounds in *Acetobacter Xylinum*" Physiol. Plant, 15:552-565.
- Maene, L. J. and Debergh, P. C. (1982).** "Stimulation of axillary shoot development of *Cordyline terminalis* "Celestine aucen" by foliar sprays of 6-

benzylaminopurine". HortScience (1982) 17 (3) 344-345.

Magnani, G. and Malorgio, F. (1996). "Fertilization of Pothos". Colture Protette 25 (2) 107-112. (Hort. Abst. 66 : 4364).

Mahfouz, S.A. (2003): Effect of bio- fertilization on growth and oil production of marjoram (*Majorana hortensis* Moench.) Ph.D. Thesis , Fac . Agric . Cairo Univ .

Mansour, H. A. (1985). "Effect of some cultural practices on the production of *Aspidistra lurida* and two *Chamaedorea species*". M. Sc. Thesis, Fac. of Agric., Cairo Univ.

Mansour, S. A.(2002): Effect of bio fertilizer (nitrobein)and mineral nitrogen fertilizer levels on growth and productivity of sweet potato plant . J.Agric. Sci. Mansoura. Uni ., 27(10):6961-6972.

Mansour, S.A. (2002): Effect of biofertilize (nitrobein) and mineral nitrogen Fertilizer levels on growth and productivity of sweet potato plant. J. Agric. Sci. Mansoura. Univ., 27 (10): 6961- 6972

Marconi, A. F. and Nelson, D. R. (1984), "Effect of different media on vegetative growth of *Dieffenbachia*". Scientia Agricola, 51,2,292-297.

Martinez, F. X.; Sant, M. D. and J. F. Aguita (1982). "Effect of growing media and slow fertilizer rate on the growth

of *Dieffenbachia exotica* cv. Perfecta". (Hort. Abst. 53 : 479).

McConnell, D. B. and Shiralipour, A. A. (1991). "Foliage plant growth in potting mixs formulated with composed yard waste". Proceedings of the Florida State Horticultural Society, 104 : 311-313.

McConnell, D.B. (1988). "Container size and potting medium affect growth rate of weeping fig and loquat". Proceedings of the Florida State Horticultural Society, 100, 337-339. (Hort. Abst. 59 : 4107).

Milks, R. R.; N. J. Joiner, L. A. Garard; C. A. Conover, and B. Tjia (1979). "Influence of accumulation of carbohydrate production and translocation of *Ficus benjamina* L.". J. Amer. Soc. Hort. Sci. 104 : 410-413.

Mohamed, S. M. (1992). "Physiological studies on *Livistonia chinensis*, "Effect of media and foliar nutrition on the vegetative growth". Annals of Agriculture Science ,Moshtohor 30 (1) 543 - 554.

Mohsen ,M.M.A(2002):Sweet basil herb and oil production as affected by chemical and organic fertilization .M.Sc.Thesis, Fac.Agric., Cairo Univ., Egypt.

Mohsen, Mai. M. A. (2002). Sweet basil herb and oil production as affected by chemical and organic fertilization. MSc. Thesis, Fac. Agric. Cairo Univ., Egypt.

Nabih, A. and M. A. El-Khateeb (1991). "Effect of different planting media and planting dates on rooting, vegetative

growth and chemical constituents of *Philodendron erubescens* cv. "Emerald Queen". J. Agric. Res., Tanta Univ. 17 (2).

Nabih, A. and Salem, M. A. (1991). "Response of *schefflera* (*Brassia actinophylla* cv. Compacta) rooting and subsequent growth to the rooting media and greenhouse types". J. Agric. Res. Tanta Univ. 17(2)438-453.

Nabih, A.; Aly, A. A. and Salem, M. A. (1992). "Rooting growth and chemical constituents of *Dieffenbachia amoena* cv. "Tropic Snow" as influenced by some rooting media and types of greenhouses". Egypt J. Appl. Sci., 7 (4) 230-254.

Niakan, M.; Khavarynejad, R. A. and Rezaee, M. B. (2004): Effects of different rates of NPK fertilizer on the leaf fresh weight, dry weight, leaf area and oil content of *Mentha piperita*, L. Iranian Journal of medicinal and aromatic plants Res., 20(2): 131-148

Niakan, M.; Khavarynejad, R.A. and Rezaee, M.B. (2004): Effects of different rates of NPK fertilizer on the leaf fresh weight, dry weight,

Nobel, P. S.; Quero, E. and Linares, H. (1989). "Differential growth responses of Agaves to nitrogen, phosphorus, potassium and boron applications". Journal of plant nutrition, 11 (12) 1683 - 1700. (Hort. Abst. 59 : 2302).

Nofal, E. S.; Y. R. Kandual; F. A. Menesi; K. A. Reda; M. Taher and Z. T. Zaki (2001). Effect of some cultural

practices on growth and chemical composition of *Ammi visnaga*. Proc.5 Arab. Hort. Conf. Ismaulia, Egypt, pp.24-28.

Osman, Y. A. H (2000). Possibility of production of coriander (*Coriander sativum* L.) under Sinai conditions. Ph.D. Thesis, Fac. Agric. Cairo University.

Osman, Y.A (2002): Possibility of production of coriandrum under Sinai conditions Ph.D. Thesis, Faculty of Agric ., Cairo Univ.

People, R. T. and C. A., Canover (1978): Fertilization of maidenhair fern *Adiantum raddianum* K m Pres) . Hart. Sci. J. Artic. B. (2): 176- 177.

Pergl, F. (1945): Quantitative organic micro analysis 4th ED. J., Achurnil, London.

Pharis, R. P. (1977). "Fertilization test with potted red Oak seedlings". U. S. D. A. Rorst. Res. Note. 144 pp. Soil and fertilizer, 40 : 1501.

Pimpini, F. (1973). "The influence of the type of substrate on the cultivation of *Pothos, Scindapsus aureus*". Rivista della Ortofloro-frutticoltura Italiana, 57 (1) 48-58 (Hort. Abst. 44 : 625).

Piper, G.S. (1947): Soil and plant analysis. The Univ. of Adelaide, Iter, Science publisher, New York, USA.

Poole and Conover (1978):Fertilization of maiden hair fern, *Adiantum raddianum* K, pres) Hort. Sci -J-Artic .13(2):176-177.

Poole and Conover (1978):Fertilization of maidenhair fern *Adiantum cuneatum raddianum* K. pres).Hort -Sci-J-Artic-13(2):176-177.

Poole R. T. and Conover, C. A. (1984). "Growth of foliage plants in various ratios of peat and sand while fertilized and irrigated at different levels". Florida, Foliage No. 5 : 3-5, U.S.A.

Poole R. T. and Conover, C. A. (1986). "Growth of *Cissus*, *Dracaena* and *Syngonium* at different fertilizer, irrigation and soil temperatures". Proceedings of the Florida State Horticultural Society 99, 268-269. (Hort. Abst. 58-5052-).

Poole, R. T. and Chase, A. R. (1986). "Growth of six ornamental plants and soluble salts of the growing media". Proceedings of the Florida State Hort. Sci (1986, Publ. 1987) 99. 278-280.

Poole, R. T. and Conover, C. A. (1979). "Melaleuca bark and solite as potential potting ingredients for foliage plants". Proceedings of the Florida State Horticultural Society, 1979 Pulb. 1980, 92, 327-329.

Poole, R. T. and Conover, C. A. (1981). "Influence of N-P-K factorial fertilization on growth characteristics and foliar

content of 4 foliage plants". *HortScience* 16 (6) *III-III*.
(Hort Abst. 52 : 5600).

Poole, R. T. and Conover, C. A. (1986a). "Growth and tissue content of foliage plants grown in various media with different micro nutrient level". *Proceedings of the Interamerican Soc. for Tropical Hort.* 147-157.

Poole, R. T. and Conover, C. A. (1987a). "Vegetative propagation of foliage plants". *Proc. Inter. Plant Prop. Soc.* 37 : 503-507.

Poole, R. T. and Conover, C. A. (1990). "Leachate electrical conductivity and pH for ten foliage plants". *Journal of Environmental Horticulture* 8 (4) 166-172 (Hort. Abst. 62: 2274).

Poole, R. T. and Conover, C. A. (1992). "Fertilizer levels and medium affect foliage plant growth in an ebb and flow irrigation system". *Journal of Environmental Horticulture* 10 (2) 81-86. (Hort. Abst. 63 :2134).

Poole, R. T. and Conover, C.A. (1987):Influence of fertilizer source and level on growth and foliar content of *Philodendron oxycardium* and *Chrysalidocarpus lutescens* *Proc. Fiar state Horti,soci.*,90:314-316.

Poole, R. T. and Henely, R. W. (1981). "Constant fertilization of foliage plants". *Journal of the American society for Horticultural Science*, 106(1): 61-63.

Poole, R. T. and Waters, R. E. (1973). "Evaluation of various potting media for growth of foliage plants". *Proceedings*

of the 85 th Annual Meeting of the Florida State Horticulture Society : 395-398. (Hort. Abst. 44 : 5933).

Poole, R. T. Conover, C. A. and Webb, P. G. (1987). "Effect of environmental factors on *Dracaena "Massangeana"* during shipping". Proceedings of the Florida State Horticultural Society 100, 340-341 (Hort. Abst. 59 :4105).

Poole, R.T. and Conover ,C.A.(1977):Influence of medium container size and water regime on growth of *Pellionia pulchra*.N.E.BR. And *Pilea involucre* (Sims) Urb.PROC. Flo. State Hort. Soci., 90:319-320 (HORT. abst, 1979(49):1369).

Prasad, M. (1980): Evaluation of wood wastes as a substrate for amomentat croups. Act . Hort . 1980 , 93-103 .

Pregl, E. (1945): Quantative Organic Micro Analysis 4th Ed J. and Churchill. Ltd. London.

Ranwell, J. F.; R. P. Frik and A. J. Mullins (1974): "A perliminry srudy on the response of timber in the Transkeint fertilization". Fert. Soc. of South Afr. J. 1:9-14. (Forest Abst. 1976:34(9)).

Rashed, N. M. M. (2002): Effect of fertilization on the growth and strability of some aromatic plants. M. Sc. Thesis, Fac. Agric. Kafr El-Sheikh, Tanta Univ., Egypt .

Regulski, F. J., Jr. (1983). "Physical properties of container media composed of a gasifier residue in combination with sphagnum peat, bark or sand". Journal of the

American Society for Horticultural Science, 108(2): 186-189.

Rodriguez, S. J. and Cibes, H. R. (1977). "Effect of five levels of nitrogen at six shade intensities on growth and leaf – nutrient composition of *Dracaena deremensis* "Warneckii", Engler". Journal of Agriculture of the University of Puerto Rico 61:3, 305-313.

Rodriguez, S. J. and Lopez, C. R. (1976). "The influence of nitrogen /-application on leaf nutrient content of *Dracaena sanderiana*". J. Agric. Puerto-Rico Univ., 60 (3): 344-347 (Hort Abst. 47: 3838).

Safwat, M.S. and Badran, F.S.(2002):Efficiency of organic and bio fertilizers ,in comparison with chemical fertilization ,on growth yield and essential oil of cumin plants, Proth 9th Conf. of medicinal and aromatic plants, Cairo., EGYPT.

Saha, N.; Das, A. C. and Mukherjee, D. (1995): Effect of decomposition of organic matter on actives of microorganisms and availability of nitrogen, phosphorud and sulphur in soil .J .of the Indian society of soil science, 43:210-215.

Saha, N.; Das, A.C. and Muherjee, D.(1995):Effect of decomposition of decomposition of organic matter on activities of microorganisms and availability of nitrogen, phosphorus and sulphur in Soil. J. of the Indian Society of Soil Science, 43: 210-215.

of the 85 th Annual Meeting of the Florida State Horticulture Society : 395-398. (Hort. Abst. 44 : 5933).

Poole, R. T. Conover, C. A. and Webb, P. G. (1987). "Effect of environmental factors on *Dracaena "Massangeana"* during shipping". Proceedings of the Florida State Horticultural Society 100, 340-341 (Hort. Abst. 59 :4105).

Poole, R.T. and Conover ,C.A.(1977):Influence of medium container size and water regime on growth of *Pellionia pulchra*.N.E.BR. And *Pilea involucrate* (Sims) Urb.PROC. Flo. State Hort. Soci., 90:319-320 (HORT. abst, 1979(49):1369).

Prasad, M. (1980): Evaluation of wood wastes as a substrate for amomentat croups. Act . Hort . 1980 , 93-103 .

Pregl, E. (1945): Quantative Organic Micro Analysis 4th Ed J. and Churchill. Ltd. London.

Ranwell, J. F.; R. P. Friek and A. J. Mullins (1974): "A perliminry srudy on the response of timber in the Transkeint fertilization". Fert. Soc. of South Afr. J. 1:9-14. (Forest Abst. 1976:34(9)).

Rashed, N. M. M. (2002): Effect of fertilization on the growth and strability of some aromatic plants. M. Sc. Thesis, Fac. Agric. Kafr El-Sheikh, Tanta Univ., Egypt .

Regulski, F. J., Jr. (1983). "Physical properties of container media composed of a gasifier residue in combination with sphagnum peat, bark or sand". Journal of the

American Society for Horticultural Science, 108(2): 186-189.

Rodriguez, S. J. and Cibes, H. R. (1977). "Effect of five levels of nitrogen at six shade intensities on growth and leaf – nutrient composition of *Dracaena deremensis* "Warneckii", Engler". Journal of Agriculture of the University of Puerto Rico 61:3, 305-313.

Rodriguez, S. J. and Lopez, C. R. (1976). "The influence of nitrogen /-application on leaf nutrient content of *Dracaena sanderiana*". J. Agric. Puerto-Rico Univ., 60 (3): 344-347 (Hort Abst. 47: 3838).

Safwat, M.S. and Badran, F.S.(2002):Efficiency of organic and bio fertilizers ,in comparison with chemical fertilization ,on growth yield and essential oil of cumin plants, Proth 9th Conf. of medicinal and aromatic plants, Cairo., EGYPT.

Saha, N.; Das, A. C. and Mukherjee, D. (1995): Effect of decomposition of organic matter on actives of microorganisms and availability of nitrogen, phosphorud and sulphur in soil .J .of the Indian society of soil science, 43:210-215.

Saha, N.; Das, A.C. and Muherjee, D.(1995):Effect of decomposition of decomposition of organic matter on activities of microorganisms and availability of nitrogen, phosphorus and sulphur in Soil. J. of the Indian Society of Soil Science, 43: 210-215.

- Sakr, W.R.A.S (2001):** Effect of some organic and inorganic fertilizers on *Mentha piperita*, L. M. Sc. Thesis. Fac. Agric., Cairo Univ., Egypt.
- Salah, M. A. (1994).** "Propagation and growth of some Indoor plants as affected by growth regulators". M. Sc. Thesis, Fac. of Agric.; Cairo Univ.
- Sarkka, L. Makila, R. Tahvonen. (2004):** Different peat types as growing media for greenhouse cut rose and tomato – Prelimina Trials , Acta Hort . 644: 189- 193 .
- Seager, J. C. R. (1972).** "Modern methods of rubber plant propagation and production". Commercial Grower. 3975, 395-396. (Hort. Abst. 42 : 6516).
- Seema, B.; Pahari, G. K. and Sudhir, K. (2000):** Effect of Azospirillum Biofertilizer on seedling growth and seed germination of *Emblica officinalis*. Ind . J Plant Physiol ., 5 (2) : 177-179 .
- Shah S. H. (2007):** Influence of nitrogen and phytohormone spray on seed, inorganic protein and oil yields and oil properties of *Nigella sativa*, L. Journal of plant Sciences, 6(2) : 364-368.
- Shala, A.Y.E. (2007) :** Physiological studies on sage plant. M.Sc. Thesis, Fac. Agric. Kafr EL-Sheikh Univ., Egypt.
- Shala, A.Y.E. (2007).**Physiological studies on sage plant .M.Sc .thesis Fac. Agric .Kafr El – Sheikh Univ., Egypt.

- Shalan, M.N.; Abd El-Latif . T.A.; Soliman, S.G.L and – Gaawwas , E. O. (2001):** Effect of some chemical and biofertilization treatment on roselle plants (*Hibiscus sabdariffa*, L.) Egypt. J. Agric. Res., 79 (2) : 587 – 606 .
- Shen, G. W. and Seeley, J. (1983).** "The effect of shading and nutrient supply on variagation and nutrient content of variegated cultivars of *Peperomia obtusifolia* T. J. Amer. Soc. Hort. Sci. 108 (2) : 429-433.
- Singh, K.; V. Singh and P. Ram (1988).** Effect of farmyard manure and fertilizer on herb, oil and sucker yield of *Mentha arvensis* L. Indian Journal of Agronomy, 33 (3): 237-289. (C.F. Hort. Abst., 60 : 4638).
- Singh, M. (2004):** Effect of plant spacing, fertilizer, modified urea material and irrigation regime on herbage, oil yield and oil quality of rosemary in semi-arid tropical conditions. J. Sci. and biotechnology, 79(3) : 411-415.
- Siraj-Ali, M. S. and Abou - Dahab, A. M. (1993).** "Rooting responses of *Schefflera (Brassaia actinophylla)* and *Ficus benjamina* cuttings to various media". Annals of Agricultural Science (Cairo) 38 (1) 275-282 (Hort. Abst. 64 : 8882).
- Smith, G. S. (1978).** "N and K fertilization of Florida moonrute, *Zamia integrifolia* Ait". HortScience, 13 (4): 438-439.
- Snedecor, G. W. and W.G. Cochran (1980).** Univ. Press. Ames Iowa, USA.

- Sobhy, E. A. I. (1998).** "Physiological studies on some Indoor plants". M.Sc. Thesis. Fac. Agric. Moshtohor, Zagazig University.
- Soyergin, S.; Genc, C. and Ertan, N. (1994).** "Determination of the potting mixture and fertilization of Dieffenbachia, Camilla and Codiaeum Norma". Bache 23 (1/2) 33-42. (Hort. Abst. 66: 7920).
- Stevenson, V. (1984).** Indoor Plants. Kingfisher Books Lim, London WIP 7 A.
- Straver, N. A. (1978).** "Trials with substrates and topdressing for foliage plants and bromeliads" Vakblad voor de Bloemisterij 33 (23) 26-21. (Hort. Abst. 49 : 1364).
- Straver, N. A. (1980).** "Nitrogen fertilizer and substrate trials with Codiaeum". Vakblad voor de Bloemisterij 35 (8) 24-25 (Hort. Abst. 51 :2031).
- Straver, N. A. (1982a).** "Nutrient trials with foliage Plants". Vakblad voor de Bloemisterij,. 37 (6): 32-33 (Hort Abst. 54 : 1086 , 1984).
- Straver, N. A. (1982b).** "Nutrient trials with foliage plants". Vakblad voor de Bloemisterij. 37 (8): 50-51 , 53 (Hort Abst. 54 : 1080).
- Stroiny, Z. and J. S. Nowak (2004).** Effect of growing media on the growth of some of some bedding plants .Acta Hort.644:157-162.

- Stroiny, Z., and J. S. Nowak (2004):** Effect of different Growing media on the growth of some bedding plants. *Acta Hort.* 644 : 157 – 162 .
- Taleb, N. A. and Sohair, M. H. (1995).** "Effect of some commercial and slow release fertilizers on the growth and chemical composition of "two *Dracaena* species". *Annals of Agric. Sci., Ain Shams Univ., Cairo* (1995) 40 (2) 853-865.
- Taloumis, G. (1973).** House plants for five exposures. Signet Book, New American Library, Harper and Row Pub. New York.
- Tanious, C. T. S. (2008):** Effect of some organic and bio fertilization treatments on fennel plants. M.Sc. Thesis, Fac. Agric. Minia Univ., Egypt.
- Tesi, R. and Tosi, D. (1985).** "The effect of porosity of substrate and rate of basal fertilizer dressing on the growth of *Chamaedorea elegans* Mart". *Culture Protette* 14 (4) 92-95. (*Hort. Abst.* 57 : 1291).
- Thompson, L. M. and Troeh, F. R. (1975):** Soils fertility. TATA Mc. Graw-Hill pub Co. Ltd. New Delhi.
- Tripepi, R. R.; George, M. W.; Campbell, A. G. and Shafll, B. (1996).** "Evaluating pulp and paper sludge as a substitute for peat moss in container media". *Journal of Environmental Horticulture* 14 (2) 91-96. (*Hort. Abst.* 67 : 675).

- Trouge, E. and A.H. Meyer (1939):** important in deniss calorimetric for phosphorus and arsenic. Ind. Eng. Chem. Anal. Ed., I; 136-139.
- Verdonck, O. and Boodt, M. De. (1978).** "The use of bark compost as a substrate for hot house plants". Mededelingen, Rijksstationvoor Sierplantenteelt 41, 67pp.
- Verdonck, O.; D. Vleeschauwer, and M. De. Boodt, (1979).** "The use of bark sludge composts as a substrate for ornamental plants". Acta Hort. 1980, 119-129.
- Vissers, M. (1989).** "Comparison of substrates at the Research Station for Floriculture". Verbondsnieuws-voor-de-Belgische- Sierteelt. 33: 14, 706-709.
- Walters, W. E. and Llewellyn, W. (1969).** "Effect of coated-slow release fertilizer on growth responses, chemical composition and soil salt levels for foliage plants". Proc. Fla. State Hort Soc. 81 : 380-388. (Hort. Abst. 40 : 1691).
- Worrall, R. J. (1981).** "Comparison of composted hardwood and peat-based media for the production of seedlings, foliage and flowering plants". Scientia Horticulturae. 15 (4) 311-319. (Hort. Abst. 52 : 898).
- Yepez, L. M.; Diaz, M. L.; Granadillo, E. and Chacin, F. (1993).** "Optimum frequency of irrigation and fertilizer application in *Aloe vera* L.". Tumulba 43 : 4, 261-267.

- Youssef, A.A.; A.E. Edris and A.M. Gomaa(2004).* A comparative study between some plant growth hormones producing microorganisms on growth and essential oil composition of *Salvia officinalis* L. plants Ann. of Agric. Sci., Cairo, 44(1):299-311.
- Zencir Kran, M. and A. Menyuc (1994):** The effects of different media and light intensities on spore germination and prothallus formation in *Adiantum capillus - veneris* - Turkiye - J - Agric and Forest 18 (3):193- 194 .
- Zubair, M.; Inayatullah, H. and Rahman, N. (1995).** "Effect of different growing media and different dose of nitrogen on the growth of *Monstera deliciosa*". Sarhad Journal of Agriculture 11 (6) 715-720. (Hort. Abst. 66 : 10691).