

LITERATURE CITED

6-LITERATURE CITED

- Abou-Dahab, T.A. M. (1987):** Effect of chemical fertilization on growth, flowering and corm formation of freesias plants. J.Agric. Res., Tanta Univ., 13(2): 337-355.
- Ahmed F.A. (2001):** Response of pot Marigold (*Calandula officinalis*, L.) plants to some rock phosphate sources and yeast. Hort.Dep.Fac.Agric.Azhar Univ., Assiut. Egypt. Vol (1) 31-42.
- Ahmed, F. F.; A.M. Akl; F.M.El-Morsy and. A.Raggab (1997):** The beneficial effect of biofertilizer on Red Roomy Grapevines (*Vitis vinefera*, L.). The effect on growth and vine nutrition status. Ann. of Agric. Sci. Moshtohor. 35(1): 489-495.
- Aiello, N.; Bezzi, A.; Clementel, F. (1997):** Effect of organic mineral fertilizer application on the yield and quality of *Iris pallida*. Rhizomes. Hort. Abst.1997, Vol.67, No.8. (7195).
- Akl, A.M.; Ahmed F.F.; El-Morsy F.M. and Raggab M.A. (1997):** The beneficial effects of biofertilizer on Red Roomy Grapevines (*Vitis vinifera* L.) 2. The effect on Berry Set. Yield and quality of Berries. Ann. of Agric. Sci. Moshtohor. 45(1): 497-502.
- Amarjeet, S.; Godara NR; Ashor K.and Singh A. (1996):** Effect of NPK on flowering and flower quality of tuberose (*Polianthus tuberosa* L.) cv. Single. Hayana Agric Univ.J. Res.26 (1) 43-49.
- Amen, J.A.; Kovanci, I. (1990):** A study of the nutritional requirements of gladioli grown for cut flowers. Hort. Abst. (1993) Vol.63, No.11, 98524.
- Aoki-K; Endo-M. (1992):** The phosphorus efficiency of various growth media for Cyclamen. Bulletin - of-the - chibaprefectural- Agric.-Experiment- station. 1989,30,8; 9 ref. (cab Abst.1992).

- Atawia, A.A.R. and El-Desouky, S.A. (1997): Trails for improving fruit set, yield and fruit quality for Washington Navel orange by application of some growth regulator and yeast extract as a natural source of phytohormones. J. Ann. Of Agric. Sci. Moshtohor Zagazig Univ. P. 1613-1632.
- Badawy, O.E.F, (1998): Physiological and anatomical studies on tuberose bulbs. Ph.D. Thesis, Fac. Agric. Cairo Univ.
- Bailey, L.H. (1914). Standard Cyclopedia- Hort. Volume L.O.IV
- Bankar, G.J. and Mukhopadhyay A. (1980): Varietal on tuberose (*Polianthes tuberosa* L.). South Indian Hort., 28 (4) 150- 151, (Hort. Abst.51: 3775).
- Barbieri, G. (1959): Effect of vitamins B1 and B6 on pea, broad bean, beet and wheat plants. Nouvo G. bot. Ital., 14- 22. (C.F. Hort. Abst.30 (4): 5522, 1960).
- Barham, I.H.; Amin F.Y.; Mousa G.T and El- Naggar A.I. (1983): Effect of soil activity and NPK fertilization on growth, flowering and bulb production of *polianthes tuberosa* L. Assiut Jour. Agric., Sci., 14(3): 403- 414.
- Barma, G.; Chanda, S. and Roychowdhury, N. (1998): Production of corms and cormels of gladiolus through application of nitrogen, phosphorus and potassium. Hort. J. Vo.11 No.2 .87: 92.
- Barnett, J.A.; Payne R.W. and Yarrow. D. (1990): Yeasts, characteristics and identification. Cambridge Univ. Press. Publi. By the press Syndicate of the Univ. of Cambridge. Comb. CB2BR, 40 west 20th St. Pp.999.
- Bass, R.; Brandts, A. and Straver, N. (1995): Growth regulation of bedding plant and Poinsettia using low phosphorus fertilization ebb and flow irrigation. Acta. Hort., 378:129-137.
- Bhattacharjee, S.K. (1981): Influence of nitrogen, phosphorus and potash fertilization on flowering and corm production in gladiolus. Singapore Jour. of primary Industres, 9(1) 23- 7(Orn. Abst.1982, 8:6199).
- Bhattacharjee-SK and Mukherjee-T. (1983): Influence of nitrogen and phosphorus on growth and flowering in

dahlia. Punjab- Hort. 23: 1-2,111-115.

- Bhuyan, B.; Paswan, L. and Mahanta, P. (1996):** Effect of potassium on growth, flowering and bulb production in tuberose (*Polianthes tuberosa L.*) Cv. Single. J. Of the Agric. Sci. Soc. Of North East India (Hot. Abst. Vol. 68, No. 12 (10730).
- Black, C.A. (1965):** Methods of Soil Analysis. Parts 1 & 2. Amer. Soc. Agron. In. Publ. Madison, Wisconsin, U.S.A.
- Bluzmanas, P. and Dringilien. A. (1966):** Effect of Thiamine and Nicotinic acid in combination with trace elements on some physiological processes and productivity of sugar beet particularly in soils with high acidity. (Fiziol. Biok. Rast. 19-23 (C.F. El-Kishky. S. Abd El-Hamed (1982). M.Sc. Thesis Fac. Agric. Menoufia Univ. Shebin El-Kom.)
- Bluzmanas, p.; Egorova A. and Jencuiteb J. (1971):** Effect of thiamine and Nicotinic acid and Copper on the growth of Sugar beet sprouts and their carbohydrate and phosphorus metabolism. Darb. Biol 11:33-42. (C. F. Chem Abst. 77(15): 97635 m.
- Boodley, J.W. (1962):** The nutrients content of Croft Lily from Juvenile to mature stages during forcing in three fertilizers treatments. Bull. N.Y. St. flower Grs, No.194, Pp.1, 4-7, (C.F.Hort.Abst. 32(3): 5185.
- Bose, T.k.; B.K.Jana and T.P. Mukhopadhyay. (1980):** Studies on nutrition of ornamental plants. 11-Effect of NPK on growth and flowering of Hippeastrum Royal Dutch Amaryllis, Ind.J. Hort., 37(4): 415-419.
- Bowe, R.; Seidel, H. and Voit, M. (1989):** On the effect of dried yeast products as slow release fertilizers. Archiv fuer Gartenbau, 37(5): 361-369.
- Castelfranco, P.A. and S.I. Beale (1983):** Chlorophyll biosynthesis recent advances and areas of current interest. Ann. Rev. Plant. Physiol., 34:241-278.
- Cirrito, M. M and V.Z.Zizzo G. (1981):** Manuring of tuberose cultivated for rhizome enlargements. Annali.dell Istituto Sperimentale per la Floriculture. 12 (1): 67-77(Hort.Abst.47: 11647).

- Das, T.K. (1998):** Effect of stage of spike removal and potassium application on corm and cormel production of some gladiolus varieties. Indian Jour. Of Agronomy (1998) 43(4) 756-761 (Hort. Abst. Vol.70, o.4 (3384).
- Dewis, J.and Freitas F. (1972):** Physical and chemical methods of soil and water analysis. F.A.O Soils Bull, No.10.
- Dolya, T. and D.Ostravskii. (1971).** Effect of some trace-elements and vitamin on the processes and productivity of sugar beet seed plants. Fiziol. Anat. Biokhim. Tekh. 338-347. (C.F. Chem. Abst. 79(23): 135800 n, 1971).
- El-Ashry, I.A.; Auda M.S. and Bakry M.Y. (1996):** Effect of potassium fertilization and water quantities on growth, flowering and flower tuberos root production of dahlia (*Dahlia pinnata*). First Egyptian Hungarian Hort.Conference, Kafr-El-Sheikh, Egypt. 15017 Sept. 1996.
- El-Desouky, S.A.and Wanas A.L.A., (1998):** Response of Cucumber (*Cucumis sativus* L.) to natural palm pollen extract when applied either as foliar spray or as seed – soaking material. 7th conf. Agric.Dev.Res. Fac.Agric., Ain Shams Univ., Cairo, December 15- 17, 1998. Annals Agric. Sci., Sp.Issue, 1,1-23.
- El-Desouky, S.A.; Wanas, A.L.A. and Khedr, Z, M.A. (1998):** Utilization of some natural plant extracts of (Garlic and Yeast) as seed –soaked materials to squash (*Cucurbita pepo* L.). I-Effect on growth, sex expression and fruit yield and quality. Annals of Agric. Sc., Moshtohor, Vol.36 (2): 839-854, (1998).
- El-Hanafy, S.M.M. (1985):** Effect of some growth regulators, chemical fertilization and planting date on growth and flowering of dahlia and gladiolus plants.M.Sc.Thesis, Fac.Agric. Cairo Univ.
- El- Kadi, M. and Raafat, A. (1968):** Effect of fertilizer in level on the growth of *Freesia refracta*. Agric. Res. Rev., Lairo, 46(3): 170.
- El-Khateeb, M.A. (1979):** Gladiolus corm development and

carbohydrate content, as affected by planting date and chemical fertilization, M.Sc.Thesis, Fac. Agric., Cairo Univ.

- El-Khateeb, M.A.; A.S.; El- Leithy and E.M.Badawy (1991):** Effect of nitrogen and potassium fertilization on growth, flowering and chemical composition of *Freesia hybrida* cv. Aurora. Bul.Fac. Agric., Cairo Univ.
- El-Leithy, A.S. (1987):** Physiological studies on French marigold "*Tagetes patula* L. plant ". Ph. D. Thesis, Fac. Agric., Cairo Univ.
- El-Maadawy, E.I. (1984):** Studies on growth and flowering of some new stock (*Matthiola incana*) and Snapdragon (*Antirrhinum majus* L.) cultivars under Egyptian conditions. M.Sc. Thesis. Fac. Agric., Cairo Univ.
- El-Meligy, MM; Wahed.AA and Baz. AGIO. (1986):** Effect of some fungicides on flowering and corm production of "Eurovision" gladiolus cultivar grown under different levels of potassium and phosphorus fertilizers. Annal-of-Agric. Sc., Moshtohor, and 24:1.195-209.
- El-Mogy, M.M.; Omar, A.H.and Gasser. A.S. (1998):** Effect of yeast application on bed fertility, physical, chemical properties, vegetative growth and yield of Thompson seedless grapevine. J. Agric. Sci. Mansoura Univ., 23(8): 3879-3886.
- El- Sayed, A.A.; Salem and E.I.El-Maadawy (1987):** Physiological studies on *Polianthes tuberosa* L. plants. I. Effect of chemical fertilization on growth, flowering and bulb production. J. Agric. Res., Tanta Univ. 15 (2): 318-325.
- El-Shoura H.A.S. and Hosni- AM. (1996):** Growing *Strelitzia reginae* Ait in improved sandy growing media under different levels of fertilization. Dep.of Hort., Fac.of Agric., Ain Shams Univ., Cairo, Egypt. (CAB Abst. 1996-1998).
- El-Tantawy, A.; Nada M.K.and Nabih A. (1992):** Effect of bulb sizes and chemical fertilization on growth, flowering

- and bulb productivity of *Plianthos tuberosa* plant. Egypt J. Appl. Sci. 7(8): 148-168.
- Fathy, E.S.L. and Farid S. (1996):** The possibility of using vitamin Bs and yeast senescence and improve growth and yield of common beans (*Phseolus vulgaris*, L.). J. Agric. Sci. Mansoura Univ., 21(4): 1415-1424.
- Fathy, E.S.L.; Farid S, and El-Desouky S.A. (2000) :**Induce cold tolerance of outdoor tomatoes during early summer season by using triphosphate (ATP), yeast, other natural and chemical treatments to improve their fruiting and yield. Agric.Sc.Mansoura Univ.25 (1): 377- 401.
- Fisher, P and Kalthoff-F. (1987):** The fertilization of "Mon Liza" anemones. *CAB Abst.* (1987-1989).
- Gopalakrishnan.**
M,Sadawarte,K.T.;Mahorkar,V.K.;Jadhao,B.J. and GolliwarV.J. (1995): Effect of N, P and K on the quality of tuberose (*poliathes tuberosa* L.) Var. Single. Journal of soils and crops. 5 (2) 148-150. Hrt.Abst (1996) Vol.66.No.9 (7906).
- Gowda, J.V.N.; Jacob S.and Hudder A.G. (1991):** Effect of N, P and K on growth and flowering of tuberose (*Polianthes tuberosa* Linn.) cv. Double Indian Perfumer. 35.2.100-101,2 ref. (Hort. Abst. 62:5972).
- Habib, A. (1992):** Effect of planting media and chemical fertilization on growth and composition of germaniums. Thesis Fac. Agric., Cairo Univ.
- Hayman, D.S. and Mosse, B. (1970):** Plant growth responses to vesicular arbuscular mycorrhiza, I. Growth of endogene-inoculated plants in phosphate deficient soils. New Phytol.69.
- Ingram, (1958):**"Chemistry and Biology of Yeast". Acac. Press, Inc., New York, Pp.603-633.
- Jackson, M.L. (1958):** Soil Chemical Analysis. Prentic Hall.Inc. N.J.USA.
- Jana, B.K.; Roy S.and Bose T.K. (1974):** Studies on the nutrition of ornamental plants III- effect of nutrition on

- growth and flowering of dahlia and tuberose.
- Jhon- A.Q; Paul- T.M; Siddique- M.A.A. (1997):** Nutritional studies in gladiolus. I- Growth and floral characters. Division of floriculture, Medicinal and Aromatic plants, S.K. university of Agric. Sc. And technology, Shalimar 191:121, (CAB Abst. 1996-1998).
- John, M.K. (1970):** Colorimetric determination of phosphorus in soil and plant materials with ascorbic acid. *Soil Sci* 109(4): 214-220.
- Karaguzel, O.; Altan; Doran, S.; I. and Sogut, Z. (1999):** The effect of GA₃ and addition KNO₃ fertilization on flowering and quality characteristics of *Gladiolus grandiflorum* 'Eurovisio'. In improved crop quality by nutrient management [edited by Anac, D.; Martin- prevel, P.J.Dordrecht, Netherlands; Kluwer Academic Publishers 259-262 Univ. of Akdeniz, fac. of Agric., Antalya, Turkey. Hort. Abst. Vol.70, No.7, (6126).
- Karig, E. and Harber J.E. (1980):** Messenger ribonucleic acid and protein metabolism during sporulation of *Saccharomyces cerevisiae*. *J. Bacteriol.*, 144: 1098-1112.
- Khedr, Z.M.A. and Farid, S. (2000):** Response of naturally virus infected-Tomato plants to yeast extract and phosphoric acid application. *Ann. of Agric. Sc.*, Moshtohor, Vol.38 (2): 927-939.
- Klimer, V.J. and Alexander, L.T. (1949):** Methods of making mechanical analysis of soils. *Soil Sci.* 68: 15-24.
- Koriesh, E.M. and Badawy E.M. (1984):** Effect of chemical fertilization on growth, flowering and corm formation in freesia. 3rd Arab. Hort. Conf., Cairo, Egypt, Oct.1984.
- Lin-Suchen; Wu- Chiguang; Huang- Shan.Ney; Houg-Kunhung; Lin- Sc.; Wu-CG; Huang-SN and Houg-KH. (1999):** Inoculation effect of arbuscular mycorrhizal fungi and phosphate-solubilizing bacteria on the growth of Asian hybrid Lily. *J. of Agric.-Res. -of China.* 1999,48(2) 135-142.

- Mansour – A.E.M. (1998):** Response of Anna apples to some biofertilizers. *Egy. J. –of- Hort.* 1998,25: 2,241-251; 18 ref. (CAB Abst.1998-2000).
- Meyer, S.A. and Phaff, H.J. (1969):** Deoxyribonucleic acid base composition in yeasts. *J.Bacteriol*, 97,52.
- Mitrofanov, B.A. (1965):** Effect of physiologically active substances on the rate of photosynthesis and respiration rate of azotobacco, sugar beet and corn. *Fotosintez Rast.*31-53. (C.F. Chem Abst. 65(12): 19235,1966).
- Mostafa, M.M.; El-Fadi. I.A.A and Hussein, E.H.(1996):** Effect of phosphorus and boron on the vegetative growth, flower and corm production and oil yield of tuberose plants. *Alex.Jour.of Agric. Research* 4(3): 93-107.
- Mukherjee, S.; Jana, S.C. and Chatterjee, T.K. (1994):** Effect of nitrogen and phosphorus doses on production of flowers and corms of gladiolus (*Gladiolus grandiflorum* L.) *Indian Agric. Hort. Abst.* Vol.67, No.1, (594).
- Nabanita, Baruah; Talukdar, M.C.; Paradip M. (1998):** Reponse of tuberose (*Polianthes tuberosa*) with increasing dose of NPK. *Indian Jour.of Agric.Sci.*Vol.68, No.9: 626.
- Nabih, A.; El-Sayed A.A.and Aly A.A. (1987):** Effect of different soil media and fertilizer treatments on growth, flowering and formation of iris bulbs cv. Ideal. *J.agric.Res.Tanta Univ.*13 (4): 1043-1053.
- Nanjan, K.; K.M.P.Nambian; D.Veeraragavatham and B. M. Krishanan (1980):** The effect of nitrogen, phosphorus and potash on the yield of tuberose (*Polianthes tuberosa* L.) India, Tamil Nadu *Agric.Univ.* 76-78 (*Hort.Abst.*51-7115).
- Nederpel. W.C. (1971):** Manuring freesias. *Vakblad voor de Bloemisterij*, 26:8-9. (C.F.Hort.Abst.1973, Vol.43).
- Noggle, G.R. and Fritz, G.J. (1992):** Introductory plant physiology .2nd Ed. Prentic Hall of India. Pp.627.
- Nucklos, S.B. (1942):** Plant hormone treatment of sugar beet, seed sugar .*New York* 37(9): 22-23. (C.F.Biol.Abst. Abst.

- 17(9): 22509, 1943).
- Parthiban, S.; M.A. Khader and S.Thamburaj (1992):** Effect of N, P and K on growth development of tuberose (*Polianthes tuberosa* L.). Indian Hort., 40(3): 166-171.
- Piper, C.S. (1950):** Soil and plant Analysis. Iter. Science Publisher, New York, USA.
- Ramadan.T.M. (2001):** Botanical studies on growth and germination of Magnolia “ *Magnolia grandiflora* L. “ plants. Thesis M.Sc. Fac. Of Agric. Botany. Zagazig Univ. (Banha Branch)
- Roberts, A.N.; Blaney, T.L. and Compton, C.O. (1964):** Seasonal changes of certain nutrient elements in the leaves and bulbs of croft lily, *Lilium longiflorum* and their relation to bulb yield. Proc. Amer. Soc. Hort. Sci. 85:611-30, bibl.10. (C.F.Hort. Abst. 35,3: 6098.
- Roberts, L.W. (1976):** Cytodifferentiation in plants, xylogenesis as a Model system. Cambridge Univ. Press, UK.
- Roy – RK; Sharma – Sc and Sharga-An. (1995):** Effect of foliar nutrition on vegetative and floral characters of *Gladiolus Aldebaran*. National Botantical Res. Inst., Lucknow-226- 001,India. (CAB Abst. 1998-1999).
- Roychowdhury, N. and Roychowdhury, P. (1995):** The effect of field application of K on post harvest behavior of gladiolus. Acta Hort. (1995), No.405, 170-172,Hort. Abst.1996, Vol.66, No.11, (9700).
- Shadia K. A., Ahmed F.A. and Mortada R.K., (2001):** Effect of salinity treatments and active dry yeast on growth and active ingredients of *Ambrosia maritime* L. Medical and Aromatic plant section Dokky, Hort.Res.Ins. A.R.C., Egypt, Fac. Of Agric., Hort.Dep. Azhar Univ., Assiut. Vol (1) 217-224.
- Shadia, K.A.; El-Ghawas E.O. and Aly A.F. (1998):** Effect of active dry yeast and organic manure on Roselle plant. Egy. J. Agric. 76 (3): 1115-1143.
- Shady, M.A. (1978):** The yeast adv. Cour.from past Grad. St. In Microbial. Pp.246-247. (C.F. Agric. Bot. Dept. Fac. of Agric., Mansoura Univ).

- Shen, G.W. and Seeley J. (1988):** The effect of shading and nutrient supply on variegation and nutrient content of variegated cultivars of *Peperomia obtusifolia*. J.Amer. Soc., Hort.Sci. 108(2): 429-433.
- Singh.K.P; Ha-K.S. and Suja-Ha-K. (1990):** Influence of different levels of nitrogen and phosphorus in gladiolus cv. Green Meadow cormels production. Indian Institute of Hort.res.Hessarghatta, Bngalore 560089, India. CAB Abst. (1992)
- Singh-Kp; Ramachandran-N and Uma-S. (1997):** Growth, flowering, corm yield and corm. Rot incidence as affected by level and frequency of potassium application in gladiolus. (*Gladiolus grandiflorus*). Indian Institute of Hor. Res., bangaloree, Karnataka 560:089,India. CAB Abst. (1996-1998).
- Snedecor, G.W.and W.G.Cochran (1980):** Statistical Methods. 6th ed. The low State Univ.Press. Ames. Iowa.U.S.A
- Spencer, T.F.T.; Dorothy S.M. and Smith A.R.W. (1983):** Yeast genetics fundamental and applied aspects. Pp. 16-18. ISBN0-387-90973-9. Spriger-Verlag. New York, USA
- Starchnkov, E.P. (1964):** The role of physiological substances in the nutrition and metabolism of plants. Fiziol. Biok. Rast. 181-203. (C.F.El-Kishky. S.Abd El- Hameed. (1982). M. Sc. Thesis. Fac. Agric. Menoufia. Univ. Shebin El-Kom).
- Steward, F.C. and Ram, H.Y.M (1962):** Determining factors in cell growth: some implications for morphogenesis in plants Adv. Morphogenesis 1:189-265.
- Subba Rao, N.S. (1984):**"Biofertilizers in Agriculture", Oxford, IBH Company, New Delhi.
- Taha, S.M., Mohamed, S.A.Z., El-Damaty, A.H. and Abdel-Hafez, A. (1969):** Activity of phosphate-dissolving bacteria in Egyptian soils. Plant and Soils, **31**,149.
- Tarrow, D. and Nakase (1975):** DNA base composition of species of genus saccharomyces. Antonie Van Leeuwenchoes, **41**,81.

- Thomas, M.; Mathemon, S. and Spurway, M. (1998):**
Nutrition of container. Grown freesias. Jour. of plant nutrition. Vol.21, No.12: 2485-2496.
- Vlasyuk, P.A.; Darmenko M.S. and Koshlak L.Ya. (1965):**
Presowing enrichment of seeds of Agric. With trace elements and growth activating substances. Fiziol Rast. 133-120.Chem. Abst. 63(3): 3572-1965.
- William, M.; Chichlilo P.; Clifford P.A. and Reynolds M. (1965):** Official Methods of Analysis of the association of official Agricultur chemists. 10thed. Ass. Off. Agric. chem. washington. D.C.
- Winkler, A. J.; Cook J.A., Kiewer W.M. and Lider L.A. (1962):** General viticulture. Univ. Calif. Press, USA. (C.F.J. Agric. Sci. Mansoura Univ. 25(1): 377-401, 2000).
- Woltz, S.S. (1959):** Gladiolus fertility studies. R.Flor.Agric.Exp.Stat. 1955-1957, P.302-303. (Hort.Abst.29: 140).
- Zile Singh and Gupta, A.K. (1996):** Nutritional studies in relation to vegetative growth in *Dahlia variables* Willd cv. Powder Pull. Dep.of Hort. CCS Harayana Agric. Univ., Hisar 125004, India. Hort. Abst.Vol.67, No.8. (7085).