

REFERENCES

- Abdalla, A.M. (2002).** Effect of bio-and mineral phosphorus fertilizer on the growth productivity and nutritional value of faba bean. Egypt. J. of Horticulture. 29(2): 187-203.
- Abdel-Reheem, M.A.; E.N. Gendy; R.M. El-Awady and K.S. El-Halawany (1992).** Interaction effect between phosphorus and manganese on broad bean plants in alluvial soil, Egypt. J. of Soil Sci. 32(2): 227-237.
- Abdel-Wahab, A.F.; M.A. El-Deeb; A.A. Ragab and M.M. El-Sawi (1999).** Effect of soil bio-conditioner and NPK on nodulation, growth and yields of faba bean at the newly reclaimed soils, J. Agric. Sci. Mansoura Univ., 24(11): 6295-6301.
- Abo El-Nour, E.A.A.; A.A. El-Sayed and A.A. El-Bendary (1996).** Effect of phosphate biofertilizer "phosphorein" on growth, yield and nutrient uptake of faba bean plants. J. Agric. Sci. Mansoura Univ. 21(2): 477-483.
- Abou-Salama, A.M. and R.A. Dawood (1994).** Yield response of faba bean (*Vicia faba*, L.) to planting density and phosphorus fertilization. Assiut. J. of Agric. Sci. 25(2): 81-91.
- Abuldahab, A.A.; W.A. El-Murshedy and Gamalat O. Mahmoud (2002).** Phenological responses of faba bean to climatological effects under different sowing dates and plant distributions. J. Agric. Sci., Mansoura, Univ., 27(4): 1989-2003.

- Adisarwanto, T. and R. Knight (1997).** Effect of sowing date and plant density on yield and yield components in the faba bean. Australian. J. of Agric. Res. 48(8): 1161-1168.
- Ahmed, M.K.A.; M.H. Afifi and M.F. Mohamed (2003).** Effect of biofertilizers, chemical and organic fertilizers on growth yield, and quality of some leguminous crops. Egypt. J. of Agronomy. 25: 45-52.
- Ali, S.M.; Sanaa, M. Mahgoub; M.S. Hamed and M.SA. Gharib (2004).** Infestation potential of *Callosobruchus chinensis* and *C. maculatus* on certain broad bean seed varieties, Egypt. J. Agric. Res., 82(3): 1127-1137.
- Amer, M.I. (1986).** Effect of some agronomic practices on productivity of some broad bean varieties, Ph.D. Thesis, Fac. of Agric., Zagazig Univ., Egypt.
- Amer, M.I.; K.A. El-Assily; M.M. Radi and Nadia, A. El-Aidy (1997).** Effect of sowing and harvesting dates on faba bean (*Vicia faba*, L.) productivity and seed technological Traits. Fayoum. J. Agric. Res. Dev. 11(1): 23-31.
- Amer, M.I.; M.A. El-Borai and M.M. Radi (1992).** Response of three faba bean (*Vicia faba* L.) cultivars to three sowing dates under different plant densities in North Delta. J. Agric. Res. Tanta Univ., 18(4): 591-599.
- Arafat, S.M.; M.A. Sherif; M.H. Enany and R.N. Saad (1995).** Effect of rhizobium and vesicular arbuscular mycorrhizal (VAM) on growth, phosphorus and nitrogen uptake by *Vicia faba* (L.) in hydroponic culture. Egypt. J. Soil Sci., 35(1): 117-128.

- Bahr, A.A.H. (1997).** Response of chickpea crop to some fertilization treatments. Ph.D. Thesis, Dept. of Agron., Fac. Agric., Suez Canal Univ.
- Bakheit, B.R.; A.Y. Allam and A.H. Galal (2001).** Response of some faba bean cultivars to planting dates and population densities. *Assiut. J. of Agric. Sci.* 32(2): 85-101.
- Bialeski, R.L. (1973).** Phosphate pools, phosphate transport and availability. *Ann. Rev. Plant. Physiol.*, 24: 225-252.
- Brewer, I.N. and E. Horber (1984).** Evaluating resistance to *Callosobruchus chinensis* (Linn) in different seed legumes. Proceedings of the third International Working Conference on Stored-Product Entomology. October 23-28, Kansas State Univ., Manhattan, Kansas USA. 435-443.
- Cottenie, A.; M. Verloo; L. Kiekens; G. Velghe and R. Camerlynck (1982).** Chemical analysis of plants and soils, laboratory of analytical and Agrochemistry State University Ghent-Belgium.
- Desroches, P.; N. Mandon; J.C. Baehr and J. Huignard (1997).** Mediation of host-plant use by a glucoside in *Callosobrochus maculatus*. *J. Insect Physiol.* Oxford, U.K.: Elsevier Sci., 4, 439-446.
- Donger, T.K.; S.E. Pawar and M.R. Harwalkar (1993).** Resistance to *Callosobruchus maculatus* (F) (Coleoptera: Bruchidae) in pigeon pea [*Cajanus cajan* (L.) Milisp] and other *Cajanus* Species. *J. Stored. Prod. Res.*, 29(4): 319-322.

- El-Aidy, Nadia, A.; M.I. El-Emary and S.A. Khalil (1995).** Chemical, physical, viable traits and insect infestation resistance of some faba bean (*Vicia faba* L.) genotypes. Egypt. J. Appl. Sc., 10(5).
- El-Awag, T.I.; A.M. Hanna and I.M. El-Naggar (1993).** Influence of bio and mineral phosphate fertilization on soybean production and some characters under different levels of soil moisture. Egypt. J. Appl. Sci., 8(11): 575-594.
- El-Banby, M.A.; A.A. Selim; M.S. El-Zemaity and Shadia I. Salama (1984).** The inter-relationship between infestation with some bruchid beetles and their requirements of certain chemical components in leguminous seeds. Bull. Soc. Ent. Egypt, Econ. Ser. 14: 263-273.
- El-Douby, K.A. and Samia G.A. Mouhamed (2002).** Effect of tillage, phosphorus fertilization and weed control on faba bean and estimation the contributions of yield components statistically. Egypt. J. Agric. Res. 80(1): 253-274.
- El-Kalla, S.E.; A.K. Mostafa; A.A. Leilah and Rokia A. Awad (1999).** Mineral and bio-phosphatic fertilization for intercropped faba bean and onion. Egypt. J. Agric. Res., 77(1): 253-271.
- El-Maghraby, Samia, S. (1980).** Effect of water regime, nitrogen and phosphatic fertilizers on growth and yield of broadbean (*Vicia faba* L.). M.Sc. Thesis, Fac. of Agric. Sci., Moshtohor, Zagazig Univ., Egypt.

- El-Murabaa, A.I.; A.M. Butt; S.A. Abdel-Aal and K.B. Salem (1987a).** Effect of cultivar and planting date on faba bean performance, II. Planting date. Assiut. J. of Agric. Sci. 18(4): 203-213.
- EL-Murabaa, A.I.; A.M. Butt; S.A. Abdel-Aal and K.B. Salem (1987b).** Effect of cultivar and planting date on faba bean performance III. Interaction of planting date x cultivar and correlation between characters. Assiut. J. of Agricultural. Sci., 18(4): 215-232.
- Ghizaw, A.; T. Mamo; Z. Yilma; A. Molla and Y. Ashagre (1999).** Nitrogen and phosphorus effects on faba bean yield and some yield components. J. of Agron. and Crop. Sci. 182(3): 167-174.
- Gokhale, V.G. and B.K. Srivastava (1975).** Ovipositional behaviour of *Callosobruchus maculatus* (Fab.). (Coleoptera: Bruchidae). I- Distribution of eggs and relative ovipositional preference on several leguminous seeds. Indian J. Ent. 37(2): 122-128.
- Gomaa, M.A. (1991).** The effect of phosphatic and zinc fertilization on growth and yield of faba bean plant. Annals of Agric. Sci., Moshtohor, 29(2): 769-780.
- Gomez, K.A. and A.A. Gomez (1984).** Statistical procedures for Agriculture Research. John Willey and Sons. Inc. New York.
- Hakam, M.M. and A.A. Ibrahim (1973).** Cultural practices of grain legumes (faba bean, lentils and soybeans) in Egypt.

Proc. of the 1st FAO/SIDA Seminar for Plant Scientists from Africa and Near East, Cairo.

- Hamissa, A.M.; F.M. Hammouda and R.E. Knany (2000).** Response of nodulated faba bean crop to phosphate solubilizing bacteria under phosphorus fertilization and copper foliar spray application. J. Agric. Sci. Mansoura Univ., 25(5): 2995-3007.
- Hassanein, M.S. (1995).** Response of faba bean to phosphorus fertilizer, Ann., of Agric. Sci., Moshtohor, 33(3): 987-997.
- Hussein, A.H.A.; N.M. Abou-Zeid and M.E. Hassan (1991).** Effect of N, P fertilizers, Rhizobium inoculation and seed fungicides on yield, yield components, nodulation and seed contents of faba bean. Egypt. J. of Agric. Res. 69(3): 695-708.
- Hussein, A.H.A.; S.A. Saleh; M.A. El-Deeb and W. Kadry (1997).** Effect of rhizobium inoculation, phosphorus and potassium fertilization on growth nodulation and yield of faba bean cultivated in the newly reclaimed soils of middle Egypt. Bull. of Fac. of Agric., Univ., of Cairo, 48(1): 201-214.
- Ivbijaro, M.F.; C. Ligan and A. Youdeowel (1985).** Control of rice weevil *Sitophilus oryzae* (L.) in stored maize with vegetable oils Agric., Ecosys and Environ., 14, 237-242.
- Jackson, M.L. (1958).** Soil chemical analysis prentice Hall, Inc., Englewood Cliffs, New York, U.S.A.
- Knany, R.E.; A.M. Masoud and Y.B. El-Waraky (2004).** Comparative study between biofertilization and sulphur on availability of added phosphorus to faba bean plants under

high pH soil conditions. J. Agric. Sci. Mansoura Univ. 29(8): 4801-4809.

Koura, A.; M. El-Halafawy and T. Shehata (1971). Preference of the cowpea weevil, *Collosobrachus maculatus* (F.) to some legume seeds and weight loss due to insect infestation. Agric. Res. Rev., 49(1): 35-38.

Luciana Belarmindo Silva; Mauricio Pereira Sales; Antonia Elenir, A.; Oliveira, Olgal. L.T. Machdo; Katia V.S. Femandes and Jose Xavier Filho (2004). The seed coat of *Phaseolus vulgaris* interferes with the development of the cowpea weevil *Callosobruchus maculatus* (F). (Coleoptera: Bruchidae) Arch. Acad. Brasil. Sci. 76, 57-65.

Mahgoub, Sanaa, M. and S.A. Khalifa (1993). Comparative susceptibility of seeds of certain faba bean varieties to *Callosobruchus maculatus* (F.) (Coleoptera: Bruchidae). Egypt. J. Agric. Res., 71(3): 679-684.

Maldonado Guzman, S.H.; A. Marin-Jarillo; J.Z. Castellanos; E. Gonzales De Mejia and J.A. Acosta-Gallegosc (1996). Relationship between physical and chemical characteristics and susceptibility to *Zabrotes subfasciatus* (Bob). (Coleoptera: Bruchidae) and *Acanthoscelides obtectus* (Say) in Common bean (*Phaseolous vulgaris* L.) varieties. J. Stored Product. Res. 32(1).

Mannan, M.A. and I.M. Bhuiyah (1994). Studies on the ovipositional preference of pulse beetle, *Callosobruchus maculatus* (F.) on true and artificial pulse seeds. Univ. J. of Zoology, Rajshahi Univ., 13: 15-24.

- McVetty, P.B.E.; L.E. Evans and J. Nugent-Rigby (1986).** Response of faba bean (*Vicia faba*, L.) to seeding date and seeding rate. Canadian. J. of Plant Sci. 66(1): 39-44.
- Mekky, M.S.; Z.R. Yehia and A.N.M. Nassar (2003).** Effect of sowing dates varieties and glyphosate application on broomrape (*Orobanche crenata* Forsk.) and yield and of faba bean (*Vicia faba*, L.). Bull. Fac. Agric. Cairo Univ. 54.(1): 55-76.
- Mohamed, A.K. (1985).** Effect of sowing date, ridge direction, plant orientation, and population on faba bean grain yield. FABIS-Newsletter, Faba Bean Information Service, ICARDA. 12: 11-12.
- Mokhtar, Soheir, A. (2001).** Response of yield and yield components of faba bean (*Vicia faba*, L.) to increasing levels of nitrogen and phosphorus under two levels of plant stand density. Ann. of Agric. Sci. Ain Shams Univ., Cairo. 46(1): 143-154.
- Noeman, M.A. (1989).** Response of faba bean "*Vicia faba*, L.) to sowing date and population density M.Sc. Thesis, Fac. of Agric. Moshtohor Zagazig Univ., (Benha Branch).
- Podoler, H. and S.W. Applebaim (1971).** Basic nutritional requirements of larvae of the bruchidae beetle, *Callosobruchus chinensis* Lin. J. Stored Prod. Res. 7, 187-193.
- Radwan, F.I. (1992).** The effect of phosphatic fertilizer and weed control methods on growth and yield of faba bean (*Vicia faba*, L.). Ann. of Agric. Sci., Moshtohor, 30(3): 1191-1205.

- Rahman, M.M.; and G.H. Schmidt (1997).** Comparative studies on the susceptibility of various pulses to *Callosobruchus phaseoli* (Gyllenhal) Insecta, Coleoptera: Bruchidae Botlettion dizoolog Agrarieadi Bachi Coltura, 29(2): 183-187.
- Reda, A. Abdel-Aziz; Samir M.A. Radwan; Mokhtar M. Abdel-Kader and Mohamed I.A. Barakat (1996).** Biocontrol of faba bean root-rot using VA mycorrhizae and its effect on biological nitrogen fixation. Egypt. J. Microbiol. 31(2): 273-286.
- Saad, A.O.M. and M.A. El-Kholy (2000).** Response of some faba bean cultivars to phosphorus and magnesium fertilization. Egypt. J. of Agron. 22: 19-38.
- Said, E.M. (1998).** Response of some faba bean (*Vicia faba* L.) varieties to phosphorous and starter doses from nitrogen fertilization, J. Agric. Sci. Mansoura, Univ. 23(6): 2369-2377.
- Saleh, S.A.; M.A. El-Deeb and A.A. Ragab (2000).** Response of faba bean (*Vicia faba* L.) to rhizobium inoculation was affected by nitrogen and phosphorus fertilization. Bull. Fac. Agric., Cairo Univ., 51, 17-30.
- Salem, S.A. and F.S. El-Nakhlawy (1987).** Effect of application of nitrogen and phosphorus fertilizer levels on seed yield, its components and other characters in faba beans (*Vicia faba*, L.). Alex J. Agric. Res. 32(2): 139-148.

- Salem, S.A. and M.F. El-Massri (1986).** Effect of rhizobium inoculation and phosphorus fertilizer levels on nodulation, seed yield and other agronomic characters of faba bean (*Vicia faba*, L.). Alex. J. Agric. 31(3): 115-125.
- Shahein, A.H.; E.M.R. Agwah and H.A. El-Shammah (1995).** Effect of plant density as well as nitrogen and phosphorus fertilizer rate on growth, green pods and dry seed yield and quality of broad bean. Ann. of Agric. Sci. Moshtohor. 33(1): 371-388.
- Shaker, F.S. (2001).** Effect of sowing date and plant density on growth, seed yield and quality of two bean cultivars. Minia. J. of Agric. Res. & Develop. 21(1): 175-188.
- Shazali, M.E.H. (1989).** The susceptibility of faba bean and other legumes to infestation by *Bruchidius incarnatus* (Boh). and *Callosobruchus maculatus* (F) (Coleoptera: Bruchidae). FABIS-Newsletter. 23: 20-24.
- Singh, S.; S.C. Odak and Z. Singh (1977).** Studies on the preference of the pulse beetle, *Callosobruchus chinensis* (L.) for different hosts. Bull. Grain Technol. 15(1): 20-26.
- Singh, T. (1976).** Studies on the relative resistance of important pulses to *Callosobruchus maculatus* (F.) and *Callosobruchus chinensis* (L.). Ent. Newsletter, 6(2): 9-18.
- Sliman, Z.T. (1993).** Response of faba beans (*Vicia faba*, L.) to seeding date in central region of Saudi Arabia, J. King-Saud Univ. Agric. Sci. 5(2): 219-226.

- Somta, P.; N.S. Talekar and P. Srinives (2005).** Characterization of *Callosobruchus chinensis* (L.) resistance in *Vigna umbellate* (Thunb.) Ohwi & Ohashi. J. of Stored Prod. Res., 42: 313-327.
- Southgate, B.J. (1979).** Biology of the Bruchidae, Annual Review of Entomology. 24: 449-473.
- Umrao, R.S. and R.A. Verma (2002).** Studies on correlation of physical factors and grain losses with infestation of the *Callosobruchus chinensis* on pea varieties, Indian. J. of Entomology. 64(3): 283-287.
- Venugopal, K.J.; S. Janarthanan and S. Ignacimuthu (2000).** Resistance of legume seeds to the bruchid, *Callosobruchus maculatus*: Metabolites relationship. Indian. J. of Experimental-Biology. 38(5): 471-476.
- Yakout, G.M. M.H. Greish and V. Romheld (2001).** Response of faba bean crop to phosphatic, foliar and bio-fertilization under new reclaimed sandy soil conditions (C.F. Record. 2 of 8-CAB Abstracts, 2000/08-2002/07.
- Zeidan, M.S.; M.O. Kabesh and M.S.M. Saber (2001).** Utilization of biofertilizers in field crop production. 14-Effect of organic manuring and biofertilization on yield and composition of two faba bean varieties cultivated in a newly reclaimed soil. Egypt. J. Agron. 23: 47-57.
- Zein, F.I. and R.B. Abo-Arab (2000).** Combined effect of bio-organo-fertilization at different N-levels on: 2-The degree of insect infestation by *Sitophilus oryzae* L. and *Rhizopertha dominica* F. J. Agric. Sci. Mansoura Univ., 25(7): 4637-4645.