

LITERATURE CITED

Abdalla ,K. M., A.M. Mohsen, K. A. Redda and

R. B. Ahmed . (1981)

Morphological responses to salinity in (Ficus Carica)

Trans Plants. Zagazig , j. Agric . Res .

8 (1) (21-38) 1981.

Abd-EL-Aziz, A.Z.; E.Y. Youssef; M.A.Khamis; M.M.Sharaf,

and M.A.EL-Ashram (1985).

Effect of salinity , sodium adsorption ratio and
chloride levels on vegetative growth and leaf mineral
composition in some citrus stock seedlings.

Effect on vegetative growth.

Annals of Agric. Sci. Moshtohor, Vol. (23)

_____ : M.A. Khamis; M.A.EL-Ashram; and S.A. Shazly , (1985).

Effect of increasing salt concentration on leaf
mineral composition of Guava and Olive seedlings.

Annals of Agric. Sci. Moshtohor, Vol. (23).

Abd-EL-Messih, M .W .; Rokba , A.M. ; EL - Shourbagy , M. A. and

EL-Nokrashy , M.A. (1979) .

Effect of different salinity levels on leaf mineral
composition of some citrus stock seedlings.

Egyptian journal of Horticulture (1979) 6 (1) 81-89.

Alexandre , D. MCE. and R.C. Woodham (1969).

Relative tolerance of rooted cutting of four Vinifera
varieties to sodium chloride .

Aust.j.Agric. Anium.Husb., 1968;8:461-5

(bibl.8) (Hort.Abst.39 :2354).

Ayers , A.D. (1950).

Salt tolerance of avocado trees grown in culture solutions .Yearb. Calif. Avocado Soc. pp. 139-40
(Hort. Abst. , 22:856).

_____ ;Aldrich , D.G. and Coony , J.J. (1951).

Effect of increasing salt concentratin on leaf burn of avocado. Calif . Agric , 5: 12: 7.,
(Hort. Abst., 22: 2926).

_____ ; _____ and _____ (1951) .

Sodium and chioride injury of Fuerte avocado leaves
Yearb. Callif . avocado Soc . pp. 174-8,
(Hort Abst., 22 : 4223).

Ayob , A. T. and F.A. Minessy (1974):Studies on salt tolerance
of March seedless grapefruit and Bearss lime . Sudan
Agric. J. , 9: 53 - 57 .

Bagdasarashvili , Z .G., (1952) : In regard to salt resistance
of grape vine . Pochvovederie , 6: 551 - 561 .
(Bot.Rev., 24: 584 - 635) .

Barakat , M.R. ; Salem, A.T. and El-Khoreiby, A.A. (1982).

The response of Guava and Olive seedlings to different
types of sodium salt treatments. Zagazig.
Journal of Agricultural Research 9 (1).

Basslavskaya, S. and M.Syroeskina (1936) : Influence of the
chloride ion on the content of potato.
Plant physiol., 11 : 149 - 157.

Behairy ,Z.H. ;M.A.Khamis;A.Z. Abd-EL-Aziz and M.M.Ibrahim.,

(1984) :Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances.

I- Effect of salinity on growth of American and European grape seedlings.-3rd.-Arabic congress for Horticulture 7 - 10 October,(1984)

_____ M.M.Sharaf, and M.A.Khamis, (1985).

Micro nutrients influence on salt tolerance of Guava and Olive seedlings .

Bernstein, A.D. Ayers and C.H.Wadleigh (1951): The salt tolerance of white rose potatoes.

Proc. Amer. Soc. Hort. Sci. 57 : 231 - 236.

_____ and pearson , G.A. , (1954) : Influence of integrated moisture stress achieved by varying the osmotic pressure of culture solutions on growth of tomato and pepper plants. Soil Sci. 77 , 355.

_____ ; J.W.Brown and H.E.Hayward (1956) : The influence of rootstock on growth and salt accumulation in stone fruit trees and almonds.

Proc. Amer. Soc. Hort. Sci. 68: 86 - 95.

Bernstein, L.(1964) :Effect of salinity on mineral composition and growth of plants . Plant analysis and fertilizer problems IV: 25-45

Bingham , F.T.; and Nelson , C . O . (1971).

The effect of sodium on mature avocado trees.
Avoc . Soc . Yrbk . 54 : 75 - 78. (C.F. Gazit and
Kadman 1976).

Bower , C. A. and C.H. Wadleigh (1949) : Growth and cationic
accumulation by four species of plants as influenced
by various levels of exchangeable sodium.
Soil Sci. Soc. Amer. Proc. 13 : 218 - 223.

Brown,J.W.;C.H.Wadleigh and H.E.Hayward (1953) : Foliar analysis
on stone fruit and almond tress on saline substrates.
Proc. Amer. Soc. Hort. Sci. 31:49 - 55.

Brown, J. D. and O. Lilleland (1946) : Rapid determination of
potassium and sodium in plant material and soil
extract by Flame photometry.
Proc. Amer. Soc. Hort. Sci. 37,813.

Brougham, R. W., (1960) : The relation between critical leaf
area, total chlorophyll and maximum growth rate of
some pastures and crop plants.
Ann. of Bot., 24 : 463 - 474.

Caro, M.; Fernandez, F. G.; Cardo , A. and Guiller , M.G. (1979):
The effects of sodium chloride in irrigation water
on the developement of citrus rootstocks . Revista de
Agroquimica J . Tecnologia de alimentos Biologia
Applicada del Segure , Murcia , Spain.
(Hort. Abst. 49(2) :1530).

- Carter , D. L. and Myers , V.G. (1963) : Light reflectance and chlorophyll and caroten contents of grapefruit leaves as affected by Na_2SO_4 , NaCl and CaCl_2 .
Proc. Amer. Soc. Hort. Sci. 1963 , 82 : 217 - 221.
- Cooil , B. J.; Rollo, K. de la Fuente and Ramon S.de la pena, (1964) : Absorption and transport of Na and K in Squash .
Plant Physiol. 40 : 625 - 632.
- Cooper , W. C., (1962): Toxicity and accumulation of salts in citrus trees on various rootstocks in Texas.
(Hort. Abst., 32,7230).
- _____, B.S. Gorton and E. O. Obson , (1952) : Ionic accumulation in citrus, as influenced by rootstock and scion and concentration of salt and boron in the substrate. Plant physiol ., 27:191 - 203.
- Daito ,H.,(1967): Fundamental investigation on the salt injury to citrus tress. Hort. Abs., 38:1874.
- Downton , W.J.S. (1978).
Growth and flowering in salt stressed avocado trees.
Australian journal of Agricultural
Research 29 (3) 523 - 534 (en. 12 ref.).
- Eaton , F.M.,(1942): Toxicity and accumulation of chloride and sulphate salt in plants.
Jour. Agr. Res., 64 : 357 - 399.

EL-Ashram, M.A.; M.M. Sharaf; E.Y. Youssef; A.Z. Abd-EL-Aziz and M.A. Khamis (1985)

I- Effect of salinity, sodium adsorption ratio and chloride levels on vegetative growth and leaf mineral composition in some citrus stock seedlings. Annals of Agric. Sci.; Moshtohor, Vol (23).

EL-Azab, E. M. and Minessy, F. A. (1975)

II- Effect of salinity on seedless and Roumi Red grape vines in calcareous soils. Alex. J. Agric. Res. 23 (2) : 265 - 74.

_____ : Nasr, T.A. and Barakat, M.A. (1973).

- Effect of salinity on growth and mineral content of pecan grown in calcareous soils. Alex. J. Agric. Res. 21 (2) : 303 - 8 .

EL-Deen, S.A.; Wassif, M.M. and Fadl, M.S., (1979)

Effect of salinity on Olive seedling growth. Agricultural research review, Vol. 57, No. 3, pp. 259 - 268. (1979).

EL-Gabry, M.M., (1958) : Specific effects on absorbed ions of calcium, magnesium and sodium of barley seedlings. Soil Sci., 85, No. 3: 161 - 166.

EL-Gizawy., (1973): Genetical and physiological studies on the nature of salt tolerance in some straw berry cultivars. M.Sc. Ain Shams Univ. Egypt.

EL-Hawary, A. H. (1987): studies on propagation of grape rootstocks and their tolerance to salinity. ph. D. Thesis, Cairo Univ.

EL-Kholi, A.F.; Barakat, M.R.; Badawi, A.M. and Ragab, M.A. (1979)

Effect of various chloride salts on growth and mineral content of valencia orange, Res.

Bull 1106 Fac. Agric. Ain Shams Univ.

EL-Lakany, M.H.H., (1966): study on the salt tolerance of some timber trees species.

M.Sc. Thesis, Coll. Agric. Alex. Unive. Egypt.

Fadel, M.S., Seif A. Sari EL-Deen, (1979): Effect of N -Benzyl adenine on photosynthetic pigments and total soluble sugars of olive seedling grown under saline condition. Egyptian Journal of Horticulture, 6, No. 2, pp. 169 - 183. (1979).

Faruque, A. H. (1968).

The effect of salinity on phytotoxicity and ion uptake of pecan seedlings. Diss. Abst. Sect. B.

29 : 432 (Hort. Abst. , 39 : 4465).

Fenn. L.B; Bingham, F. T. and Oertli, J.J. (1968).

On the mechanism of chloride toxicity. Yearb.

Calif Avoc. Soc. 52 . 113 - 16 (Hort. Abst.

39 : 7349).

Ferguson, W.S., (1966): Salt induced changes in the composition of lipid classes in barley roots. Can. Jour. Sci.

46 : 636 - 639.

Furr, J. R. and C. L. Ream, (1968): salinity effects on growth and salt uptake of seedlings of the date palm (Phoenix dactylifera L.).

Proc. Amer. Soc. Hort. Sci., 92: 268 - 273.

Gaser , A. S. (1986): Physiochemical studies on tolerance of avocado seedlings to salinity. M . Sc . Thesis. Cairo Univ .

Gauch, H. G. and C.H. Wadleigh , (1945): Effect of high concentration of sodium , calcium , chloride , and sulphate on ionic absorption by been plants. Soil Sci, 59: 140 - 153.

And Eaton, F.M., (1942):Effect of saline substrate of hourly levels of carbohy and inorganic constituents of barley plants. Plant physiol. 17, 387.

Gaur, Y.D., (1966):preliminary studies on the performance of grapevines in relation to saline water in arid zones. (Hort. Abst. 37: 6518).

Gazit, Sh. and Kadman, A. (1976).

Growing avocado in area of high salinity, P.58-60 in [Proceedings of the first international tropical fruit short course "The avocado".] Ed. by Sauls, J. W. Phillips, R.L. and Jackson, L.K., Univ. of Florida, Gainesville, Florida, pp. 129.

Gorton,B.S. and W.C. Cooper, (1954): Relation of calcium and potassium accumulation in citrus as influenced by rootstock and salinity of irrigation water. Proc. Amer. Soc. Hort. Sci. 63: 49 - 52.

Gosoko, V.V., (1969):the use of saline soils of the steppe region

of the crimea for vine cultivation.

(Hort. Abst. 39 : 6471).

Gustafson , C. D. (1976).

Avocado water relations.,P.47 - 53 In [Proceedings of the first international tropical fruit short course "The avocado"]. Ed. by saluls, J.W.; Phillips, R.L. and Jackson, L.K., Univ. of Florida, Gainesville, Florida , pp. 153 - 60 (Hort. Abst. 22 : 854).

Hass, A.R.C. (1950) Effect of sodium chloride on Mexican, Guatemalan and west Indian avocado seedlings. Yearb. Calif. avocado Soc. pp. 153 - 160 (Hort. Abst. 22 : 854).

_____ and J. N.Brusca, (1954):sodium effects in citrus seedlings. (Bot. Rev., 24 : 584 - 635).

Hassan,H.H.,(1974):physiological studies on salt tolerance of some vegetable crops.

Ph.D. Thesis in Hort. Faculty of Agriculture.,

Ain Shams Univ. Cairo, Egypt. (1974).

Harward,M.E.; Jackson,W.A.; Piland,J.R. and Mason,D.D.,(1956):

The relationship of chloride and sulphate ions to from of nitrogen in the nutrition of I rish potatoes. Soil, Sci. Soc. Amer. Proc. 20,23).

Hayward, H.E., and E.M. Long, (1942): Vegetative responses of the Elberta peach on Lovell and Shalil rootstocks to high chloride and sulphate solution.

Proc. Amer. Soc. Hort. Sci., 49: 149 - 155.

Hayward, H.E., and E.M. Long, (1943): Some effects of sodium salts on the growth of tomato.

Plant physiol., 18: 556 - 569.

_____, and W. B. Spurr, (1943) : Effects of Osmotic concentration of substrate on the entry of water into corn roots. (Bot. Gaz., 105 - 164).

_____ and C.H. Wadleigh, (1949): Plant growth on saline and alkali soils. (Adv. Agron., 1: 1 - 38).

_____ ; W.A. Jackson; J.R. Riland and D.D. Kason, (1956):

The relationship of chloride and sulphate ions of nitrogen in the nutrition of Irish potatoes.

Proc. Soil Sci. Soc. Amer. 20: 251 - 256.

Hewitt, A.A.; D.R. Furr and J.B. Carpenter, (1964): Uptake and distribution of chloride in citrus cutting during a short term salt test.

Proc. Amer. Soc. Hort. Sci. 84: 165 - 169.

Higinbotham, N., Etherton B. and Foster, R.J. (1967).

Mineral ion contents and cell transmembrane electropotentials of pea and oat seedling tissue.

Plant physiol. 42 : 37 - 46.

- Jackson, M.L. (1958): Soil chemical analysis. Constable Ltd. Co., London, P. 498.
- Jindal, P.C.; Sengh, J.P. and Gupta, O.P., (1979): Effect of salinity on the mineral nutrients in mango seedlings. Indian Jour. of Agric. Sci. (1979) (49) (2) 105 - 109 (En, 15 ref.)
Haryana Agric. Univ. Hissar, Haryana, India, (Hort. Abst. 49: (11) : 9003).
- Jones, W.A.; H.E. Pearson; E.R. Parker, and M.R. Huberty, (1952): Effect of sodium in fertilizer and in irrigation water on concentration in leaf and root tissues of citrus trees. Proc. Amer. Soc. Hort. Sci., 60: 65 - 70.
- Kabeel, H.I. (1985): physiological studies on salt tolerance of some deciduous fruit species. M.Sc. Thesis, Faculty of Agric., Moshtohor, Zagazig Univ.
- Kanwar, J.S., and Bhambota, J.R., (1968): effect of different water tables and salinity levels on the chlorophyll content and chemical composition of leaves of sweet orange. Citrus Finensial, Indian J. Agric. Sci., 38, :238 - 243 (bible 8) (Hort. Abst., 40, :2090).
- Khalil, A. (1979): The action of NaCl on the growth and mineral composition of clementines in hydroponic culture. Fruits (1979) 34 (2) 116-122 (Fr, 22 ref.)
Institute National Agronomique, Algar, Algaria. (Hort. Abst. 50 (1) : 579).

Khamis, M.A., and Darwish, M.S., (1981): effect of some growth regulators, nutrients and chelating agents on growth and mineral composition in citrus biosalinity. Annals of Agric. Sci., Moshtohor Vol.(17).

_____; Behairy, Z.H.; M.M. Ibrahim, and A.Z. Abd EL Aziz, (1984): Modification of salt tolerance in relation to some fruit seedlings by foliar applications with elements and growth substances.

II. : Studies on the response of Guava and Olive seedlings to saline conditions. 3rd Arabic congress for Horticulture, 7-10 October, 1984.

Kim, Ch.M., (1958): Effect of saline and alkaline salts on the growth and internal components of selected vegetable plants. Plant. Physiol. 11, 441.

Kirienko, T.N. (1964): The influence of soil salinity on vine growth and development. Vinodeliei vinoya-dasstvo 23, 27 - 30. (Hort. Abst. 34 - 4451).

kovda, V.A.;, (1947): The origin and regimentation of saline soils 1 zatel stov Akad. Nauk S.S.S.R.

Moscow, U.S.S.R. 375 pp (1974). (Ann. rev.)

Plant physiol. (1956) 7, 401 - 436.

Krylatov, A.E., (1962): In the tolerance of vines. Vinodeliei. Vinogradasatvo, 22 : 31 - 36.

(Hort. Abst., 32 : 6271).

Martin, J.P. and Ervin, J.O. (1956). Effect of Degree of base saturation on tolerance of avocado seedlings to exchangeable. Na and K in the soil. Sci. 83 : 295 - 271.

_____; W.P. Bitters, and J.O. Ervin (1959):
Influence of exchangeable sodium and chemical composition of trifoliolate orange seedlings. Proc. Amer. Soc. Hort. Sci. 74:308-321.

Magistad, D.C.; A.D. Ayers; C.H. Wadleigh and H.C. Gauch, (1943):
Effects of salt concentration, kind of salt and climate on plant growth in sand culture.
Plant physiol. 18 :151 - 166.

Makhija, M.; Dhankhar, O.P.; Singhrot, R.S. (1980): Effect of soil salinity levels on growth and leaf mineral composition of guava (Psidium guava L.)
Haryana Journal of Hort. Sci. (1980) 9(1/2) 21-25
(En.hindi., 13 ref.) Haryana Agric. Univ.
Hissar, India. (Hort. Abst. 51(9):8164).

Mausi, M. and S. Mizuta, (1966): Studies on the absorption of nutrient elements by musk melons. VI. Growth injury injury to musk melons as related to the application of saline water and calcium.
(Hort. Abst. , 37: 2852).

Meiri, A. and A. Poljokoff-Myber, (1970): Effect of various salinity regimes on growth, leaf expansion and transpiration rate of bean plants. (Soil Sci., 109 : 26 - 34).