

- Helper, P.K. and Wayne, R.O. (1985)
Calcium and plant development.
Ann.Rev.Plant Physiol., 36:397-439.
- Hewitt, E.J. (1944)
Experiments in mineral nutrition.
Progress Report. L. Long Ashton Research Sta.
Ann Rept. 1943, 33-47 .
- (1945)
March spot in beans.
Nature 155, 22-23.
- (1946)
Experiments in mineral nutrition. Progress
Report 3.
Long Ashton Research Sta. Ann. Rept. 1945, 44-50.
- (1963)
The essential nutrient elements: requirements
and interactions in plants. In F.C. Steward,
ed., Plant Physiology. New York: Academic Press.
- ; and Miles, P. (1954)
The effects of deficiencies and excesses of
some mineral nutrients on the growth of
tulip and daffodil bulbs in sand culture.
J.Hort.Sci., 29:237-244.
- Hoagland, D.R. and Arnon, D.I. (1950)
The water-culture method of growing plants
without soil.
Univ. California, Berkely, Coll. Agric. Circ. 347.

- Hyde, B.B., and Paliwal, R.L. (1958)
Studies on the role of cations in the structure
and behaviour of plant chromosomes.
Amer.J.Bot., 45:433.
- Jacobson, L.; Moore, D.R. and Hannapel, R.J. (1960)
Role of calcium in absorption of monovalent
cations.
Plant Physiol. 35:352-358.
- Jana, S. and Choudhuri, M.A. (1982)
Senescence in submerged aquatic angiosperms:
Effects of heavy metals.
New Phytol., Vol.90 No.3 pp. 477-484.
- and ----- (1984)
Synergistic effects of heavy metal pollutants
on senescence in submerged aquatic plants.
Water Air Soil Pollut., Vol.21 No.1-4
pp. 351-357.
- Joham, H.F. (1957)
Carbohydrate distribution as affected by
calcium deficiency in cotton.
Plant Physiol. 32:113-117.
- John, M.K. (1976)
Interrelationship between plant cadmium and
uptake of some other elements from culture
solution by oat and lettuce.
Environ.Pollut., 11:85-95.

- Jones, R.G.W. and Lunt, O.R. (1967)
The function of calcium in plants.
Bot.Rev. 33:407-426.
- Kaul, S. (1983)
Chemical composition of aquatic vegetation
in some typical wetlands of Kashmir.
Acta Hydrochim.Hydrobiol., Vol.11 No.1 pp.47-57.
- ✓ Kayer, H. and Sperling (1980)
Cadmium effects and accumulation in cultures
of Prorocentrum micans.
Helgol Meeresunters. 33,89-102.
- Khedr, Z.M.A. (1987)
Physiological studies on the growth of Azolla
plant .
M.Sc.Thesis, Fac., Agric., Moshtohor, Zagazig Univ.
- King, E.J. (1951)
Micro analysis in medical biochemistry.
2nd Ed. Churchill, London.
- Kremer, B.P. and Marckham, J.W. (1982)
Primary metabolic effects of cadmium in the
brown alga , Laminaria saccharina.
Pflanzenphysiol.Bol. 108.S. -125-130.
- Kufel, I. and Kufel, L. (1980)
Chemical composition of Reed (Phragmites
australis Irin.ex studel) in relation ro the
substratum.
Bull.Acad.Pol.Sci.Ser.Sci.Biol., Vol.28 No.10-11,
pp. 563-568.

✓ Lamarck, J.B.P.A.M. (1783)

Azolla filiculoides lam.

Enc.Meth.Bot.I,343.

(c.f., Perkins, S.K.; Peters, G.A.; Lumpkin, T.A and Calvert, H.E. (1985)-Scanning electron microscopy of perine Architecture as a taxonomic tool in the genus Azolla lamarck. Sem Inc., AMF O'More (Chicago), IL 60666-0507 (pages 1719-1734).

Larsen, V.J. and Schierup, H.H. (1981)

Macrophyte cycling of zinc, copper, lead and cadmium in the littoral zone of a polluted and non-polluted lake. II- Sesonal changes in heavy metals content of above ground biomass and decomposing leaves of Phragmites australis (Cav) Trin.

Aquat.Bot., Vol.11 No.3 pp.211-230.

Lee, C.R.; Folsom, B.L.Jr; and Engler, R.M. (1982)

Avilability and plant uptake of heavy metals from contaminated dredged material placed in flooded and upland disposal environments.

Environ.Int., Vol.7 No.2 pp.65-72.

Loneragen, J.F. and Dowling, E.J. (1958)

The interaction aof calcium and hydrogen ions in the nodulation of subterranean clover.

Australian J.Agric.Research, 9:464-472.

Loneragen, J.F. (1959)

Calcium in the nitrogen metabolism of subterranean clover.

Australian J.Biol. Sci. 12,26-39.

✓ Lumpkin, T.A. and Plucknett, D.L. (1982)

Azolla as a green manure; sue and management
in crop production.

Westview Tropical Agric. Series, No 5.

Marinos, N.G. -(1962)

Studies on submicroscopic aspects of mineral
deficiencies. I- Calcium deficiency in the
shoot apex of barley.

Amer. J. Bot. 49:834-841.

Marchyulenene, D.P.; Dushauskene-Duzh, R.F.; Moteyunene,

Eh.B.; Nyanishkene, V.B.; Polikarpov, G.G.; and

Vorob'ev, L.N. (1978) Cumulation of sup-210 pb in Freshwater plants

Gidrobiol. Zh. Hydrobiol. J., 14(6), 81-86.

Markhan, J.W.; Kremer, B.P., and Sperling, K.R. (1980 a)

Cadmium effects on growth and physiology of

Ulva lactuca.

Helgol. Merresunters. 33:103-110.

-----, ----- and ----- (1980 b)

Effects of cadmium on Laminaria saccharina in
culture.

Mar. Ecol. Prog. Ser. 3:31-39.

Marschner, H.; Handley, R. and Overstreet, R. (1966)

Potassium loss and changes in fine structure
of corn root tips induced by H-ion.

Plant Physiol. 41:1735.

Mazia, D. (1954)

The particulate organization of chromosome.

Proc. Natl. Acad. Sci., U.S. 40:521.

- Mc Brien, D.C.H. and Hassall, K.A. (1965)
Loss of cell potassium by Chlorella vulgaris.
after contact with toxic amounts of copper
sulphate.
Physiol. Plantarum, 18:1059-1065.
- Mc Elroy, W.D. and Nason, A. (1954)
Mechanisation of action of micronutrient
elements in enzymes system.
Ann.Rev.Plant Physiol. 5 :1.
- McMurtry, J.E.Jr; (1948)
Visual symptoms of malnutrition in plants.
In " Diagnostic Techniques for Soil and Crops"
(H.B. Kitchen, ed). Chapter 8, pp.231-289.
American Potash Institute, Washington, D.C.
- Meshitsuka, S. and Ishizawa, M. (1978)
Consecutive uptake of cadmium by KB cells in
culture.
Toxicol.Appl.Pharmacol., 46:807-810.
- and ----- (1980)
Differences between the uptake of toxic and
essential metal ions by KB cells in culture.
Jap.J. Ind.Health, 22:206-207.
- Miller, G.E.; Wile, I. and Hitchin, G.G. (1983)
Patterns of accumulation of selected metals in
members of the soft-water macrophytes flora of
central Ontario lakes.
Aquat.Bot.Vol., 15 No. I pp. 53-64.

Millikan, C.R. (1953)

Nutritional disorders in subterranean clover.
Dep. Agr. Victoria Tech. Bull. 11.

Nasu, Y. and Kugimoto, M. (1981)

Lemna (Duckweed) as a, indicator of water
Pollution. I- The sensitivity of Lemna
paucicostata to heavy metals.
Arch. Environ. Contam. Toxicol., 10(2):159-169.

Nasu, Y.; Kugimoto, M.; Tanaka, O. and Tadimoto, A. (1983)

Comparative studies on the a sorption of
cadmium and copper in Lemna paucicostata.
Environmental Pollution (Series A), 32(3), 201-209.

Nasu, Y.; Kugimoto, M.; Tanaka, O.; Yanase, D. and Takimoto, A.
(1984)

Effect of cadmium and copper Co-existing in the
medium on the growth flowering of Lemna
paucicostata in relation to their absorption.
Environmental Pollution (Series A) (1984) 267-274.

✓ Nickell, L.G. (1961)

Physiological studies with Azolla under
aseptic conditions. II- Nutritional studies and
the effect of the chemicals on growth.
Phyton. , 17:49-54.

Overstreet, R.; Jacobson, L. and Handley, R. (1952)

The effect of calcium on the absorption of
potassium by barley roots.
Plant Physiol., 27:583.

Olsen, C. (1942)

Water culture experiments with higher green plants in nutrient solution having different concentrations of calcium.

c.r. RTrav.Labor.Carlsber, Sérchim. 24:69.

Paivoke, A. (1983)

The long-term effect of lead and arsenate on the growth and development, chlorophyll content and nitrogen fixation of the garden pea.

Annals Botanici Fennici (1983)20(3):297-306.

(c.f. Soil and Fert.Abst.Vol.47 No.6544,1984).

Peters, G.A.; Galvert, H.E.; Koplan, D.; Ito, O. and Toia, Jr. R.E.

(1982)

Azolla-Anabaena symbiosis, Morphology, physiology and use.

Israil J.Bot., Vol.3:305-323.

Peverly, J.H. (1979)

Elemental distribution and macrophyte growth downstream from organic soil.

Aquat.Bot., 7(4):319-338.

Polar, E. and Kucukcezzar, R. (1986)

Influence of some metal chelators and light regions on bioaccumulation and toxicity to

Cd in duckweed, Lemna gibba.

Physiol.Plant. 66:87-93.

Pregl, F. (1945)

Quantitative organic micro analysis.

4th Ed. J. and A. Churchill Ltd. London.

- Piper, C.S. (1947)
Spil and plant analysis.
The Univ. of Adelaide, Adelaide.
- Roulence, D.J. and Whitton, J.S. (1977)
Elements on aquatic macrophytes, water, plankton,
and sediments surveyed in three North Island
Lakes.
N.Z.J. Mar. Freshwater Res., 11(1); 73-93
- Root, R.A.; Miller, R.J. and Koeppel, D.E. (1975)
Uptake of cadmium, its toxicity and effect on
the iron ratio in hydroponically grown corn.
J. Environ. Qual. 4: 473-476.
- Say, P.J. and Whitton, B.A. (1980)
Changes in flora down a stream showing a
zinc gradient.
Hydrobiologia, 73(30): 255-262.
- Schierup, H.H. and Larsen, V.J. (1981)
Macrophyte cycling of zinc, copper, lead and
cadmium in the littoral zone of a polluted
and a non-polluted lake. I-Availability, uptake
and translocation of heavy metals in
Phragmites australis (Cav.) Trin.
Aquat. Bot., Vol. 11 No. 3, pp. 197-210.
- Seto, M.; Takahashi, Y.; Ushijima, T. and Tazaki, T. (1979)
Chlorotic death of Lemna gibba by cadmium in
different concentrations of nutritional
minerals.
Jap. J. Limnol., 40(2): 61-65.

- She, L.K.; Kheng, L. C. and Main, T.S. (1984)
Selected aquatic vascular plants as biological
indicator for heavy metal pollution.
Pertanika., Vol., No.1; pp.33-47.
- Sommer, C. and Winkler, S. (1982)
The effect of heavy metals on the rates of
photosynthesis and respiration of Fontinalis
antigpyretica Hedw.
Arch. Hydrobiol., Vol., 93 No.4, pp.503-524.
- Sorokin, H. and Sommer, A.L. (1929)
Changes in the cells and tissues of root tips
induced by the absence of calcium.
Amer. J. Bot., 16:23-29.
- Steffense, D. (1955)
Breakage of chromosomes in Tradescantia with
a calcium deficiency.
Proc. Natl. Acad. Sci., U.S., 41:155.
- (1953)
Induction of chromosome breakage at meiosis
by a magnesium deficiency in Tradescantia.
Proc. Natl. Acad. Sci., U.S., 39:613?
- Strauss, R. (1980)
Influence of H SUB-2 PO SUB-4 SUP. ion
concentration on the growth and mineral
composition of two Characeae.
Hydrobiol., 76(3):229-232.

✓ Svenson, H.K. (1944)

The new world species of Azolla.
Amer. Fern.J., 34:69-84.

Sutcliffe, J.F. and Baker, D.A. (1974)

Plants and mineral salts.
The institute of Biology's studies in Biology
No.48 (Edward Arnold Publishers Ltd.London).

Street, H.E. and Öpik, H. (1984)

The physiology of flowering plants.
Edward Arnold (Publishers)Ltd., London, third
edition.

Tanaka, O.; Nasu, Y.; Takimoto, A. and Kugimoto, M. (1982)

Absorption of copper as influenced by some
factors which nullify the copper effect on
flowering and growth.
Plant cell physiol., 23:1291-1296.

Trewavas, A. (1972)

Determination of the rate of protein
synthesis and degradation in Lemna minor.
Plant Physiol., 49:40-46.

Thomas, M. ; Ronson, S.L. and Richardson, T.A. (1973)

Plant Physiology. fifth edition, Longman
Group Limited, London.

True, R.H. (1914)

The harmful action of distilled water.
Amer.J.Bot., 1:255-273.

Viets, F.G. (1944)

Calcium and other polyvalent cations as accelerators of ion accumulation by excised barley roots.

Plant Physiol. 19:466.

Vander Werff, M. and Pruyt, M.J. (1982)

Long-term effects of heavy metals on aquatic plants.

Chemosphere., Vol. 11 No. 8 pp. 727-739.

✓ Van Hove, C.; Diara, H.F. and Godord, P. (1983)

Azolla in West Africa, published by the Azolla project of the West Africa Rice Development Association (WERDA) with support by a grant from the Belgian Administration of development Cooperation.

Wallace, T. and Hewitt, E.J. (1948)

Effects of calcium deficiency on potato sets in acid soils.

Nature 161:28.

Wallace, A.; Romney, E.M.; Alexander, G.V.; Soafi, S.M. and Petel, P.M. (1977)

Some interaction in plants among cadmium and other heavy metals and chelating agents.

Agron. J. 69:18-20.

✓ Watanab, I.; Epinas, C.R.; Berja, N.S. and Alimagno, B.B. (1977)

Utilization of the Azolla-Anabaena complex as a nitrogen fertilizer for rice.

IRRI res. Pap. Ser. 11, 15p.

Welsh, R.P.H. and Denny, P. (1980)

The uptake of lead and copper by submerged
aquatic macrophytes in two English lakes .

J. Ecol., 68(2):443-455.