

REFERENCES

REFERENCES

- Adriano, D. C.; Paulsen, G. M., and Murphy, L. S. (1971):
Phosphorus-iron and phosphorus-zinc relationships
in corn (*Zea mays* L.) seedlings as affected by
mineral nutrition.
Agron. J., 36: 36-39.
- Agarwala, S. C., and Sharma, C. P. (1961):
The relation of iron supply to the tissue concen-
tration of iron, chlorophyll and catalase in barley
plants grown in sand culture.
Physiol. Plantarum., 14: 275-283.
- Ajakaiye, C. O. (1979):
Effect of phosphorus on growth and iron nutrition
of millet and sorghum.
Plant and Soil., 51: 551-561.
- Alvarez-Tinaut, M. C.; Leal, A., and Recalde-Martinen, L.
(1980).
Iron manganese interaction and its relation to boron
levels in tomato plants.
Plant and Soil., 55: 377-388.
- Amberger, A.; Guster, R., and Wunsch, A. (1982):
Iron chlorosis induced by high copper and Manganese
supply.
J. Plant. Nutr., 5 : 715-720.
- Ambler, J. E., and Brown, J. C. (1969):
Cause of differential susceptibility to zinc
deficiency in two varieties of Navy beans.
Agron. J., 61: 41-43.

- Ambler, J. E., Brown, J. C., and Gauch, H. G. (1970):
Effect of zinc on translocation of iron in soybean plants.
Plant physiol., 46: 320-323.
- Anderson, C. A. (1982):
The effect of high pH and P on the development of lime-induced chlorosis in two seedling populations of *Eucalyptus obliqua* L'Herit.
Plant and Soil., 69: 199-212.
- Anderson, W. B. (1982):
Diagnosis and correction of iron deficiency in field crops - an overview.
J. Plant Nutr., 5 : 785-795.
- Bartrom, L. L.; Krivan, H. C.; and Kelman, D. J. (1982):
A specific transport system for Fe^{2+} in Bacteria.
J. Plant Nutr. 5 : 405-411.
- Bennett, J. P. (1931):
The treatment of lime-induced chlorosis with iron salts.
Calif. Agric. Exp. Sta. Circ. Bul., 321.
c.f. Wallace, A., and Lunt, O. R. (1960).
- (1945):
Iron in leaves.
Soil Sci., 60: 91-105.
- Biddulph, O., and Woodbridge, C. G. (1952):
The uptake of phosphorus by bean plants with particular reference to the effects of iron.
Plant physiol., 27: 431-444.
-

Bingham, F. T. (1963):

Relation between phosphorus and micronutrients in plants.

Soil Sci. Soc. Am. Proc., 27: 389-391.

Black, C. A.; Evans, D. D.; White, J. L.; Ensminger, L. E., and Clark, F. F. (1965):

"Methods of soil analysis. Part 2: Chemical and Microbiological properties."

American Society of Agronomy Inc., Modison, Wis, USA.

Boll-Jones, E. W. (1955):

The effect of varied nutrient levels on the concentration and distribution of Manganese within potato plant.

Plant and Soil., 6: 45-60.

Bonnet, J. A. (1947):

Tracing the calcium phosphorus and iron from a limed and unlimed laterite soil to the grass and animal blood.

Proc. Soil Sci. Soc. Amer., 11: 295.

Boxma, R. (1972):

Bicarbonate as the most important soil factor in lime-induced chlorosis.

Plant and Soil., 37: 233-243.

Brown, A. L.; Yamaguchi, S. and Lead-Diaz, J. (1965):

Evidence for translocation of iron in plants.

Plant physiol., 40: 35-38.

Brown, E. G. (1958):

Evidence for the involvement of ferrous iron in the biosynthesis of γ -aminolaevulic acid by chicken erythrocyte preparations.

Nature., 182: 313-315.

c.f. Miller et al. (1982).

Brown, J. C. (1956):

Iron chlorosis.

Ann. Rev. Plant Physiol., 7: 171-189.

Brown, J. C. (1961):

Iron chlorosis in plant.

Advances in Agron., 13: 329-369.

Brown, J.C. (1963):

Interactions involving nutrient elements.

Ann. Rev. Plant Physiol., 14: 93-106.

----- (1972):

Competition between phosphate and the plant for
Fe from Fe^{2+} ferrozine.

Agron. J., 64: 240-243.

-----, and Bell, W. D. (1969):

Iron uptake dependent upon genotype of corn.

Soil Sci. Soc. Am. Proc., 33: 99-101.

-----, and Chaney, R. L. (1971):

Effect of iron on the transport of citrate into
the xylem of soybeans and translocates.

Plant Physiol., 47: 836-840.

-----, and Hendricks, S. B. (1952):

Enzymic activities as indications of copper and
iron deficiencies in plants.

Plant physiol., 27: 651.

Brown, J. C.; and Tiffin, L. O. (1962):

Zinc deficiency and iron chlorosis dependent on the plant species and nutrient-element balance in Tulare clay.

Agron. J., 54: 356-358.

-----, ----- (1965):

Iron stress as related to the iron and citrate occurring in stem exudate.

Plant Physiol., 40: 395-400.

-----; -----; -- Holmes, R. S. Specht, A.W. and Resnicky, J. W. (1959):

Internal inactivation of iron in soybeans as affected by root growth medium.

Soil Sci., 87: 89-94.

Buehrer, T. F. (1932):

Ariz⁹ Agric. Expt. Station. Tech. Bull. 42.

c.f. Dahiya and Singh, 1982

Bukovac, M. J., and Witter, S. H. (1957):

Absorption and mobility of foliar applied nutrients. Plant Physiol., 32: 428-435.

Carter, M. R. (1980):

Association of cation and organic anion accumulation with iron chlorosis of scots Pine on Prairie soils.

Plant and Soil., 56: 293-300.

Chaney, R. L.; Brown, J. C. and Tiffin, L. O. (1972):

Obligatory reduction of ferric chelates in iron uptake by soybeans.

Plant Physiol., 50: 208-213.

- Chaney, R. L., and Coulombe, B. A. (1982):
Effect of phosphate on regulation of Fe-stress
response in soybean and peanut.
J. Plant. Nutr., 5 : 469-487.
- Chapman, H. D.; Leibig, J. R., and Vanselow (1940):
Some nutritional relationships as revealed by a
study of mineral deficiency and excess symptoms
on citrus.
Soil Sci. Soc. Amer. Proc., 4: 196-200.
- Courpron, C. and Juste, C. (1975):
Influence de l'incorporation de certaines formes
de matieres organiques sur le pouvoir chlorosant
d'un sol calcaire.
Ann. Agron., 26: 215-227.
- Dahiya, S. S. (1973):
Studies on the availability and uptake of iron as
affected by salinity, Alkalinity and CaCO_3 taking
Pea (*Pisum sativum* L.) as an indicator crop:
Ph. D. Disseration, H. A. U., Hissar (Unpublished).
c.f. Dahiya, S. S. and Singh, R. (1982):
- and Singh, R. (1982):
Effect of soil application CaCO_3 and Fe on dry matter
yield and nutrient uptake in oats (*Avena sativa*).
Plant and Soil, 65: 79-86.
- Dekock, P. C. (1955):
The iron nutrition of plants at high pH.
Soil Sci., 79: 167-175.
- (1956):
Heavy metal toxicity and iron chlorosis.
Ann Botany (London) N. S.20, 133-141 (1956).

- Dekock, P. C. and Strmecki, E. L. (1954):
An investigation into the fertilizing effect of
Lignite.
Physiol. Plantarum., 7: 503-512.
- Dickman, S. R., and Cloutier, A. A. (1951):
Factors affecting the activity of aconitase.
J. Biol. Chem., 188: 379-388.
- Doney, R. C.; Smith, R.L., and Wiebe, H. H. (1960):
Effects of various levels of bicarbonate,
phosphorus and pH on the translocation of
foliar-applied iron in plants.
Soil Sci., 89: 269-275.
- Duggen, J., Gassman, M. (1974):
Induction of porphyrin synthesis in etiolated
bean leaves by chelators of iron.
Plant Physiol., 53: 206-215.
- Elgala, A. E., and Maier, R. H. (1964):
Chemical forms of plant and soil iron as influenced
by soil moisture.
Plant and Soil., 21: 201-212.
- Epstein, E., and Stout, P. R. (1951):
The micronutrient cations iron, manganese, zinc
and copper: their uptake by plants from the
absorbed state.
Soil Sci., 72: 47-65.
- Fallde, J. A. (1972):
The relationship between bicarbonate ion, pH
and Fe⁵⁹ uptake by plants.
J. Exp. Botany., 23 : 941-949.
c.f. Soils and Fert., 36: 1406 .

- Fisher, F. and Hultzs, K. (1938):
Über die Bindung des Eisens in Eiweisstoffen.
Biochem. Z. 299: 104-122.
c.f. Dekock et al. (1960) plant and soil XII,
: 128-142 .
- Graff, D. J.; Ashmead, H. D., and Hsin-Hung. (1980):
Radio active istopes studies in plants.
Unpublished mimeographed materials, Albion
Laboratories. Inc., Clear field, Utah, USA.
c.f. Hsin-Hung et al. (1982)
J. Plant. Nuter., 5: 969-974.
- Granick, S.(1951):
Biosynthesis of chlorophyll and related pigments.
Ann. Rev. Plant Physiol., 2: 115-144.
- Granick, S. (1958):
In "Trace elements" (C.A. Lamb, O.G. Bentley,
and J. M. Beattie, eds), PP. 337-363.
Academic Press, New York.
c.f. Brown, J. C. (1961).
- Grasmains, V. O. and Leeper, C. W. (1966):
Toxic manganese in near neutral soils.
Plant and Soil., 25: 41-48.
- Hale, V. Q., and Wallace, A. (1960):
Bicarbonate and phosphorus effect on uptake and
distribution of iron chelated with ethylene
diamine di "O-hydroxyphenyl acetate" in soybean.
Soil Sci., 89: 285-288.

- Hamze, M. and Nimah, M. (1982):
Iron content during lime-induced chlorosis with
two citrus rootstocks.
J. Plant Nutr., 5 : 797-804.
- Harley, C. P., and Linder, R. C. (1945):
Observed responses of apple and Pear trees to
some irrigation waters of north central Washington.
Proc. Am. Soc. Hort. Sci., 46: 35-44.
- ✓Hartzook, A. (1982):
The problem of iron deficiency in peanuts (*Arachis
hypogea*.) on basic calcareous soils in Israel.
J. Plant Nutr., 5 : 923-926.
- Havlin, J. L. and Soltanpour, P. N. (1982):
Greenhouse and field evaluation of the NH_4HCO_3 -
DTPA soil test for Fe.
J. Plant Nutr., 5 : 769-783.
- Hewitt, E.J. (1951):
The role of mineral elements in plant nutrition.
Ann. Rev. Plant Physiol., 2: 25-52.
- Horesh, I., and Levy, Y. (1981):
Response of iron-deficient citrus trees to foliar
iron sprays with a low-surface tension surfactant.
Sci., Hortic. (Amsterdam) 15: 227-233.
- Hsu, W., and Miller, G. W. (1970):
Coproporphyrinogenase in tobacco.
Biochem. J., 117: 215-220.
- Hunter, J. G., and Vergnano, O. (1953):
Trace-element toxicities in oat plants.
Ann. Appl. Biol. 40: 761-777.

Jakson, M. L. (1964):

Chemical composition of soils.

c.f. Chemistry of the soil by Bear, F., 128 .

Jodice, R., Luzzati, A., and Nappi, P. (1982):

The influence of organic fertilizers, obtained from poplar barks, on the correction of iron chlorosis of *liupinus albus* L.

Plant and Soil., 65: 309-317.

John, M. K. (1970):

Colorimetric determination of phosphorus in soil and plant materials with ascorbic acid.

Soil Sci., 10: 214-218.

Johnson, C. M. Stoot, R. R.; Broyer, T. C., and Cartton, A. B. (1957):

Comparative chlorine requirements of different plant species.

Plant and Soil., 8: 337-353.

Kannan, S., and Pandey, D. P. (1982):

Absorption and transport of iron in some crop cultivars.

J. Plant nutr., 5 : 395-403.

Khruslova, S. C. (1965):

Effect of mobile phosphate on iron nutrition of plants.

Agrokhimiya., 8: 65-69 (in Russian)

c. f. Ajakaiye, C. O. (1979).

Leeper, G. W. (1952):

Factors affecting availability of inorganic nutrients in soils with special references to micronutrient elements.

Ann. Rev. Plant Physiol., 3: 1-16.

Leonard, C. D., and Stewart (1953):

An available source of iron for plants.

Proc. Am. Soc. Hort. Sci., 62: 103-110.

Linder, R. C. and Harley, C. P. (1944):

Nutrient inter-relationship of the lime-induced chlorosis.

Plant Physiol., 19: 420-444.

Lindsay, W. L. (1974):

Role of chelation in micronutrients availability.

c.f. Lindsay, W. L., and Schwab, A. P. (1982).

----- (1979):

Chemical Equilibria in soils.

Wily-interscience, New York.

c. f. Lindsay and Shwab. 1982 .

----- and Norvell, W. A. (1978):

Development of DTPA soil test for zinc, iron, manganese, and copper.

Soil Sci. Soc. Am. Proc. 42: 421-528.

-----, and Schwab, A. P. (1982):

The biochemistry of iron in soils and its availability to plants.

J. Plant Nutr. 5 : 821-840.

Lindsay W. L. and Thorne, D. W. (1954):

Bicarbonate ion and oxygen level as related to chlorosis.

Soil Sci., 77: 271-280.

Lingle, J. C.; Tiffin, O. L., and Brown, J. C. (1963):

Iron uptake - Transport of soybeans as influenced by other cations.

Plant Physiol., 38: 71-76.

Marsh, M. U., Evans, H. J., and Matrone, G. (1963):

Investigations as to the role of iron in chlorophyll metabolism.

Plant and Soil, 38: 632-638.

Marsolek, M. D., and Hagstrom, G. R. (1982):

Acidified mining residue for correction of iron chlorosis on calcareous soils.

J. Plant Nutr., 5 : 941-948.

Mathers, A. C. (1970):

Effect of ferrous sulfate and sulphuric acid on grain sorghum yields.

Agron. J., 62: 555-556.

McGeorge, W. T. (1949):

Lime-induced chlorosis: the relation between active iron and citric and oxalic acids.

Soil Sci., 68: 381-390.

Mengel, K., and Kirby, E. A. (1979):

Principles of plant nutrition in potash.

Inst. Worblan, Bern, Switzerland.

c.f. Plant and Soil., 69: 199-212 .

Miller, J. W.; Denney, A.; Pushnisk, J. and Yu, M. H. (1982):

The formation of delta-amino levulinate Aprecursor of chlorophyll, in Barley and the role of iron.

J. Plant. Nutr., 5 : 289-300.

Montanes, L. and Heras, L. (1971):

Effect of calcium carbonate content on iron fixation in soils.

Anales de la Estacion Experimental de Aula Dei, 11: 5-13.

c.f. Soils and Fert., 35: 2860 .

Mortvedt, J. J. (1982):

Grain response to iron sources applied alone or with fertilizers.

J. Plant Nutr., 5 : 859-868.

-----; Anderson, F. N. and Grabouski, P. (1974):

Placement effect^{of} ferrous sulfate-ammonium polyphosphate suspensions on crop response to iron.

Fert. Soins. 18 : 76, 80, 82, 84, 86.

-----, and Giordano (1971)

Response of grain sorghum to iron sources applied.

Agron. J., 36: 758-761.

Murphy, J. and Riley, J. P. (1962):

A modified single solution method for the determination of phosphate in natural waters.

Anal. Chim. Acta, 27: 31-36.

Nakos, G. (1979):

Lime-induced chlorosis in *Pinus Radiata* Plant.
Plant and Soil., 52: 527-536.

Norvell, W. A. (1972):

Equilibria of metal chelates in soil solution;
c.f. Micronutrients in Agriculture by Mortvedt, J. J.,
Giordano, P. M., and Lindsay, W. L. Soil Sci. Amer.,
Inc. Madison, Wisc. USA. 115 - 128

----- and Lindsay, W. L. (1982):

Estimation of Fe^{3+} concentrations from equilibria
of EDTA in soil.

Soil Sci. Soc. Amer. J., 46 (submitted).

Ohno, Y.; Morur, C. J. and Okuyoma, L. A. (1978):

Antagonistic iron-deficiency of rice plants growing
in acid red latosol in parana, Brazil.

Japan Agriculture Research Quartely., 12 :
177-179.

c.f. Soil and Fert . 1980 . 43 : .521.

Olsen, C. (1958):

Iron absorption in different plant species as
a function of the pH value of the solution.

Comptesrend. Lab., Corlesburg., 31: 41-59.

c.f. Brown, J. C.; Tiffin, L. O., and Holmes, R. S.
(1960):

Olsen, S. R. (1972):

Micronutrients interactions.

"Micronutrients in Agriculture.

Soil Sci. Soc. of Amer. Inc. Madison, Wisconsin -
USA., 11: 243-363.

Olson, R. V. (1965):

Iron in soils.

In C. A. Black et al. (ed.)

Agron., 9: 963-973.

Orioli, G. A. (1982):

Studies of plant absorption of Fe-Humate.

J. Nutr., 5 : 413.

Oserkowsky, J. (1933):

Quantitative relation between chlorophyll and
iron in green and chlorotic pear leaves.

Plant Physiol., 8: 449-468.

O'Sullivan, M. (1969):

Iron metabolism of grasses.

1. Effect of iron supply on some inorganic and
organic constituents.

Plant and Soil., . 3: 451-462.

Parsa, A. A. and Wallace, A. (1979):

Organic solid wastes from upon environment as iron
sources for sorghum.

Plant and Soil., 53: 455-461.

Patel, G. J.; Ramakrishnayya, D. V., and Patel, B. K.
(1977):

Effect of soil and foliar application of ferrous sulfate and of acidulation of soil on iron-chlorosis of paddy seedlings in goradu soil nurseries of India.

Plant and Soil., 46: 209-219.

Patil, J. D., and Patil, N. D. (1981):

Effect of calcium carbonate and organic matter on the growth and concentration of iron and manganese in sorghum (*Sorghum Bicolor*).

Plant and Soil., 60:295-300.

Piper, C.S. (1950):

"Soil and plant analysis."

Interscience Publications, Inc. New York.

Porter, L. K., and Thorne, D. W. (1955):

Interrelation of carbon dioxide and bicarbonate ions in causing plant chlorosis.

Soil Sci., 79: 373-382.

Price, C. H. (1968):

Iron compounds and plant nutrition.

Ann. Rev. Plant Physiol., 19: 239-248.

Price, C.A.; Clark, H. E., and Funkhous, E.A. (1972):

Functions of micronutrients in plants.

c.f. Micronutrients in Agriculture by Mortvedt, J. J.; Giordano, P. M., and Lindsay, W. L.

Soil. Sci. Amer., Inc. Madison, Wisconsin, USA., 231-241 .

- Procopiou, J. and Wallace, A. (1982):
Mineral composition of two populations of leaves-
green and iron chlorotic of the same age all from
the same tree.
J. Plant nutr., 5 : 811-820.
- Pushnik, J. C., and Miller, G. W. (1982):
The effects of iron and light treatments on
chloroplast composition and ultrastructure in
iron-deficient Barley leaves.
J. Plant nutr., 5 : 311-321.
- Razeto, B. (1982):
Treatments for iron chlorosis in peach trees.
J. Plant Nutr., 5 : 917-922.
- Rediske, J. H., and Biddulph, O. (1953):
The absorption and translocation of iron.
Plant Physiol., 28: 576-593.
- Reuther, W. and Smith, P. F. (1953):
Effects of high copper content of sandy soil on
growth of citrus seedlings.
Soil Sci., 75: 219-224.
- Riekels, J. W.; Gulen, O. F. (1967):
Iron uptake and translocation by tomato plants
as influenced by manganese.
Plant Physiol., 42: Presented at the annual
meetings.
- Rogers, C. H., and Shive, J. W. (1942):
Factors affecting the distribution of iron in
plants.
Plant physiol., 7: 227-252.

- Rosell, R. A., and Ulrich, A. (1964):
Critical zinc concentrations and leaf minerals
of sugar beet plants.
Soil Sci., 97: 152-167.
- Salar dini A.A. and Murphy, L. S. (1978):
Grain sorghum (*Sorghum Bicolor*) response to
organic iron on calcareous soils.
Plant and Soil., 49: 57-70.
- Schwab, A. P. and Lindsay, W. L. (1982):
Effect on redox on the equilibrium competition
of chelating agent for iron.
Soil Sci. Amer.J., 46:
- Schwertman, U., and Taylor, R. M. (1977):
Iron oxides. In: J. B. Dixon and S. B. Weed (Eds)
minerals in soil environment. PP. 145-180.
Soil Sci. Amer. Madison, Wisc. U.S.A.
- Shata, S. M. A., (1982):
Studies on iron compounds in plant
and their relation to plant nutrition. Ph. D. Thesis
Soils and Agricultural chemistry Dept. Faculty of
Agriculture, Moshtohor, Zagazig University
- Singh, M., and Dahiya, S. S. (1976):
Effect of calcium carbonate and iron on the
availability and uptake of iron, Mn, P and Ca in
pea crop.
Plant and Soil., 44: 511-520.

Somers, I. I., and Shive, J. W. (1942):

The iron-manganese relation in plant nutrition.
Plant Physiol., 17: 582-602.

Spencer, W. F. (1966):

Effect of copper on yield and uptake of phosphorus
and iron by citrus seedlings grown at various phosphorus levels.

Soil Sci., 102: 296-299.

Terry, N. (1980):

Limiting factors in photosynthesis.

I. Use of iron stress to control photochemical
capacity in vivo.

Plant Physiol., 65: 114-120.

Terry, N., and Low, G. (1982):

Leaf chlorophyll content and its relation to
the intercellular localization of iron.

J. Plant Nutr., 5 : 301-310).

Thomas, J. D. and Mathers A.C. (1979):

Manure and iron effects on sorghum growth on
iron-deficient soil.

Agron. J., 17: 792-794.

- Thorne, D. W., and Wann, F. B. (1950):
Nutrient deficiency in Utah Orchards.
Utah Agr. Exp.Sta. Bull. 338. Logan.
c.f. Wallace A. and Lunt, O. R. (1960):
- Thorne, D. W.; Wann, F.B., and Robinson, W. (1951):
Hypotheses concerning lime-induced chlorosis.
Soil Sci. Amer. Proc., 15: 254-258.
- Tiffin, L. O. (1966):
Iron translocation 1. Plant culture and exudate
sampling. Iron citrate analysis.
Plant Physiol., 41: 510-514.
- (1967):
Translocation of Mn, Fe, Cu, and Zn in tomato.
Plant Physiol., 42: 1427-1432.
- (1970):
Translocation of iron citrate and phosphorus in
xylem exudate of soybean.
Plant Physiol., 45: 280-283.
- (1972):
Translocation of micronutrients in plants
c.f. Micronutrients in Agriculture by Mortvedt, J. J.,
Giordano, P. M., and Lindsay, W. L. Soil Sci. Amer.,
Inc. Madison, Wisc. USA. 199 - 299
- Twyman, E. S. (1951):
The iron-manganese requirement of plants.
New Phytol., 50: 210-226.
c.f. Solardini, A. A., and Murphy, L. S. 1978 .

- Van Der Vorm, P. D. J., and Van Diest, A. (1979):
Aspects of the Fe and Mn nutrition of rice plants.
II. Iron and Mn uptake by rice plants, grown on
aerobic water cultures.
Plant and Soil., 52: 19-29.
- VanEgmond, F. and Aktos, M. (1977):
Iron-nutritional aspects of the ionic balance of
plants.
Plant and Soil., 48: 685-703.
- Wallace, A. (1971):
Do iron chlorotic leaves contain more iron than
green leaves? In: Regulation of the micronutrient
status of plants by chelating agents and other
factors: Ed. by UCIA: 194-195.
c.f. Hamze, M., and Nimah, M. 1982 .
- and Lunt, O. R. (1960):
Iron chlorosis in horticultural plants. A review.
Proc. Am. Soc. Hort. Sci., 75: 819-841.
- , Romeny, E. M., and Alexander, G. V. (1976):
Lime-induced chlorosis by excess irrigation water.
Commun. Soil Sci. Plant Anal., 7: 47-49.
- ; Wood, R. A., and Soufi, S. M. (1976):
Cation-anion balance in lime-induced chlorosis.
Commun. Soil Sci. plant anal., 7: 15-26.
- Wallihan, E. F. (1953):
Iron chlorosis. What is it?
Citrus Leaves (Sept): 12-13
c.f. Hamze, M., and Nimoh, M. 1982 .

Wallihan, E. F. (1955):

Relation of chlorosis to concentration of iron
in citrus leaves.

Amer.J. Bot., 42: 101-104.

----- and Miller, M. P. (1968):

Leaf symptoms of manganese deficiency in avocado
trees.

Proc. Amer. Soc. Hort. Sci., 93: 141-144.

Warnock, R. E. (1970):

Micronutrient uptake and mobility within corn
plants (*Zea mays* L.) in relation to phosphorus-
induced zinc deficiency.

Soil Sci. Amer. Proc., 34: 765-769.

Watanabe, F. S.; Lindsay, W. L., and Olsen, S. R. (1965):
Nutrient balance involving phosphorus, iron, zinc.
Soil Sci. Soc. Amer. Proc., 29: 562-565.

Weinstein, L. H., and Robbins, W. R. (1955):

The effect of different iron and manganese levels
on the catalase and cytochrome oxidase activity
of green and albino sunflower leaf tissue.

Plant Physiol., 30: 27-32.

Withee, L. V., and Carlson, C. W. (1959):

Foliar and soil applications of iron compounds to
control iron chlorosis of grain sorghum.

Agron. J., 51: 474-476.

Zech, W. (1970):

Study of lime-induced chlorosis in *pinus sylvestris*
by analysis of needles.

Z. Pflanzenernoehr. Bodenk. 125 (1): 1-16 (German)
c.f. Chem. Abstr., 73 : 55178 b .

Zhou, Z., and Lui, C. (1982):

Studies on the application of ferrous sulfate for
controlling chlorosis of apple tree on calcareous
soils.

J. Plant Nutr., 5 : 883-896.