




References

Abd El-Rahman, A. A. and El-Monayeri, M. O. (1968).

Growth and water requirements of some range plants under controlled conditions.

Plant and Soil, 24: 119-131.

Abd El Rahman, A. A.; Shalaby, A. F. and El-Monayeri, M. O. (1971).

Effect of moisture stress on metabolic products and ion accumulation.

Plant and soil, 43: 365-390.

Abd El Rhaman, A. A.; Khalifa, M. A.; Gomaa, A. A. and Hassanien, H. G. (1979).

Tolerance of barley, wheat, and tritcale to salinity.

Assuit J. Agric. Sci. 10 (1) 56 – 57.

Abdou, F. M.; El-Kobbia, T.; Hamdi, H. and Moustafa, F. B. (1971).

The effect of high salt concentration on the growth of barley plants.

J. Soil Sci. UAR., 11: 61-67.

Abdul, K. S.; Alkam, F. M.; Jamai, M. A. (1988).

Effect of different salinity levels on vegetation growth, yield and its components in barley.

Zanco, 1 (1): 21-32. (c.f. Field crop abst., 42 (10), 8550, 1988).

Abo El-Zahab, A. A. (1971).

Salt tolerance of eight Egyptian Cotton varieties.

2. Acker-und Phlanzen ban, 133, 299-307.

Ackerson, R. C. and Youngener, V. B. (1975).

Response of Bermuda-grass to salinity.

Agron. 67: 678-681.

Acosta Gallegas, J. A. and Shibato, J. K. (1989).

Effect of water stress on growth and yield of indeterminate dry-bean (*Phaseolus Vulgaris*) cultivars.

Field Crop Res., 20, (2): 81-93, 18 ref.

Ageeva, L. R. (1962).

Questions on salt-water regime using data of lesimetrical experiments.

Isvestia and Turkmen, 55 R. N. Series. Biologitshiskikh Nouk.

Ahmed, A. M. (1975).

Physiological studies on the adjustment of plants to osmotic concentrations.

Ph. D. Thesis, Fac. Sci. Alexandria Univ.

Ahmed, R. and Abdullah, Z. N. (1979).

Saline agriculture under desert conditions.

Advance in Desert and Arid land. Technology and development. 1, 509-518.

A.O.A.C. (1970).

Association of official Agriculture chemists. Official Methods of Analysis., 11th ED., A.O.A.C. Washington, 5 D.C.

Ali Akbar, K. H. (1980).

Effects of variable water supply on growth parameters, partitioning of assimilates and water productions of processing tomatoes.

Ph. D. Thesis, Soil Sci. Dep. California, Davis, U.S.A.

Ali, O. M. and Robishy, A. A. (1985).

Influence of wheat seed pretreatments on salt tolerance and plant composition.

Proc. Egypt. Bot. Soc. 4: 752-768.

Aspinal, D. (1965).

The effect of soil moisture stress on the drought of barley. II.-Grain growth.

Asuit. J. Agric. Res. 16: 129-137.

Badger, K. S. (1990).

The salinity and the distributional ecology of Hordeum Jubatum L.

Dissertation. Abs. International. B., Sciences and Engineering, 1990, 50: 12, 5434 B.

Balba, A. M. (1960).

Effect of sodium water and gysium increments on chemical properties and plant growth. Alex. J. Agric. Res. 8: 51-54.

Balba, A. M. and Bassiony (1968).

Soil and fertilizer phosphorus uptake and stems of tomato plants as affected by different growth condition.

J. Isotop and Rad. Res. 1: 49-56.

Barakat, M. A.; Farchry, S. I.; and Khalil, M. A. (1971).

Relative salt tolerance in 5 varieties of Egyptian cotton.

Agric. Res. Review. 49: 191-200.

Barnett, N. M. and Nayler, A. N. (1967).

Amino acids and protein metabolism in Bermuda grass during water stress.

Plant physiol. 41: 1222-1230.

Begum, F., J. L. Karmoker, Q. A. Fattah and A. E. M. Maniruzzaman . (1992).

The effect of salinity on germination and its correlation with potassium, sodium, chlorine accumulation in germinating seeds of Triticum aestivum L. C. V. Akbar.

Plant and cell physiol . 33 : 1009- 1014.

Bernstein and pearson, G. A. (1956).

Influence of exchangeable and Sodium percentage on the yield and Chemical Composition of plants. 1- Green beans, garden beets, clover and alfalfa.

Soil Sci., 82 : 247-258.

Bernstein, L. (1962).

Salt affected soil and Plants.

Arid Zone Research. YVIII. The Problem of the arid zones. UNESCO, Pario : 139-174.

Bernstein, L. (1963).

Osmotic adjustment of plants to saline media.

Amer. Bot. 48: 909-918.

Bernstein, L. (1964).

Effects of salinity on mineral composition and growth of plants.

Plant Anal. Fertil. Prob. 25-45.(c.f. Agron. 27: 407-418.)

Bernstein, L. (1975).

Effect of salinity and sodicity on plant growth.

Aunu. Rev. Phytopathol. 13: 295-312.

Bhath, S.; Sarwar, G.; Silarih, K. H.; Hanif, M. and Sfarif, M. (1976).

Effects of sodium chloride on the growth and ion content of barley.

Pakistan J. Sci. Ind. Res. 19 (3-4): 190-192.

Bhatt, R. M. and Rao, N. K. S. (1987).

Seed germination and seedling growth responses of tomato cultivars to imposed water stress.

Journal of Horticultural Science. 1987, 62: 2, 221-225; 10 ref.

Bierhwzen and ploegman. (1967).

Salt tolerance of Tomato Meded. Dir Tuinb. 30, 302-310.

c.f. soil and Fertil. 59 (2) 1969)

Bole, J. B. and Wells, S. A. (1979).

Dryland soil salinity effect on the yield and yield components of 6 row barley.

Cen. J. Soil Sci. 59: 11-17.

Bollard, E. G. and Butler, G. W. (1966).

Mineral nutrition of plants.

Ann. Rev. Plant physiol. 17: 77-112.

Bower, G. A. and Wadleigh, C. H. (1948).

Growth and cationic accumulation by four species of plants as influenced by various levels of exchangeable sodium.

Soil Sci. Soc. Amer. Proc., 13: 218-223.

Bower, C. A. Tamimi, Y. N. (1979).

Root adjustments associated with salt tolerance in small grains.

Agron. J. 71: 690-693.

Bourget, S. J. and Carson, R. B. (1962).

Effect of soil moisture stress on yield, water use efficiency and mineral composition of oats and alfalfa grown at two fertility level.

Cand. Jour. Soil Sci., 42: 7-12.

Brown, D. A. (1953).

Cation exchange in soil through the moisture range saturation to the wilting percentage.

Soil Sci. Soc. Amer. Proc., 17: 92-96.

Brown, J. W. and Hayward, H. E. (1956).

Salt tolerance of alfaalfa varieties.

Agron. Jour., 48: 18-20.

Brugnoli, E. and Lauteri, M. (1991).

Effects of salinity on stomatal conductance, photosynthetic capacity and carbon isotope discrimination of salt tolerant (Gossypium hirsutum L.) and salt sensitive (Phaseolus Vulgaris L.) C₃ non-halophytes.

Plant physiol. 95:2, 628-635; 30 ref.

Burgin, V. A. (1948).

Adaptation ability of cotton plant to soil salinity.

Issed Acad. Nauk V. S. SSR. 1948 No. 3.

Calahan, J. S. and H. E. Jaham. (1974).

Sodium and calcium interaction in the salt tolerance of cotton.

Field crop 39 : 5896. (Abstr).

Cannel, G. H., Bingham, F. I. and Corber, M. J. (1960).

Effects of irrigation and phosphate on vegetative growth and nutrient composition of tomato leaves.

Soil Sci., 89: 53-60.

Caro, M., Cruz, V., Cuartero, J., Estan, M. T. and Bolarine, M. C. (1991).

Salinity tolerance of normal fruited and cherry tomato cultivars. Plant and soil, 136: 249-255, 18 ref.

Chen, D., Kessler, B. and Monselise, S. R. (1964).

Studies of water regime and nitrogen metabolism of citrus seedlings grown under water stress.

Plant Physiol. 39: 379-386.

Corbett, E. G. and Gausman, H. W. (1960).

The interaction of chloride with sulfate and phosphate in the nutrition of potato plants (Solanum tuberosum).

Agron. Jour., 52: 94-96.

Dert, D., Jarrel, W. M. and Stevans, K. L. (1981).

Sodium-potassium ratio in soil solution and plant response under saline conditions.

Soil Sci. Soc. Am. J. 80-86.

Devlin, M. and Withman, H. (1983).

Plant physiology.

4th Ed. Publishers Willard, Grant Press, Boston.

Diab, M. D. (1982).

Effect of salinity on nutrients uptake by plant.

Ph. D. Thesis, Fac. Agric. Al-Azhar Univ., Egypt.

Dubetz, S. and Bole, J. B. (1973).

Effects of moisture stress at heading and of nitrogen fertilizer on three spring wheat cultivars.

Can. J. Plant Sci. 53: 1-5.

Eaton, F. M. (1942).

Toxicity and accumulation of chloride and sulfate salts in plants.

Jour. Agric. Res., 64: 357-399. (c.f. Hayward, H. E. and Waldeigh, G. H., 1949).

Eaton, F. M., Olmstead, W. R. and Toyler, O. C. (1971).

Salt injury to plants with special reference to cations versus anions and ion activities.

Plant and Soil, 35: 433-453.

Edmond, J. B. and Drapala (1958).

The effect of temperature, sand and soil and acetone on germination of Akrea seeds.

Proc. Amer. Soc. Hort. Sci. 71: 428-438.

Ehlig, C. F. (1961).

Salt tolerance of strawberries under sprinkler irrigation.

Proc. Amer. Soc. Hort. Sci., 77: 376-379.

Ehler, W. and Bernestein, L. (1958).

Effects of root temperature, mineral nutrition and salinity on the growth and composition of rice.

Bot. Gaz., 120: 67-74.

Ehret, D. L., R. E. Real mann, B. L. Harvey and A. Cigywnyk. (1990).

Salinity induced calcium deficiencies in wheat and barley.

Plant and soil 128 : 143 - 152 .

El Agrodi, E. A. (1976).

Physiological characteristics of cotton plants under different levels of soil salinity and moisture in soil.

M. Sc. Thesis, Fac, Agric. Zagazig Univ.

El-Ashkar, S. A. (1976).

Physiological studies on salt tolerance of some economic plants. M. Sc.

Thesis, Fac. of Agric. Ain Shams Univ.

El-Gabaly, M. M. (1955).

Specific effects of absorbed ions on plant growth.

Soil Sci., 80: 235-248.

El-Gabaly, M. M. and Ghani, A. M. A. (1958).

Specific effects of adsorbed ions on plant growth.

Soil Sci., 38: 103-113.

El-Hifny, M. Z., Khalifa, E. M. and Chonein, M. F. (1975).

The use of salin water for irrigation cotton.

Egypt. J. Soil Sci. Special Issue, 227-236.

El- Laboudi : A. E., T. El - Kobbia and M. M. Moukhtar (1973).

Acomparative study of the effect of cations associated with different anions on the phosphate nutrition of plants .

Egypt. J. soil Sci 16 : 97- 108.

El.Nennah, H.S. and F.M. Abdou. (1977) .

Effects of salts on the uptake of phosphorous by alfalfa from both soil and labelled fertilizer.

Isotope and Rad. Res- 9 : 79 - 84.

El- Kobbia, T. and M.A Omar (1972).

Anions uptake as influenced by exchangeable sodium.

Egypt . J. soil Sci . 12 : 159- 165.

El-Lawandy, J. D. (1990).

The effect of salinity and drought on sugar beat.

Ph. D. Thesis, Fac. Sci. Al-Azhar Univ. Branch Girls.

El-Monayeri, M. O. (1968).

Ecological studies on some desert range plants.

Ph. D. Thesis. Fac. Sci. Cairo Univ.

El-Monayeri, M. O. (1970).

Effect of moisture stress on growth water relations and metabolic components of some range plants under different moisture conditions.

Bull. Inst. Due Desert d'Egypt. 20: 163-178.

El-Saidi, M. T. (1973).

Effect of different salinity levels on growth development and some physiological processes of cotton plant. 1.- Effect of adding salts before sowing.

Zeilschrift Fur Ac Ker und Plfanjenban 1973, 138 (4) 331-340. (c.f.

Field Crop. Abs, 1974 (5900)).

El-Sayed, A. H. (1990).

Effects of drainage water quality on soil and plant.

Thesis M. Sc. Faculty of Agric. Ain Shams Univ. Egypt.

El-Shourbagy, M. A. (1974).

Effect of moisture stress on germination, growth yield and chemical contents of some range plants.

Ph. D. Thesis, Fac of Agric. Ain Shams Univ. Egypt.

ElZam, O. E. (1970).

Comparative salt tolerance in higher plants.

Plant Physiology, 46: 110.

Emmert, F. M. (1936).

Effect of drought on the nutrient levels in tomato plants.

Soil Sci. 41: 67-70.

Farah, M. A.; Soliman, M. F. and Antar, I. M. (1981).

Seed germination and root growth of corn and cotton seedlings as affected by soil texture and salinity of irrigation water.

Agric. Res. Rev., 59 (11): 157 to 168.

Fedack, G. and Mack, A. R. (1977).

Influence of moisture levels and planting dates on yield and chemical fractions in two barley varieties.

Can. J. Plant Sci. 57: 261-267.

Fisher, K. J. (1967).

Specific ion effects of certain excess soluble salts of the growth and development of glass house tomatoes grown in nutrient cultures.

Jour. Hort. Sci., 42: 243-252.

Francios, L. E. (1976).

Salt tolerance of prostrate Summer Cypress (*Kochia Prostrate*).

Agron. J. 68: 455-459.

Francois, L. E.; Donavan, I. J. and Mass, E. V. (1983).

Salinity effect on seed yield growth and germination of grain sorghum.

Agron. J. 76: 741-744.

Gates, C. T. (1955).

The response of the young tomato plant to brief period of water shortage. 1- The whole plant and its principal parts.

Asiut. J. Biol. Sci. 8: 196.

Gates, C. T. (1968).

Water deficits and growth of Herbaceous plants In Kozlowski, T. T. (Ed.) water Deficit and plant Growth. Vol. 11. P. P. 135. 190 A carbemic press, New Yourk.

Gale, J.; Khol, H. C. and Hagan, R. M. (1967).

Changes in water balance and photosynthesis of onion, bean and cotton plants under saline conditions.

Plant Physiol., 20: 408-420.

Gardner, W. R. (1960).

Dyamic aspects of water availability to plants.

Soil Sc., 89: 63- 73.

Gardner, W. R. and Nieman, R. H. (1964).

Lower limit of water availability to plants.

Sci N. Y. 134: 1460-1462.

Gauch, H. G. and Eaton, F. M. (1942).

Effect of saline substrate on hourly levels of carbohydrates and inorganic constituents of barley plants.

Plant physiol. 17: 347-365.

George, L. X. (1967).

Accumulation of Sodium and calcium by seedlings of some cereal crops under saline conditions.

Agron. J. 59: 297-299.

Gomez, A. K. and Gomez, A. A. (1983).

Statistical procedures for Agricultural Research, 2nd Edit.

Jhon wiely and Bons New Yourk: 680 P.P.

Grinfel, D.f (1965).

Drought resistance in maize as affected by length of growing season
vest.

Sel. Khoz . Nauk . Mosk. 7 : 81 - 85. (C. F., field crop Abst. 1966
19160).

Grillot, G. (1956).

The biological and agricultural problems presented by plants tolerant
of saline or brakish water and the employment of such water for
irrigation.

Review of research on problems of utilization of saline water.
UNESCO., Paris, 9-37.

**Gueishman, E.; Obregon, A.; Canet, F.; Villegas Delgado; R. and Poncede
Leon, D. (1993).**

Performance of phaseolus vulgaris Lin-CV. Rosa under 5 levels of
salinity.

Proceeding of the 11th latin American congress and the 2nd Cuban
congress of soil Science Havana, Cuba 11-17 Mar. 1990 volume IU.
Evosion, conservation and improvement and general interest. 1993,
973-976, 7 ref.

Gupta, I. C. (1979).

Use of saline water in Agriculture, acid and semi-arid zones of India.
Oxford and IBH Puplishing CO. New Delhi, 210 P.

Hall , D. A. (1977).

Some effects of varied Calcium nutrition on the growth and
composition of tomato plants .

Plant and soil 48 : 199-211.

Hamada, E. A. M., M. A . Hamoud, M. A. El- sayed, R.C. Kirkwood and H.

El- sayed.(1992).

Studies on the adaptation of selected species of the family Germinae A. Juss, to salinization.

Feddes Repertorium 103 : 87 - 98 .

Hassan, N. A. K; Drew, J. V.; Knudsen, D. and Olsen, R. A. (1970).

Influence of soil salinity on production of dry matter and uptake and distribution of nutrient in barley and corn. I. Barley (Hordeum vulgare L.) Agron. J. 62: 43-45.

Hayward, H. E. and Long, E. M. (1941).

Anatomical and physiological responses of the tomato to varying concentrations of sodium chloride, sodium sulfate and nutrient solutions.

Bot. Gaz., 102: 437-462.

Hayward, H. E. (1956).

Plant growth under saline conditions. Review of research on problems of utilization of saline water. UNESCO., Paris, 37-71.

Hegazi, A. M. and Kuash, W. (1978).

The interaction between salinity and (2. Chloroethyl) trimethyl ammonium chloride (ccc) on salt tolerance in maize. Z., Pflanzenphysiol Ba. 88: 34-45.

Heitholt, J. J. (1989).

Water use efficiency and dry matter distribution in nitrogen and water stressed winter wheat.

Agron. J. 81, May-June: 464-469.

Helal, M., K. Koch and K. Mengel . (1975).

Effect of salinity and potassium on the uptake of nitrogen and on nitrogen metabolism in young barley plants .

Physiol . plant. 35 : 310 - 313.

Hiller, E. A.; Van Bavel, C. H. M.; Hossain, M. M. and Jordon, W. R. (1972).

Sensitivity of sothern peas to plant water deficit at three growth stages.
Agron. Jour., 64: 60-64

Hoffman, G. J.; Roulins, S. L.; Garber, M. J.; and Cullen, E. M. (1971).

Water relations and growth of cotton as influenced by salinity and relative humidity.
Agron. J. 63: 822-826.

Hussain, Z. (1981).

Using highly saline irrigation water for a fodder barley crop. J. Agric. Sci. Camb. 96: 515-520.

Jafri, A. Z. and Ahmed, R. (1994).

Plant growth and ionic distributions in cotton (Gossypium hirsutum. L.) under saline environment.
Pakistan. Journal of Botany. 1994, 26:1, 105-114, 23 ref.

Jashim, M. H. and Aranosin, N. (1972).

Studies on the effect of salt concentrations of the formation of dry matter, uptake of mineral nutrients and mineral composition of cotton plant during the vegetative period.
Zeitschrift Fur Acker. und. Pflanzenban. (1972) 135 (3) 178. 180
(C.F.) Field crop. Abs. (1973) (6211).

Jenne, E. A.; Rhodes, H. F.; Yien, C. H. and Howe, O. W. (1958).

Change in nutrient element accumulation by corn with depletion of soil moisture. Agron. J. 50: 71-74.

Johanson, C. M. and Ulrich, A. (1959).

Analytical methods for use in plant analysis.
M. S. Dept. Agric. Calif. Univ. Agric. Inform.
Bull., 766.

Jones, R. D., (1986).

High salt tolerance potential in lycopersicon species during germination.

Egyptian (1986) 35 (2) 575-582. (C.F.) soil and fert. (1987) Vol. 50 (6283).

Kazlowski, T.T (1964).

Water metabolism in plant.

Harper, New Yourk.

Kelley, W.P. (1951) .

Alkali soils, their formation, properties and reclamation.

New Yourk, Riehnhold, PP : 1976 .

Keren, R.; Meiri, A. and Kala, Y. (1983).

Plant spacing effect on yield of cotton irrigated with saline water.

Plant and Soil 74: 461-465.

Khalifa, M. A. and Rushdi, M. K. (1980).

Salt tolerance of barley cultivars.

Assuit J. Agric. Sci. 11 (1) : 137-147.

Kharzian, W. F. C., J.J. Jurimak and L. M. Dudley. (1991).

Calcium amelioration of sodium chloride effects on plant growth, chlorophyll, and ion concentration in Phaseolus vulgaris.

Arid soil res. And Rehabilitation 5 : 9 - 20 .

Kishk, A. M. D. (1992): Effect of drought and salinity on some barley varieties.

M. Sc. Thesis Fac. of Agric. Moshtohor, Zagazig Univ. Egypt.

Klysher, L. K. and Rokova, N. M. (1964).

Effect of salinization of the substrate on the protein composition of the roots in peas. Tr. Inst. Bot. Akad. Nauk, Kas, SSR, 20 : 156 - 165.

Kosareva, I. A. (1988).

Modification of a method for determining the salt resistance of tomato at the early stages of growth. Sbornik Nauchnykh Trudov P. O. Priklondoni, Botanike, Genetike, Seleksii, 118: 76-80.

Kramer, P. J. (1959).

Plant water relation. The role of water in the physiology of plants. Adv. Agron. 11: 51-70.

Kramer, P. J. (1963).

Water stress and plant growth. Agron. Jour., 55: 31-35.

Kramer, P. J., (1980) .

Plant and soil water relations .
Tata, Mc Grow. Hill, New Yourk.

Kumar, D., Singh, C. P. and Sharma, N. N. (1980).

Comparative studies of a grain yield and nutrition in barley as affected by the application of saline water for irrigation. Sabrao J. 15: 71-76. (C. F. wheat, Barley, and Tritical. Abst. Vol. 1, No.2 782, 1982)

Kumar, N. F. (1983).

Ionic interactions in rice plants from dilute solutions .
Plant and soil 70 : 309 - 317.

Kumar, V. D. Kumar and C. R. S. Chaudan. (1987).

Effect of saline water with varying Cl:SO₄ ratio and phosphorus levels on the growth and yield of bread wheat and soil properties. Indian J. Agric. Sci. 57: 668-671.

Kumakova, T. A. and Matukhin, G. R. (1963).

The effect of drought on the physiological process of the wheat root system.

Uch Zap. Kabordino. Bulkorsk Univ., 15: 43-46.

Refreat Zhur Biol., 1963, 18 G 73 (c.f. Biol. Abst., 1964, 66085).

Kurth, E.; Jensen, A. and Epstein, E. (1986).

Resistance of fully imbibed tomato seeds to very high salinities. Plant cell environment. 9 (8) 667-676 (C.F. soils and fert. (1987) Vol. 50, No.6 (6275).

Lagerwerff, J. V. (1958).

Comparable effect of absorbed and dissolved cations on plant growth soil Sci., 86: 63-69.

Lashin, M. H. and Atanosin, N. (1973).

Studies on the effect of salts concentration on the formation of dry matter, uptake mineral nutrient and mineral composition of cotton plants during the vegetative growth period-Zacker pflanzenbou 135 (3) : 178-186 (C.F Bil, Abst. 55 (5) March: 1973).

Lotfy, A. A; Hussien, M. M. and Nour, T. A. (1987).

Effect of salinity and vapor grad on growth and mineral constituents of cotton seedlings.

Egypt. Soil Sci. 27 (1): 1-10.

Low, A. J. and Piper, F. J. (1960).

The influence of water supply on the growth and phosphorus uptake of Italian Rye grass and white clover in pot culture.

Plant and Soil, 13: 242-252.

Mohamed, N. A.; Farah, M. A, Fawzy, S. E; and Barakat (1981). Interaction effect of soil salinity in irrigation water and N and P fertilizers on cotton.

Agric. Res. Rev. 59 (4): 117-126.

Mahmoud, M. H.; R. A. Jones and A. S. El-Beltagy (1986 a).

Comparative response to high salinity between salt sensitive and salt-tolerant genotypes of the tomato.

Acta. Hart., 190: 533-543.

Mahmoud, M. H.; El-Beltagy, A. S. and Helal, R. M. (1986 b).

Tomato variety evaluation and selection for salt tolerance.

Acta. Horticulture. 190: 559-566.

Maksoud, M. A., El-Leboudi, A. and Taha, E. (1972).

Mineral nutrient and salt tolerance of tomato plant.

The international symposium and salt effect soil 50 Cairo 4-9 December (1972).

Manohar, M. S. and Matur, N. K. (1975).

Effect of Temperature and moisture stress on germination seeds. 11.

Studies on Dolichas lablab L. and lycopersicon esculentum Mill. Seed Res. 3: 97-101 (Hort. Abs. 47: 2681)

Marambe, B and Ardo, T. (1995).

Physiological basis of salinity tolerance of sorghum seeds during germination J. Agr. And Crop Sci. 174: 5. 291-286; 18 ref.

Martinez, V.; Cerda, A. and Fernandez, F. G. (1987).

Salt tolerance of four tomato hybrids.

Plant and soil 97: 233-242.

Mass, E. V.; Genogata and Garber, M. J. (1972).

Influence of salinity on Fe, Mn and Zn uptake by plant.

Agron. J. 64, 793-795.

Mass, E. V., Ogata, G. and Martin, H. F. (1979).

Salt induced inhibition of phouphate transport and release of membrane proteins from barley roots.

Plant Physiol. 64 : 139 - 143.

Mass, E., V. and Hoffman, G. J. (1977).

Crop salt tolerance current assessment. K. Irrig. Drain. Div. Proc. Am. Soc. Civil Eng. 103 : 115 – 134 (C. F. saline and sodic soils) springer- varlag. Berlin. Heidelberg New Yourk.

Matev, T. and Dulov, S. (1972).

The effect of soil moisture on the emergence, growth and quality of tomato and capsicum seedlings.

Nau clni tradove, vissh selskosto ponski. Iustitute “vasil kalarov, 21 : 49 – 55 (Hort. Abs. 44 : 1651).

Meiri, A. and Poljakoff - Mayber, A. (1971).

Response of been plants to sodium chloride and sodium suphate salinization. Ann. Bort. 35 : 837 – 847.

Miyamoto, S.; K. Sosnovske, and J. Tipton (1981).

Salt and water stress effects on germination of Guayle seeds. Agronomy. Journal Vol. 74 , 303 –307.

Moas, E. V. and Ogata, G. (1972).

Radial transport of sodium and chloride in tomato root xylem. Plant physiol. 50 : 64 – 68.

Moosa, K. F., (1976).

The effect of salinity and moisture on suction power of cotton plants M. Sc. Thesis, Fac. Agric. Zagazig Univ. Egypt.

Moskaleva, G. I. and V. N. Sinel' Nikova (1976).

Anatomical structure of the roots and stems of young tomato plants grown under normal and saline conditions.

Turdy P. O. Priklandoni Botanike, Genetike, Selektisu, 57 (2) : 148-155.

Muhammad, H. S. (1983).

Studies on the ion balance as related to absorption of some nutrients by plants.

M. Sc. Thesis, Fac. Agric., Ain Shams Univ., Egypt.

Munir, A. A., Makhdam, M. I.; Ahmed, M. and Rauf, A. (1995).

Studies on salt tolerance of cotton (Gossypium hirsutum L.). Indian J. of Agric. Res. 1995, 29 : 1-2, 64 – 68; 16 ref.

Nanawati, G. C. and Maliwal, G. L. (1973).

Note on the effect of salts on the growth, mineral nutrition and quality of tomato (lycopersicon esculentum M. N.)

Ind. J. of Agric. Sci. 43 : (6) : 612 – 614.

Nassar, Z. M. (1983).

Effect of salinity and drought on some range plants M. Sc. Thesis Fac. of Agric Moshtohor. Zagazig Univ. Egypt.

Naqui, H. H. and G. P. Hanson (1980).

Recent advances in guayule seed germination procedures.

Crop Sci. 20 : 500 – 504.

Nieman, R. H. (1962).

Some effects of NaCl on growth, Photosynthesis and respiration of twelve crop plants.

Bot. Gaz. 123 : 79-85.

Nieman, R. H and Poulsen, L. I. (1962).

Interactive effects of salinity and atmospheric humidity on the growth of beans and cotton plants. Bot. Graz. 128 : 69 –73.

Nour, T. A., Hussein, M. M. and Lotfi, A. (1982).

Nitrogen forms and chloride salinity and its effects on growth and chemical status of wheat seedlings.

Egypt. J. Agron. Vol. 14 (1 and 2) : 1 - 12.

Oertil, J. J. (1966).

Effect of external salt concentration on water relations in plants. Soil. Sci. 102 : 258 – 263.

Ordin, L. (1960).

Effect of water stress on the cell wall metabolism of Avena coleoptile tissues.

Plant physiol., lancaster, 35 : 443. 450.

Olsen, S. R; Watanabe, F. S. and Danielson, R. E. (1961).

Phosphorus absorption by corn roots as affected by moisture and phosphorus concentration.

Soil Sci. Soc. Amer. Proc., 25: 289-284.

Osman, O. A. A., Andre Lanchli and El -Beltagy, A. (1987).

Response of tomato to salinity stress I. Germination and vegetative growth. The first conference of the Agricultural Development Research. Cairo, 21 Dec. 1487. Vol. H : 126 – 145.

Ounruen, W.; Maneephog, C. and Ratanadilok, N. (1981).

A study on germination of mung bean, unpland rice, sorghum and Millet seed under drought conditions.

Kasetsart. Journal. 1981. 15 : 2, 30 – 37 ; 8 ref.

Pakroveskaya, E. I. (1957).

Some data on the oidoeductire process in halophytes. Pamyati, Akad-A.A. Maksimor (c.a. Strogvou, 1962).

Pal, N. L.; Bangarayya, M. and Narasim ham, P. (1963).

Influence of various nutritional doses of chlorine on the growth of tobacco plant and the burning capacity of its leaves.

Soil Sc. 95 : 144 – 148.

Paliwal, E. V. Maliwal, G. L. and Manohar, S. S. (1976).

Effect of the level of salinity of irrigation water on the growth and yield of barley varieties grown on a sandy soil of Rajasthan. Indian J. agric. Sci. 46 (4) : 159 – 154.

Papadopoulos, I. and Rending, V. (1983).

Interactive effect of salinity and nitrogen on growth and yield of tomato.

Plant and soil 73 : 47-57.

Papadopoulos, I. and Rending, V. (1985).

Growth nutrient and water uptake of tomato with divided roots growing in differentially salinized.

Soil Agron. J. 77 :21 – 26.

Pearson, K. and Bernstein L. (1958).

Influence of exchangeable sodium on yield and chemical composition of plants. 11- Wheat, barley. Oats, rice, tall fescue and tall wheat grass.

Soil Sci . 186 : 254- 261.

Perez – Ramos, S. L. (1989).

Metabolic and cytological changes in cells, seedlings and whole plants of sorghum bicolor L. Monech under induced salt and water stress. Dissertation, Abstracts.

Interactional, B. Sciences and Engineering – 50 : 4, 1188 B.

Pessarakli, M. and Tucker, T. C. (1985.).

Uptake of nitrogen-15 by cotton under salt stress.

Soil sci. Am. J. 44 : 149 – 157.

Pessarakli, M. and Tucker, T. C. (1988).

Dry matter yield and Nitrogen-15 uptake by tomatoes under sodium chloride.

Stress Soil sci. soc. Am. J. 52 : 698 – 700.

Peters, D. B. and Russell, M. B. (1960).

Ion uptake by corn seedlings as affected by temperature, ion concentration, moisture tension and moisture content.

Tran. 7 th. Int. Cong. Soil Sci., 3: 457-466.

Soil and fertilizers, 1962, 25: 1628.

Poonia, S. R. and L. R. Jharer . (1974).

Effect of different concentration and ratios of Ca and Na in the growth medium on the yield and chemical Composition of wheat . Indian. J. Agric. Sci . 44 : 871 -874.

Pulatov, N. P. (1970).

Growth development and yield of cotton on salinized soil in the central fergama region.

Field crop. Abst. 1972 (835) Vol. 25 No. (1) , 1249.

Rajasekaran, L. R. and K. G. Shanmugaveln (1980).

Effect of salt stress on seed germination of tomato. South Indin Hort., 28. (4) : 109 – 112.

Rao, M. R. G.; Viswanath , D. P. ; Balikai, R. A.; Patil, B. C. and shicanna, H. (1988).

Effects of different levels of salinity in irrigation water on yield of sorghum hybrids. J. of Maharashtra, Agric. 13 : 2, 235 – 336; 2 ref.

Rathert, G.; (1983).

Effect of high salinity stress on mineral and carbohydrate metabolism of two cotton varieties. Plant and soil. 73 : 247 – 256.

Rizk, F. A. M. (1993).

Physiological responses of tomatoes to salinity and some herbicides
Ph. D. thesis, Fac. Agric. Ain shams Univ. Cairo.

Rizk, T. Y. and Normand, W. C. (1966).

A field study of some effects of salinity on sugarcane.

The sugarcane Bull., 44: 154-155.

Rosario, D. A.; A. C. Sumage, V. P. Roxas and A. T. S. Bautisa (1990).

Response of tomato (lycopersicon esculentum mill) to salt stress.
Philipine. Agriculture. rest, 73 (2) : 193 – 198.

Ross, H. A. and Hegarty, T. W. (1979).

Sensitivity of seed germination and seedling radicle growth to moisture stress in some vegetable crop. *Species Ann. Bot.* 43. 241 – 243.

Rumyntseva, A. S. (1959).

The effect of saline habitat on stem structure of bushy halophytes in Turkestan. *Trudy instituta Balaviki V. L. Komarora Akad. Nauk. SSR.* (c.a. Strogonovy 1962).

Rush, D. W. and Epstein (1979).

Evaluation of salt tolerance in plant species; the importance of specific ions. *Hortscience.* 1979, 14, 3, 111, 468.

Salem, H. M. (1982).

Ecological and physiological studies on some barley varieties .

M. Sc. Thesis. Fac. Sci. Al. Azhar Univ. (Girls Branch).

Salter, P. J. (1954).

The effects of different water regime on the growth of plant under glass, Experiments with tomatoes (Lycopersicon esculentum Mill) J. *Hort. Sci.* 29: 258.

Salter, P. J. (1958).

The effects of different water regimes on the growth of plant under glass IV. Vegetative growth and fruit development in the tomato J. *Hort. Sci.* 33: 1-11.

Saakvan, R. C. and Petroyan, G. P. (1964).

The effect of soil salinity on the level of nucleic acids and nitrogenous substances in grape leaves. *Fiziol. Rast.*, 11, 681 – 688 (c.f. *Biol. Abst.* 1965, 30012).

Saunier, R. E.; Hull, H. M. and Ehrenreich, J. H. (1968).

Aspects of the drought tolerance in Greostobush (Larrea Divaricata). *Plant Physiol.*, 43: 401-404.

Serag, S. M. H. (1983).

Drought resistance of some tomato varieties at different stages of growth.

M. Sc., Thesis. Fac. of Agric. Ain shams Univ.

Shalaby, A. A. (1970).

Protein and nucleic acid metabolism in relation to the adaptation of plants to salinity.

M. Sc. Thesis, Fac. Agric., Cairo Univ.

Shallevet, J. and Yaron, B. (1973).

Effect of soil and water salinity on tomato growth. Plant and soil 39: 285-292.

Shannon, M. C. and Francois, L. E. (1977).

Influence of seed pretreatments on salt tolerance of cotton during germination. Agron. J. 69: 619-622.

Shavrygin, P. L. (1961)

Toxic concentration of soil solution for cotton production POCHVEDENIA, N. 11.

Singh, R. and Aldelfer, R. B. (1966).

Effect of soil moisture stress at different periods of growth on some vegetable growth.

Soil Sci., 101: 69-80.

Sharma , D.P. and A. Swarp. (1988).

Effects of short term flooding on growth , yield and mineral composition of wheat on sodic soil under field condition . plant and soil 107 : 137-143.

Singer, S. M. (1994).

Germination responses of some tomato genotypes as affected by salinity and temperature stress.

Egyptian J. of Hort. 21: 1, 47-64, 1 Fig.; 23 ref.

Sionit, N. and Kramer, P. J. (1977).

Effect of water stress during different stages of growth of Soya bean.
Agron J. 274-278.

Slayter, R. O. (1967).

Plant water relationships.
Acad. Press Inc. Ltd.

Slavik, B. (1966).

On the problem of the relationship between hydration of leaf tissues and intensity of photosynthesis and respiration. The water relations of plants.

A. J. Rutter and F. H. Whitehead, eds,: 225-234.

Solouyov, E. A. (1969).

Inhibition of growth of some pumpkin plants organs induced by NaCl.
Plant physiol. 16 :136-138.

Strogonov, B. P. (1962).

Physiological basis of salt tolerance of plants (as affected by various types of salinity).

Acad Sci. USSR. Inst. Plant physiol. English translation by Israel program Translocation (1963).

Tadros, T. M. and Ibrahim, R. K. (1958).

Effect of soil moisture on growth habit and productivity of barley.
Bull. Fac. Sci., Alex. Univ., 2: 181-194.

Taha, E. M. (1971).

Evaluation of some tomato varieties to salt tolerance M. Sc. Thesis,
Fac. Agric., Ain Shams Univ., Cairo.

Taha, E. M. (1978).

Physiological studies on the hardening process in vegetable crops.

Ph. D., Thesis, Fac. Agric. Ain Shams Univ. Egypt.

Taha, S. M. El-Beltagy, A. S.; Hassan, S. M; Gomaa, H. M. and Maksoud, M. A. (1984).

Response of some tomato varieties to water stress during germination and seedling stages.

Ann. Of Agric. Sci. Ain Shams Univ. 29: 2, 917-935; 23ref.

Tahoon, S. R. E. (1982).

Ecological and physiological studies on some wheat varieties.

M. Sc. Thesis, Fac. Sci Al-Azhar Univ.

Tal, M. (1971).

Salt tolerance in the wild relative of the cultivars tomato: response of lycopersicon esculentum and lycopericon peruvienum to sodium chloride solution. Aust. Jowr Agric. Res., 22: 631-638.

Tal, M. and Shannon, M. C. (1983).

Salt tolerance in the wild relatives of cultivated tomato.

Australian J. of plant physiology. 10 (1) 109-117.

Talha, M. (1966).

Studies on the critical moisture periods in the growth seasons of some economical crops.

M. Sc. Thesis Fac. Agric. Ain Shams Univ.

Tang, Z. C.; Wang, Y. Q.; Wu, Y. H. and Wang H. C. (1984).

Role of potassium in the accumulation of proline associated with water stress in sorghum seedling.

Acta. Phytophysilogia. Sinica. 10: 3, 208-215; 22 ref.

Tang, Z. C.; Wu. Y. H. Wang. Y. G. and Wang H. C. (1985).

the origin of accumulated proline associated with water stress in sorghum seedling.

Acta-phyto Physiologica – Sinica. 11, 1 , 66 – 72, 15 ref.

Terry, A. C. (1990).

Growth and development of sorghum in relation to drought tolerance.
Dissertation,

Abst. Interactional – B, sciences and Engineering. 51 : 5, 2131B.

Thomas, T.; March, W. B. and Cotton R. H. (1942).

Foliar diagnosis relation to irrigation.

Proc. Am. Soc. Hort. Sci. 40 : 531 – 535.

Thomas, J. R. (1980).

Osmotic and specific salt effect on growth of cotton.

Agron . 71: 407 – 412.

Thorup, M. (1969).

Root development and phosphorus uptake by tomato plants under controlled soil moisture conditions.

Agron. J. 61: No, 5, 808 – 811.

Todd, G. W. and Basler, E. (1965).

Fate of various protoplasmic constituents in droughted Wheat Plants.

Phyton, 22: 79-85.

Town, P. O. C. (1982).

Physiological basis of salt tolerance. Effect of salinity on germination, grain yield, quality and chemical composition in barley.

Sci and culture Vol. 48, No. 9 : 323 – 325.

Udovenko, G. V., Sinelinkova and khozova, G. V. (1971).

Effect of salinity on nitrogen metabolism of plants with different salt tolerance.

Agron kiniya 3 : 23 – 31.

Udovenko, G. V. (1989).

Effect of extreme environmental conditions on yield and its components in barley and wheat. Sbronic, Nauchnyrh; Trudov, P. O.; Priikl and noi; Botanike; Genetike, i., sele ktsii, 130 : 17 – 24; 7 ref.

Wadleigh, C. H. and Gauch, H. G. (1942).

Assimilation in bean plants of nitrogen from saline solutions.
Proc. Amer. Soc. Hort. Sci., 41: 360-364.

Wadleigh, C. H. and Gauch, H. G. (1944).

The influence of high concentrations of sodium chloride and magnesium chloride on the growth of guayule in sand culture. Soil. Sci. 58 : 399 – 403.

Wadleigh, C. H. and Ayers, A. D. (1945).

Growth and biochemical composition of bean plants as conditioned by soil moisture tension and salt concentration.
Plant Physiol., 20: 106-132.

Wadleigh, C. H.; Gauch, H. G. and Kolish, M. (1951).

Mineral composition of orchard grass grown on Pachappa loam salinized with various salts.
Soil Sci., 72: 275-282.

Wagenet, R. J.; Campbell, W. F.; Bamatraf . A. M. and Turner, D. L. (1980).

Salinity irrigation frequency and fertilization effects on barley growth.
Agron. J. 72 : 969 – 974.

Wanas, A. L. (1996).

Botanical studies on some economical plants tolerating salinity Ph. D. Thesis Fac.
Agric. Moshtohor, Zagazig Univ. Benha Branch.

Wu, M. L. (1987).

The effect of seed treatment on the germination of tomato seeds under water and salinity stress .

J. Agric. Association of China. No. 138, 52 – 62; 40 ref.

Zhemuralov, I. (1968).

Effect of soil solution concentration on yields of cotton.

Dokl. Aced. Nauk. Uzbek SSR 1968 No.; 54. 56 (cited After field crop. Abst. 1968 (2774).

Zhukovskaya, N. V. (1962).

The phosphorous metabolism of tomato on saline soils.

Feferate zhur Biol. No. 17 G 27 (Biol. Abst. 1964, 48045).
