

REFERENCES

- Abaza, M.M. (1991). Effect of NPK fertilizers and plant spacing on growth and yield of bean (*Phaseolus vulgaris*, L.). M.Sc. Thesis, Fac. of Agric., Mansoura Univ., Egypt, 78 pp.
- Abdel-Aal, S.M. (1979). Studies on the effect of sowing date and population density on the growth and yield of some soybean varieties. M.Sc. Thesis, Fac. of Agric., Monoufia Univ., Egypt, 75pp.
- Abdel-Ghaffar, A.S. (1987). Factors affecting nitrogen fixation and yield of faba bean (*Vicia faba*) under Egyptian field conditions: a review. *Arid Soil Research and Rehabilitation*, 1(2):65-75. (C.F. Hort. Abstr., 58(5):2866, 1988).
- Abd-El-Hadi, A.H.; M.S., Khadr and A.A., Moustafa (1984). Effect of phosphorus and potassium fertilization on soybean production. *Agric. Res. Rev.*, 62(4-B):379-396.
- Abdel-Razik, A.H. (1978). Effect of plant population on growth, yield and quality of some bean cultivars. M.Sc. Thesis, Fac. of Agric., Alexandria Univ., Egypt, 108pp.
- Abd El-Wahab, A.M.; T.A., Hussein; M.L., Zaiton and M.A.M., Hassan (1979). Effect of phosphorus fertilization levels, sowing dates and planting spaces of field bean. 1- Effect on nodulation and some growth characters and flowering characteristics. *Fac. of Agric., El-Minia Univ., Egypt.* (C.F. Nile Valley Faba bean Abstr., 3:134, 1982).

- Ablett, G.R.; W.D., Beversdorf and V.A., Dirks (1991). Row width and seeding rate performance of indeterminate, semideterminate and determinate soybean. *J. of Prod. Agric.*, 4(3):391-395. (C.F. Field Crop. Abstr., 46(3):1613, 1993).
- Abou El-Hassan, E.A.; A.H.M., Shahien and M.S., Youssef (1993). Effect of nitrogen and phosphorus fertilizers on some cultivars of bean plants. I- Morphological characters, yield and pod characteristics. Minia First Conference for Horticultural Crops from 19-21 of October, 1993.
- Abul-Naas, A.A.; S.M., Abdel-Aal and M.S., Eisa (1986). Effect of nitrogen fertilization, distribution and population density on yield, yield components and seed quality of soybean. Monoufia, *J. Agric. Res.*, 11(1):97-114.
- Acuna, O. and A., Cordero (1989). Effect of different rates of molybdenum, phosphorus and calcium on nodulation and growth of beans on an Ultisol from Puriscal. *Agronomia Costarricense*, 13(2):193-196. (C.F. Computar Search Abstr.).
- Ahlawat, L.P.S. and C.S., Saraf (1983). Dry-matter accumulation and nutrient uptake in pigeon pea (*Cajanus cajan* L. Huth) in relation to plant density and phosphorus fertilization. *Indian J. Agric. Res.*, 152(4):270-278.
- Alt, D. (1987). Influence of P and K fertilization on yield of different vegetable species. *J. of Plant nutrition*, 10(19116):1429-1435. (C.F. Soil and Ferti., 51(7):7186, 1988).

Alvino, A.; P., Tedeschi and G., Zerbi (1988). Growth, flowering, setting and yield of kidney bean (*Phaseolus vulgaris* L.) as influenced by water regime, P-fertilization and BNOA treatment. *Acta Horticulturae*, No. 228:219-226. (C.F. Hort. Abstr., 59(8):6555, 1989).

Amer, M.I.; M.A., El-Borai and M.M., Radi (1992). Response of three faba bean (*Vicia faba* L.) cultivars to three sowing dates under different plant densities in North delta. *J. Agric. Res. Tanta Univ.*, 18(4):591-599.

Andrews, M.; S., Mcinroy and J.I., Sprent (1986). Early growth and final yield of autumn sown *Vicia faba* L. cultivars given different forms of fertilizer N over winter. *Plant and Soil*, 96:421-427.

Araujo, R.S.; N.F., Machado; G.G., Pessanha; D.L.D., Almeida and F.F., Duque (1982). Effects of phosphate fertilizers, farmyard manure, and inoculation on biological nitrogen fixation and beans yield. *Revista Brasileira de Ciencia do solo* 6(2):105-112. (C.F. Hort. Abstr., 54(5):2419, 1984).

Araya, V.R.; C., Vieira; A.A.T., Monteiro; A.A., Cardoso and W., Brune (1981). Nitrogen fertilization of bean (*Phaseolus vulgaris* L.) in the Zona de Mata, Minas Gerais. *Revista Ceres*, 28(156):134-149. (C.F. Hort. Abstr., 52(10):6708, 1982).

Arias, I. (1980). sowing systems in beans (*Phaseolus vulgaris* L.) in the Flood plains of the Orinoco River. *Agronomia Tropical*, 30(1-6):97-103. (C.F. Hort. Abstr., 54(8):5391, 1984).

- Association of Official Agriculture Chemists, (A.O.A.C.) (1970). Official Methods of Analysis, The Association of Official Agricultural Chemists, 11th Ed. P.O. Box. 540, Washington D.C., USA.
- Aulakh, M.S. and N.S., Pasricha (1977). Interaction effect of sulphur and phosphorus on growth and nutrient content of Moong (*Phaseolus Aureus* L.) Plant and Soil, 47(2):341-350.
- Badillo, F.J.; M.A., Lugo-Lopez and T.W., Scott (1978). Effect of planting distance on yield and agronomic characteristics of red kidney and native white beans in an oxisol. J. of Agric. of Univ. of Puerto Rico, 62(2):145-148. (C.F. Hort. Abstr., 49(2):1210, 1979).
- Bakry, M.O.; M.M., Abou El-Magd and A.M., Shaheen (1984). Response of growth and yield of pea (*Pisum sativum* L.) to plant population and NPK fertilization. Egypt J. Hort., 11(2):151-161.
- Barkas, T.D. (1981). Interaction of sulphur and phosphorus on yield, qualitative condition and nutrient content of bean (*Phaseolus vulgaris* L.). In Panhellenic Congress of Geotechnical Res. Abstr., 148. (C.F. Hort. Abstr., 55(12):9539, 1985).
- Bidwell, R.G.S. (1979). Plant physiology. 2nd Ed. Mac Millan Publishing Co. INC. New York.
- Borisonik, Z.B.; A.Y., Getmanets; Y.I., Botovskaya; L.M., Dudchenko and Y.I., Usenko (1978). Effect of fertilizers on the protein content of grain of leguminous crops and of subsequently sown barley. Agrotekhn. Priemy Pouysh. kachestva Zerna, Dnepropetrousk, 114-116, Russ. (C.F. Chem. Abstr., 92(21):540, 1980).

- Brian A.K.; J.S., Peter; F.S., Roger and W.L., Hymes. (1981). Effects of between-row spacing, cultivation and genotype on growth and yield of black beans. J. Amer. Soc. Hort. Sci., 106(6):719-723.
- Browaldh, M. (1992). Influence of organic and inorganic fertilizers on common bean (*Phaseolus vulgaris* L.) grown in a P-fixing Mollic Andosol. Biological Agriculture & Horticulture, 9(1):87-104. (C.F. Field Crop Abstr., 46:339, 1993).
- Brown, J.D. and O., Lilleland (1946). Rapid determination of potassium and sodium in plant material and soil extracts by flame photometry. Proc. Amer. Soc. Hort. Sci. 48:341-346.
- Cackett, K.E. (1965). Winter production of seed beans in the lowveld. Rhodesia Agric. J. 62:69-73. (C.F. Agron. J., 67:251-255, 1975).
- Chagas, J.M.; R.F., Vieira; G.A.D.A.; Araujo and J.P.P.D., Araujo (1987). Effect of green manuring with crotalaria juncea on common beans in cerrado soil. Revista Ceres, 34(192):152-161. (C.F. Hort. Abstr., 58(10):6673, 1988).
- Chandra, R.; C.B.S., Rajput; K.P., Singh and S.J.P., Singh (1987). A note on the effect of nitrogen, phosphorus and Rhizobium culture on the growth and yield of French bean (*Phaseolus vulgaris* L.) cv. Contender. Haryana J. of Hort. Sci., 16(1 & 2):145-147. (C.F. Hort. Abstr., 58(11):7631, 1988).
- Chang, C.H. (1984). Effects of growth environments on yield and its components in kidney bean (*Phaseolus vulgaris* L.). In Annual Report 1983-1984, Institute of Botany, Academia Sinica. Taipei, Taiwan; Academia Sinica, 30-31. (C.F. Hort. Abstr., 56(1):300, 1986).

- Chui, J.N. (1985). Nodulation, dry matter production and seed yield of *Phaseolus vulgaris* and *Vigna unguiculata* as influenced by granular and peat inoculum application in a soil uncultivated for 15 years. East African Agricultural and Forestry Journal, 51(2):71-77. (C.F. Hort. Abstr., 59(1):298, 1989).
- Costa, J.A. and J.W., Pendleton (1979). Study of plant population and spacing in different genotypes of soybean. In Anais, Vol. 1. I. Seminario nacional de pesquisa de soja. Londrina, Brazil, Centro Nacional de Pesquisa de Soja. (1979):67-77. (C.F. Field Crop Abstr. 33:10135, 1980).
- Cyril, B.S. (1980). Growth responses and leaf nutrient concentrations of "Fordhook 242" Lima beans as affected by fertilizer treatment and plant stand. J. Amer. Soc. Hort. Sci. 105(3):472-475.
- Dhage, A.R.; N.D., Patil and S.S., Kadam (1984). Effect of N and P fertilization on yield and composition of black gram (*Vigna mungo* L. Hepper) seeds. Plant and Soil 81:441-444.
- Edje, O.T.; L.K., Mughogho and U.W.U., Ayonoadu (1975). Responses of dry beans to varying nitrogen levels. Agron. J., 67, March-April:251-255.
- Edmond, J.B.; T.L., Senn; F.S., Zanderws and R.G., Halfacre (1981). Fundamentals of Horticulture, Published by Tata Mc Graw-Hill Publishing Co., Limited, Indian.
- Eid, S.M. (1991). Effect of NP-fertilization and NAA foliar spray on plant growth, chemical composition, flowering, seed yield and quality of common bean. Egypt. J. of Appl. Sci., 6(5):251-263.

- El-Abedeem, A.Z.; H., Hafez and Sherifa Foda (1983). The production of bean plants as influenced by fertilizer compounds and fertilization methods. *Agric. Res. Rev.*, 61(3):81-96.
- El-Afifi, S.T. and M.M., Darweesh (1990). Influence of plant density and fertilizer rate on growth, photosynthetic pigments, level of nutrient concentrations and yield of French bean. *J. Agric. Sci. Mansoura*, 15(8):1232-1239.
- El-Asdoudi, A.H.; A., El-Gizawy and M., Emara (1989). Effect of nitrogen level on growth, yield and chemical composition of common bean. *Ann. of Agric. Sci., Moshtohor*, 27(2):1177-1184.
- El-Bakry, A.M. (1966). Effect of plant density and nitrogen fertilization on the growth and yield of snap bean. M.Sc. Thesis. Fac. of Agric., Ain Shams Univ., Egypt, 121 pp.
- El-Bakry, A.M.; A.A., Midan; N.M., Malash and A.F., Omran (1980). Effects of phosphate as localized or foliar applications, and nitrogenous fertilizer along with their interactions on snap bean plants. I. Growth and chemical constituents. *Monoufia J. of Agric. Res.*, 3:311-338.
- El-Beheidi, M.A.; A.A., Gad; M.M., Abou El-Magd and H.M., El-Hadi (1984). Effect of nitrogen fertilization on three pea cultivars. I. Growth and chemical composition. *Zag. J. Agric. Res.*, 11(2):47-60.
- El-Leboudi, A.; M., Maksoud; A., Meet-Kees and A., Midan (1974). Fertilization and chlorophyll and carbohydrate status in snap bean plants. *Agric. Res. Rev.*, 52(3):109-115. Ain Shams Univ. Cairo, A.R.E.

- El-Mansi, A.A.; M.A., El-Beheidi; E.A., El-Ghamriny and F.H., Afia (1991). Effect of foliar nutrition with P_2O_5 and K_2O on growth and yield of broad bean plants. Zag. J. Agric. Res., 18(6):1959-1969.
- El-Mansi, A.A.; M.M., Abou El-Magd; A.A. Gad and H.M., El-Hadi (1984). Effect of nitrogen fertilization on three pea cultivars. II. Yield, yield components and seed nutritive value. Zag. J. Agric. Res., 11(2):61-71.
- El-Neklawy, A.S.; H.K.A., El-Maksoud and A.M., Selim (1985). Yield response of pea (*Pisum sativum* L.) to NPK fertilization and to inoculation with rhizobia in a sandy soil. Ann. of Agric. Sci., Moshtohor, 23(2):1365-1373.
- El-Oksh, I.I.; M.M., Soliman; M.H., El-Demerdash and S.M.H., Gizy (1991). Effect of rhizobial inoculation and nitrogen supplementation on growth and yield of common bean (*Phaseolus vulgaris* L.). Ann. of Agric. Sci., Cairo, 36(2):599-607. (C.F. Field Crop Abstr. 46(6):3556. 1993).
- El-Sawah, M.H.; M.R., Gabal; A.A., Gad and A.M., Metwally (1985). Effect of P and K fertilizer levels on growth, mineral composition, yield and its components of broad bean. Zag. J. Agric. Res., 12(2):87-113.
- El-Waraky, M.K. and E., Haunold (1990). Studies of nitrogen fixation by legumes and its after-effect on cereal by means of ^{15}N . Verband Deutscher Landwirtschaftlicher Untersuchungs-und Forschungsanstalten Reihe Kongressberichte. No. 30:135-140. (C.F. Hort. Abstr., 63(7):5141, 1993).
- Emara, M.F. (1985). Response of certain common bean cultivars, *Phaseolus vulgaris* L., to nitrogen fertilization, M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Egypt, 91 pp.

- Endo, R.M.; D.F., Fornasieri; E.B., Malheiros and J.L. Fornasieri (1988). Effect of inoculants, nitrogen and micro-nutrients on yield components of beans grown in the winter season. *Cientifica*, 16(1):141-150. (C.F. Hort. Abstr., 59(6):4825, 1989).
- Enyi, B.A.C. (1975). Effect of plant population on grain yield, production and distribution of dry matter in beans (*Phaseolus vulgaris* L.). *Ghana J. Sci.* 15(2):159-169. (C.F. Field Crop. Abstr. 34:1120, 1981).
- Etman, A.; B.I., El-Sawy and A.Y., Mazrouh (1991). Foliar and soil application of phosphorus and chlomequant in relation to growth and yield of faba bean (*Vicia faba* L.). *J. Agric. Res. Tanta Univ.*, 17(3):688-700.
- Farag, S.A.; F.A., Abo-Sedera and M.Z., Farrag (1989). Effect of nitrogen fertilizer and ethrel spray on growth, chemical composition, flowering and seed yield and quality of broad bean. *Ann. of Agric. Sci. Moshtohor*, 27(1):557-573.
- Farag, S.A.; I.M., Abd-Alla and M.Z., Farrag (1987). Effect of nitrogen and Gibberellic acid on growth, flowering and seed yield and quality of Giza-3 common bean cv. *Ann. of Agric. Sci., Moshtohor*, 25(1):533-546.
- Farag, S.A.; M.Z., Farrag and Nadia S. Shafshak (1987). Effect of phosphorus fertilizer and Gibberellic acid spray on growth, chemical composition, flowering and seed production and quality of cowpea. *Ann. of Agric. Sci., Moshtohor*, 25(2):1027-1040.
- Farrag, M.M. (1991). Response of cowpea to weed control, plant density and nitrogen fertilization rates. *Minia J. Agric. Res. & Dev.*, 13(1):435-459.

- Farrag, M.M.; A.A., Shehata and M.M., Kandil (1992). The effect of phosphorus and sulphur fertilizers on seed protein of broad bean plants. The Sulphur Institute, 361-371, ISBN, 977-5041-21. (C.F. Field Crop., 46(1):332, 1993).
- Ferrari, V.; N., Acciarri; N., Ficcadenti and T., Cacciatori (1992). Effect of sowing date and of three sowing rates on three industrial pea cultivars. Informatore Agrario, 48(3):28-32. (C.f. Field Crop Abstr., 46(4):2202, 1993).
- Forsee, W.T. (1938). Determination of sugar in plant materials a photoelectric method. Indus. Eng. Chem. Anal. Ed. 10:411-418.
- Gad El-Hak and S.H., Mahmoud (1988). Nitrogen and plant spacing effects on growth and yield of tebary bean (*Phaseolus acutifolius* A. Gray). Assiut J. of Agric. Sci. 19(5): 283-292.
- Gajanan, G.; S., Srinivasa; N., Janakiraman and M., Singlachar (1990). Relative efficiency of rock phosphate against superphosphate in rainfed crops. Current Research University of Agricultural Sciences Bangalore, 19(12):202-203. (C.F. Computar Search Abstr.).
- Gallagher, E.C. (1968). Navy bean crop in Queensland. Queensland Agr. J. 94:738-747. (C.F. Agron. J., 67:251-255, 1975).
- Gallo, B.M.J.G. (1984). Determination of fertilizer rates and irrigation regime for beans. Anales de Investugacion de la Facultad de Ciencias Agricolas, Universidad Autonoma de Chihuahua, 1(1):19-30. (C.F. Soils and Ferti., 50(4):3494, 1987).

- Gambarova, N.G.; V.M., Persanov and L.G., Kuznetsova (1978). Effect of nitrogen and phosphorus nutrition on the activity of carbon metabolism enzymes. *Soils and Ferti.*, 41:4898.
- Gardiner, T.R.; D.M., Victor and L.E., Craker (1979). Growth habit and row width effects on leaf area development and light interception of field beans. *Canadian J. of Plant Sci.*, 59(1):191-199.
- Gligorevic, B.K. (1986). Effect of nitrogen nutrition and of preceding crop on the yield of pod beans. *Agrohemija*. No. 2:113-127. (C.F. Hort. Abstr. 58(1):263, 1988).
- Gonzalez, A.; J.D.J., Guzman; V., Marrero and O., Rodriguez (1985). The influence of fertilizer applications of N, P₂O₅ and K₂O on the yield of beans *Phaseolus vulgaris* cv. ICA-Pijao on a sandy alluvial soil. *Ciencia Y Tecnica en la Agricultura, Suelos Y Agroquimica*, 8(2):15-24. (C.F. Soils and Ferti., 50(6):5977, 1987).
- Goverdhan Singh (1985). Study on the effect of phosphorus levels and mulches on growth and yield of summer cowpea (*Vigna unguiculata* L. walp). *Indian J. Agric. Res.*, 19(3):138-142.
- Graham, R.A. and T.W., Scott (1984). Response of cowpea (*Vigna unguiculata* L. walp) to nitrogen and inoculation. *Trinidad Tropical Agriculture*, 61(1):56-58. (C.F. Computar Search Abstr.).
- Griffin, J.L.; R.J., Habez and R.P., Regan (1983). Soybean response to subsoiling and planting method. In 74th Annual Progress Report Rice Experiment Station, Crowley, Louisiana 1982:354-360. (C.F. Field Crop Abstr., 37:2307, 1984).

- Habbish, H.A. and H.M., Ishag (1974). Nodulation of legumes in the Sudan III. Response of haricot bean to inoculation. *Exp. Agr.*, 10:45-50. (C.F. Agron. J., 67:251-255, 1975).
- Hassan, M.A.M.; M.M., Farrag; S.H., Gad El-Hak and R.H.M., Gheeth (1993-a). Effect of rhizobium, nitrogen and phosphorus application on growth and yield of peas.1-Fresh yield. Minia First Conference for Horticultural Crops from 19-21 October, 1993.
- Hassan, M.A.M.; M.M., Farrag; S.H., Gad El-Hak and R.H.M., Gheeth (1993-b). Effect of rhizobium, nitrogen and phosphorus application on growth and yield of peas. 2-Dry yield. Minia First Conference for Horticultural Crops from 19-21 October, 1993.
- Hassan, M.A.M.; M.M., Farrag and T.M.M., Moharram (1989). Response of cowpea to inoculation with rhizobium and nitrogen fertilization rates. *Minia J. Agric. Res.&Dev.*, 11(4):1615-1638.
- Hassan, M.A.M.; M.M., Farrag and T.M.M., Moharram (1990). Response of cowpea to inoculation with rhizobium and phosphorus fertilization rates. *Minia J. Agric. Res.&Dev.*, 12(2):1045-1063.
- Hera, C.; A., Popescu; G., Burlacu; M., Petre; A., Idriceanu; A., Stanciu; M., Bologa and E., Timirgaziu (1985). Some aspects on the nitrogen and phosphorus nutrition of *Phaseolus vulgaris*. *Analele Institutului de Cercetori Pentru Cereale si Plante Tehnice Fundulea*, 52:163-181. (C.F. Hort. Abstr., 58(7):4216, 1988).

- Hungria, M. and M.C.P., Neves (1987). Partitioning of nitrogen from biological fixation and fertilizer in *Phaseolus vulgaris*. *Physiologia Plantarum*.69(1):55-63. (C.F. Hort. Abstr., 58(6):3414, 1988).
- Ikeda, T. (1992). Soybean planting patterns in relation to yield and yield components. *Agron. J.*, 84(6):923-926. (C.F. Field Crop. Abstr., 46(6):3463, 1993).
- John, M.K. (1970). Colorimetric determination of phosphorus in soil and plant materials with ascorbic acid. *Soil Sci.* 109:214-220.
- Jonathan, L.; L., Andre and E., Emanuel (1991). Vegetative growth of the common bean in response to phosphorus nutrition. *Crop Sci.*, 31. March-April.
- Kalifa, F.M. (1987). Effect of nitrogen on nodulation and yield of soybeans under two systems of production in Sudan. *J. of Agric. Sci., Uk*, 108(2):259-265. (C.F. Soils and Ferti., 51(1):539, 1988).
- Kamel, A.E. (1994). Physiological studies on cowpea crop. M.Sc. Thesis, Fac. of Agric., Zagazig Univ., Egypt, 107 pp.
- Kamel, M.S.; R., Shabana; A., El-ganayani and S.M., Sultan (1982). Productivity of irrigation soybean cultivars as affected by row spacing and seeding rate. *Ann. of Agric. Sci., Moshtohor, Egypt*, 17:53-66.
- Khalil, M.A.I.; R.A., El-Massry and A.H., Shahin (1985). Effect of nitrogen fertilizer and CCC. on yield and quality of snap bean. *Ann. of Agric. Sci., Moshtohor*, 23(3):1301-1315.

- Khalil, M.A.I. (1990). Response of growth, yield and quality of some pea cultivars to nitrogen fertilizer in sandy soils. *Zag. J. Agric. Res.*, 17(2):417-428.
- Khalil, M.A.I. (1990). Influence of planting date and nitrogen fertilizer on cowpea seed yield under the conditions of sandy soil. *Ann. of Agric. Sci., Moshtohor*, 28(2):1295-1312.
- Koinov, G. and P.S., Petkov (1975). Effect of fertilizing on some biological characteristics of beans. *Rasteniev dni Nauk*, 12(1):65-73, Bulgaria. (C.F. *Soils and Ferti.*, 38:6347, 1975).
- Kothari, S.K. and C.S., Saraf (1986). Response of green gram (*Vigna radiata* (L.) Wilczek) to bacterial seed inoculation and application of phosphorus fertilizer. *J. Agric. Sci., Camb.*, 107(2):463-466. (C.F. *Computar Search Abstr.*).
- Kreaman, M.F.; A.S., Abel-Ghaffar and M.M., Elgabaly (1972). Inhibitory effect of bean seeds to rhizobia. *Plant Breeding Abstr.* 42:783.
- Krikunets, V.M. (1990). Dependence of soybean yields on the rate of nitrogen fertilizer. *Agrokhimiya*, No. 12:21-38. (C.F. *Field Crop Abstr.*, 46(3):1616, 1993).
- Kupka, J.; L., Fojtik; L., Grec and V., Novak (1989). Changes in the nitrogen and phosphorus contents during the development of faba beans. *Rostlinna Vyroba*, 35(5):463-476. (C.F. *Hort. Abstr.*, 59(10):8346).
- Lejeune, H.I. (1991). Study of the behaviour of two soybean varieties in the north of France. Effect of density. *Agronomie*, 11(8):659-667. (C.F. *Field Crop Abstr.*, 46(7):4220, 1993).

- Lin, S.F.; K.L., Chan and C.K., Wey (1991). Effects of plant number per hole on growth and development of homogeneous and heterogeneous soybean populations. J. of Agric. Res. of China, 40(3):305-314. (C.F. Field Crop Abstr., 46(7):4218, 1993).
- Lluch, C.; J.A., Campos and F., Ligeró (1983). Effect of sulphur, nitrogen and Rhizobium on yield, nodulation and nutrient content in (*Phaseolus vulgaris* L.). Anales de Edafologia Y Agrobiologia, 42(516):769-778. (C.F. Hort. Abstr., 55(9):6893, 1985).
- Lynch, J.; A., Lauchli and E., Epstein (1991). Vegetative growth of the common bean in response to phosphate nutrition. Crop Sci., 31(3):380-387.
- Mack, H.J. (1983). Fertilizer and plant density effects on yield performance and leaf nutrient concentration of bush snap beans. J. Amer. Soc. Hort. Sci., 108(4):574-578.
- Mafra, R.C.; C., Vieira; J.M., Braga; C., Siqueira and D., Brandes (1974). The effects of plant population and planting time on the growth of *Phaseolus* bean plants. IV. Nutrient uptake. Experientiae, 17(9):217-239. (C.F. Hort. Abstr., 46(3):2189, 1976).
- Mahatanya, E.T. (1980). The response of food beans (*Phaseolus vulgaris* L.) to spacing and phosphorus application. East African Agricultural and Forestry Journal, 43(2):111-119. (C.F. Hort. Abstr., 51(5):3586, 1981).
- Mahboob, A.; Y., Muhammad; M.S., Nazir and R., Hussain (1984). Effect of phosphorus and potash application on the yield of mung bean (*Phaseolus aureus*) planted on different dates. J. of Agric. Res., Pakistan, 22(4):321-325. (C.F. Soils and Ferti., 50(3):2698, 1987).

- Mahmoud, S.H. (1977). A comparative study of two cowpea varieties. M.Sc., Fac. of Agric., El-Minia Univ., Egypt, 97pp.
- Mahmoud, S.H. and S.H. Gad El-Hak (1988). Nitrogen rates and in row spacings for mung bean (*Vigna radiata* L. Wilezek) production. Minia J. agric. Res. & Dev., 10(1):247-255.
- Mallarino, A.P.; J.R., Webb and A.M., Blackmer (1991). Corn and soybean yields during 11 years of phosphorus and potassium fertilization on a high-testing soil. J. of Prod. Agric., 4(3):312-317. (C.F. Field Crop Abstr., 46(3):1504, 1993).
- Manrique, L.A. (1986). Field bean leaf area development and seed yield as affected by phosphorus application on a typic tropudult in Panama. Commun Soil Sci. Plant Anal. 17:135-147. (C.F. Computar search Abstr.).
- Masefield, G.B. (1968). Seasonal effects on the root nodulation of legumes. Exp. Agr. 4:335-338. (C.F. Agron. J., 67:251-255, 1975).
- Masefield, G.B. (1971). The root nodulation of tall and dwarf peas and beans. Exp. Agr. 7:123-127. (C.F. Agron. J., 67:251-255, 1975).
- Mauro, C.J. and C., Viera (1975). The effect of spacing and fertilizer rates on the yield in some bean cultivars. Revista Ceres, 22(122):244-263. (C.F. Hort. Abstr. 46(11):10299, 1976).
- Mehar, S. and R.C., Singh (1990). Response of French bean (*Phaseolus vulgaris* L.) to irrigation and nitrogen application. Haryana J. of Agro., 6(1):94-95. (C.F. Hort. Abstr., 61(9):7961, 1991).

- Michel, K.G.; J.K., Hamilton; P.A., Robens and F., Smith (1956). Colorimetric method for determination of sugars and related substances. *Analytic. Chemistry* 28: No. 3.
- Midan, A.A.; A.F., Omran and A.E., Arafa (1982). Gibberellin and phosphorus treatments in relation to growth and green pods yield of peas (*pisum sativum* L.). *Ann. of Agric. Sci., Moshtohor*, 17:265-278.
- Midan, A.A., and N.M., Malash (1982). Nutritional status of pea plants in relation to gibberellin and phosphorus application. *Ann. of Agric. Sci., Moshtohor*, 17:241-251.
- Midan, A.A.; A.M., El-Bakry; A.F., Omran and N.M. Malash (1980-a). Effects of phosphate, as localized or foliar applications, and nitrogenous fertilizer along with their interaction on snap bean plants. II. Intake rate and efficiency of utilization of phosphate and nitrogen. *Monoufeia J. of Agric. Res.*, 3:339-353.
- Midan, A.A.; N.M., Malash; A.F., Omran and A.M. El-Bakry (1980-b). Effect of phosphate, as localized or foliar applications, and nitrogenous fertilizers along with their interaction on snap bean plants. III. yield and yield components. *Monoufeia J. Agric. Res.*, 3:355-368.
- Moraghan, J.T.; J.A., Lamb and W., Albus (1991). Nitrogen fertilizer requirment of navy beans in the northern great Plains. *J. of Prod. Agric.*, 4(2):204-208. (C.F. Field Crop Abstr., 46(1):338, 1993).
- Morell, A.S. (1941). Rapid determination of reducing sugars. *Indus. J. Eng. Chem. Anal. Ed.* 13:249-251.

- Morgado, L.B. (1992). Nitrogen relationships in maize-beans intercropping. Dissertation Abstracts International. B, Sciences and Engineering, 53(1):37B. (C.F. Field Crop Abstr., 46(7):4038, 1993).
- Moore, S.H. (1991). Uniformity of plant spacing effect on soybean population parameters. Crop sci., 31:1049-1051.
- Morsy, M.A. (1986). Effect of plant density and N-fertilizer on seed yield of cowpea. M.Sc. Thesis, Fac. of Agric., Moshtohor, Zagazig Univ., Egypt; 97 pp.
- Mundra, S.L. and P.L., Maliwal (1990). Effect of nitrogen and copper fertilization on the growth and yield of clusterbean. International Journal of Tropical Agriculture, 8(3):226-228. (C.F. Hort.Abstr., 63(3):1971, 1993).
- Murphy, J. and J.P., Riley (1962). A modified single solution method for the determination of phosphate in natural water. Anal. Chem. Acta. 27:31-36.
- Nagre, K.T.; S.B., Deshmukh; P.D., Bhalerao and P.V. Thorve (1991). Effect of sowing dates and fertilizers on growth, yield and quality of soybean varieties. PKV Res. J., 15(1):82-84. (C.F. Field Crop Abstr., 46(7):4215, 1993).
- Naidu, M.V.S. and R.N., Pillai (1991). Nitrogen and phosphorus fertilizer effects on yield and content of nutrients in soybean. J. of Oilseeds Res., 8(2):244-247. (C.F. Field Crop Abstr., 46(2):982, 1993).

- Neptune, A.M.L. and A.J.L., Perez (1987). Availability of phosphorus in some soils of the state of Sao Paulo, Brazil, for bean plants (*Phaseolus vulgaris*, L.) and correlations among forms of P in these soils and dry matter weight and P uptake by plants. *Anais de Escola Superior de Agricultura Luiz de Queiroz*, 44(1):769-800. (C.F. Computar Search Abstr.).
- Newton, S.D. and A.G., Robertson (1982). The effect of inoculation and fertilizer nitrogen on the grain yield and nitrogen concentration of dwarf bean (*Phaseolus vulgaris* L.). *Proceedings, Twelfth Annual Conference, Agronomy Society of New Zealand*, 12:9-14. (C.F. Hort. Abstr., 53(12):8533, 1983).
- Nigem, S.A.; M.A., Mohamed and H.A., Rabie (1988-a). Evaluation of some broad bean cultivars under two plant population densities. I- Growth characters. *Ann. of Agric. Sci., Moshtohor*, 26(2):791-803.
- Nigem, S.A.; M.A., Mohamed and H.A., Rabie (1988-b). Evaluation of some broad bean cultivars under two plants population densities. II- Yield and yield components. *Ann. of Agric. Sci., Moshtohor*, 26(2):805-819.
- Novikova, N.E.; A.P., Lankhanov and A.A., Gavrikova (1986). The role of accumulation and reutilization of nutrients in seed yield formation of pea cultivars. *Sel' skokhozyaistvennaya Biologiya*, No. 5:46-49. (C.F. Hort. Abstr., 57(3):1956, 1987).
- Omar, N.M.; A.M., Shaheen and M.O., Bakry (1990). The residual effect of sulphur and phosphorus fertilization on the growth and yield of pea (*Pisum sativum* L.) plants *Egyptian J. of Agron.*, 15(1-2):87-95.

- Otabbong, E.; M., Izquierdo; S., Talavera; U., Geber and L., Ohiander (1991). Response of P-fertilizer of (*Phaseolus vulgaris*, L.) growing with or without weeds in a highly P-fixing mollic Andosol. Tropical Agriculture, 68(4):339-343. (C.F. Computar search Abstr.).
- Pajput, R.L.; J.P., Kaushik and O.P., Verma (1991). Nutrient uptake by soybean (*Glycine max* L. Merrill). J. of Oilseed Res., 8(1):113-116. (C.F. Field Crop Abstr., 46:981, 1993).
- Pande, G.K.; J.N., Seth; K.P.S., Phogat and S.N., Tewari (1974). Effect of spacing and P₂O₅ on the green pod yield of dwarf french bean (*Phaseolus vulgaris* L.) variety Black Prince. Progressive Horticulture, 6(213):41-47. (C.F. Hort. Abstr., 46(3):2185, 1976).
- Papakosta, D.K. (1992). Effect of inoculant rate on nodulation and various agronomic traits of soybean. J. of Agron. and Crop Sci., 168(4):238-242. (C.F. Field crop, 46(1):303, 1993).
- Pastucha, L. (1992). Formation and reduction of (*Phaseolus vulgaris*, L.) yield components. Rostlinna Vyroba, 38(2):151-155. (C.F. Hort. Abstr., 63(2):1187, 1993).
- Pawlowski, F.; M., Jedruszczak and M., Bojarczyk (1990). Yield of soybeans cv. Polan on loess soil depending on row spacing and sowing rate. Biuletyn Instytutu Hodowlii Aklimatyzacji Roslin, No. 175:63-70. (C.F. Field Crop Abstr., 46(2):978, 1993).
- Peck, N.H.; D.L., Grunes, R.M. Welch and G.E., Mac Donald (1980). Nutritional quality of vegetative crops as affected by phosphorus and zinc fertilizers. Agron. J., 72:528-534.

- Pirani, V. (1991). Effects of irrigation water quality and nitrogen fertilizer quality on commercial beans. *Irrigazione -e- Drenaggio*, 38(3):37-40. (C.F. Computar search Abstr.)
- Prabhakar, B.S.; K., Srinivas and T.R., Subramanian (1986). Phosphorus fertilization in sequence cropping of vegetables. *Indian J. of Agric. Sci.*, 56(10):710-716. (C.F. Hort. Abstr., 57(5):3396, 1987).
- Prasad, F.M.; D.S., Sisodia; M.L., Varshney and M.M., Verma (1991). Effect of different levels of sulphur and phosphorus on growth, dry matter, oil content and uptake of nutrients by soybean. *New Agriculturist.*, 2(1):15-18. (C.F. Field crop Abstr., 46(8):4980, 1993).
- Pregl, E. (1945). *Quantitative organic microanalysis* 4th Ed. J. Chundrill, London.
- Purushothaman, S.; S., Teyaraman and M., Muthiah (1991). Uptake of NPK in soybean as influenced by levels, time and method of phosphorus application. *Mysore J. of Agric. Sci.*, 25(2):142-147. (C.F. Field Crop Abstr., 46(7):4224, 1993).
- Quintero, E. (1986). Effect of population density and spatial distribution on the growth and yield of the common black bean *Phaseolus vulgaris* L. cv. CC-25-9. *Cultivos Tropicales*, 8(1):23-32. (C.F. Hort. Abstr., 57(1):376, 1987).
- Radoglou, K.M. and P.G., Jarvis (1992). The effects of CO₂ enrichment and nutrient supply on growth morphology and anatomy of *Phaseolus vulgaris* L. seedlings. *Annals of Botany*, 70(3):245-256. (C.F. Hort. Abstr., 63(3):1951, 1993).

- Rahman, M.S. and M.M., Rashid (1976). A study of morphological variability in the cowpea (*Vigna sinensis* L.) End I. Bangladih Hort. 4(1):12-17. (C.F. Field Crop Abstr., 31:4257, 1978).
- Rajbdandari, N.P. (1992). Analysis of competition and phosphorus response in maize/soybean and maize/rice intercrops in relation to soil phosphorus availability in different environments. Dissertation Abstracts International. B, Sciences and Engineering, 52(12):6143 B. (C.F. Field Crop Abstr., 46(2):1296, 1993).
- Remison, S.U. (1980). Varietal response of cowpea to a range of densities in a forest zone. Expt. Agric. 16(2):201-205. (C.F. Field Crop Abstr. 33:10319, 1980).
- Repka, J. (1979). Relationships between minerals nutrition, photosynthesis, respiration and plant growth. Acta Fytatechnica, 35:171-176.
- Ries, S.K. (1971). The relationship of protein content and size of bean with growth and yield. J. Amer. Hort. Sci. 96:557-560.
- Rubes, L. (1984). The uptake of fertilizer nitrogen (^{15}N) and magnesium utilization in peas (*Pisium sativum* L.). Rostlinna Vyroba, 30(5):505-514. (C.F. Hort. Abstr., 57(10):7780, 1987).
- Sahria, P. (1981). Response of pigeon pea to levels of nitrogen and phosphate. J. of Res. Assam Agric. Univ., India 2(2):239-241. (C.F. Field Crop Abstr. 37:8068, 1984).
- Saleh, H.H.; A.M., Hammoda and M.H., Khalifa (1980). Effects of denisty treatments and fertilization levels on the productivity of cowpea. Agric. Res. Rev. 58(3):77-87.

- Salem, S.A. and M.F., El-Massri (1986). Effect of cultivars, plant densities and phosphatic fertilizer levels on seed yield and other agronomic factors in faba bean (*Vici faba* L.). Alexandria J. of Agric., Res., 31(3):127-137. (C.F. Hort. Abstr., 58(7):4235, 1988).
- Salih, F.A. (1983). Influence of sowing date, seed rate and seed size on yield and yield components of faba beans. Fabis Newsletter, 32(7). (C.F. Hort. Abstr., 54(10):7105, 1984).
- Samtsevich, A.A.; L.S. Revinskaya and I.R., Khodortsov (1980). Effect of Rhizobium and nitrogen fertilizers on nitrogen uptake and productivity of beans. Sel'skokhozyaistvennaya Biologiya, 15(1):123-126. (C.F. Hort. Abstr. 50(7):5188).
- Sangakhara, UR. and B., Marambe (1989). Effect of method of inoculation and nitrogen fertilizer on nodulation and yield of selected tropical legumes. J. of Agron. and Crop Sci., 162(5):305-309. (C.F. Hort. Abstr., 59(12):10020).
- Schans, D.A. V.D. and W., Berg, V.D. (1991). Yield variability of peas and field beans. Teelthandleiding- Proefstation voor de Akkerbouw en de Groenteteelt in de Vollegrond, No. 121, 102pp. (C.F. Field crop Abstr., 46(7):4294, 1993).
- Selim, M.H.; M.M., El-Banna and S.A., Gaafar (1986). Effect of different levels and methods of phosphorus application on growth and yield of beans. Agri. Res. Rev. 64(4):731-740.
- Shafik, J.; M.S., Saed and M., Mustafa (1988). Effect of between row and plant spacing on some growth character, yield and its components in two broad bean varieties. Mesopotamia J. of Agric., 20(2):231-249. (C.F. Hort. Abstr., 59(4):2978, 1989).

- Shannon, D.A.; E.A., Kueneman; M.J., Wright and C.W. Wood (1992). Fertilization effects on soybean growth and yield in the southern Guinea Savanna of Nigeria. *J. of Plant Nutrition*, 15(5):639-658. (C.F. Field Crop Abstr., 46(2):983, 1993).
- Shekhar, J. and S.P., Sharma (1991). Effect of row spacing and fertility levels on pod characteristics and yield of temperate hill-grown garden pea (*Pisum sativum*). *Indian J. of Agric. Sci.*, 61(6):427-428. (C.F. field Crop Abstr., 46(8):5043, 1993).
- Smith, C.B. (1977). Growth responses, nutrient leaf concentrations and interelement relationships of snap beans as affected by fertilizer treatment. *J. Amer. Soc. Hort. Sci.* 102:61-65.
- Smithson, J.B.; O.T., Edje and K.E., Giller (1993). Diagnosis and correction of soil nutrient problems of common bean (*Phaseolus vulgaris*) in the Usambara Mountains of Tanzania. *J. of Agric. Sci.* 120(2):233-240.
- Snedecor, G.W. and W.G. Cochran (1980). *Statistical methods*. 7th Ed., Iowa State Univ., Press, Amer., Iowa, USA.
- Sobral, L.F. and F. DE A.F. DF., Mello (1984). Fertilizer application to beans (*Phaseolus vulgaris* L.) in a cambisol from the state of Sergipe, Brazil. *Anais da Escola Superior de Agricultura "Luiz de Queiroz"*, 41(1):1-20. (C.F. Soils and Ferti. 51(7):7012, 1988).
- Solh, M.B.; S., Hamid; H., Itani and J., Ryan (1986). Nitrogen supplementation of inoculated and non-inoculated soybean at two planting densities. *Dirasat*, 13(8):63-73. (C.F. Soils and Ferti. 51(3):2032, 1988).

- Soliman, M.F. and M.A. Farah (1985). Effect of phosphorus, nitrogen fertilization and foliar applied manganese on yield and nutrient concentration of soybean. *Communications in Soil Science and Plant Analysis*, 16(4):361-374. (C.F. Soils and Ferti., 51(5):4367, 1988).
- Srinivas, K. and L.B., Naik (1990). Growth, yield and nitrogen uptake in vegetable French bean (*Phaseolus vulgaris* L.) as influenced by nitrogen and phosphorus fertilization. *Haryana J. of Horti. Sci.*, 19(1-2):160-167. (C.F. Hort. Abstr., 61:3728, 1991).
- Ssali, H. and S.O., Keya (1983). The effect of phosphorus on nodulation, growth and dinitrogen fixation by beans. *Biological Agriculture and Horticulture*, 1(2):135-144. (C.F. Hort. Abstr., 54(2-3):845, 1984).
- Ssali, H. and S.O., Keya (1986). The effect of phosphorus and nitrogen fertilizer level on nodulation, growth and nitrogen fixation of three bean cultivars. *Tropical Agriculture*, 63(2):105-109. (C.F. Soils and Ferti, 51(7):7014, 1988).
- Stephens, D. (1967). The effects of ammonium sulphate and other fertilizer and inoculation treatments on beans (*Phaseolus vulgaris* L). *East Afr. J. For. Agri.* 32:411-417. (C.F. Agron. J., 67:251-255, 1975).
- Stringi, L.; R., Sarno; G., Amato and L., Gristina (1988). The effects of plant density on faba beans in semi-arid Mediterranean conditions. 1. *Vicia faba* L. Var. equina (cv. Gemini). *Rivista di Agronomia*, 22(4):293-301. (C.F. Hort. Abstr., 59(6):4837, 1989).
- Sultan, S.M. (1978). Some factors affecting soybean growth and yield (variety, row spacing and seeding rate). Ph.D. Thesis, Fac. Agric. Cairo Univ., Egypt., 107 pp.

- Thimmegowda, S.; O.J., Fernandez and K., Krishnamurthy (1974). Closer inter-row spacing produces high yields in lima bean. Current research No. 12:156-157. (C.F. Minia J. Agric. Res. & dev., 13(1):435-459, 1991).
- Tunio, S.; M.J., Rajput; M.A., Pajput and F.K. Rajput (1980). Effect of spacing on the growth and yield of soybean (*Glycine max* (L.) Merrill). Egyptian J. Agron., 5(1):57-65.
- Turkhede, A.B.; P.K., Khedekar and V.U., Shinde (1991). Effect of nitrogen and phosphorus on grain yield and quality of soybean varieties. PKV Res. J., 15(2):117-119. (C.F. Field Crop Abstr., 46(8):4981, 1993).
- Velaquez, Y.A.; R.A., Kluson and E.C., Schroder (1988). Rhizobium inoculation of *Phaseolus vulgaris* in Lajas, Puerto Rico, J. of Agric. of the Univ. of Puerto Rico, 72(3):427-436. (C.F. Hort. Abstr., 59(9):7434, 1989).
- Vieira, R.F. (1986). The influence of soil phosphorus fertilizer levels on the chemical composition, physiological quality and field performance of *Phaseolus vulgaris* seeds. Revista Ceres, 33(186):173-188. (C.F. Soils and Ferti., 50(6):5979, 1987).
- Vieira, R.F. (1989). Effect of liming on chemical composition, physiological quality and field performance of bean seeds. Pesquisa Agropecuaria Brasileira, 24(4):409-415. (C.F. Computar Search Abstr.)
- Walker, W.M.; G.A., Raines and T.R., Peck (1985). Effect of soybean cultivar, phosphorus and potassium upon yield and chemical composition. J. of Plant Nutrition, 8(1):73-87.