TABLE OF CONTENTS	Page No.
ACKNOWLEDEMENT	
LIST OF TABLES	1
LIST OF TABLES	3
1. INTRODUCTION	3 3 3 7
2. REVIEW OF LITERATURE	3
2.1. Litter traits	7
2.1.1. Means	14
2.1.2. Variations	
2.1.3. Non-genetic aspects	
iii. Parity	31
2.1.4. Genetic aspects i. Crossbreeding and heterotic effect i. direct additive effect	31
i. Crossbreeding and notor-willing effect	40
ii. Buck-breed and direct additive effect iii. Doe-breed and maternal additive effect	45
iii. Doe-breed and maternal additive only. iv. Buckbreed and doe breed interaction	50
iv. Buckbreed and doe prood it.	. 52
iv. Buckbreed and doe breed interest	. 52
2.2. Doe reproductive traits	. 52
2.2.1. Means	58
2.2.2. Variations	. 58
2.2.3. Non-genetic aspectsi. Year of kindling	. 62
iii. Parity	69
2.2.4. Genetic aspects i. Crossbreeding and heterotic effect	69
i. Crossbreeding and neterotic effect ii. Buck-breed and direct additive effect additive effect	••
ii. Buck-breed and direct additive effect iii. Doe-breed and maternal additive effect	71
iii. Doe-breed and maternal additive discretion iv. Buck-breed and doe-breed interaction	72
2.3. Growth traits	76
2.3.1. Means	80
2.3.2. Variations	80
2.3.3. Non-genetic aspectsi. Year of birth	83
iii. Parityiv. Sex	93
iv. Sex	97
2.3.4. Genetic aspects i. Crossbreeding and heterotic effect	97
i. Crossbreeding and neterotic effect ii. Sire-breed and direct additive effect	101
ii. Sire-preed and direct data	

Pa No	ige
• •	
iii. Doe-breed and material distriction	
iv Sire-preed and doo	10
CA Carcass traits	11
O A 1 Means	11
2.4.7. Mariations	11
2.4.2. Variations	15
2.4.3. Non-genetic aspects	115
i. Year of kindlingii. Season of kindling	115
ii. Season of kindlingiii. Parity	118
iii. Parityiv. Sex	118
iv. Sex	118
2.4.4. Genetic aspects i. Crossbreeding and heterotic effect and direct additive (genetic) effect	119
i. Crossbreeding and heterotic effect ii. Sire-breed and direct additive (genetic) iii. Sire-breed and maternal additive (genetic)	110
ii. Sire-breed and direct additive (genetic) iii. Dam-breed and maternal additive (genetic)	121
iii. Dam-breed and material	125
effectddoe.breed interaction	
effectiv. Sire-breed and doe-breed interaction	126
MATERIALS AND METHODS	126
3. MATERIALS AND METHODS	126
3. MATERIALO	126
3.2. Animals	127
3.3. Breeding Plan	127
3.4. Rabbitry and Housing	128
3.5. Management	128
3.6. Feeding and Feedstuπs 3.7. Carcass Test	129
3.7. Carcass Test	130
3.8. Data	134
3.9. Statistical vision	134
3.9. Statistical Analysis	134
11 Intel (and	
4.1.1. Actual Means	134
4.1.2. Variations	139
4.1.3. Non-genetic aspects i. Year of kindling	140
i Year of Kinding	170
ii. Month of kindlingiii. Parity	141
iii. Parityiv. Interactions	141
iv. Interactions	142
4.1.4. Genetic aspects i. Mating group	142
i Mating group	
ii. Purebred differences iii. Heterotic effect	142
iii. Heterotic effect	

the control of the co

	P	age
		O.
	1 (- dditivo) effect	45
	iv. Maternal breed (additive) effect	46
	v. Direct additive (breed) effect	47
4.2.	V. Direct additive (brood) 1	47
•••	4.2.1. Actual means	47
		147
	a si manadia apparts	147
	· Magazine of Lindling	150
	ii. Month of kindling	150
	iii. Parity	151
	4.2.4. Genetic aspects	151
		151
	" numbrod differences	151
	iii. Heterotic effect	153
	Maternal additive (doe preed) effect	153
	= · · · · · · · · · · · · · · · · · · ·	154
	4 = 14 =	154
	A A A AMOI MOORS	154
	a a Marieliane	156
	a a blan monotic aspects	156
	. Man of kindling	165
	as a second of birth	166
	iii. Parity	167
		168
	v. Interactions	168
	4.3.4. Genetic aspects	
		173
		173
		174
	L. J. Hilling (brood) PHRG	175
	= · · · Jakkyo (elfo hreet) elloct ······	
		179
	and the condit aspects	179
		179
	and a second high and a second	184
	and the side of th	184
	t to an aliena	
	and the conocie	
	to the second probable and the second	185
	· pbrod differences	188
	II. Purebred differences	

	Page No
iv. Maternal additive (breed) effect	188
v. Direct additive (sire breed) effect	189
V. Direct additive (and acceptance)	190
5. SUMMARY	100
5.1.Litter traits	190
5.2 Doe reproductive traits	191
5.3. Progeny traits	191
5.3. Progeny traits	102
5.4. Carcass traits	192
6. REFERENCE	194
ARABIC SUMMRY	

LIST OF TABLES

		No.
Table 1:	Means of litter size traits for Californian and Gabali rabbit as cited from the literature.	4
Table 2:	Means of litter weight traits (gm) for Californian and Gabali rabbits as cited from the literature	6
Table 3:	Means of mean bunny weight per litter (gm) at birth, 21 days and weaning for Californian rabbits as cited from the literature.	8
Table 4:	Means of mortality per litter from birth up to weaning in Californian rabbits as cited from the literature	9
Table 5:	Coefficients of variation of some litter traits in different rabbits breed groups as cited from the literature.	10
Table 6:	Components for models used in analysing different litter traits, as cited from the literature.	t , 15
Table 7:	Averages of litter traits at different months of kindling as cited from the Egyptian studies	20
Table 8:	Means of litter traits according to parity as cited from the literature.	
Table 9:	Estimates of heterosis percentages for litter size a birth and at weaning as cited from the Egyptia literature	. 32
Table 10:	Estimates of heterosis percentages for litter weight birth, litter weight at weaning and mean bunny weig per litter as cited from the Egyptian literature	34
Table 11:	cited from the non- Egyptian iteratars	
Table 12	Tests of significance for the effects of buck-bre (BB), doe breed (DB) and BB x DB interaction on lit traits as cited from the literature.	

		Page N0.
Table 13:	Means of some litter traits according to buck-breed and doe-breed as cited from the French literature	42
Table 14:	Least squares means of pre-weaning litter traits according to buck-breed and doe-breed as well as buck-breed and doe-breed contrasts	43
Table 15:	Tests of significance of maternal additive (breed) effect on litter traits as cited from the literature	49
Table 16:	Means of doe reproductive traits of different breed groups of rabbits as cited from the literature	
Table 17:	Coefficients of variation (CV%) of reproductive traits in different breed groups of rabbits as cited from the Egyptian literature	57
Table 18:	Components of models used in analyzing differen doe reproductive traits as cited from the literature	t 59
Table 19:	Means of doe reproductive traits according to month of kindling as cited from Egyptian literature.	. 63
Table 20:	Means of doe reproductive traits according to parity as cited from the literature	67
Table 21:	Means of weaning and post-weaning body weight (BW) for Californian and Gabali rabbits at differe ages as cited from the literature	ht nt 73
Table 22:	Means of post-weaning daily gain in weight (gm) f Californian and Gabali rabbits at different ages cited from the literature	or as 74
Table 23	in Californian rapplits as sites as	
Table 24	 Coefficients of variation (Cv%) of growth traits (bod weight, daily gain and post-weaning livability) as cit from the literature 	

		Page No.
Table 25:	Model components and some non-genetic factors affecting growth traits as cited in the Egyptian studies.	81
Table 26:	Means of weaning body weight as well as post-we body weight, daily gain and livability according to mon birth as cited the from the Egyptian literature	84
Table 27:	Means of weaning body weight in addition to body weight, daily gain, gm and post-weaning livability accord parity as cited the from the literature	89
Table 28:	Means of growth traits (body weight, daily gain and p weaning livability at different age stages according to s cited from the literature	94
Table 29:	Estimates of heterosis percent of body weight at different age stages as cited from the Egyptian literature	99
Table 30:	Estimates of heterosis percent of post-weaning daily gain at different age stages as cited from the Egyptian literature.	100
Table 31:	Means of body weight at different age stages according to breed of sire as cited from the literature.	102
Table 32:	Means of post-weaning daily gain in rabbits at different age stages according to breed of sire as cited from the literature	103
Table 33:	Means (gm) of body weight and post-weaning daily gain (gm) at different age stages according to breed of dam as cited from the literature	106
Table 34:	Tests of significance of maternal-breed effects on body weight and post-weaning daily gain at different age stages as cited from the Egyptian literature	108
Table 35:	Means of some carcass traits in different breeds of rabbits as cited from the literature	112

		Page No.
Table 36:	Estimates of coefficient of variation (CV %) for some carcass traits in rabbits as cited from the literature	113
Table 37:	Components of models used in analysing carcass traits as cited from the literature	114
Table 38:	Means of some carcass traits at 12 weeks of age in New Zealand White, Baladi Red and their crosses according to season of birth as cited from the Egyptian literature	116
Table 39:	Means of some carcass traits at 12 weeks of age according to parity as cited from the Egyptian literature	117
Table 40:	Estimates of heterosis percent of some carcass traits as cited from the literature	120
Table 41:	Means of some carcass traits according to sire breed and dam breed as cited from the literature	122
Table 42:	Means of some carcass traits according to sire-breed, dam-breed groups and selected contrasts as cited from the American literature	124
Table 43:	Genetic model of the estimation of crossbreeding genetic effects	132
Table 44:	Actual means, standard deviations (SD) and coefficients of variation for (CV%) for litter and doe reproductive traits in Californian, Gabali and their reciprocal crosses	135
Table 45:	F-ratios of least squares analysis of variance of factors affecting litter traits	136
Table 46:	Least squares means and standard errors of factors affecting litter size traits	137

		Page No.
Table 47:	Least squares means and standard errors of factors affecting litter weight, mean bunny weight per litter and pre-weaning litter mortality	138
Table 48:	Estimates of mating group means (± SE), purebred differences, heterosis, maternal additive effect (G ^m) and direct additive effect (G ^l) of litter size traits	143
Table 49:	Estimates of mating type, means (± SE), purebred differences, heterosis, maternal additive effect (G ^m) and direct additve effect (G ⁱ) of litter weight, mean bunny weight per litter and pre-weaning litter mortality	144
Table 50:	F- ratios of least squares analysis of variance of factors affecting doe reproductive traits	148
Table 51:	Least squares means and standard error of factors affecting doe reproductive traits	149
Table 52:	Estimates of mating group, means (± SE), purebred differences, heterosis, maternal additive effect (G ^m) and direct additive effect (G ^h) of doe reproductive traits	152
Table 53:	Actual means, standard deviations, coefficients of variation (CV%) of body weight, post-weaning daily gair and livability traits	1
Table 54:	F-ratios of least squares analysis of variance of factors affecting weaning and post-weaning body weight up to 16 weeks of age	s 5 157
Table 55:	F-ratios of least squares analysis of variance of factor affecting post-weaning daily gain in weight up to 1 weeks of age	s 6 159
Table 56:	F-ratios of least squares analysis of variance of factor affecting post-weaning livability	rs . 160
Table 57:	Least squares means of factors affecting weaning and post-weaning body weight at different ages	. 161

		Page No.
Table 58:	Least squares means of factors affecting post-weaning daily gain up to different ages till 16 weeks of age	163
Table 59:	Least squares means of factors affecting post-weaning livability up to different ages till 16 weeks of age	164
Table 60:	Estimates of breed groups, means (± SE), purebred differences, heterosis, maternal additive effect (G ^m) and direct additive effect (G ⁱ) of body weight at different ages.	169
Table 61:	Estimates of breed groups, means $(\pm SE)$, purebred differences, heterosis, maternal additive effect (G^m) and direct additive effect (G^l) of post-weaning daily gain in weight	171
Table 62:	Estimates of mating type, means (± SE), purebred differences, heterosis, maternal additive effect (G ^m) and direct additive effect (G ^b) of post-weaning livability	172
Table 63:	Actual means, standard deviations (SD) and coefficient of variation (CV%) for carcass traits of Gabali Californian rabbits and their crosses at 12 and 16 weeks of age	1
Table 64:	F-ratios of least squares analysis of variance of factors affecting carcass traits at 12 weeks of age	s . 180
Table 65:	F-ratios of least squares analysis of variance of factor affecting carcass traits at 16 weeks of age	s 181
Table 66:	Least squares mean and standard errors of factor affecting carcass traits at 12 weeks of age	rs . 182
Table 67:	Least squares mean and standard errors of factor affecting carcass traits at 16 weeks of age	s

Table 68:	Estimates of breed group means, purebred differences heterosis, maternal additive effect and direct additive effect of carcass traits at 12 weeks	No.
Table 69:	Estimates of breed group means, purebred differences heterosis, maternal additive effect and direct additive effect of carcass traits at 16 weeks	

LIST OF ABBREVIATIONS

Cal	Californian
-----	-------------

CV Coefficient of variation Dressing percentage

DG Daily Gain
DO Days open
FW Fast weight
Gab Gabali

Gab
GL
Gestation length
GW
Giblets weight
HCW
Hot carcass weight

HCW Hind legs weight
HW Head weight
KI Kindling interval
LS21 Litter size at 21 days
LSB Litter size at weaning

LW Lion weight

LW21 Litter weight at 21 days
LWB Litter weight at birth
Litter weight at weaning

MBW21 Mean bunny weight at 21 days
MBWB Mean bunny weight at birth
MBWW Mean bunny weight at weaning
NSC Number services of conception

NSC Number services of concept.

PM Pre-weaning litter mortality

PW Pelt weight

TCW Thoracic cut weight Viscera weight