

6. REFERENCES

- Abdel-Fatah, M.E.S. and Abdel-Aziz, S.H. (1990).** The use of azolla pinnata protein source for Tilapia (*Oreochromis niloticus* L) fingerlings. Proceeding of International Symposium on Biology and Culture of Tilapia. Oceanography Dept. Fac. Sci., Alex. Univ., Egypt, 27-31 October, Abst. : 319-320.
- Abdella, M.M.; Afifi, E.A. and El-Sayaad, G.A. (1987).** Fattening performance, feed efficiency and digestibility in rabbits as affected by protein level, vitamin B supplementation and coprophagy. *Annals of Agric. Sci., Moshtohor*, 25 (4) : 1953 - 1967.
- Abeyratne, A.S. (1982).** Experience of Sri Lanka in growing azolla as livestock feed. *Asian Livestock*. 7 (1): 6.
- Afifi, E.A. and Emara, M.E. (1989).** Breed group and environmental factors influencing post - weaning daily gain in weight of purebred and crossbred rabbits. Second North American Rabbit Congress, 27 - 29 October, 1989, Springfield, Missouri, U.S.A.
- Alcantara, P.F. (1985).** Feeding value of azolla meal for poultry. *Phil. J. Vet. Anim. Sci*; 11 (3/4) : 1-8.
- Alcantara, P.F. and Querubin, L.J. (1984).** Feeding value of azolla meal to poultry and swine. Presented in PSAS Annual Convention, 22-23 November, Abst. 34.
- Alcantara, P.F. and Querubin, L.J. (1989).** Feeding value of azolla meal (mix variety) for starter and growing pigs. *Phil. J. Vet. Anim. Sci.*, 15 (3 & 4) : 22-29.
- Alejar, A. and Aragnes, M. (1989).** Azolla (*Azolla microphylla*) as partial replacement for Palay- Snail - Shrimp based ration for mallard ducks. In. *Azolla, Its Culture, Management and Utilization in the Philippines*, NAAP, PP 221-239.

- Alejar, A.S., Mabbayad, B.B. and Escobin, R.P. (1984).** Rice - duck integrated farming system. Mimeographed progress report to the NAAP. 11pp (In: Payawal 1990).
- Almazan, G.J., Pullin, R.S.V., Angeles, A.F., Manalo, T.A. and Agbayani, R.A. (1986).** *Azolla pinnata* as a dietary component for Nile Tilapia (*Oreochromis niloticus* L.). Philippine Univ., Visayas. Diliman, Quezon City (Philippines). Inst. of Fisheries forum. Manila (Philippines) pp :523-528.
- Alviar, C.J. (1984).** *Azolla* : A non conventional feedstuff for livestock and poultry production. The 12th Annual Scientific Conference on the Veterinary Practitioners Association of the Philippines (VPAP), 14 and 15 June, 1984, Makati, Metro Manila.
- Anber, K.A.I. (1986).** Some studies on rabbits nutrition. M.Sc. Thesis, Fac. Agric., Kafer EL-Sheikh, Tanta Univ., Egypt.
- Anon. (1985).** Propagation and agricultural use of *azolla* in Vietnam. The Research Center of *Azolla*. Hanoi, Vietnam, Int. Rice Comm. Newsl. 34 (1) : 79.
- Anonymous. (1975)** *Azolla pinnata* R.Br. In: Chien - Chang Hsu (ed) Illustrations of Common Plants of Taiwan-V.1: Wedds, 2nd Ed. Taiwan Provincial Education Assoc., Taipei, Taiwan.
- Antoine, T., Wery, P. Micha, J.C. and Van Hove, C. (1987).** A comparison of growth and chemical composition of *Oreochromis* (*Tilapia*) *niloticus* L. and *Cichlasoma* (*Theraps*) *melanurum* Gth. fed on *ozolla*. *Aquaculture*, 66 (2) : 181-196.
- Association of Official Analytical Chemist, AOAC. (1980).** "Official Methods of Analysis" 13 th ed. Published by the AOAC., Washington, D.C.

Azolla Notes.(1985). Azolla,a possible human food source. A quarterly newsletter of National Azolla Action Program,NAAP, 2 (4) :1-2.

Becerra,M.,Murgueitio,E.,Reyes,G.and Preston, TR. (1990). Azolla filiculoides as partial replacement for traditional protein supplements in diets for growing-fattening pigs based on sugar can juice.Livestock Research for Rural Development, 2:15-22.

Blum,J.C. (1984). Lalimentation des animaux monogastriques. Institut National de la Recherche Agronomique, Paris,France,282p. [In : Van Hove et al, 1985].

Buckingham,K.W.,Ela,S.W., Morris, J.G. and Goldman, C.R. (1977). Protein quality evaluation and proximate analysis of Azolla filiculoides. Fed. Proc.Am. Soc. Exp. Biol., 36 : 4802.

Buckingham, K.W., Ela,S.W., Morris, J.G. and Goldman, C.R. (1978). Nutritive value of nitrogen -fixing aquatic fern, Azolla filiculoides. J.Agric. Food Chem.,2 (5) 1230-1234.

Calvert, H.E., Pence, M.K. and Peters, G.A. (1985). Ultrastructural ontogeny of leaf cavity trichomes in azolla implies a functional role in metabolite exchange. Protoplasma, 129 :10-27.

Cambel, I.M. (1984). Growth performance of broilers fed with varying levels of azolla meal. Kabacan, North Cotabato (Philippines).pp66.

Carregal, R.D.and Nikum, A.S. (1980). Crude protein level in diets for growing rabbits. Revista Latino Americana de Cunicultura, 1:37 - 40.[Nutr.Abst. and Rev., 53 No. 1717].

Cassani, J.R (1981). Feeding behavior of under yealing hybrids of the grass carp, Ctenopharyngodon idella and the bighead, hypophthalmichthys nobilis, on selected species of aquatic plantic. J.Fish Biol.,18:127 - 133.

- Castillo, L.S., Gerpacio, A.L, Pascual, F.SD., Mercaco, C.I., Abenir, E.E and Palo, L.P. (1982).** Azolla in broiler diets. *Livestock and Poultry Circulation and Research News*, 10 (3) :1-2.
- Cheeke, P.R ., Patton, N.M. and Lukefahr, S.D. and McNitt, J.I. (1987).** "Rabbit Production" 6 th Ed., Interstate Printers and Publishers, Inc., Danville, IL.
- Chen,C.P.; Rao, D.R.; Sunki, G.R.and Johanson, W.M.(1978).** Effect of weaning and slaughter ages upon rabbits meat production. 1-Body weight, feed efficiency and mortality. *J. of Anim Sci.*, 46 :573-577.
- Crary, D.D. and Sawin, P.S. (1960).** Genetic differences in growth rate and maturation in rabbits. *Growth*, 23 : 111-130.
- Delloro, J.; Estany, J.; Lopez, A.M. (1985).** Prediction of carcass conformation in rabbits growth studies. *Fisiogenetica Animal*, Univ. Politecnica de Valencia, Cmino de Vera, 14, 46022. Valencia, Spain. (A.B.A., 55, No. 6493)
- Deslvo, F. and Zucchi, P. (1984).** A breed study of the main carcass characteristics of rabbits. *Rivista di Coniglicatura*, 21 (12) , 27-33. [A.B.A., 53, No. 3941]
- De Waha, B.T., Godard, P. and Van Hove, C. (1984).** Chemical composition of azoll populations as affected by aging. *Arch. Int. Physiol. Biochem.*, 92:30.
- Duncan, D.B. (1955).** Multiple rang and multiple F test. *Biometrics*., 11 : 1 -2.
- Dunham, D.G. and Fowler, K. (1987).** Taxonomy and species recognition in Azolla Lam. In: *Azolla Utilization*, IRRI. Los Banos, The Philippines. PP. 7-16.
- Edwards, D. J. (1974) .** Weed preference and growth of young grass carp (*Ctenopharyngodon idella*) in New Zealand. *J. Mar. Fresh water Res. New Zealand*, 8: 431 - 450.

- El Amin, F.M. (1974).** A selection experiment for improvement of weight gains and feed conversion efficiency in rabbits. **Ph.D.** Dissertation, Bristol Univ., England.
- El - Gabry, Hoda, E. (1995).** Nutritive value of some energy and protein by - products for feeding rabbits. M.Sc. Thesis, Fac. Agric., Ain Shams Univ., Egypt.
- El Madhagi, K.S.S (1990).** Productive efficiency in a flock of rabbits. M.Sc. Thesis, Fac. Agric., Moshtohor , Zagazig Univ. Banha Branch.
- El - Sayaad , G. A. (1980).** Comparative study on the performance of two breeds of rabbits fed urea in the diet. M.Sc. Thesis, Fac. Agric., Moshtohor , Zagazig Univ. Banha Branch.
- El Sayed, H.M. (1988)** .Effect of breed crossing and feeding system on the meat production of rabbits.M.Sc. Thesis, Fac. Agric., Zagazig Univ., Egypt.
- El - Serafy , A .M ., Afifi , E . A., Abdella, M.M.and El-Sayaad, G.A. (1981).** Effect of coprophagy in rabbits on digestibilities of crude protein and fiber fractions.Res. Bull . 1513 , Fac. Agric ., Ain Shams Univ., Egypt.
- Emara, M.E.A.(1982).** Effect of cross breeding on some productive traits in rabbits. Ph.D. Thesis, Fac. Agric., Moshtohor, Zagzig Univ., Egypt.
- Espinas,C., Bebja, N.S., Rosario, D.C.and Watanabe, I.(1979).** Environmental conditions affecting azolla growth. Greenfields, 9 (18) pp 20-21.
- Fujiwara,A.,Tsubos, I. and Yoshida, F. (1974).** On free living nitrogen fixation of Akaukikusa. Nogaku Agric. Sci., Tokyo, 1:361 -363.

- Ghany, M.A., Badrel - Din,A.L.,Shafie , M.M.and Hanafy , M. (1961).** Some factors affecting body weight in Giza rabbits. U.A.R.J.Anim. Prod., 1:121-134.
- Ghazal ,F.M. (1987).** Microbiological studies on nitrogen fixation by alga and azolla. Ph. D. Thesis, Fac. Agric., Al - Azhar Univ., Cairo, Egypt.
- Ghazal, F.M and Ibrahim, A.N.(1993).** Azolla as nitrogen source for rice. 14 th North American. Conference on Symbiotic Nitrogen Fixation. July 25 -29, University of Minnesota, Minnesota, USA.
- Giller, K.E. and Wilson, K.F.(1991).** "Nitrogen Fixation in Tropical Cropping Systems".CAB International, Chap. 2, page:44- 46.
- Granat ,J. and Zelink, J. (1972).** Growth and meat production of crossbreds of Californian White and French Silver rabbits. Chovatell, 11(12): 273- 274 [A.B.A., 42 No. 5544].
- Granat ,J. and Zelink, J .(1973).** Fertility and growth in New Zealand White and Californian White rabbits. Zivocisna Vyroba, 17 (12) : 931-940. [A.B.A.,42 No.1656]
- Grobner, M.A., Robison, K.L.,Potton, N.M.and Cheeke, P.R.(1985).** Comparison of the Palamino and New Zealand White breeds for commercial rabbit production. J. of Applied Rabbit Research, 8 (2): 62-63.
- Gualtieri, M.,Rapaccini,S. and Balloni,W.(1988).** Effects of the inclusion of Azolla filiculoides meal in feeds for growing rabbits. Rivista -di - Coniglicoltura, 25, 9:55-58.
- Hansen ,V. and Neilson, J.(1956).** 6th report from the rabbit- recording station at Favrhalm for the years 1945/50, 1954/55.Forsogslab .Kobenhavn Beretn., No.290 pp-8.[Nut.Abst. and Rev., 27No.1248].

- Hemid, A.A.(1988).** Optimal feeding levels for some strains of rabbits and their crosses under intensive meat production. Ph .D. Thesis, Fac .Agric., Ain - Shams Univ., Cairo.
- Hepher, B.E.(1988).** "Nutrition of Fishes."Cambridge University Press, New York, New Rochell, Melbourne, Sydney, pp.54 - 63.
- Hofmann, F. and Steiner, K. (1959).** Effect of high protein feeding on development of young rabbits of small, medium and large breeds. Arch. Geflugelzucht Kleintierk, 8 : 266 - 286. [Nutr. Abst. and Rev., 30 No. 6947]
- Holdas , S. and Szendro, Z.(1979).** Sex differences in some production characters in rabbits. Allatt.,28(2) :127 [A.B.A.,48 No.315].
- Jayasuriya,M.,Hamilton ,R., Uriyapongson, S. and Eskew,D. (1988).-** Fermentation of straw -based diets containing azolla (Azolla caroliniana wild) using the rumen simulation technique (Rusitec). Biological Wastes, 24 (3) : 213- 226.
- Khalil,M.H.(1980).** Genetic and environmental studies on some productive traits in rabbits. M. Sc .Thesis, Fac. Agric., Moshtohor, Zagazig Univ., A.R.E.
- Khan, M.M.(1983).** A primer on azolla production and utilization in agriculture. Published by Univ. Philippines, Los Banos, Philippine Council for Agriculture and Resources Research and Development (PCARRD). pp,33.
- kheireldin, M.A.(1950).** A comparative study of growth development and litter size as applied to two breeds of rabbits. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Kim, Y.J., Lee,J., Kim, H.S.,Lee,K.S.(1983).** Effect of breeding season and feeding system on the growth rate, dressing percentage and feeding fur production of rabbits. Livestock and Veterinary, 25:26-30. [A.B.A.,52 No. 4927].

- Kulasooriya, S.A., Hirimburegama, W.K. and Abeysekera, S.W. (1985).** Use of Azolla in Sri Lanka. Proceeding of the Workshop on Azolla use, Fuzhou, Fujian, China, 31 March - 5 April. In : Azolla Utilization, The International Rice Research Institute, Manila, Philippines, pp : 131 - 145.
- Kuzniewicz, J. and Klzewicz, A.W.(1978)** Slaughter value of broiler rabbits. [A.B.A., 48 No.317].
- Kwon, O.S.,Shin, W.J; Kim, H.S, Lee, K.S.and Park, V.I.(1982).** Effect of certain environmental factors on weaning weight in rabbits. Livestock and Veterinary, 24:6-12. [A.B.A.,51No4637].
- Lasher, C.H.(1967).** Tilapia mossambica as a fish for aquatic weed control. Prog. Fish Cult.,29: 48-50.
- Lin,X.X.,Cheng, L.L.,Shi, S.L.and Wen, Q.X.(1980).** Characteristics of plant residues decomposition in soil. Southern Jiangsu Province. Turang Xuebao, 17 (4): 320- 327.
- Liu,C.C.(1979).** Use of azolla in rice production in China.In: Nitrogen and Rice,IRRI, Los Banos, Philippines:375-395.
- Liu,C.C.(1985).** Re- evaluation of azolla utilization in agriculture.Azolla Utilization, Proceedings of the Workshop on Azolla Use, Fuzhou, Fujian, China, 31 March 5 April .In: IRRI. Los Banos, The Philippines, pp:7-16
- Liu,C.C.,Wei, W.S., Zheng, G.L.,Weng,B.Q.and Zhang,Y.Q.(1982).** Study of the potassium enriching physiology of azolla.Scientia Agricultura Sinica, 4:82-87.
- Lukefahr, S., Hohenboken, W.D., Cheeke, P.R., Patton, N.M. and Kennick, W.H. (1982).** Carcass and meat characteristics of Flemish Giant and New Zealand White purebred and terminal - cross rabbits . J. Anim. Sc., 54 (6) : 1169-1174.

- Lukefahr, S., Hohenboken, W.D. and Cheeke, P.R. (1984).** Genetic effects on maternal performance and litter pre-weaning and post-weaning traits in rabbits. *Anim. Pro.*, 38: 239-300.
- Lumpkin, T. A. and Plucknett, D.L. (1980).** Azolla : botany, physiology, and use as green manure. *Econ. Bot.*, 34 (2), 111.
- Lumpkin, T. A. and Pluknett, D. L. (1982).** Azolla as a green manure : Use and management. In : *Crop Production*, (Chap. 10 - Other uses). Westview Tropical Agriculture Series, No. 5: 161-179
- Meeks, J. C., Joseph, C. M. and Haselkorn, R. (1988).** Organization of the nif genes in cyanobacteria in symbiotic association with Azolla and Anthoceros. *Archives of Microbiology*, 150 : 61-71.
- Micha, J. C., Antoine, T., Wery, P. and Van Hove, C. (1988).** Growth, ingestion capacity, comparative appetency and biochemical composition of *Oreochromis niloticus* and *Tilapia rendalli* fed with azolla. Presented at 2nd International Symposium on Tilapia in Aquaculture, ICLARM Conference Proceedings 15, Bangkok (Thailand) 16-20 March, pp : 347-355.
- Mohamed, M.S. (1983).** Nutritional studies on rabbits. M. Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Mohammed, K. I. (1989).** Studies on some productive traits in rabbits under the environmental conditions of El-Minia Governorate. M.Sc. Thesis, Fac. Agric., El-Minia Univ., Egypt.
- Monitor, C. (1981).** The Phillippine Mission to China in Search of Alternatives. PCARR publication, 9 (6) : 59& (7) : 7-11.
- Nath, D.R. and Rao, P.L. (1985).** Comparative study of certain quantitative traits of domestic and wild rabbits, carcass yield and proportion of various edible offals in rabbits. *Livestock Adviser* , 10 : 45-49 [A. B. A. 54 No. 3369]

- National Azolla Center. (1990).** The utilization of azolla in agriculture, animal husbandry and pisciculture production. In : The 2nd International Azolla Training Course, PP. 7-8.
- National Research Council, NRC (1984).** Nutrient Requirements of Rabbits, 2nd revised edition. National Academy of Science, Washington D.C.
- Niedzwiadek, S. (1983).** Phenotypic and genetic correlation among some production characters of New Zealand White rabbits., Roczn. Nauk. Zoot., 10 (1) : 37-45 [A.B.A., 53 No. 6035]
- Nielson, J. (1964).** 8th report from rabbit recording station of Favrhalm for the years 1958-59 to 1963-64. 346 Beretn . Forsogslab., 43 PP [A.B.A., 33 No. 665]
- Nierzwichi - Bauer , S.A. (1990).** Azolla - Anabaena symbiosis : use in agriculture. In : CRC Handbook of Symbiotic Cyanobacteria, Edited by Rai, A.M. CRC Press, Inc. Boca Raton, Florida, U.S.A Chapter 5 page 128.
- Nigmatullin, R.M. (1968).** An experiment on the comparative evaluation of some breeds of rabbits. Uchen Zep. Kazan Gos. Vet Inst., 99: 156-161. [A.B.A, 37 No. 1870].
- Nosseir, F.M. (1970).** A study of some economical characteristics in some local and foreign breeds of rabbits. M.Sc. Thesis, Fac. of Agric., Cairo Univ., Egypt.
- Parnekar, S., Batel, J.M. Bhagoji, G.P. and Dave, A.D. (1986).** Voluntary intake and nutritive value of sundried water fern Azolla pinnata in sheep. Indian Journal of Animal Nutrition, 3 (1) : 37-39.
- Payawal, P.C. (1990).** The utilization of azolla in the Philippines : Biological problemes and solution. National Academy of Science and Technology, Trans. 12:373-392.

- Peters, G.A. and Meeks, J.C. (1989).** The Azolla - Anabena symbiosis : basic biology. Annual Review of Plant Physiology and Plant Molecular Biology, 40:193-210.
- Plazinski, J., Zheng, Q., Taylor, R., Croft., L., Rolfe, B.G. and Gunning, B.E.S. (1990).** DNA probs show genetic variation in cyanobacterial symbionts of azolla fern and a closer relationship to free - living Nostoc strains than to free - living Anabaena strains. Applied and Environmental Microbiology, 56: 1263-1270
- Proto, V. (1965) .** Digestibility on rabbits and sheep. 5- Forage barley. Prod Anim. Napls, 2:255-263 . [Nutr. Abst. and Rev., 37 No. 1640].
- Pullin, R.S.V. and Almazan, G. (1983) .** Azolla as a fish food . ICLARM Newsletter, 6 (1) :6-7.
- Querubin, L.J. (1988) .** Research on azolla as livestock feed in the Philippines. In : Proceedings Regional Workshop on Azolla Research and Development, 9-13 May, SEARCA, Los Banos, Laguna. pp 117-119.
- Querubin, L.J., Alcantara, P.F., Luis, E.S and Princesa, A.O. (1986).** Azolla (*A. microphylla*) silage for growing pigs. PSAS Annual Convention, November 20, Abst. 46.
- Querubin, L.J., Alcantara, P.F. and Princesa, A.O. (1989).** Chemical composition of three azolla species (*A. caroliniana*, *A. microphylla* and *A. pinnata*) and feeding value of azolla meal (*A. microphylla*) in broiler rations. In : Azolla, Its Culture, Mangement and Utilization in the Philippines, NAAP, 181-194
- Radwan, M.H., Abdella, M.M., Bakir, A.A. and El-Magrabi, M.M. (1978).** Studies on some nutritional requirements for two local breeds of rabbits during reproduction and growing periods. Annls of Agric. Sc., Moshtohor, 10 : 245-255.

- Ragab, M.T. and Wanis, A.A. (1960 b).** Factors affecting the birth weight and weaning weight in the Baladi rabbits. Bulletin No. 220, Fac. of Agric., Cairo Univ. Egypt.
- Rains, D.W. and Talley, S.N. (1979).** Uses of azolla in North America. In : Nitrogen and Rice, International Rice Research Institute, Los Banos, Philippines : 419.
- Ramayyan, G.N. Ramamunthi, R., Venkatesan, G.S. and Govindaran, C.V. (1981).** Dressing percentage and proportion of certain edible and inedible offals in relation to slaughter weight in rabbits. [A.B.A., 49 No. 4237].
- Rao, D.R.; Johanson, W.M. and Sunki, G.R. (1976).** Replacement of maize by triticate in broiler diet. Brit Poult. Sci., 17:269
- Rao, D.R.; Chen, C.P.; Sunki, G.R. and Johnson, W.M. (1978).** Effect of weaning on slaughter ages upon rabbit meat production. J. Anim. Sci., 46 : 573 - 577.
- Rippka, R., Deruelles, J., Waterbury, J.B., Herdman, M. and Stanier, R.Y. (1979).** Genetic assignments, strain histories and properties of pure cultures of cyanobacteria. Journal of General Microbiology, 111: 1-16.
- Saleh, Hayam, D. T. (1994).** The use of non conventional sources in carp diets. M. Sc. Thesis, Fac. Agric., Ain - Shams Univ., Egypt.
- Sandford, J.C. (1957).** " The Domestic Rabbit." : Published by Grosby Lockwood and Itd. London
- Sandoval, M.E. (1984).** Azolla (*Azolla pinnata*, R.Brown) as a possible human food source. M.Sc. Thesis, Faculty of Graduate School, The University of Philippines at Los Banos.

- Santiago, C.B., Aldaba, M.B., Reyes, O.S. and Laron, M.A. (1988).** Response of Nile Tilapia (*Oreochromis niloticus*) fry to diets containing azolla meal. The Second Symposium on Tilapia in Aquaculture, Bangkok (Thailand) 16-20 March, 377-382
- SAS (1986).** SAS User's Guide : Statistics. Version 5 edition. SAS Institute, Inc., Cary, NC.
- Scharpenseel, M.W. and Knuth, K. (1985).** Use and importance of Azolla-Anabaena utilization in industrial countries. Proceedings of the Workshop on Azolla Use, Fuzhou, Fujian, China, 13 March - 5 April. [In Azolla Utilization, The International Rice Research Institute, Manila, Philippines, 1987, 153-167.
- Shawer, M.F. and El-Ibiary, H.M. (1963a).** Dressing percentage and differential growth of organs in the Baladi and standard breed rabbits. Proceeding of the 1st Arab Meeting on Poultry Science, Alexandria, Egypt.
- Shiomi, N. and Kitoh, S. (1985).** Use of azolla as decontaminant in sewage treatment. In: Azolla Utilization, The International Rice Research Institute, Manila, Philippines, PP:169-185.
- Singh, P.K. (1977).** Multiplication and utilization of fern "Azolla" containing nitrogen-fixing algal symbiot as green manure in rice cultivation. Riso, 26:125.
- Singh, P.K. (1979).** Use of azolla in rice production in India. In : Nitrogen and Rice, Int. Rice Res. Inst., Los Banos, Philippines : 407.
- Stergianou, K.K. and Fowler, K. (1990).** Chromosome numbers and taxonomic implications in the fern genus Azolla (Azollaceae). Plant Systematics and Evaluation, 173: 223-239.
- Subudhi, P.P.R. and Singh, P.K. (1978).** Nutritive value of the water fern Azolla pinnata for chicken. Poult. Sci., 57(2): 378-380.

- Tamang, Y. and Samanta, G. (1993).** Feeding value of azolla (*Azolla pinnata*) an aquatic fern in Black Bengal goats. *Indian J. Anim. Sci.*, 63 (2) :188-191.
- Tran, Q.T. and Dao, T.T. (1973).** Azolla : a green compost. In: Vietnamese Studies 38, Agric. Problems, Agron Data, 4:119-127.
- Tuan, D.T. and Thuyet, T.Q. (1979).** Use of a zolla in rice production in Vietnam .In : Nitrogen and Rice, International Rice Research Institute, Los Banos, Philippines : 395.
- Van Hove, C. (1989).** Azolla and its multiple uses with emphasis on Africa. Food and Agriculture Organization (FAO) of the United Nations.
- Van Hove, C., Waha, B.T., Diara, H.F., Godard, P., Mai, K.Y. and Sanginga, N. (1985).** Azolla collection and selection. Proceedings of the Workshop on Azolla Use, Fuzhou, Fujian, China, 31 March- 5 April .[In: Azolla Utilization, Int. Rice Res. Inst., Los Banos, Laguna, Philippines, 1987:67-87].
- Varghese, T.J., Devara, K.V. and Shantharam, B. (1976).** Relative growth of the grass carp (*Ctenopharyngodon idella*) (VAL), fed on utricularia and a mixture of Azolla and lemonia. *J. Inland Fish Soc., India*, 8:206-211.
- Ventura, W., Mascarina, G.B., Furoc, R.E. and Watanabe, I. (1987).** Azolla and Sesbania as biofertilizer for lowland rice. Paper presented in the 3rd FCSSP Annual Scientific Conference, University of Philippine, Los Banos, Philippines, April 28- 30.
- Vo, M.K. and Tran, Q.T. (1970).** Bea Hoa Dau (Azolla). Nha huat ban Nong than, Hanoi (Vietnam). 174pp..

- Watanabe, I.(1982).** Azolla -Anabaena symbiosis- its physiology and use in tropical agriucture.In: "Microbiology of Tropical Soils and Plants Productivity," Dommergues, Y.R. and Diem, H.G.,Eds., Martinus Nijhoff, The Hague,:169.
- Watanabe, I.(1989).** Use of symbiotic and free - living blue - green algae in rice culture. Outlook on Agric., 13 (4) : 166-172.
- Wittouk, P., Detimmerman, F., Petry, M. and Van Hove, C. (1992).** Azolla as a food for rabbits in Africa. J. Appl. Res., 15 : 1058 - 1062.
- Zhuang- Ta, Z., Yu- Si, K., De - Quan, L., Bing - Yuan, D. and Xi - Lian, L. (1985).** Utilization of Azolla in agricultural production in Guandong province, China. Proceedings of the Workshop on Azolla Use, Fuzhou, Fujian, China, 31- March - 5 April. [In : Azolla Utilization, International Rice Research Institute, Los Banos, Laguna, Philippines, 1987 : 141-145].