

REFERENCES

- Abou El-Naga, A.M. and Abou El-Ela, M.B (1984):
Oestrous activity of Egyptian fat-tailed Ossimi ewes raised at different locations.
J. Agric. Sci., Camb., 13, 481-486.
- Abou El-Naga, A.M.; Abou El-Ela, M.B. and Hassan, F.A. (1985a):
Oestrous activity of Suffolk, mutton Merino and their crosses with subtropical Ossimi sheep.
J. Agric. Sci., Camb., 104: 27-34.
- Abou El-Naga, A.M.; Abou El-Ela, M.B. and Hassan, F.A. (1985b):
Comparative study of oestrous activity in Finn ewes and two Egyptian fat-tailed sheep under subtropical conditions.
J. Agric. Sci., Camb., 105: 469-473.
- Abou El-Naga, A.M.; Abou El-Ela, M.B.; El-Nakhla, S.M. and Mehrez, A.Z. (1987):
Oestrous and ovarian activity of subtropical fat-tailed Rahmani sheep and their response to light treatment.
J. Agric. Sci., Camb., 108: 617-621.
- Afief, M.M.; Zaki, K. Abul-Fudle, W.; Ayoub, L.A. and Soliman, F.A. (1979):
Iodine metabolism in relation to reproductive status in cow.
Zbl. Vet. Med.A, 17, 62-67.

Alexander, G. (1974):

Birth weight of lambs : influences and consequences
in : Size at birth.

Ciba foundation Symposium 27; P. 215. Ends. K.
Elliott and J. Knight. Amsterdam : Scientific
publishers.

Al-Gubory, K.H. and Martinet, J. (1986):

Comparison of the total ovarian follicular
populations at day 140 of pregnancy and at day 5
postpartum in ewes.

Theriogenology 25, 795-808.

Al-Gubory, K.H.; Blanc, M.R. and Martinet, J. (1989):

Role of the corpus luteum of pregnancy in
controlling pituitary gonadotrophin secretion
during the early post-partum period in the ewe.

J. Reprod. Fert. 86, 697-703.

Allen, D.M. and Lamming, G.E. (1961):

Some effects of nutrition on growth and sexual
development of ewe lambs.

J. Agric. Sci., Camb. 57: 87-95.

Alliston, C.W. and Ulberg, L.C. (1961):

Early pregnancy loss in sheep at ambient
temperatures of 70° and 90° F as determined by
embryo transfer.

J. Anim. Sci. 20: 608.

Amir, D. and Volcani, R. (1965):

The sexual season of Awassi fat-tailed ewe.

J. Agric. Sci. 64: 83.

Ammar-Khodja, F.; Darbeida, H.; Frjk, L.; Akchiche, O.;

Bouaoud, P. and Brudieux, R. (1976):

Variation in blood progesterone level during the estrous cycle and early pregnancy in Tadmit ewes. Application to early pregnancy diagnosis.

Animal, Breeding, Abstracts, Vol. 47, No. 10, 5514.

Anderson, A.B.M.; Flint, A.P.F. and Turnbull, A.C. (1975):

Mechanism of action of glucocorticoids in induction of ovine parturition: Effect on placental steroid metabolism.

J. Endocrinol. 66, 61-70.

Anderson, R.R. and Harness, J.R. (1975):

Thyroid hormone secretion rates in growing and mature goats.

J. Anim. Sci, Vol. 40, No. 6: (1130-1135).

Arije, G.R.; Wiltbank, J.N. and Hopwood, M.L. (1974):

Hormone levels in pre-and post-parturient beef cows.

J. Anim. Sci. 39: 338-347.

Armstrong, D.T. and Grinwich, D.L. (1972):

Blockade of spontaneous and LH- induced ovulation in rats by indomethacin, an inhibitor of prostaglandin biosynthesis.

Prostaglandins, 1: 21-28.

Ashmawi, G.M.; El-Fouly, M.; El-Talty, Y. and Salama, O. (1984):

Rahmani sheep lambing performance and post partum oestrus manifestation as affected by season of mating and type of feed.

Egypt. J. Anim. Prod, 24, No. 1-2 P.P. 119-125.

Austin and Short (1972):

The effect of hypophyseal gonadotrophins on ovarian follicular population in immature rat.

Annals. Biol. Anim. Biochim. Biophys. Suppl. 13: 177-192.

Awa, O.A. (1983):

Reproductive characteristics of Syrian Awassi sheep. Publication, Arab center for the studies of Arid Zones and Dry Lands.

Animal, Breeding, Abstracts, Vol. 56. No. 2, 792.

Baird, D.T. (1978):

Pulsatile secretion of LH and ovarian estradiol during the follicular phase of sheep estrous cycle.

Biol. Reprod. 18: 359-364.

Barid, D.T. (1983):

Factors regulating the growth of the preovulatory follicle in the sheep and human.

J. Reprod. Fert. 69, 343-352.

Baird, D.T. and McNeilly, A.S. (1981):

Gonadotrophic control of follicular development and function during the estrous cycle of the ewe.

J. Reprod. Fertil. (Supp. 30): 119-133.

Baird, D.T. and Scaramuzzi, R.J. (1976):

The source of ovarian oestradiol and androstenedione in the sheep during the luteal phase.

Acta Endocrinol.(Copenhagen) 83, 502-9.

Baird, D.T.; Swanston, I. and Scaramuzzi, R.J. (1976):

Pulsatile release of LH and of ovarian steroids in sheep during the luteal phase of the oestrous cycle.

Endocr., 98: 1490-1496.

Baird, D.T.; Swanston, I.A. and McNeilly, A.S. (1981):

Relationship between LH, FSH, and prolactin concentration and the secretion of androgens and estrogens by the preovulatory follicle in the ewe.

Biol. Reprod. 24, 1013-1025.

Barbas, P.; Mascarenhas, R.; Vasques, M.I. and Belo, C.C.

(1987):

Postpartum anoestrus in Serra da Estrela ewes: a comparison between two groups of animals lambing during autumn or winter.

Animal, Breeding, Abstracts, Vol. 56. No. 5, 2712.

Barker, H.B. and Wiggins, E.L. (1964a):

Occurrence of post-partum estrus in fall-lambing ewes.

J. Anim. Sci. 23: 967-972.

Barker, H.B. and Wiggins, E.L. (1964b):

Estrual activity in lactating ewes.

J. Animal. Sci. 23: 973.

Bassett, J.M. and Thorburn, G.D. (1969):

Foetal plasma corticosteroids and the initiation of parturition in sheep.

J. Endocrinol. 44, 285.

Bassett, J.M. and Thorburn, G.D. (1973):

Circulating levels of progesterone and corticosteroids in the pregnant ewe and its foetus.

In: Endocrinology of pregnancy and parturition - Experimental studies in the sheep., P. 126.

Ed. C.G. Pierrepoint. Cardiff: Alpha Omega Alpha Publishing.

Bassett, J.M.; Oxborrow, T.J.; Smith, I.D. and Thorburn, G.D.

(1969):

The concentration of progesterone in the peripheral plasma of the pregnant ewe.

J. Endocrinol. 45, 449-457.

Beck, T.W. and Convey, E.M. (1977):

Estradiol control of serum luteinizing Hormone concentrations in the Bovine.

J. Anim. Sci., Vol. 45, No. 5. PP: 1096-1101.

Bergstrom, S.; Carlson, L.A. and Weeks, J.R. (1968):

The prostaglandins: A family of biologically active lipids.

Pharmacol. Rev. 20: 1-48.

Bindon, B.M.; Blanc, M.R.; Pelletier, J.; Terqui, M. and Thimonier, J. (1979):

Periovulatory gonadotrophin and ovarian steroid patterns in sheep of breeds with differing fecundity.

J. Reprod. Fert. 55, 15-25.

Bjersing, L.; Hay, M.F.; Kann, G.; Moor, R.M.; Naftolin, F.;

Scaramuzzi, R.J.; Short, R.V. and Younglai, E.V.

(1972):

Changes in gonadotrophins, ovarian steroids and follicular morphology in sheep at oestrus.

J. Endocr., 52: 465-479.

- Bowring, N.; Earthy, M. and Mangan, R.R. (1974):**
Changes in prostaglandin F content of the rabbit ovary associated with ovulation.
J. Endocrinol. 64: 11.
- Burdeet, I.R.R. and Mackinnon, P.C.B. (1976):**
Restoration by estradiol benzoate of the neural and hormonal rhythm in the ovariectomized rat.
J. Endocr. 64: 27-35.
- Butcher, R.L.; Collins, W.E. and Fugo, N.W. (1974):**
Plasma concentration of LH, FSH, prolactin, progesterone and estradiol-17 β throughout the 4-day estrous cycle of the rat.
Endocrinology 94:1704 - 1708.
- Buys, N.; Peeters, R.; Declerck, B.; Vanisterdael, J.; Kuhn, E.R. and Decuypere, E. (1990):**
Seasonal variations in prolactin, growth hormone and thyroid hormones and the prolactin surge at ovulation do not affect litter size of ewes during pregnancy in the oestrous or the anoestrous season.
J. Reprod. Fert. 90, 47-53.
- Cahill, L.P.; Saumande, J.; Ravault, J.P.; Blanc, M.; Thimonier, J.; Mariana, J.C. and Mauléon, P. (1981):**
Hormonal and follicular relationships in ewes of high and low ovulation rates.
J. Reprod. Fert., 62: 141-150.

Calderbank, G. (1963):

Animal health, production and pasture.

Eds A.N. Worden, K.C. Sellers and D.E. Tribe. PP.
681-736. (Longmans: London.)

**Campbell, B.K.; Mann, G.E.; McNeilly, A.S. and Baird, D.T.
(1990a):**

The pattern of ovarian inhibin, estradiol, and
androstenedione secretion during the estrous cycle
of the ewe.

Endocrinology (Philadelphia) 127 (1) 227-235.

**Campbell, B.K.; McNeilly, A.S.; Picton, H.M. and Baird, D.T.
(1990c):**

The effect of a potent gonadotrophin-releasing
hormone antagonist on ovarian secretion of
oestradiol, inhibin and androstenedione and the
concentration of LH and FSH during the follicular
phase of the sheep oestrous cycle.

J. Endocrinology 126 (3) 377-384.

Capote, J. and Vazquez, J. (1986):

Reproductive performance in a flock of Suffolk X
Cuban Criollo ewes.

Animal Breeding Abstracts, Vol. 56. No. 7, 4446.

Carles, A.B. and Kipngeno, W.A.K. (1986):

The effect of season and the introduction of rams
on oestrous activity in somali, Nandi, Merino,
Karakul and New Zealand Romney Marsh ewes in Kenya.
Anim. Prod 43 (3) 447-457.

Carson, R.S.; Muller, B.D.; Clarke, I.J.; Findlay, J.K.;

Cumming, I.A. and Burger, H.B. (1978):

Androstenedione (A4) and estradiol-17 β (E2) level
in sheep ovarian follicles during growth and
atresia.

Animal Breeding Abstracts, Vol. 47. No. 5, 2348.

Castillo Rojas, H.; Hernandez Ledezma, J.J.; Berruecos, J.M.

and Lopez Angeles, J.J. (1977):

Reproductive performance of tabasco lambs in
atropical enviroment. 3. Puberty and duration of
estrus.

Animal Breeding Abstracts, Vol. 46. No. 10, 4990.

Challis, J.R.G. (1971):

Sharp increase in free circulating oestrogens
immediately before parturition in sheep.

Nature. Lond. 229, 208.

Challis, J.R.G.; Kendall, J.Z.; Robinson, J.S. and Thorburn,

G.D. (1977):

The regulation of corticosteroids during late
pregnancy and their role in parturition.

Biol. Reprod. 16, 57.

Chamley, W.A.; Findlay, J.K.; Cummings, I.A.; Buckmaster,

J.M. and Goding, J.R. (1974a):

Effect of pregnancy on the LH response to synthetic
gonadotropin-releasing hormone in the ewe.

Endocrinol. 94: 291.

- Chamley, W.A.; Findlay, J.K.; Jonas, H.; Cummings, I.A. and Goding, J.R. (1974b):
Effect of pregnancy on the FSH hormone in ewes.
J. Reprod. Fertil. 37: 109.
- Chan, G.L. and Perezgrovas Garza, R. (1988):
Determination of the stages of reproduction in criollo ewes in the Chiapas Mountains.
Animal Breeding Abstracts, 1988, Vol. 56. No. 12, 7543.
- Ch'ang, T.S. (1958):
Reproductive disturbances of Romney ewe lambs grazed on red clover (*Trifolium pratense*) pastures.
Animal Breeding Abstracts, 27, 296.
- Chobsieng, P.; Naor, Z.; Hoch, Y.; Zor, U. and Lindner, H.R. (1975):
Stimulatory effect of prostaglandin E2 and LH release in rat: Evidence for hypothalamic site of action.
Neuroendocrinology, 17: 12-17.
- Clark, F. and Brown, H. (1970):
British Medical journal 1,713
(Cited after Guerrini. V. H. and Bertchinger H., 1983).
- Clarke, I.J.; Fraser, H.M. and McNeilly, A.S. (1978):
Active immunization of ewes against luteinizing hormone releasing hormone and its effects on ovulation and gonadotrophin, prolactin and ovarian steroid secretion.
J. Endocr. 78, 39-47.

Comline, R.S.; Nathanielsz, P.W. and Marian Silver (1969):

Passage of thyroxine across the placenta in the foetal sheep. Proceedings of the physiological Society, 3-4P.

Coppings, R.J. and Malven, P.V. (1976):

Biphasic effect of estradiol on mechanisms regulating LH release in ovariectomized sheep.

Neuroendocrinology 21: 146.

Cox, R.A.; Mattner, P.E. and Thorburn, G.D. (1971):

Changes in ovarian secretion of oestradiol-17 β around oestrus in the sheep.

J. Endocr., 49: 345-346.

Cox, R.I. (1975):

The endocrinologic changes of gestation and parturition in the sheep.

Adv. Vet. Sci. Comp. Med. 19, 287.

Culler, M.D.; Mcarthur, N.H.; Dees, W.L.; Owens, R.E. and

Harms, P.G. (1982):

Inhibition of the postovariectomy depletion of hypothalamic luteinizing hormone releasing hormone (LHRH) by suckling.

Biol. Reprod. 20, 633-639.

Currie, W.B. and Thorburn, G.D. (1977):

The fetal role in timing the initiation of parturition in the goat.

In: The fetus and Birth, Ciba Foundation Symposium 47 (in press). Eds. G.E.W. Wolstenholme and J. Knight.

Amsterdam: Associated Scientific publishers.

Currie, W.B.; Wong, M.S.F.; Cox, R.I. and Thorburn, G.D. (1973):

Spontaneous or dexamethasone-induced parturition in the sheep and goat: changes in plasma concentrations of maternal prostaglandin F and fetal estrogen sulfate.

Mem. Soc. Endocrinol. 20, 95.

Davies, I.J. and Ryan, K.J. (1972):

Comparative endocrinology of gestation.

Vit. and Horm. 30, 223.

Denamur, R. (1974):

Luteotrophic factors in the sheep.

J. Reprod. Fertil. 38, 251-259.

Diaz-Infante, A.; Jr, Wright, K.H. and Wallack, E. (1974):

Effects of indomethacin and prostaglandin F_{2α} on ovulation and ovarian contractility in the rabbit.

Prostaglandin 5: 567-581.

Diekman, M.A. and Malven, (1973):

Effect of ovariectomy and estradiol on LH patterns
in ewes.

J. Anim. Sci. 37: 562-567.

Döbeli, M. and Schwander, B. (1983):

Pregnancy diagnosis in a sheep flock from 3
estimations of plasma progesterone.

Kleinviehzüchter, 31 (1) 27-28.

Domanovaszky, A. and Cserjes, I. (1978):

Investigations on the estrous season and conception
rate in Hungatian combing wool Merino ewes.

Animal Breeding Abstracts, vol. 47, No. 5, 2350.

Driancourt, M.A.; Gibson, W.R. and Cahill, L.P. (1985):

Follicular dynamics throughout the oestrous cycle
in sheep. A review. Reprod. Nutr. Develop. 25,
1-15.

Dunham, E.W.; Haddax, M.K. and Goldert, N.D. (1974):

Alterations of vein cyclic 3,5-nucleotide
concentrations during changes in contractility.

Proc. Soc. Nat. Acad. Sci. U.A.A. 71, 815-819.

Dunn, T.G.; Ingalls, J.E.; Zimmerman, R. and Wiltbank, J.N.

(1969):

Reproductive performance of 2-year-old Herford and
Angus heifers as influenced by pre-and post-calving
energy intake.

J. Animal. Sci. 29: 719.

- Dussault, J.H.; Hobel, C.J. and Fisher, D.A. (1971):
Maternal and fetal thyroxine secretion during pregnancy in the sheep.
Endocrinology, 88;47.
- Dutt, R.H. (1963):
Critical period for early embryo mortality in ewes exposed to high ambient temperature.
J. Anim. Sci. 22: 713-719.
- Dýrmundsson, Ó.R. (1973):
Puberty and early reproductive performance in sheep. I. Ewe lambs.
Animal Breeding Abstracts 41: 273-289.
- Dýrmundsson, Ó.R. (1978):
Studies on the breeding season of Icelandic ewes and ewe lambs.
J. Agric. Sci, UK. 90 (2) 275-281.
- Dýrmundsson, Ó.R. and Lees, J.L. (1972):
Attainment of puberty and reproductive performance in clun Forest ewe lambs.
J. Agric. Sci, UK., 78, 39-45.
- El-Banna, I.M.; El-Asrag, H.A. and Gamal, M.H. (1988):
An improved Method for Estradiol-17 β Radioimmunoassay.
Isotope and Radiation Research Bulletin Issued by the Middle Eastern Regional Radioisotope center for the Arab Countries.

El-Banna, I.N.; El-Asrag, H.A. Ragab, M.T. and Barakat, M.F.
(1991) :

Production of specific thyroxine antiserum for
radioimmunoassay using derivatized innunogen.

Isotop and Rad. Res vol. 19.

El-Banna, I.N.; El-Asrag, H.A. Ragab, M.T. and Barakat, M.F.
(1992) :

A Provision radiodination technique for the
production of T_3 - 125 I and T_4 - 125 I for sensitive
radioimmunoassay

Isotop and Rad. Res.

El-Fouly, M.A.; Shafie, M.M.; Abdel-Aziz, A.S. and Kandeal,
S.A. (1977):

Seasonal variation in estrus activity in Ossimi and
Rahmani ewes.

Egyptian. J. Anim. Prod, 17 (1): 75-85.

El-Nakhla, S.M.A. (1985):

Studies on the reproductive activity of local ewes.

Ph. D. Thesis, Faculty of Agric. Mansoura
University.

El-Nouty, F.D. and Hassan, G.A. (1983):

Thyroid hormone status and water metabolism in
Herford cows exposed to high ambient temperature
and water deprivation.

Ind. J. Anim., Sci., 53, 8: 807-812.

- El-Oksh, H.A.; Galal, E.S.E.; Ghanem, Y.S. and Mabrouk, M.M.S. (1980):
The effect of some factors on estrous cycle length in sheep.
Egypt. J. Anim. Prod. 20, No. 2PP. 157-161.
- El-Sayed, A.I.M. (1988):
Some physiological aspects related to the productive and reproductive efficiency in sheep.
Ph. D. Thesis, Faculty of Agric. Zagazig University, Benha Branch.
- El-Sheikh, A.S.; Hulet, C.V.; Pope, A.L. and Casida, L.E. (1955):
The effect of level of feeding on the reproductive capacity on the ewe.
J. Anim. Sci. 14: 919-929.
- El-Sheikh, A.S.; Mohamed, A.A.; El-Sherbini, A.A.; Salem, M.H. and Abed-El-Bary (1980):
Sexual behaviour of Egyptain local breeds of sheep under intensive system of production. I. Age and weight at puberty estrus period and estrus cycle.
Alex. J. Agric. Res., 28 (1): 25-31.
- El-Wishy, A.B.; El-Sawa, F.A. and El-Mikkawi, F. (1971):
Some aspects of reproduction in Fat-tailed sheep in subtropics. 1-Reproductive behaviour of local Ossimi and imported Awassi ewes.
Animal Breeding Abstracts, Vol. 42, No. 3, 1095.

Emmens, C.W. (1969):

Physiology of gonadal hormones and related synthetic compounds. In Reproduction in domestic animals.

Ed. by H.H. Cole and P.T. Cupps. London, UK, Academic Press. Ed. 2, 85-112.

Espey, (1980):

Secretion of prostaglandins F2 α in pregnant and cycling ewes.

J. Ann. Sci. 42: 876-880.

Falconer, I.R. and Marchant, B. (1970):

Thyroxine utilization in lambs in natural and controlled environments.

J. Endocr., 46, 363-367.

Feldman, S.D.; Valencia, M.J. and Zarco, Q.L. (1988):

Postpartum ovarian activity of the ewe in Mexico. Animal Breeding Abstracts, 1988. Vol. 56. No. 12, 7556.

Fitzgerald, B.F.; Michel, P. and Butler, W.R. (1982):

Growth and sexual maturation in ewes. The role of photoperiod, diet and temperature on growth rate and the control of prolactin, thyroxine and luteinizing hormone secretion.

J. Anim. Sci. 55, 1431-1440.

Fitzgerald, B.P.; Evins, J.D. and Cunningham, F.J. (1981):

Effect of TRH on the secretion of prolactin in ewes at various stages of pregnancy and in non-pregnant ewes during the breeding season and seasonal anestrus.

J. Reprod. Fertil. 61: 149-155.

Fletcher, I.C. (1973):

Effects of lactation, suckling and oxytocin on postpartum ovulation in ewes.

J. Reprod. Fertil. 33: 293-298.

Foote, W.C. (1968):

Control of reproduction with or without hormones.

Wool Technology and sheep Breeding 15 (11): 87-97.

Foote, W.C.; Sefidbakht, N. and Madsen, M.A. (1970):

Puberal estrus and ovulation and subsequent estrous cycle patterns in the ewe.

J. Anim. Sci. 30, 86-90.

Ford, J.J. (1979):

Postpartum reproductive performance of Finnsheep - crossbreed ewes.

J. Anim. Sci. Vol. 49, No. 4, 1043-1050.

Ford, J.J. and Melampy, R.M. (1973):

Gonadotropin levels in lactating rats: effect of ovariectomy.

Endocrinology 93: 540-547.

Foster, D.L. and Karsch, F.J. (1975):

Development of the mechanism regulating the preovulatory surge of luteinizing hormone in sheep. Endocrinology 97: 1205-1209.

Foxcroft, G.R.; Shaw, H.J.; Hunter, M.G.; Booth, P.J. and Lancaster, R.T. (1987):

Relationships between luteinizing hormone, follicle-stimulating hormone and prolactin secretion and ovarian follicular development in the weaned Sow.

Biol. Reprod. 36: 175-191.

Fraser, H.M. and McNeilly, A.S. (1982):

Effect of chronic immunoneutralization of thyrotropin releasing hormone on the hypothalamic pituitary thyroid axis, prolactin and reproductive function in the ewe.

Endocrinology 111, 1964-1973.

Gabr, M.G.K. (1986):

Seasonality of oestrous and ovarian activity and related hormonal changes in Rahmani and Ossimi ewes.

Ph.D, Thesis, Faculty of Agriculture, Mansoura, university.

Gamal, M.H. (1986):

Studies hormonal pattern in sheep during estrous cycle.

M.Sc. Thesis. Faculty of Agriculture, Benha Branch, Zagazig University.

Gadsby, J.E.; Heap, R.B.; Powell, D.G. and Walters, D.E. (1972):

Diagnosis of pregnancy and the number of fetuses in sheep from plasma progesterone concentrations.

Vet. Rec. 90, 339.

Ghanem, Y.S.; Fahmy, M.H.; Seoudi, A.M. and Farid, M.F.A. (1963):

Some observations on the reproductive behaviour of local and imported breeds of sheep under desert conditions.

Proc. 4th. Egypt. Vet. Congc., Cairo.

Goding, J.R.; Catt, K.J.; Brown, J.M.; Kaltenbach, C.C.; Cumming, I.A. and Mole, B.J. (1969):

Radioimmunoassay for ovine luteinizing hormone. Secretion of luteinizing hormone during estrous and following estrogen administration in the sheep.

Endocrinol. 85: 133.

Goldberg, and Rowell, (1975):

The luteotrophic effect of estrogen in the rat: prevention by estradiol of the luteolytic effect of an antiserum to luteinizing hormone in the pregnant rat.

Endocrinology 101: 1683-1689.

Gonzalez, J.; Alvarez, J. and Domenech, V. (1984):

Sexual activity of Merino ewes during lactation and its interaction with seasonal anoestrus.

Animal Breeding Abstracts, Vol. 53, No. 9, 5824.

Gonzalez, A.; Murphy, B.D.; Alba, M.J.D. and Manns, J.G. (1987):

Endocrinology of the postpartum period in the Pelibuey ewe.

J. Anim. Sci. 64 (6): 1717-1724.

Goodman, R.L. and Karsch, F.J. (1980):

Pulsatile secretion of luteinizing hormone: Differential suppression by ovarian steroids.

Endocrinology 107: 1286-1290.

Goodman, R.L. and Karsch, F. J. (1981):

A critique of the evidence on the importance of steroid feedback to seasonal changes in gonadotropin secretion.

J. Reprod . Fertil. (suppl) 30 :1 .

Goodman, R.L.; Bittman, E.; Foster, D.L. and Karsch, F.J.

(1982):

Alterations in the control of luteinizing hormone pulse frequency underlie the seasonal Variation in estradiol negative feedback in the ewe.

Biol. Reprod. 27: 580-589.

Goodman, R.L.; Pickover, S.M. and Karsch, F.J. (1981):

Ovarian feedback control of follicle - stimulating hormone in the ewe: Evidence for selective suppression.

Endocrinology, Vol. 108: 772-777.

Gordon, I. (1983):

The ewe's oestrous cycle and seasonal breeding activity. In: Controlled breeding in farm animals.

Pergamon press, New York, PP. 169-179.

Grandison, L.; Hodson, C.; Chen, H.T.; Advis, J.; Simpkins, J.

and Meites, J. (1977):

Inhibition by prolactin of post-castration rise in LH.

Neuroendocrinol, 23: 312.

Griffiths, E.C. and Hopper, K.C. (1974):

Peptidase activity in different areas of the rat hypothalamus.

Acta Endocrinol. 77: 10-18.

Griffiths, E.C.; Hopper, K.C.; Jeffcoate, S.L. and Holland, D.T. (1975):

The effects of gonadectomy and gonadal steroids on the activity of hypothalamic peptidases in activating luteinizing hormone-releasing hormone (LH - RH).

Brain Res. 88: 384-388.

Guerrini, V.H. and Bertchinger, H. (1983):

Effect of exposure to a hot-humid and a hot-dry environment on thyroid hormone values in sheep.

Br. Vet. J, 139,119.

Guillén, A. and Rondón, Z. (1987):

Effect of lactation length on reproductive performance of ewes and growth of their lambs.

Animal Breeding Abstracts, Vol. 56. No. 5, 2727.

Gunn, R.G. and Doney, J.M. (1975):

The interaction of nutrition and body condition at mating on ovulation rate and early embryo mortality in scottish Blackface ewes.

J. Agric. Sci., Camb. 85: 465-470.

Hafez, E.S.E. (1952):

Studies on the breeding season and reproduction of the ewe.

J. Agric. Sci., Camb., 42, 189-265.

Hafez, E.S.E. (1953):

Puberty in female farm animals.

Animal Breeding Abstracts, 22: 16.

Hafez, E.S.E. (1969):

The behaviour of domestic animals.

London, Bailliere Tindall.

Hafez, E.S.E. (1980):

Reproduction in farm animals.

Lea and Febiger, Philadelphia (4th edition).

Hammons, J.; Velasco, M. and Rothchild, I. (1973):

Effect of the sudden withdrawal or increase of suckling on serum LH levels in ovariectomized postparturient rats.

Endocrinology, 92: 206-211.

Hamon, M.H. and Heap, R.B. (1990):

Progesterone and oestrogen concentration in plasma of Barbary sheep (aoudad, *Ammotragus lervia*) compared with those of domestic sheep and goats during pregnancy.

J. Reprod. Fert. 90, 207-211.

Hamra, A.M. and Bryant, M.J. (1979):

Reproductive performance during mating and early pregnancy in young female sheep.

Anim. Prod. 28: 235-243.

Hanrahan, J.P. (1984):

Time of ovulation in Finn ewes.

Animal Breeding Abstracts, Vol. 53. No. 9,5826.

Hansel, W. and Echtern Kamp, S.E. (1972):

Control of ovarian function in domestic animals.

Am. Zool. 12: 225-243.

Haresign, W.; McLeod, B.J.; Webster, G.M. and Worthy, K.

(1985):

Endocrine basis of seasonal anoestrus in sheep.

Animal Breeding Abstracts, Vol. 54. No. 3,1651.

Harvey, W.R. (1987):

User's guide for mixed model least squares and
maximum Likelihood computer program LSMLMW
mimeograph. Ohio state University. U.S.A.

**Herriman, I.D.; Harwood, D.J.; Mallinson, C.B. and Heitzman,
R.J. (1979):**

Plasma concentrations of ovarian hormones during
the oestrous cycle of the sheep and cow.

J. Reprod. Fert., 81: 61-64.

Hixon, J.E. and Hansel, W. (1977):

Luteotropic effects of prostaglandin F2 with bovine
luteal cell preparations.

Proc. 69th Annual Meeting Am. Soc. An. Sci., 427
Abstr.

Honmode, J. and Pachlag, S.V. (1973):

Time of ovulation and chloride content of vaginal mucus during estrous in sheep.

Ind. J. Anim., Sci. 43 (2): 136-140.

Hopkins, P.S. (1972):

The role of the thyroid gland in foetal development.

Ph.D. Thesis , Macquarie University , New South Wales.

Hudson, J.W. and Wang, L.C. (1969):

Thyroid function in Desert Ground Squirrels, (In) C.C. Hoff and M.L. Riedesel ed. Physiological Systems in Semi-Arid environments.

Univ. of New Mexico Press. Albuquerque, N.M.

Hulet, C.V. and Stormshak, F. (1972):

Some factors affecting response of anestrus ewes to hormone treatment.

J. Anim. Sci. 34, No. 6: 1011-1019.

Hunaiti, A.A.; Muwalla, M.M.; Abuirjeie, M.A. and Tawfeeq, F. (1989):

Determination of plasma progesterone in Awassi ewes using radioimmunoassay.

Animal Breeding Abstracts, Vol. 57. No. 11, 7294.

Hunter, G.L. (1968):

Increasing the frequency of pregnancy in sheep, II. Artificial control of rebreeding, and problems of conception and maintenance of pregnancy during the postpartum period.

Animal Breeding Abstracts 36, 533-553.

Hunter, G.L. (1971):

Is there a lactation anestrous in the sheep ?

S. African. J. Anim. Sci. 1: 55.

Hunter, G.L. and Van Aarde, I.M.R. (1973):

Influence of season of lambing on postpartum intervals to ovulation and estrus in lactating and dry ewes at different nutritional levels.

J. Reprod. Fertil. 32: 1.

Inskeep, E.K.; Stevens, L.P. and Rudy, C.R. (1976):

Fertility in ewes during synchronized estrous cycle.

J. Anim. Sci. 48: 52-53.

Johnson, A.L. (1986):

Serum concentrations of prolactin, thyroxine and triiodothyronine relative to season and estrous cycle in the mare.

J. Anim. Sci. 62, 1012-1020.

Jonas, H.A.; Salamonsen, L.A.; Burger, H.G.; Chamley, W.A.;

Cumming, I.A.; Findlay, J.K. and Goding, J.R. (1973):

Release of FSH after administration of gonadotrophin - releasing hormone or estradiol to the anestrous ewe.

Endocrinology 92: 862.

Joubert, D.M. and Louw, D.F.J. (1964):

Observations on the sex behaviour of Dorper and Dohne Merino ewes.

Animal Breeding Abstracts, 33: 3481.

Kann, G. and Denamur, R. (1974):

Possible role of prolactin during the estrous cycle and gestation in the ewe.

J. Reprod. Fertil. 39: 473-483.

Karsch, F.J.; Foster, D.L.; Legan, S.J.; Ryan, K.D. and Peter, G.K. (1979):

Control of the preovulatory endocrine events in the ewe: interrelationship of estradiol, progesterone and luteinizing hormone.

Endocr., 105: 421-426.

Kaulfuss, K.H. (1990):

The role of the anterior pituitary hormone prolactin in the oestrus cycle of ewes.

Animal Breeding Abstracts, Vol. 59, No. 7, 4855.

Keane, M.G. (1974):

Factors affecting the occurrence of puberty and reproduction in ewe lambs.

Ph. D. Thesis, Natn. Univ. Ire. Dublin.

Keane, M.G. (1975):

Effect of age and plane of nutrition during breeding on the reproductive performance of Suffolk-X ewe lambs.

Ir. J. Agric. Res. 14: 91-98.

Kelly, P.A.; Robertson, H.A. and Friesen, H.G. (1974):

Temporal pattern of placental lactogen and progesterone secretion in sheep.

Nature (Lond.) 248, 435.

Khalil, M.H. (1980):

Studies on the wool coat of sheep and its relation to their adaptability to the Egyptian environment. Ph. D. Thesis. Anim. Prod. Fac. of Agric. Al-Azhar Univ., Cairo. Egypt.

Kletzky, O.A.; Nakamura, R.M.; Thorneycroft, I.H. and Mishell, D.R. Jr, (1975):

Log normal distribution of gonadotropins and ovarian steroid values in the normal menstrual cycle.

Am. J. Obstet. Gynecol. 121: 688-694.

Knobil, E. (1974):

On the control of gonadotropin secretion in the rhesus monkey.

Recent Prog. Horm. Res. 30: 1-46.

Koreman, S.G.; Tulchinsky, D. and Eaton, L.W. (1970):

Radio-ligand procedures for estrogen assay in normal and pregnancy plasma.

Reprod. Endocrinology, 2nd PP. 291-304.

- Lamming, G.E.; Moseley, S.R. and Mc Neilly, J.R. (1974):
Prolactin during the estrous cycle and gestation in
the ewe.
J. Reprod. Fertil. 40: 151-168.
- Land, R.B. (1970):
A relationship between the duration of estrus,
ovulation rate and litter size of sheep.
J. Reprod. Fertil. 23, 49-53.
- Larsen, R.R. (1972):
Metabolism, 21, 1073.
(Cited after Guerrini. V. H. and Bertchinger
H., 1983).
- Lemarie, W.J.; Yang, N.S.T.; Behrman, H.H. and Marsh, J.M.
(1973):
Preovulatory changes in the concentration of
prostaglandins in rabbit Graafian follicles.
Prostaglandins 3: 367-376.
- Lewis, G.S. and Bolt, D.J. (1987):
Effects of suckling, progestogen-impregnated
pessaries or hysterectomy on ovarian function in
autumn-lambing postpartum ewes.
J. Anim. Sci. 64: 216-225.
- Liggins, G.D.; Grieves, S.A.; Kendall, J.Z. and Knox, B.S.
(1972):
The physiological role of progesterone, estradiol
-17 β and prostaglandin F2 α in the control of ovine
parturition.
J. Reprod. Fertile, 16, 85.

Lincoln, G.A.; Klandorf, H. and Anderson, N. (1980):

Photoperiodic control of thyroid function and wool and horn growth in rams and the effect of cranial sympathectomy.

Endocrinology 107, 1543-1548.

Linder, H.R.; Amsterdam, A.; Salomon, Y.; Tasfiriri, A.;

Nimord, A.; Lamprecht, S.A.; Zor, U. and Koch, Y.

(1977):

Interaovarian factors in ovulation: determinants of follicular response to gonadotrophins.

J. Reprod. Fertil. 51: 215-235.

Lu, K.H.; Chen, H.T.; Huag, H.H.; Grandison, L.; Marshall, S.

and Meites, J. (1976):

Relation between prolactin and gonadotrophin secretion in post-partum lactating rats.

J. Endocrinol. 68: 241-250.

Lucas, T.J.D.E.; González, P.E. and Martinez, R. L. (1988):

Duration of oestrus and the oestrous cycle in 5 breeds of sheep on the high plateau in Mexico.

Animal Breeding Abstracts, Vol, 56, No. 7,4462.

Mabrouk, M.M.; Galal, E.S.E.; Ghanem, Y.S. and El-Oksh, H.A.

(1976):

A study of some reproduction aspects in sheep under semi-arid conditions.

Egyptian. J. Anim. Prod. 16 (1): 1-6.

Magdub, A.; Johnson, H.D. and Blayea, R.L. (1982):

Effect of environmental heat and dietary fiber on
thyroid physiology of lactating cows.

J. Dairy. Sci., 65: 2323-2331.

Mallampati, R.S.; Pope, A.L. and Casida, L.E. (1971):

Breeding pattern in targhee ewes and ewe lambs
throughout the year.

J. Anim. Sci, 33, 1278-1281.

Mallory, D.S. (1988):

Gonadal control of secretion of luteinizing hormone
and follicle stimulating hormone in stalk sectioned
ewes.

Animal Breeding Abstracts, Vol, 58, No. 12, 7970.

Mandiki, S.N.M.; Bister, J.L. and Paquay, R. (1990):

Effects of suckling mode on endocrine control of
reproductive activity resumption in Texel ewes
lambing in July or November.

Theriogenology, 33 (2). 397-414.

Martin, G.B.; Price, C.A.; Thiéry, J-C. and Webb, R. (1988):

Interactions between inhibin, oestradiol and
progesterone in the control of gonadotrophin
secretion in the ewe.

J. Reprod. Fert. 82, 319-328.

Matter, H.E. (1986):

Studies on the reproductive biology of karakul sheep.

Animal breeding Abstracts, Vol. 56, No. 11,6894.

Matter, H.E. (1988):

Reproductive periods in karakul sheep.

Animal Breeding Abstracts, Vol, 56, No. 10, 6319.

Matwijiw, I. and Faiman, C. (1987):

Control of gonadotropin secretion in the ovine fetus: the effects of a specific gonadotropin-releasing hormone antagonist on pulsatile luteinizing hormone secretion.

Endocrinology, 121 (1) 347-351.

Mc Cann, S.M. and Porter, J.C. (1969):

Hypothalamic pituitary stimulating and inhibiting hormones.

Physiol. Rev. 49: 240-284.

Mc Clure, T.J. (1970):

An experimental study of the causes of nutritional and lactational stress infertility of pasture fed cows, associated with a loss of body weight at about the time of mating.

Res. Vet. Sci. 11: 247-254.

- Mc Cracken, J.A.; Carlson, J.C.; Glew, M.E.; Goding, J.R.;
Baird, D.T.; Green, K. and Samuelsson, B. (1972):
Prostaglandin F2 α identified as a luteolytic
hormone in sheep.
Nature, New Biol. 238, 129-134.
- Mc Donald, L.E. (1975):
peripheral plasma progesterone levels during the
ovine estrous cycle.
J. Reprod. Fert. 19: 433-442.
- Mc Natty, K.P.; Cibb, M.; Dobson, C.; Thurley, D.C. and
Findlay, J.K. (1981):
Changes in the concentration of gonadotrophic and
steroidal hormone in the antral fluid of ovarian
follicles throughout the estrous cycle of the
sheep.
J. Biol. Sci., 34, 67-80.
- Meites, J.; Wester, H.D.; Young, F.W. and Hatch, R.N. (1951):
Effects of corpora lutea removal and replacement
with progesterone on pregnancy in goats.
J. Anim. Sci. 10, 411-416.
- Meyer, H.H. (1979):
Ewe and teaser breed effects on reproductive
behaviour and performance.
Proc. N.Z. Soc. Anim. Prod. 39: 68-76.

Miller, W.L.; Knight, M.M.; Grimek, H.J. and Corski, J.
(1977):

Estrogen regulation of follicular stimulating hormone
in cell cultures of sheep pituitaries.

Endo. Vol. 100. No. 5PP. 1306-1316.

Mittal, J.P. and Ghosh, P.K. (1980):

A note on annual reproductive rhythm in Marwari
sheep of the Rajasthan Desert in India.

Anim. Prod. 30: 153-156.

Mivake, A., Tasaka, K., Kawamura, Y., Sakumoto, T. and Aono, T.
(1982):

Progesterone facilitates the LRH releasing action
of estrogen.

Acta Endocrinologica, 101: 321-324.

Moguilewsky, M. and Ravnaud, J.P. (1979):

Estrogen-sensitive progestin-binding sites in the
female rat brain and pituitary.

Brain Res. 164: 165-175.

Mohsen, M.K.M. (1969):

A study of the sexual behaviour of the female Barki
sheep and the female Angora goats.

M.Sc. Thesis, Faculty of Agriculture, Alexandria
University.

Moor, R.M. (1974):

The ovarian follicle of the sheep: inhibition of estrogen secretion by luteinizing hormone.

J. Endocrinol. 61: 455-463.

Moore, N.W.; Barrett, S.; Brown, J.B.; Schindler, I.; Smith, M.A. and Smyth, B. (1969):

Estrogen and progesterone content of ovarian vein blood of the ewe during the estrous cycle.

J. Endocrinol. 44: 55-62.

Moss, G.E.; Adams, T.E.; Niswender, G.D. and Nett, T.M. (1980):

Effects of parturition and suckling on concentrations of pituitary gonadotropins, Hypothalamic Gn RH and pituitary responsiveness to Gn RH in ewes.

J. of Anim. Sci. Vol. 50, No. 3, 496-502.

Moss, G.E.; Crowder, M.E. and Nett, T.M. (1981):

GnRH receptor interaction. VI. Effect of progesterone and oestradiol on hypophyseal receptors for GnRH, and serum and hypophyseal concentration of gonadotrophins in ovariectomized ewes.

Biol. Reprod., 25: 938-944.

Mounib, M.S.; Ahmed, I.A. and Hamada, M.K.O. (1956):

A study of the sexual behaviour of the female
Rahmany sheep.

Alexandria Journal of Agricultural Research 4 (2):
85-108.

Mousa, M.T. (1986):

Studies on reproduction activity of fat-tailed ewes
under Upper Egypt conditions.

M.Sc. Thesis, Fac. of Agric. Assiut Univ.

Mukasa-Mugerwa, E. and Ezaz, Z. (1991):

Resumption of post-partum oestrous behaviour and
associated plasma progesterone profiles in Menz
ewes.

Anim. Prod 52 (2): 297-300.

Mukasa-Mugerwa, E.; Ezaz, Z. and Viviani, P. (1990):

Plasma concentrations of progesterone during
estrous cycles of Ethiopian Menz sheep using enzyme
immunoassay.

Small Ruminant Res. 3 (1). 57-62.

Murdoch, W.J. and Dunn, T.G. (1982):

Alterations in follicular steroid hormones during
the preovulatory period in the ewe.

Biol. Reprod., 27, 300-307.

Nathanielsz, P.N. (1975):

Thyroid function in the fetus and newborn mammals.
Brit. Med. Bull., 13: 51. (Cited in Nutrit. Abstr.
and Rev. 33: 10).

Nathanielsz, P.W. (1970):

J. Physiol., Lond. 211, 157-171.
(Cited after Nathanielsz et al ., 1973b).

**Nathanielsz, P.W.; Comline, R.S.; Silver, M. and Thomas, A.L.
(1973a):**

Thyroid function in the foetal lamb during the last
third of gestation.
J. Endocr. 58, 535-546.

Nathanielsz, P.W.; Silver, M. and Comline, R.S. (1973b):

Plasma tri-iodothyronine concentration in the
foetal and Newborn-lamb.
J. Endocr., 58, 683-684.

Niswender, G.D.; Nett, T.M. and Akbar, A.M. (1974):

The hormones of reproduction.
In: reproduction in farm animals.
3rd ed. Hafez, E.S.E. (ed)., Philadelphia and
Febiger, PP. 57-81.

Novoa, C. (1986):

Interrelationships between source and level of
progesterone and number of fetuses at different
stages during pregnancy in sheep.
Animal Breeding Abstracts, Vol. 55. No. 3, 1536.

Nuryadi, A.M.; Winantea, A. and Bruchem, J. Van, (1986):

Reproductive performance of fat tailed sheep in east Java-First oestrus in young ewes as related to type of birth and in adult ewes as affected by time of weaning.

Animal Breeding Abstracts, Vol. 56 No. 12, 7574.

Ojeda, S.R.; Horms, P.G. and Mc Cann, S.M. (1974):

Effect of third ventricular injections of prostaglandins (PG'S) on gonadotropin release in conscious free moving male rats.

prostaglandins 8: 545-552.

Ojeda, S.R.; Jameson, H.E. and Mc Cann, S.M. (1977a):

Hypothalamic areas involved in prostaglandin (PG) -Induced gonadotropin release. I. Effect of PGE₂ and PG F₂ α implants on luteinizing hormone release. Endocrinology 100: 1585-1594.

Ojeda, S.R.; Jameson, H.E. and Mc Cann, S.M. (1977b):

Hypothalamic areas involved in prostaglandin (PG) -induced gonadotropin release. II. Effect of PGE₂ and PG F₂ α implants on follicle stimulating hormone release.

Endocrinology 100: 1595-1603.

Ojeda, S.R.; Negro-Vilar, A. and Mc Cann, S.M. (1979):

Release of prostaglandin E2 by hypothalamic tissue:
Evidence for their involvement in catecholamine-
induced luteinizing hormone releasing hormone
release.

Endocrinology 104: 617-624.

**Oyedipe, E.O.; Pathiraja, N.; Edqvist, L.E. and Buvanendran,
V. (1986):**

Onset of puberty and estrous cycle phenomena in
Yankasa ewes as monitored by plasma progesterone
concentrations.

Anim. Reprod. Sci, 12 (3) 195-199.

Pant, H.C.; Fitzpatrick, R.J. and Hopkinson, C. (1973):

Interrelationship between plasma follicle
stimulating hormone (FSH) and 17β -estradiol in
sheep during the estrous cycle.

Animal Breeding Abstract, Vol. 42 No. 3, 1104.

Pant, H.C.; Hopkinson, C.R.N. and Fitzpatrick, R.J. (1972):

Plasma oestradiol, Progesterone and luteinizing
hormone concentration during the ovine estrous
cycle.

J. Reprod. Fert., 31: 501.

- Pant, H.C.; Hopkinson, C.R.N. and Fitzpatrick, R.J. (1977):**
Concentration of oestradiol, Progesterone,
Luteinizing hormone and follicle-stimulating
hormone in the jugular venous plasma of ewes during
the oestrous cycle.
J. Endocr., 73, 247-255.
- Patel, D.C.; Dharni, A.J. and Kodagali, S.B. (1988):**
Studies on oestrus, oestrous cycle length and
rectal and vaginal temperatures in ewes.
Animal Breeding Abstracts, Vol. 58, No. 7, 4419.
- Peeters, R.; Buys, N.; Pauwels, I.; Kuhn, E.R.; Decuyper, E.; Slau, O. and Isterdael, J. Van (1989):**
Relationship between the thyroidal and gonadal
axes during the estrous cycle of ewes of different
breeds and ages.
Reproduction, Nutrition, Development, 29 (3)
237-245.
- Pfaff, D.W. (1968):**
Uptake of 3H-Estradiol by the female rat brain. An
Autoradiographic study.
Endocrinology 82: 1149.
- Plunkett, G.L. and Keyes (1975):**
Role of interaluteal estrogen in the regulation of
the rate corpus luteum during pregnancy.
Endocrinology, 102: 1176-1182.

Potter, B.J.; McIntosh, G.H.; Mano, M.T.; Baghurst, P.A.;
Chavadej, J.; Hua, C.H.; Cragg, B.G. and Hetzel, B.S.
(1986):

The effect of maternal thyroidectomy prior to
conception on foetal brain development in sheep.

Acta Endocrinol.; 112 (1), PP. 93-99.

Poyser, N.L. and Horton, E.W. (1978):

Uterine luteolytic hormone: A physiological role of
PG E₂ and PG F_{2α}.

Physiol. Rev. 60: 590-613.

Prud'homme, M.J. and Bosc, M.J. (1977):

Morticite uterine de la brebis, avant, pendant et
apres la parturition spontanee traitement par la
dexamethason.

Ann Biol. Anim. Biophys. 17,9.

Pyörälä, E.; Lähteenmäki, P.; Tuhonen, H. and Osterberg, S.
(1979):

The secretion of Luteinizing hormone in ewes of
finnish Landrace during estrus.

Acta Vet. Scand 20: 216-223.

Quirke, J.F. (1978):

Onset of puberty and estrus activity in Galway
Finnish Landrace and Finn-cross ewe lambs during
their first breeding season.

Ir. J. Agric. Res. 17: 15-23.

Quirke, J.F. and Gosling, J. (1975):

Progesterone concentration in the peripheral plasma of Galway and Finnish Landrace sheep during the oestrous cycle.

Ir. J. Agric. Res., 14: 49-53.

Quirke, J.F.; hanrahan, J.P. and Gosling, J.P. (1979):

Plasma progesterone levels throughout the oestrous cycle and release of LH at oestrus in sheep with different ovulation rates.

J. Reprod. Fert. 55, 37-44.

Quirke, J.F.; Hanrahan, J.P. and Gosling, J.P. (1981):

Duration of oestrus, ovulation rate, time of ovulation and plasma LH, total oestrogen and progesterone in Galway adult ewes and ewe lambs.

J. Reprod. Fertil., 61: 265-272.

Rawal, C.V.S.; Singh, R. and Luktuke, S.N. (1988):

Oestrous interval and pattern of oestrous cycles in Muzaffarnagari sheep.

Ind. J. Anim., Sci., 58 (2) 195-199.

Rawlings, N.C. and Ward, W.R. (1973):

The effect of the administration of progesterone on the intitiation of parturition in the goat.

J. Reprod. Fert. 35, 606.

Rawlings, N.C. and Ward, W.R. (1978):

Correlations of maternal and fetal endocrine events with uterine pressure changes around parturition in the ewe.

J. Reprod. Fert. 54, 1-8.

Rawlings, N.C.; Kennedy, S.W. and Henricks, D.M. (1978):

Effect of active immunization of the cyclic ewe against oestradiol-17 β .

J. Endocr., 76: 11-19.

Reddy, K.P.; Rao, P.N.; Reddy, B.B. and Murthy, A.S.N.

(1989a):

Plasma levels of progesterone in cycling and pregnant ewes.

Animal Breeding Abstracts, Vol. 59. No. 4, 2538.

Reddy, V.S.C.; Rao, P.N. and Sadhnani, S. (1989b):

Plasma progesterone levels during estrous cycle and early pregnancy in Deccani ewes.

Ind. J. Anim. Repord, 10 (2) 89-93.

Reddy, V.S.; Rao, P.N. and Sadhnani, P. (1990a):

Oestrogens in jugular venous plasma of ewes during oestrous cycle and early pregnancy.

Ind. J. Anim., Sci., 60 (9) 1088-1089.

Reddy, V.S.C.; Rao, P.N. and Sadhnani (1990b):

Plasma levels of follicle-stimulating hormone during oestrous cycle and early pregnancy in Deccani ewes.

Ind. J. Anim. Sci., 60 (7) 777-782.

Rhind, S.M.; Gunn, R.G. and Doney, J.M. (1983):

A note on reproductive performance and plasma progesterone level during early pregnancy of scottish Black Face and Cheviot ewes in relation to body condition and level of nutrition prior to mating.

Anim. Prod. 37: 455-458.

Richards, J.S. (1980):

Maturation of ovarian follicles: actions and interactions of pituitary and ovarian hormones on follicular cell differentiation.

Physiol. Rev. 60: 51-89.

Robertson, H.A. and Smeaton, T.C. (1973):

The concentration of unconjugated oestrone, oestradiol-17 α and oestradiol-17 β in the maternal plasma of the pregnant ewe in relation to the initiation of parturition and lactation.

J. Reprod. Fert. 35, 461-468.

Romero, R.C.; Damian, M.P.; Lueje, T.V. and Morato, C.T.
(1988):

Reference values for serum progesterone during the oestrous cycle in ewes.

Animal Breeding Abstracts, Vol. 56. No. 7,4471.

Ross, G.T.; Corgille, C.M.; Lipestt, M.D.; Rayford, P.L.; Marshell, J.

R. Strott, C.D. and Rodbard, D. (1970):

Pituitary and gonadal hormone during spontaneous induced ovulatory cycle.

Recent Progr. Hormone Res. 26:1-62.

Ryan, K.D. and Foster, D.L. (1980):

Neuroendocrine mechanisms involved in onset of puberty in the female: Concepts derived from the lamb.

Feb. Proc. 39:2372-2377.

Ryder, M.L. (1979):

Thyroxine and wool follicle activity.

Anim. Prod., 28 :109-113.

Salem I.A. ; Kamel, G.; Ali A.M.A.; Hassan A.H.S. and Aziza

A.A. Selim (1986) :

Quantitative histological studies on the thyroid gland of ewe during estrus cycle and pregnancy.

Assiut Vet. Med. J. Vol 17, No. 34.

Sanchez, O. and Evans, J.W. (1972):

Isotope studies on the physiology of domestic animals

Vienna: Preceeding of the International Atomic Energy Agency.

Scaramuzzi, R.J. and Land, R.B. (1979) :

Oestradiol levels in sheep plasma during the oestrous cycle.

J.Reprod.Fert., 53:167 - 171.

Scarramuzzi, R.J.;Caldwell, B.V. and Moor,R.M (1970):

Radioimmunoassay of LH and estrogen during the oestrous cycle of the ewe.

Biol. Re[od, 3:110-119.

Schindler, H. and Amir, D. (1972):

Length of oestrus, duration of phenomena related to oestrus and ovulation time in the local fat-tailed Awassi ewe .

J. Agric. Sci., Camb. 78 :151-156.

**Schirar , A. Cogie, V.Louault, F.Pouline, N.eusnier,C.;
Levasseur,M.C. and Martinet,J. (1990)**

Resumption of gonadotrophin release during the postpartum period in suskling and non-suskling ewes.

J.Reprod. Fert, 88(2) 593-604.

Sefidbakht, N.;Mostafavi, M.S. and Farid, A.(1978) :

Annual reproductive rhythm and ovulation rate in four fat-tailed sheep breeds.

Anim. Prod 26, 177-184.

Shalaby, T.H. (1985) :

Performance and adaptation of local sheep to varied environmental and mangerial conditions .

Ph.D. Thesis. Anim. Prod. Dept. Fac. of Agric.
Cairo. Univ. Egypt.

Shevah, V.;Black, W.J.M. and , R.B.(1975) :

The effects of nutrition on the reproductive performance of Finn X Dorset ewes.

J.Reprod. Fertil. 45 : 289.

Short, R.V. (1961) :

Progesterone

Inic. H. Gray and A.L. Bacharach (Ed.) Hormones in blood. P.379 Academic Press, New York.

Short , and Bulman , D.C. (1972) :

Interrlationship between the pituitary, the corpus luteum , the uterus and the hypothalamus in sheep .
In:Reproduction in mammals . Book 3 ; Austin and Short(eds.) Cambridge.

Simaraks , S. (1978) :

Hormone levels in prepubertal ewe lambs and in mature ewes throughout the breeding season.

Animal Breeding Abstracts, Vol. 47, No. 3, 1321.

Simon, J.A. and Dizerega, G. S. (1982) :

Phsiologic estradiol replacement following
oophorectomy: Failure to maintain precastration
gonadotropin levels.

Obstetrics and Gynecology vol. 59, No. 4 , 511-512.

Simpson-Morgan, M.W. and Sutherland, R.L. (1976) :

J.phsiol .London, 257, 123.

(Cited after Guerrini. V. H. and Bertchinger
H.,1983).

Singh, B. (1986) :

Reproductive behaviour of Nali sheep and its
crosses with Corriedale and Russian Merino.

Animal Breeding Abstracts, vol.55, No.4,2220.

Singh; B.; and Bhattacharya, A.R. (1986) :

Studies on gestational oestus and gestation period
in Muzaffarnagri ewes.

Animal Breeding Abstracts, vol. 55, No. 2, 943.

Smith, J.D. and Robinson,T.J. (1970):

The effect of exogenous progesterone on the ewe.

J. Endocr., 48:485-496.

**Smith , J. F. ; Drost, H.; Fairclough, R.J.; Peterson, A.J.
and Trevit , H.R. (1977):**

Effect of age on peripheral levels of progesterone
and oestradiol 17- β and duration of oestrus in
Romney Marvch ewes

N.Z.J.Agric Res ., 19 : 227 - 280

Smith, M.S. (1978) :

A comparison of pituitary responsiveness to luteinizing hormone - releasing hormone during lactation and the estrous cycle of the rat.

Endocrinology 102 : 114 - 120 .

Smith, N.S. and Neil, J. D. (1977) :

Inhibition of gonadotropin secretion during lactation in the rat: relative contribution of suckling ovarian steroids.

Biol. Reprod. 17: 255 - 261 .

Soliman, F.A.; Afiefy M.M.; Zaki, K.; Abul-Fadle; W. Ayoud

L.A. and Fahmy, M.F. (1973) :

Variations in thyroid status of the buffalo during the estrus cycle, pregnancy and in conditions of ovarian abnormalities.

Zbl. Vet Med. A, 20, 324-331.

Stabenfeldt, G.H.; Drost, M. and Franti, C.E. (1972) :

Peripheral plasma progesterone levels in the ewe during pregnancy and parturition.

Endocrinology 90, 144 -150.

Stanhov, S, and Kanchev, L. (1984):

Plasma concentrations of testosterone , androstenedione, progesterone, oestradiol- 17 β , LH and FSH during the preovulatory period in the ewe. Anim. Reprod. Sci., 7 , 521-529.

Steele, P.A.; Flint, A.P.F. and Turnbull , A.C. (1976) :

Unchanged utero-ovarian androstenedione production before parturition in sheep.

J. Prod.Fertil. 46,443.

Stekleven, E.P. (1967) :

Breed and age characters of the duration of the estrous cycle in ewes in the southern Ukrania.

Animal Breeding Abstracts, 36, 2732.

Strott, C.A.; Yoshimi, T.; Rass, G.g.t. and Lipsett, N.B. (1969) :

Ovarian physiology : relationship between plasma LH and steroidogenesis by the follicle and corpus luteum, effect of HCG.

J.Clin. Endocr. 29 :1157-1167.

Stumpf, W.E.; Sar, M. and Keefer, D.A. (1975):

The Anterior pituitary, Ultrastructure in Biological systems.

Tixier-Vidal, A., and Farquhar, M.G. (eds.), Vol. 7, Academic Press, New York, P. 63.

Suliman, A.H.; El-Amin, F.M. and Osman, A.H. (1978):

Reproductive performance of Sudan indigenous sheep under irrigated Gezira conditions.

Animal Breeding Abstracts, 46, No. 12, 6058.

Sutama, I.K.; Edey, T.N. and Fletcher, I.C. (1988):

Oestrous cycle Dynamics in peri-pubertal and Mature javanese Thin-Tail sheep.

Anim. Reprod. Sci, 16, 61-70.

Sutherland, R.L. and Irvine, C.H.G. (1974):

Effect of season and pregnancy on total plasma thyroxine concentrations in sheep.

Am. J. Vet. Res. 35, 311-312.

Sulu, N.; Ozsar, S. and Güven, B. (1988):

Determination of blood progesterone concentration in Sakiz sheep by means of radioimmunoassay.

Animal Breeding Abstracts, Vol. 58, No.9, 6006.

Swerdloff, R.S. and Odell, W.M. (1969):

Serum luteinizing and follicle stimulating hormone levels during sequential and non sequential contraceptive treatment of eugonadol woman.

J. Clin. Endoc. 29: 157-163.

Symonds, M.E.; Bryant, M.J. and Lomax, M.A. (1990):

Metabolic adaptation during lactation in winter-shorn sheep.

J. Agri. Sci, Camb, 114, 201-205.

Tasfriri, A.; Lamprecht; Linder, H.R.; Zor, V.; Bauminger, and Schwartz, A. (1972):

Use of prostaglandin synthetase inhibitors in analysing the role of prostaglandins in reproductive physiology.

Pages 271 ff. in H.J. Robinson and J.R. Vane eds. Prostaglandin synthetase inhibitors. Raven press, New York.

Tata, J.R. (1964):

Biological action of thyroid hormones at the cellular and molecular levels.

In G. Litwack and D. Kritchevsky (Ed.) Actions of Hormones on Molecular Processes. J. Wiley and Sons, New York, N.Y.P. 58-60.

Thorburn, G.D.; Bassett, J.M. and Smith, I.D. (1969):

Progesterone concentration in the peripheral plasma of sheep during the oestrous cycle.

Endocrinol. 45: 459.

Thorburn, G.D.; Cox, R.I.; Currie, W.B.; Restall, B.J. and Schneider, W.C. (1973):

Prostaglandin F and progesterone concentrations in the uteroovarian venous plasma of the ewe during the estrous cycle and early pregnancy.

J. Reprod. Fert. Suppl. 18: 151-158.

Thorburn, G.D.; Nichol, D.H.; Bassett, J.M.; Shutt, D.A. and Cox, R.I. (1972):

Paturation in the goat and sheep: Changes in corticosteroids, Progesterone, estrogens and prostaglandin F.

J. Reprod. Fertil. (Suppl.) 16: 61.

Thwaites, C.J. (1967):

Embryo mortality in the heat stressed ewes.

J. Reprod. Fertil. 14: 5-14.

Thwaites, C.J. (1968):

The influence of age of ewe on embryo mortality under heat stress conditions.

Int. J. Biometeor, 12: 29.

Toteda, F.; Manchisi, A.; Bufano, G.; Martemucci, G. and Dario, C. (1987):

A study of Romanov sheep:1. Reproductive performance.

Animal Breeding Abstracts, Vol. 56, No. 8, 5027.

Toteda, F.; Martemucci, G. and Manchisi, A. (1988):

Pregnancy duration of sheep of different genotypes reared in Apulia.

Animal Breeding Abstracts, Vol. 56. No.9, 5645.

Tsang, C.P.W. (1978):

Plasma levels estrone sulfate, free estrogens and progesterone in the pregnant ewe throughout gestation.

Theriogenology, 10, 97-110.

Valtorta, S.; Hahn, L. and Johnson, H.D. (1982):

Effect of high ambient temperature (35 deg), and feed intake on plasma T4 levels in sheep.

Proc. Sci. Exp. Biol. Med. 169 (2): 3260-262.

(cited by DIALOG file 50: CAB Abstr. 72-85/May).

Vessely, I.A. (1975):

Induction of lambing every eight months in two breeds of sheep by light control with or without hormonal treatment.

Anim. Prod. 21: 165-174.

Vessely, I.A. (1978):

Application of light control to shorten the production cycle in two breeds of sheep.

Anim. Prod. 26: 169-176.

Wallace, A.L.C. (1979):

Variation in plasma thyroxine concentrations throughout one year in penned sheep on a uniform feed intake.

Aust. J. Biol. Sci., 32: 371-375.

Wallace, A.L.C.; Gleeson, A.R.; Hopkins, P.S.; Mason, R.W. and White, R.R. (1978):

Plasma Thyroxine concentrations in Grazing sheep in Several Areas of Australia.

Aust. J. Biol. Sci.; 31 (1), 39-47.

Wallace, J.M.; Martin, G.B. and Mc Neilly, A.S. (1988):

Changes in the secretion of LH pulses, FSH and prolactin during the preovulatory phase of the oestrous cycle of the ewe and the influence of treatment with bovine follicular fluid during the luteal phase.

J. Endocrinology, 116 (1) 123-135.

Wallach, Jr.L.; Cenedella, R.J. and Butcher, R.L. (1975):

Simplified thin layer chromatography of prostaglandin in biological extracts process.

Brit. Phorm. Soc. 583-584.

Webb, R. and England, B.G. (1982):

Relationship between LH receptor concentrations in thecal and granulosa cells and in-vivo and in-vitro steroid secretion by ovine follicles during the pre-ovulatory period.

J. Reprod. Fert., 66: 169-180.

Wheatley, I.S. and Radford, H.M. (1969):

Luteinizing hormone secretion during the estrous cycle of the ewe as determined by radio-immunoassay.

J. Reprod. Fertil. 19, 211-214.

Wheaton, J.E.; Marchek, J.M.; Hamra, H.A. and Al-Raheem, S.N.

(1988):

Plasma gonadotropin and progesterone concentrations during the estrous cycle of Finn, Suffolk and Targhee ewes.

Theriogenology, 30 (1) 99-108.

Wheeler, A.G. and Land, R.B. (1977):

Seasonal variation in estrous and ovarian activity of Finnish Landrace, Tasmanian Merino and Scottish Blackface ewes.

Anim. Prod. 24: 363-376.

Whitemen, J.V.; Zollinger, W.A.; Thrift, F.A. and Gould, M.B.
(1972):

Postpartum mating performance of ewes involved in a
twice-yearly lambing program.

J. Anim. Sci. 35: 836.

Whyman, D. (1978):

Estrous and ovarian responses to exogenous
progesterone and estrogen in prepubertal ewe
lambs in relation to the fecundity of their dams.

J. Reprod. Fert, 53 (2): 323-330.

Wiggins, E.L.; Barker, H.B. and Milles, W.W. (1970a):

Oestral activity in open Rambouillet ewes.

J. Anim. Sci. 30: 405.

Wiggins, E.L.; Miller, W.W. and Barker, H.B. (1970b):

Age at puberty in fall-born ewe lambs.

J. Anim. Sci 30, 974-977.

Wilson, Jr.L.; Cenedella, R.J.; Butcher, R.L. and Inskeep,
E.K. (1972):

Levels of prostaglandins in the uterine endometrium
during the ovine estrous cycle.

J. Anim. Sci. 34: 93-99.

Wise, M.E. (1990):

Gonadotropin-releasing hormone secretion during
the postpartum anestrous period of the ewe.

Biol. Repro, 43 (5) 719-725.

Worthy, K.; Haresign, W.; Dodson, S.; Mcleod, B.J; Foxcroft, G.R. and Haynes, N.B. (1985):

Evidence that the onset of the breeding season in the ewe may be independent of decreasing plasma prolactin concentrations.

J. Reprod. Fert, 75 (1) 237-246.

Yang, N.S.T.; Marsh, J.M. and Le Marie, W.J. (1973):

Prostaglandin changes induced by ovulatory stimuli in rabbit Graafian follicles: The effect of indomethacin.

Prostaglandins 4: 195-204.

Yang, N.S.T.; Marsh, J.M. and Le Marie, W.J. (1974):

Postovulatory changes in the concentration of prostaglandins in rabbit Graafian follicles.

Prostaglandins, 6: 37-44.

Yenikoye, A. (1988):

Seasonal variations in sexual activity and endocrine changes associated with follicular maturation and development in the Peulh ewe.

Animal Breeding Abstracts, Vol. 56 No.10, 6339.

Yenikoye, A. (1989):

Seasonal variations in plasma prolactin, FSH and LH concentrations and in FSH and LH feedback in Fulani sheep in Niger.

Animal Breeding Abstracts, Vol. 59, No.7, 4886.

Yousef, M.K. and Johnson, H.D. (1966a):

Calorigenesis of dairy cattle as influenced by thyroxine and environmental temperature.

J. anim. Sci., 25: 150-156.

Yousef, M.K. and Johnson, H.D. (1966b):

Blood thyroxine degradation rate of cattle as influenced by temperature and feed intake.

Life. Sci., 5: 1349-1355.

Yousef, M.K. and Johnson, H.D. (1966c):

Does a diurnal rhythm of thyroid activity exist in dairy cattle.

J. Dairy. Sci., 49: 209-216.

Yousef, M.K. and Johnson, H.D. (1968):

Effects of heat and feed restriction during growth on thyroxine secretion rate of male rats.

Endocrinology 82, 353-358.

Yuthasastrakosol, P.; Palmer, W.M. and Howland, B.E. (1975):

Luteinizing hormone, oestrogen and progesterone levels in peripheral serum of anoestrous and cyclic ewes as determined by radioimmunoassay.

J. Reprod. Fert., 43: 57-65.

Zarco, L; Stabenfeldt, G.H.; Quirke, J.F.; Kindahl, H. and Bradford, G.E. (1988):

Release of prostaglandin F2- α and the timing of events associated with luteolysis in ewes with oestrous cycles of different lengths.

Reprod. Fert. 83, 517-526.