

6. REFERENCES

- Abate, A. (1988):** Coffee pulp: some indices of nutritional importance. *Bulletin of Animal Health and Production in Africa*, 36 (1): 39-45.
- Abate, A. and Pfeffer, E. (1986):** Changes in nutrient intake and performance by goats fed coffee pulp-based diets followed by a commercial concentrate. *Animal Feed Science and Technology*, 14 (1-2): 1-10.
- Abbator, F.I.; Kibon, A. and Mohamed, I.D. (2002):** Nutrient composition and rumen degradation of some feedstuffs in the semi-arid region of Nigeria. *Journal of Sustainable Agriculture and the Environment*, 4 (2): 158-164.
- Abd El-Galil, K. and Kider, R.E. (2001):** Utilization of *Atriplex Nummularia* in feeding growing rabbits under the desert and newly reclaimed areas. *Egypt Poult. Sci.*, 21: 53-71.
- Abd El-Lateif, A.E.A. (1996):** Effect of treated low quality roughages on rabbits. M.Sc. Thesis, Fac. Agric., Menofiya Univ., Egypt.
- Abdel-Magid, Soha, S. (1997):** Using some agro-industrial by-products in rabbit nutrition. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.

- Abdel-Magid, Soha, S. (2005):** Nutritional studies on leguminous straw in feeding growing rabbits. Ph.D. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Abu, O.A.; Tewe, O.O. and Bakare, J. (1999):** Performance, nutrient digestibility and carcass characteristics of rabbit fed sweet potato based diets. *International Journal of Animal Sciences*, 14 (2): 197-201.
- Adehan, R.; Kpodekon, M.; Houenon, J.; Ossenti, T.B. and Lebas, F. (1994):** Comparative study of palatability of twenty three forages used in rabbit breeding: first results. *Cahiers Options Mediterranean*, 8: 125-129.
- Agwunobi, L.N.; Onifade, A. and Erondy, O. (1997):** Sweet potato (*Ipomoea batatas*) tuber meal as a substitute for maize (*Zea mays* L.) grain in rabbit ration. *Tropical Agriculture*, 74 (2): 168-171.
- Ali, M.A.; Tag El-Din, T.H. and Soliman, E.M. (1999):** Effect of sweet potato tops or roots in growing rabbit diets on growth performance, digestibility, carcass traits and economic efficiency. *Egyptian Journal of Rabbit Science*, 9 (1): 13-23.
- Association of Official Analytical Chemists (AOAC) (1990):** Official Methods of Analysis, 15th Ed. AOAC, Washington, D.C.
- Awad, L.A. (1997):** Studies on poultry nutrition. Effect of using potato tops in rabbits feeding., M.Sc. Thesis, Fac. Agric., Mansoura Univ., Egypt.

- Azouz, H.M.M. (1994):** Evaluation of dietary untraditional protein source of rabbits. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Belfield, A. and Goldberg, D.M. (1971):** Colorimetric determination of alkaline phosphatase activity. *Enzyme*, 12: 561-568.
- Camire, M.E.; Zahao, J. and Violette, D.A. (1993):** In vitro binding of bile acids by extruded potato peels. *Journal of Agricultural Food Chemistry*, 41: 2391-2394.
- Cerning-Beroard, J. and Le-Dividich, J. (1976):** Valeur alimentaire de quelques produits amylaces d'origine tropicale. *Annales Zootechnique*, 25 (2): 155-168.
- Cheeke, P.R. (1987):** Rabbits Feeding and Nutrition. Academic Press. Orlando, Florida, USA.
- Cheeke, P.R.; Patton, N.M. and Templeton, G.S. (1982):** Rabbit Production. 5th Edition. The Institute Printers and Publishers, Inc., Danville, Illinois, USA.
- Chris, O.; Hber, J.T.; Kin, K.J. and Johanson, C.O. (1985):** Nutritive value of potato processing wastes in total mixed ration for dairy cattle. *Journal of Dairy Science*, 68: 1207- 1214.
- Corring, T. and Rettaglalti, R. (1969):** Utilization de la batata douce dane l'alimentaion du porc en Guadalupe. *Jpurnee Recherche Porcine*, Paris (cited from Helaly *et al.*, 2002).

- Dominguez, P.L. (1990):** Sistema de alimentacion procina con desperdicios procesados y otros subproductos agroindustriales. Taller Regional sobre utilizacion de los recursos alimetarios en la produccion procina en America Latina y el Caribe. FAQ-Instituto de Inevstigaciones Porcinas, Habana, Cuba.
- Dominguez, P.L. (1992):** Feeding system for tropical rabbits production emphasizing roots, tubers and banana. FAO Animal Production and Health, 95: 235- 249.
- Donald, B.; John, D.; Judy, K.; Steven, B.; Albert, O. and Steven, O. (1983):** Composition of by-products and unusual feed stuffs. Feed stuff, 55 (30): 32-36.
- Donkoh, A.; Atuabene, C.C.; Kese, A.G. and Mensah-Asanet, B. (1988):** The nutritional value of dried coffee pulp (DCP) in broiler chicken's diets. Animal Feed Science and Technology, 22 (1-2): 139-146.
- Doumas, B.T.; Watson, W.A. and Biggs, H.G. (1971):** "Albumin standard and the measurement of serum albumin with bromocreasol green". Clin. Chem. Acta, 31: 87-95.
- Duncan, D.B. (1955):** Multiple range and multiple F test. Biometrics, 11: 1-42.
- El-Ayouty, S.A.; Abdel-Khalek, A.E.; Abd El-Ghani, A.A. and Shatifa, M.A. (2000):** Effect of diets containing silage on growth performance, digestibility and carcass traits of growing rabbits. Egypt. J. Nutr. Feeds, 3: 43-56.

- El-Boushy, A.R.Y. and Van der Poel, A.F.B. (2000):** Handbook of Poultry Feed From Waste, Processing and Use. Kluwer Academic Publishers. Dordrecht, Netherlands.
- El-Gendy, K.M.; Abd El-Baki, S.M.; Sarhan, M.A. and Moawd, R.I. (2002):** Evaluation of sweet lupin (*lupinus albus*) as green forage for sheep and rabbits. 3rd Sci. Congr. Rabbit Production in Hot Climates, 8-11 Oct., 677-692.
- El-Hendawy, M.M.; Yacout, M.H.M. and Ebidalla. N.A. (2004):** Nutritive value of some agricultural by-products in feeding rabbits. Zagazig Journal of Agricultural Research. 31 (2): 667-682.
- El-Meligy, M.E. (1996):** Studies on the effects of some non conventional feeding sources on poultry productivity. "Effect of using turnips in rabbit feeding". M.Sc. Thesis, Fac. Agric., Mansoura Univ., Egypt.
- El-Sayaad, G.A.; El-Mahdy, M.R. and Soliman, A.S. (1995):** Artichoke bracts as a food processing waste product in growing rabbit diets. Egypt. J. Rabbit Sci., 5: 125-133.
- El-Sayaad, G.A.; Taie, H. and Baraghit, G.A. (1996):** Effect of dietary crude fiber levels on performance, digestibility, carcass quality and blood constituents of growing rabbits. Egypt. J. Anim. Prod., 33: 111-123.

- El-Sayed, I.A.; Abdellah, G.A.; Mervat Breakaa and Khattaby, S.E. (1999): Effect of inclusion of pea hulls and seaweeds (*Polysiphonia spp.*) in diets of growing rabbits on their performance and blood constitutes. Egypt. Poult. Sci., 19: 141-159.
- FAO (1991): Production Yearbook, Vol. 44. Food and Agriculture Organization of the United Nations, Rome.
- Friedman, M. and Dao, L. (1992): Distribution of glycoalkaloids in potato plants and commercial potato products. J. Agric. Food Chem., 40: 419-423.
- Fuller, M.F. and Chambrelain, A.G. (1982): Protein requirement for pigs. In: Recent advances in animal nutrition. P. 176 Eds: W. Haresign. London Butterworth.
- Gad Alla, S.A.Z. (1999): Utilization of some agricultural by products in feeding rabbits. Ph.D. Thesis, Fac. Agric., Kafr El-Sheikh, Tanta Univ., Egypt.
- Gomez-Brenes, R.A.; Bendana, G.; Gonzalez, J.M.; Braham, J.E. and Bressani, R. (1985): Relation between the amount of coffee pulp and the content of protein in diets for monogastric animals. Archivos-Latinoamericanos de Nutricion, 33 (3): 442-437.
- Gomez-Brenes, R.A.; Bendana, G.; Gonzalez, J.M.; Jarquin, R.; Braham, J.E. and Bressani, R. (1988): Effects of treating fresh or ensiled coffee pulp with calcium

hydroxide on its nutritive value. *Archivos Latinoamericanos de Nutricion*, 38 (1): 173-187.

- Helaly, E.A.; Abd El-Hakim, N.F.; Abd El-baset, A. and Zaza, G.H. (2002):** Utilization of potato processing by-products and sweet potato tubers as non-conventional energy sources by growing rabbits. 3rd Scientific Conference on Rabbit Production in Hot Climates, 8-11 October: 631-642.
- Henery, R.J.; Cannon, D.C. and Winkelman, J.W. (1974):** "Clinical chemistry: principles and techniques". 2nd Ed., New York, Harper and Row, pp. 422-424.
- Hertampf, J. (1988):** Unconventional feedstuffs for livestock. *Muhle Mishfuttertechnik*, 125 (9): 108-109.
- Hubbell, C.R. (1981):** Feedstuffs analysis table. *Feedstuffs*, 53 (3): 44-45.
- Hulan, H.W.; Proudfoot, F.G. and Zarkadas, C.G. (1982a):** Potato waste meal. I. Compositional analysis. *Ca. J. Anim. Sci.*, 62: 1161-1169.
- Hulan, H.W.; Proudfoot, F.G. and Zarkadas, C.G. (1982 b):** Potato waste meal. II. The nutritive value and quality for broiler chicken. *Can. J. Anim. Sci.*, 62: 1171-1180.
- Jadhav, S.J.; Kumar, A.; Chavan, J.K. (1991):** Glycoalkaloids. In *Potato: Production, Processing and Products*; Salunke, D.K.; Kadom, S.S. and

Jadhav, S.J.; Eds, CRC Press: Boca Raton, FL, pp. 203-245.

- Jianxin, Z.; Mary, E.C.; Rodney, J.B. and Bushway, A.A. (1994):** Glycoalkaloid content and in vitro glycoalkaloid solubility of extruded potato peels. *J. Agric. Food. Chem.*, 42: 2570-2573.
- Khashaba, B.M.; Soliman, A.M. and El-Nagmy, K.Y. (2002):** Utilization of pea and citrus pulp by-products in rabbit diets. 3rd Scientific Conference on Rabbit Production in Hot Climates, 8-11 October: 631-642.
- Kryuchkova, E. and Nikil-Burskii, N. (1991):** A feed supplement that increases the milk yield. *Molochnoe-i-Myasone Skotovodstvo*, 2: 12.
- Lebas, F. (1983):** Small-scale rabbit production. Feeding and management systems. *World Anim. Rev.*, a: 11-17.
- Lebas, F. (1986):** The rabbit: husbandry, health and production. *FAO Animal Production and Health Series*, no. 21.
- Lowe, J.A. (2002):** Pet rabbit feeding and nutrition. In: *The Nutrition of the Rabbit* (Edited by, C. de Blas and J. Wiseman) CABI Publishing, New York, USA.
- Lunen, T.A.; Van Anderson, D.M.; Lauraant, A.M.; Nicholson, J.W.G. and Dean, P.R. (1989):** The feeding value of potato steam peel for growing finishing pigs. *Canadian Journal of Animal Science*, 69 (1): 225-234.

- Machin, D.H. (1992):** Overview of needs and justification for use of roots, tubers, plantains and bananas in animal feeding. FAO Animal Production and Health Paper, No. 95: 1-10.
- Maga, J.A. (1980):** Glycoalkaloid stability during the extrusion of potato flakes. J. Food Process Preserv., 4: 291-296.
- Makkar, G.S.; Kakar, V.K.; Bhullar, M.S. and Malik, N.S, (1984):** Potato waste as substitute for cereal grain in ration of buffalo-calves. Indian Journal of Animal Production, 14 (2): 229-235.
- Mazzafera, P. (2002):** Degradation of caffeine by microorganisms and potential use of decaffeinated coffee husk and pulp in animal feeding. Scientia Agricola, 59 (4): 815-821.
- McMillan, M. and Thompson, J.C. (1979):** An outbreak of suspected solanine poisoning in schoolboys. Q.J. Med., 48: 227-243.
- Misra, S.N.; Nath, C.P. and Rao, S.V. (1979):** Toxic effect of greenish potato peels in rabbits. A preliminary trial. Indian Veterinary Journal, 56 (5): 441-442.
- Mohamed, S.A. (1999):** Digestibility and acceptability of some agricultural by-products by growing rabbits. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.
- Moreau, Y.; Arredondo, J.L.; Perraud-Gaime, I. and Roussos, S. (2003):** Dietary utilization of protein

and energy from fresh and ensiled coffee pulp by the Nile tilapia, *Oreochromis niloticus*. Brazilian Archives of Biology and Technology, 46 (2): 223-231.

Morgan, M.R.A. and Coxon, D.T. (1987): Tolerances: glycoalkaloids in potatoes. In: Natural Toxicants in Foods: Progress and prospects. Watson, D.H. Ed., Ellis Horwood. Chichester, England, pp. 221-230.

Mousa, M.R.M. and Abd El-Samee, A.M. (2002): Effect of olive pulp feeding on the growth performance and some related blood biochemical changes of growing rabbits under semi-arid conditions. Egyptian Journal of Rabbit Science, 12 (1): 59-68.

National Research Council, NRC (1977): Nutrient Requirements of Rabbits. The 2nd Edition, National Academy of Science, Washington, D.C., USA.

Nicholson, J.W.G.; Sondon, P.M. and Dean, P.R. (1988): Digestibility and acceptability of potato steam peel by pigs. Canadian Journal of Animal Science, 68 (1): 233-239.

Okai, D.B. and Dabo, P. (1991): Further studies on the effects of diets containing dried coffee pulp: growth performance, blood and carcass characteristics of pigs. Beitrage Zur Tropischen Landwirtschaft und Veterinarmedizin, 29 (2): 235-241.

- Okai, D.B.; Bonsi, M.L.K. and Easter, R.A. (1985):** Dried coffee pulp (DCP) as an ingredient in the diets of growing pigs. *Tropical Agriculture*, 62 (1): 62-64.
- Osman, A.A.; Kishk, W.H. and Amin, A.A. (2002):** Effect of feeding different levels of malt and sunflower seed meal on broiler rabbits performanmce. 3rd Scientific Conference on Rabbit Production in Hot Climates, 8-11 October: 631-642.
- Penaloza, W.; Molina, M.R.; Gomez-Brenes, R.G. and Bressani, R. (1985):** Solid-state fermentation: an alternative to improve the nutritive value of coffee pulp. *Applied and Environmental Microbiology*, 49 (2): 388-393.
- Rao, D.R.; Sunki, G.R.; Johanson, W.M. and Chen, C.P. (1977):** Postnatal growth of New Zealand White rabbit (*Oryctolagus cuniculus*). *J. Anim. Sci.*, 44 (6): 1021-1025.
- Reitman, S. and Frankel, S. (1957):** "A colorimetric method for determination of serum glutamic oxaloacetic and glutamic pyruvic transaminases". *Amer. J. Clin. Path.*, 28: 56-59.
- Schmit, I.M. (1964):** Determination of total lipids. These, Lyon, France.
- Sikka, S.S.; Bakshi, M.P.S. and Ichhponani, J.S. (1985):** Evaluation in vitro of spent coffee grounds as a livestock feed. *Agricultural Wastes*, 13 (4): 315-317.

- Smith, O. (1987):** Potato chips. In: Potato Processing. (Eds. W.F. Talburt and O. Smith). AVI-Van Nostrand Reinhold Company. New York, pp. 371-490.
- Smith, T.J. and Huxsoll, C.C. (1987):** Peeling potatoes for processing. In Potato Processing. (Eds. W.F. Talburt and O. Smith), AVI-Van Nostrand Reinhold Company. New York, pp. 333-369.
- Soliman, E.S. (1995):** Studies on growth performance and meat yield in poultry. Effect of using sweet potato in feeds of meat rabbits. M.Sc. Thesis, Fac. Agric., Mansoura Univ., Egypt.
- Soliman, M.M. and El-Tawel, M. (2001):** Dehydrated soluble potato solids as a substitute for maize in broiler chick rations. Egyptian Journal of Applied Science, 16 (3): 9-18.
- Solomon, D. and Demeke, S. (1991):** Coffee pulp alone and in combination with urea and other feeds for sheep in Ethiopia. Small Ruminant Research, 5 (3): 223-231.
- SPSS (1997):** SPSS User's Guide Statistical, Version 8. Copyright SPSS Inc., USA.
- Tag El-Dain, T.H.; Mervat Ali, A.; Ismail, F.S.A. and Ali, R.A.M. (1999):** Utilization of corn stalk in feeding rabbits. Egyptian Journal of Rabbit Science, 9 (1): 25-42.
- Tag El-Dain, T.H.; Abo-Egla, A.H.; Ismail, F.S. and Samy, S.S. (2000):** Utilization of sugar beet tops in feeding

rabbits. Egyptian Journal of Rabbit Science, 10 (2): 223-238.

Talburt, W.F. (1987): History of potato processing. In Potato Processing. (Eds., W.F. Talburt and O. Smith), AVI-Van Nostrand Reinhold Company. New York, pp. 1-9.

Talburt, W.F. and Kueneman, R.W. (1987): Dehydrated diced potatoes. In: Potato Processing. (Eds. W.F. Talburt and O. Smith), AVI-Van Nostrand Reinhold Company. New York, pp. 613-646.

Talburt, W.F.; Boyle, F.P. and Hendel, C.E. (1987a): Dehydrated mashed potatoes – potato granules. In: Potato Processing (Eds. W.F. Talburt and O. Smith), AVI-Van Nostrand Reinhold Company. New York, pp. 535-556.

Talburt, W.F.; Weaver, M.L.; Reeve, R.M. and Kueneman, R.W. (1987 b): Frozen French fries and other frozen products. In: Potato Processing (Eds. W.F. Talburt and O. Smith), AVI-Van Nostrand Reinhold Company. New York, pp. 491-534.

Taylor, S.C. (1980): Live weight growth from embryo to adult in domestic mammals. J. of Animal Production, 31: 223-235.

Tomita, T. (1987): Study on the use of coffee pulp as feed. Bulletin of the Hiroshima Agricultural College, 8 (2): 321-325.

- Tosu, S.C.S. and Hong, T.L. (1989):** Digestibility of sweet potato starch. In: CIP (1989), International Potato Center, Lima, Peru.
- Treadway, R.H. (1987):** Potato starch. In: Potato Processing. (Eds. W.F. Talburt and O. Smith), AVI-Van Nostrand Reinhold Company. New York, pp. 647-664.
- Trinder, P. (1969):** Determination of blood glucose using glucose oxidase with an alternative oxygen acceptor. Ann. Clin. Biochem., 6: 24-37.
- Truchlinski, J. and Podgorski, W. (2002):** Utility value and ecological use of waste in potato processing. Annales Universitatis Mariae Curie Sklodowska Sectio EE Zootechnica, 20: 301-306.
- Ulloa-Rojas, J.B. and Verreth, J.A.J. (2003):** Growth of *Oreochromis aureus* fed with diets containing graded levels of coffee pulp and reared in two culture systems. Aquaculture, 217 (1/4): 275-283.
- Watson, D. (1960):** Simple methods for determination of serum cholesterol. Clin. Chem., 5: 637-643.
- Watt, I.R. (1973):** Feeding seat potato to pigs. Harvest, 2 (4): 138-141.
- Whittemore, C.T.; Moffat, I.W. and Mitchel, M. (1974):** Performance of broilers fed diets containing cooked potato flake, Br. Poultry Sci., 15: 225-230.

- Whittemore, C.T.; Moffat, I.W. and Taylor, A.G. (1975):** The effect of dietary cooked potato flake on performance of broilers and on litter quality. *Br. Poultry Sci.*, 16: 115-120.
- Willard, M.J. and Hix, V.M. (1987):** Potato flour. In: *Potato Processing* (Eds. W.F. Talburt and O. Smith). AVI-Van Nostrand Reinhold Company. New York, pp. 665-682.
- Willard, M.J.; Hix, V.M. and Kluge, G. (1987):** Dehydrated mashed potatoes-Potato flake. In: *Potato Processing* (Eds. W.F. Talburt and O. Smith). AVI-Van Nostrand Reinhold Company. New York, pp. 557-612.
- Wright, R.C. and Whiteman, T.M. (1949):** Tests show which potatoes have least peeling loss. *Food Ind.*, 21, 69.
- Zeweil, A.A. (1992 a):** Artichoke (*Cynara scolymus*) canning by-product as rabbit feed. *Egyptian Journal of Poultry Science*, 12: 1-16.
- Zeweil, A.A. (1992 b):** Use of residue from pea (*Pisium sativum*) processing in feeding growing rabbits. *Egyptian Journal of Poultry Science*, 12: 17-30.