

6 - REFERENCES

- Abdel-Hekim, N.F. and Sadek, S. M. (1986): Studies on some factors affecting spawning performance of common carp (*Cyprinus carpio*) in Egypt. Al-Azhar J. Agric. Res. Vol. VI. 117-122.
- Alikunhi, K.H. (1966): Synopsis of biological data on common carp, *Cyprinus carpio* Linnaeus 1758 (Asia and the Far East). FAO Fish Synops, (31.1) pag. 83p.
- Antalfi, A. and Tolg, I. (1971): Halgazdasagi ABC Mezogazdasagi Kiado, Budapest (in Hungarian).
- Antalfi, A. and Tolg, I. (1972): Novenyevő Halak. Mezogazdasagi kiado, Budapest. (in Hungarian).
- Atz, J.W. and G.F. Pickford (1964): The pituitary gland and its relation to the reproduction of fishes in nature and in captivity. An annotated bibliography for the years 1956-1963. +AO Fish. Biol. Tech Pap. (37): 61 p.
- Bradach, J.E. ; Ryther, W. O. and McLaren, W.O. (1972): the farming and husbandry of fresh water and marine organisms. Aquaculture: New York Wiley Interscience 878p.
- Beamish, F.W.H. (1964): Respiration of fishes with special emphasis on standard oxygen consumption. Canadian J. Zool 42: 177-188.
- Bevis, R. (1994): The effect of artificial nests on reproductive performance in the Nile tilapia (*Oreochromis niloticus*) spawned in net hapas. M. Sc. Thesis. Asian Institute of technology, III pp.

- Bhujel, R. C. (2000): A review of strategies for the management of Nile tilapia (*Oreochromis niloticus*) brood fish in seed production systems, especially haps-based systems. *Aquaculture*, 181:37-59.
- Billard, R. (1995): The major carp and other cyprinids. In C. E. Nash and A.J. Novotny (1995): Production of aquatic animals. World Animal science, C8.
- Billard, R. and Breton, B. (1978): Rhythms of reproduction in teleost fish. In: Rhythmic activity of fishes, edited by J. Ethorpe. London Academic Press, pp. 31-53.
- Billard, R. ; Dupont, J. and Barnabe, G. (1978): Endocrine control of the teleost reproductive cycle and its relation to external factors: Salmonid and Cyprinid models. In : Comparative endocrinology, Ed. By P.J. Gaillard and H.H. Boer, Amsterdam, Elsevier-North Holland, Biomedical Press, pp. 37-48.
- Bishi, H. H. , Ishak, M. M. and Labib, W. (1972): Experimental studies on feeding of the common carp, *Cyprinus carpio* in Egypt. *Bull. Inst. Oceanogr Fish.* 2:277-295.
- Bishi, H.M. , Abdel Malek, S.A. and Labib, W. (1973): Food and feeding habits of *Cyprinus carpio*, at serow fish farm Egypt. *Bull. Inst. Oceanogr Fish.* 3:420-436.
- Bishai, H.M., Abdel-Malek, S. and Labib, W. (1974): Fecundity of the mirror carp (*Cyprinus carpio*) at the serow fish farm (Egypt). *Agriculture*, 4:257-265.
- Chauduri, H. (1968): Breeding and selection of cultivated warm-water fishes in Asia and the Far East. A review-centra inland fish, Res. Substation Cattach Indian .

- Cisse, A. (1988): Effects of varying protein levels on spawning frequency and growth of sarotherod on melanotheron.: 329-333 in R.S.V. pullin, T. Bhukaswan, K. Tonguthai and J.L. Maclean (eds.). The second international Symposiumon Tilapia in Aquaculture. ICLARM conference proceedings is, 623 p. Department of fisheries, Bankok. Thailand, and international center for living Aquatic resourcers Management, Manila, Philippins.
- Dato-Cajegas, R.S. and Yakupitiyage, A. (1996): The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus*, cultured in a semi-intensive. *Aquaculture*, 144:227-237.
- Desilva, s.s. (1986): Reproductive biology of *Oreochromis mossarm bicus* populations of man-made lakes in Sri Lanka: a comparative study. *Aquaculture and Fisheries Management*, 17; 31-47.
- Devlaming, V.L. (1974): Environmental and endocrine control of teleost reproduction. In: Control of sex in fishes, Ed. By C.B. Schreck. Blacksburg, Virginia Polytechnic Institute, pp. 13-83.
- English, T.S. (1952): Growth studies of the carp *Cyprinus carpio* linnaeus, in clear lake. Iowa St. Coll. J. Sci. 24 (4):537-540.
- Eskelinen, P. (1989): Effects of different diets on egg production and egg quality of Atlantic salmon (*Salmo Salar* L.) *Aquaculture*, 79:275-281.
- FAO (1994) :Production de l' Aquaculture 1986-1992. FAO fish circ. 815 Rev. 6, 216 pp.

- Gisbert, E. Williot, P. and Castello-Orvay, F. (2000): Influence of egg size on growth and survival of early stage of siebrian sturgeon (*Acipenser baeri*) under small scale hatchery conditions. *Aquaculture*, 183:83-94.
- Guerrero, R.D. III and Guerrero, L.A. (1985): Effect of breeder size on fry production of Nile tilapia in concrete pools. *Trans. Natl. Acad. Sci. Technol., Repub. Philipp.* 7, 63-66.
- Gunasekera, R.M. and Lam, T.J. (1997): Influence of dietary protein level on ovarian recrudescence in Nile tilapia, *Oreochromis niloticus* (L.). *Aquaculture* 149, 57-69.
- Gunasekera, R.M., Shim, K.F. and Lam, T.J. (1995): Effect of dietary protein level on puberty, oocyte growth and egg chemical composition in tilapia *Oreochromis niloticus* (L.). *Aquaculture* 134, 169-183.
- Gunasekera, R.M., Shim, K.F. and Lam, T.J. (1996): Effect of dietary protein level on spawning performance and amino acid composition of eggs of Nile tilapia *Oreochromis niloticus*. *Aquaculture* 146, 121-134.
- Gupta, S. (1975): The development of carp Gonads in warm water aquaria. *J. Fish Biol.* 7:775-82.
- Harvey, B. J. and Hoar, W.S. (1979): The theory and practice of induced breeding in fish. Ottawa Canada International Development Research Centre, IDRC-TS 21e:48p.
- Hashem, M.T. and El-Agamy, A. (1977): Effect of fishing and maturation on the barbus bynni population of the Nozha Hydrome. *Bull. Inst. Ocean and Fish A.R.E.* 7:137-151.

- Hepher, B., 1988. Nutrition of pond fishes. Cambridge Univ. Press, Cambridge, NY, USA, 388 pp. Hickling, C.F. (1962): Fish Culture. Feber and Faber, London, 295p.
- Hodder, V.M. (1963): Fecundity of grand bank haddock J. Fish. Res Bd. Canada, 20:1465-1487.
- Hora, S. L. and Pillay, T. V. (1962): Hand book on fish culture in the indopacific Region FAO Fisheries Division Biology Branch No. 14.
- Horvath, L. (1973): Anovenyevo halak szaporitasanak elemeleties gyakorlati kerdesei. A magyarlengyel halaszati egyuttmukodesi megallapodas 1973/2. Pontijahoz. Sokszorosított kezirat. (in Hungarian).
- Horvath, L. (1984) : Fish breeding common carp and herbivirous fish under large-scale forming conditions. Hungarian Chamber of Commerce, Cairo, Egypt.
- Hovath, L. and Lukowicz, M. (1982): Fish breeding common carp tables with data of hatchery pro cedures and rearing process of some bred warmwater fishes. Aquacultura Hungarica (Szarvas), Vol. III, P. 212-219.
- Htun-han, M. (1977): The effects of photoperiod on reproduction in fishes: An annotated bibliography. Libr. Inf. Leaf. 1 Minist. Agric. Fish Food (6) :30p.
- Huet (1972): Textbook of fish culture-breeding and cultivation of fish. Printed in Great Britain by page Bros (Norwich) Ltd., Norwich, 436pp.
- Hussein, M. S. (1986): Studies on fish production in serow station. M,Sc.Thesis Zagazig University, Zagazig, Egypt.

- Immam, A.E. and Hashem, M.T. (1960): Spawning and development of common carp *Cyprinus carpio* in Egyptian Ponds Notes and Memoires, Hudr. Dept. No. 54.
- Jhingran, V.G. (1968): Synopsis of biological data on catla catla (Hamilton 1822). FAC fish synops. (32) Rev. 1, pag var.
- Jhingran, V.G. (1975): Fish and fisheries of India. Delhi, Hindustan Publishing Corporation, 954 P.
- Kausch, H. (1975): Breeding Habits of the major cultivated fishes of EIFAC Region and problems of sexual maturation in captivity. In workshop on controlled reproduction of cultivated fishes. EIFAC/T25: 43-52, Rome.
- Kempinska, H. (1968): The growth of females and males of carp (*Cyprinus carpio*). FAC World Symposium on Warm Water pond fish culture, Rome (18-25) May 1966.
- Khanna, D. V. (1958): Observations on the spawning of the major carps at a fish farm in the Punjab. Indian J. Fish, 5:282-90.
- Koura, R. and El-Bolock, A.R. (1960): Acclimatization and growth of mirror carp in Egyptian ponds. Notes and memoirs, Hydr. Dept. Egypt, No. 51.
- Lake, J.S. (1967): Rearing experiments with five species of Australian freshwater fishes. 1-Intucement to spawning. Aust. J. Mar. Fresh Wat. Res., 18:137-53.
- Latif, A. F. A. and Rashid, M. M. (1972): Studies on tilapia from Lake Nasser. Macroscopic characters of gonads. Bull. Inst Ocean. And fish ARE, 2:217-238.

- Leventer, H. and Parah, Z. (1966): Preliminary observations on late-spawnings of carp. *Bamidgeh*, 18(2):31-36
- Liu, F., Lin, T., Huang, D. perng, M. and Liao, C. (2000): An automated system for egg collection, hatching, and transfer of larve in a freshwater finfish hatchery, *Aquaculture*, 182:137-148.
- May, A.W. (1967) : Fecundity of Atlantic cod. *Fish. Res. Bd. Canada*, 24:1531-1551.
- McCrimmon, H. R. (1968): Carp In Canada. Bulletin 165. *Fish Res. Bd. Cacada, Ottawa*, 36p.
- Mostafa, S. E. T (1988): Hatching of common carp under the environmental conditions of Egypt. M.Sc. Thesis, Faculty of Agriculture, Al-Azhar University.
- NACA (1989): Integrated fish farming in China. NACA Technical manual 7. A world food day 1989 publication of the network of aquaculture centers in Asia and the Pacific. Bangkok, Thailand, 1989.
- Nash, C.E. and Novotny, A. J. (1995): Production of aquatic animals, world Animal science, C8.
- Nikolsky, G.V. (1961) : Special Ichthyology. 2nd ed. Nat. Sci. Foundation and Smithsonian Inst. P. 291-293.
- ParamesWaran, S., Alikunhi, K. H. and Sukumaran, K. K. (1972): Observations on the maturation, fecundity and breeding of the common carp, *Cyprinus carpio* Linnaeus. *Indian J. Fish*, 19:110-124.

- Penaz, M., Porkes, M., Kouril, J. and Hamackova, J. (1983): Early development of the carp *Cyprinus carpio*. Acta. at. Brano, 17 (2) :1-39 .
- Peter, R. E. and Crim, L. W. (1979): Reproductive endocrinology of fishes, gonadal cycle and gonadotropin in teleosts. Annu. Rev. Physiol., 41 : 323-35 .
- Pitt, T. K. (1964): Fecundity of the American plaice *Hippoglossoides platessoides* (Fabr) from grand bank and Newfound-land areas. J. Fish. Res. Bd., Canada 21 (3) 597-612 .
- Poston, H. A. (1978): Neuroendocrine mediation of photoperiod and other environmental influences on physiological responses in salmonids: a review. Tech. Pap. Us Fish wildl-Serv. (96): 14p.
- Pullin, R. S. V., Eknath, A. E., Gjerdem, B., tayamen, M. M., Macaranas, J. M., Abella, T. A. (1991): The genetic improvement of farmed tilapias (GIFT) project: The story so far. NAGA, the ICLARM Quarterly, April, 3-6pp .
- Rana, K. J. (1986): Parental influences on egg quality, fry production and fry performance in *Oreochromis niloticus* (Linnaeus) and *O. mossambicus* (Peters). PhD Thesis, Institute of Aquaculture, University of Stirling, UK, 295 pp.
- Rana, K. J. (1988): Reproductive biology and the hatchery rearing of tilapia eggs and fry, pp. 343-406. In: Muir, J.F., Roberts, R. J. (Eds.), Recent advances in aquaculture, Vol. 3. Croom Helm, London and Sydney and Timber press, Portland, OR, USA.

- Swee, U. B. and McCrimmon, H. R. (1966): Reproduction biology of the carp (*Cyprinus carpio*) in lake St. Lawrence Ontario . Trans. Am. Fish. Soc., 95(4) : 372-380 .
- Verghese, P. U. (1975): Internal rhythm of sexual cycle in a carp *cirrhina reba* (Ham) under artificial conditions of darkness. J. Inland Fish. Soc. India, 7 : 182-8.
- Wee, K. L. and uan, N. A. (1988): Effects of dietary protein level on the growth and reproduction of Nile tilapia (*Oreochromis niloticus*). In: Pullin, R. S. V., Bhukaswan, T., Tonguthai, K., Maclean, J. L. Eds.), The Second International Symposium on Tilapia in Aquaculture, ICLARM Conference Proceedings, 15, Department of Fisheries, Bangkok, Thailand, and International Center for Living Aquatic Resources, Manila, Philippines, 623 pp.
- Woynarovich, E. and Horvath, L. (1980): The artificial propagation of warmwater fin fishes – A annual for extension. FAO fisheries tech. Pag. No. 201, Rome.