

REFERENCES

- Abdalla, N.M.; S.E. El-Gengaihi, T. Solomos and A.A. Al-Badawy (1985):* The effect of kinetin and Allar-85 application on the growth and flowering of Adonis autumnalis. L. Plant Growth Regulator Abst., 1986, Vol. (12), N. 10.
- Abou. El-Ghait, I.M. (1985):* The effect of some horticultural treatments combined with A.B.A and N.B.A as foliar sprays on the growth and flowering of some different types of carnation. Ph. D. Dissertation, Zagazig Univ., Fac., Agric., Moshtohor, A.R.B.
- Abou-Zeid, E.N. and A.C. El-Shereef (1978):* Effect of some organic compounds and chemical growth substances on the growth and development of five gladiolus cultivars grown inlybya. Natls Res, Center, Botany Lab. Bull. N. 199.
- Abou Talib, N.S. (1989):*
 Photohormonal studies on aster plants.
 Ph. D. Thesis, Fac. Agric., Ain Shams Unvi.
- Abou-Zied, E.N. and M.Y. Bakry, (1978):*
 The effect of GA₃, CCC and B₉ upon growth, development and organic compounds in Primula obconica.
 Scientia Horticulturae (1978), 9 (2); 175.180.,
 National Research Center, Dokki, Cairo, Egypt. [C.F. Hort. Abstr., 1979, 49.: 1328].
- Abou-Zeid, E.N. (1979):*
 Effect of GA₃, Boh and Fulifertil on growth and productivity of Ocimum gratissimum.
 Bull. N.R.C. Egypt, 4: 53-59.

Accati, E.G.; L. Bosoccu and, S.L. Sulis (1979):

Effect of 6-BA and other cytokinins on flower production of spray carnation. *Acts. Hort.*, 91: 115-119. (C.F. Hort. Abst. 51: 1312, 1981).

Ahmed, S.K. (1983): Effect of Atonil, Auxal and kinetin in chamomile and related influence and distribution of some pests. M. Sc. Thesis, Fac. Agric., El-Minia Univ., A.R.E.

Al-Badawy, A.A. (1982):

Studies on the effect of the growth regulators kinetin and Alar-85 on content and composition of active principles Adonis autuminalis L. Oph. D. Dissertation, Fac. Agric., Ain Shams Univ., A.R.E.

Al-Ckhawwas, O. (1988):

Studies on some factors affecting production medicinal plants and their active ingredients. Ph. D. Thesis, Fac. Agric., Ain Shams Univ.

Al-Mulla, A.M. (1985):

Effect of some growth regulators on the growth, Flowering and seed production of some ornamental plants. M. Sc. Thesis., Fac. Agric., Ain Shams Univ.

Almulla, A.M. (1989):

Physiological studies on some greenhous plants. Ph. D. Thesis, Fac. Agric., Ain Shams Univ., A.R.E.

Ambrose, D.G. and I.A. Sciuchetti (1962): Influence of kinetin and gibberellic acid on the growth and alkaloid patterns in Datura meteloides. *J. pharm. Sci.*, 1962, 51: 934-8. [C.F. Hort. Abstr., (1963), . 33: 3656].

Amitabha, M. (1990):

Responses of carnation to spray application of NAA and gibberellic acid. J. Horticultural. Scie. 19 (3-4): 280-283.

A.O.A.C. (1965): Association official Agricultural chemists-10 th Ed. Washington, D.C.

Aoki, N. and S. Yoshino (1983): Effects of plant density on the growth and quality of cut flowers of forced tulip. Journal of the Japanese. Society for Horticultural Science 52 (3) 308-315.

Archbold, D.D. and R.L. Houtz (1988): Photosynthetic characteristics of strawberry plants treated with paclobutrazol or flurprimidol. Hort. Sci., 23 (1): 200-202.

Arora, J.S. and K. Khanna (1987): Spacing effects on flower and corm production of gladiolus cv. Sylvia. Indian Journal of Horticulture 44 (½) 96-99. Hort. Abst. Vol. 58 No. 10: 6807, 1988.

Atkinson, D. and C. Crisp (1983): The effect of number of plant growth regulator on fruit tree root growth and mineral nutrition. J. Sci. Food., Agric., 34 (3): 265.

Awad, N.E.; M.B.; Mostafa, M.H.; Owais and A. Abdel-Hamid (1981): Effect of different concentrations of kinetin, Gibberellin and Ethephon as well as gamma irradiation doses on growth and flowering of gladiolus. Rus. Bull. No. 241, Fac. Agric., Zagazig Unvi.

Bailey, D.A.; T.C. Weiler and T.I. Kir (1986): Chemical stimulation of floral initiation in florists Hydrangea. Hort Science (1986) 21. (2): 256-257.

- Banko, T.J. and M.A. Stefani (1989):** Effectiveness of growth retardants: paclobutrazol, uniconizol and daminozide. American Nurseryman 169 (11): 107.
- Baz, A.O. (1970):** Effect of some cultural and hormonal treatments on the growth and flowering of Gerbera Jamesonii Hook. M. Sc. Thesis, Fac., Agric., Ain shams Univ.
- Bhati, R.S. and S.D. Chitkara (1987):** Effect of pinching and planting distance on the growth and yield of marigold (Tagetes erecta). Research and Development Reporter 4 (2): 159-162, Hissar, India. Hort. Abst. Vol. 58: No. 12: 8964.
- Bhattacharjee, S.K.; K.T. Mukopudhday and T.K. Bose, (1976):** Interaction of auxin and GA₃ with growth retardants on growth and flowering of Dahlia variabilis and Malvaviscus conzattii Ind. Agric (1976) 20 (3): 193-199. [C.F. Hort. Abstr. 1978, 48: 3698].
- Bisaria, A.K. (1979):** Growth, Sex expression and yield of kkra treated with Ethephone. Philippine Agriculturist 1979. 62 (4): 316-320.
- Bishr, G.A.; M.A. Makarim and M.M. Hemaia (1984):** The effect of kinetin on Cassia acutifolia. 9th. Int. cong. for statistica, computer Sci., Social and Demographic Res., Ain Shams Univ.
- Biswas, P.K. and M.N. Rogers, (1963):** Effect of gibberellic acid on size and quality of inflorescence in germanium (Pelargonium hortorum). Proc. Amer. Soc. Hort. Sci., 82: 490-493.

- Bodron, V.P. (1972):** Effect of gibberellin and heteroauxin on physiological biochemical processes in sunflower plants. Khimya V. Sel, shom Khozyaistve (1971) 9 (8) 25-50. F.C.A. 1972 (25 (2) Gantenwelt 1975) 75 (24) 507-508. (De, lpl, ornamental Hort (1977), (3): 7632).
- Bonomo, R.; P. Montalit and U. Palara (1986):** Time of paclobutrazal foliar application in Young Golden Delicious apple trees. Acta Horticulturae, 1986 No-197. Vol. (11): 553-554.
- Borochoy, A. and T. Shahar (1989):** Effects of mefluidide and paclobutrazol on growth, flowering and chilling response of gloxinia. Scientia Horticulturae 39 (4): 331-339.
- Breece, J.; L.Y. Lepyatt and Tokfuruta (1970):** Increased effectiveness of chemical pinching agents in Azalea flower and nursery. Rept. July, P.L. 3, Am. Chem. products Inc. Tech. Serviced at a sheet.
- Buban, T. (1986):** changes in growth, properties of young apple trees treated with paclobutrazol PP₃₃₃. Acta Horticulturae, 179 (11): 549-50.
- Buisman, J. (1985):** Comparative production of gerberas at three plant spacings. Vokblad voor de Bloemisterij 40 (3): 34-35, Netherlands. Hort. Abst. Vol. 55 No. 7: 5434, 1985.
- Bunt, A.C. and Powell, M.C. (1982):** Carnation yield patterns: the effects of plant density and planting date. Scientia Horticulturae 17 (2): 177-186. (C.F. Hort. Abst. 52: 6170, 1982).
- Carpenter, W.J. and W.H. Carlson (1972):** The influence of growth regulators and temperature of flowering of seed propagated *Geranium*. Horti. Sci., 5: 183-184.

- Castro, P.R.C.; G.D. Oliveria, V.F.; Cruz and M.V. Carlucci, (1978):* Action of growth regulators on the mineral nutrition of Zinnia elegans. Solo., 70 (2): 44-47. [C.F. Hort. Abstr., 1981, 51: 7903].
- Carpenter, W.J. (1975):* From sprays of plant growth regulating chemicals on Rose shoot development of cutback. Hort. Sci., 10 (6): 505-506.
- Castro, B.R.; C.E. Malavolta and G.D. Oliverio (1983):* Effect of growth regulators on mineral nutrition of Tomato. Jour of plant Nutrition 1983. 6. (8): 717-724.
- Catarino, F.M. (1964):* Some effects of kinetin on sex expression in Bryophyllum crenatum Back (LSDP). Portugal. Acta. Biol., 8: 767-284 (C.F. Hort. Abstr., 35: 8277, 1965).
- Chailakyan, M.Kh. and L.P. Khopenkova (1961):* Effect of growth substances and nucleic acid derivatives on growth and flowering of photoperiodically induced. Plant. Dokl. Akad. Nauk, SSSR, 141: 1497-1500.
- Choma, M.E. and D.G. Himelrick (1982):* Growth and flowering of day neutral and everbearing strawberry as affected by ethephone. Hort. Sci., 17 (5): 773-774. Plant growth regulator Abstr., 9 (5): 901.
- Copalarishan, S. and S.M. Sircar, (1974):* A comparative study of the effects of some growth regulators on the biochemistry of Uruza sativa. L. Ann. Bot. 38: 115-120.

- Cox, D.A. and F.F. Whittington (1988):* Effects of paclobutrazol and height and performance of aluminum plant in simulated interior environment. *Host Science*. 23 (1): 222.
- Cox, D.A. and G.J. Keever (1988):* Paclobutrazol inhibits growth of zennia and geranium. *Hort Science*. 23 (6,1) 1029-1030.
- Curry, E.A.; E.A. Stahly and M.W. Williams (1984):* Apparent change in gravimorphism of "Anjou" pear shoots on trees treated with triazol and pyrimidine-type growth retardants. *Proc. 11th Annual Meeting, plant growth Regytator. Soc. Amer, Boston Massachusetts*.
- Das, G. (1972):* Possible mechanism of gibberellin induced chlorosis in lettuce seedling. *Canadian J. Bot.* 51 (1): 175-184.
- Das, P.; Bose, T.K.; Roy, P.K. (1975):* Effect of growth regulators on the photoperiodic response in short and long day plants. *Plant Science* (1975, received 1977) 7-41-44 (En, 6 res, Agric. Horticultural society of India Calcutta, 700027, India, H.A. 1978, Vol. 48 No. 5 (4747).
- Datio, H. and K. Hirose (1970):* Studies on acceleration of colouring or degreeding of citrus fruit. II. Effects of Ethrel (Ethylene releasing compound of the acceleration of colouring and carotenoied pattern of natsudaiddai (Citrus notsudaiddai) (*Hort. Abst.* Vol (42) No. (1): 2313.

- Davis, T.D. (1987):** Interior performance of three foliage plant species treated with paclobutrazol. *Applied Agricultural Research* 2 (2) 120-123. Hort. Abst. Vol. 59 No. 2: 1337, 1989.
- Dawh, A.K.A. (1982):** Physiological and anatomical studies on growth regulators and salinity treatments as affecting growth and chemical contents of *Datura* plant. Ph. D. Dissertation, Fac. Agric., Zagazig Univ Moshtohor. A.R.E.
- Deen, J. (1972):** Chemical control of Rose bush growth. *Gardener's chronicle*, 171 (15): 40-41 (C.F. Hort. Abst. 42: 8125. 1972).
- Dicks, J.W and A.R. Ress (1972):** Use growth eases retardent lily pot plant production. *Grower*, 78 (2): 81. (C.F. Hort. Abst. 43: 5431, 1972).
- Dufault, R.J.; T.L. Phillips and J.W. Kelly (1990):** Nitrogen and potassium fertility and plant populations influence field productions of gerbera. *Hort Science* 25 (12) 1599-1602.
- Edgerton, L.J. (1986):** Some effects of paclobutrazol on growth and fruiting of apple, peach and cherry. *Acts. Horticulturae*, 179 (11): 467-472.
- El-Antably, H.M.; S.S. Ahmed and M.U.A. Eid (1975):** Effect of some growth hormones on plant vigour and volatile oil *Origanum majorana*. *L. Pjarmazile*, 30 (6): 400-401 (C.F. Hort. Abst., 1976 (46): 3668.
- El-Ashkar, S.A. (1980):** Physiological studies on been plants. Ph. D. Thesis, Fac. Agric., Zagazig Univ., Egypt.

- El-Beltagy, A.S. and M.A. Hall (1974):* Effect of water stress upon endogenous sthylen levels in Vicia faba. New. Phytol., 73: 47-60.
- El-Dabh, R.S.; Abou-Dahab; and A.M. El-Bagour., (1978):* Effect of gibberellic acid on growth and flowering of Clivia miniata Regel. Research Bull. Fac., Agric., Ain Shams Univ., 964-968. Ain Shams Univ., Cairo, Egypt.
- El-Khayat, A.S.M. (1987):* Physiological studies on marigald plants (Tagetes spp). M.Sc. Thesis, Zagazig Univ., Fac. Agric, Moshtohor, A. R.E.
- El-Kholy, S.A. (1983):* Effect of new synthetic cytokinin on the production of fruits and active ingredients of Ammi visnaga. Fac. Agric., Minufiya. Univ. Shebin El-Kom, J. Agric. Ress, Vol. 6 tan.
- El-Shafie, S.A. (1979):* Effect of gibberellic acid on the growth and flowering of Mountezuma roses. Archiv. Fur Gartenbou, 26 (6): 287-296. (C.F. Hort Alstr, 1980, 50: 6243).
- El-Shafie, S.A. (1976):* Effect of gillerellic acid on the growth and flowering of Mountezuma roses. Archiv. Fur. Gartenbau 26 (2): 287-296. (C.F. Hort. Abst, 1977 Vol. 47. No. 3).
- El-Shafie, S.A. and H.A. Hassan (1978):* Effect of gibberellic acid and chlormequat on the growth and flowering of gerbera. Archiv fur Gartenban 26 (7): 333-342. (C.F. Hort. Abstr., 1980, 50: 425):

- El-Shafie, S.A.; S.A. El-Kholy and M.M. Afify (1979):* Effect of gibberellic acid on the growth and flowering of Queen Elizabeth and Baccara rose varieties. Faculty of Agriculture, Horticulture Department, Monoufia University, Vol. 11, No. 5.
- El-Shafie, S.A.; El-Kholy, S.A. and Afify, M.M. (1980):* Effect of gillerellie acid on the growth and fowering of Queen El-Zabeth and Baccara rose varicties. Monoufeia Journal of Agricultural Reserch. (1980), 3: 291-310.
- El-Shufie, S.A. (1980):* Effect of gibberellic acid on the growth and floweing of Queen Elizabeth and Baccara rose varieties. Monoufeia J. Agric. Res. 3, 291-310.
- El-Sherbiny, S. (1973):* Effect of some growth substances on growth and flowering of Datura metel L.
M. Sc. Thesis Fac. Agric., Ain Shams Univ.
- El-Sherbiny, M.R.M. (1987):* Physiological study on Ocimum basilicum l plant. M.Sc. Thesis, Fac. Agric. Zagazig. Univ. A.R.E.
- El-Zeftawi, B.M. (1977):* Effects of ethephon and 2, 4, 5-T on furit size, rind pigments and alternate of Imperial Mandarin. Hort. Abst., 47 (9): 8865.
- Eriksen, A.S. (1987):* Bonzi (PP333) treatment for poinsettia. III Gartneryrket 77 (34-35). Hort. Abst. Vol. 59 No. 6: 5099, 1989.
- Essa, Z.M. (1992):* Physiological studies on some Rose varities. Ph. D. Thesis, Fac. of Agric., Ain Shams Univ., Egypt. 234 PP.

- Farina, E. and T. Paterniani (1986):** Trials on planting density and growing systems for single-bloom chrysanthemum. *Annali dell' Istituto Sperimentale per la Floricoltura* 17 (1) 65-72, San Remo, Italy. Hort. Abst. Vol. 59 No. 4: 329, 1989.
- Fikry, W.A. (1983):** Physiological and anatomical studies on chrysanthemum. M. Sc. Thesis, Zagazig Univ., Fac. Agric. Moshtohor, A.R.E.
- Fries, N.O. (1969):** Kinetin and related compounds in plant growth. *Physiol. Plant.*, 13: 468-81.
- Fujime, Y. and T. Hirose (1978):** Effect of plant growth regulators on lateral shoot branching of broccoli. Kagawa. Univ Miki-toy, Kagawa. Ken 71.i.07 Japan (C.F. Horti. Abst. 1973).
- Gianfagna, T.J. and G.J. Wulster (1986):** Comparative effects of ancymidol and poclobutrozol on sterility. *Hort. Science* (1986) 21 (1): 463-464.
- Gopalachari, N.C. and K.M. Naison (1961):** Respons of Wrapper tobacco to gibberellic acid and maleic hydrazide. *Indian. J. Agron.*, 6: 15-21.
- Gowda, J.V.N. (1987):** Interaction effect of corm size and spacing on growth and flower production in gladiolus cv. Snow prince. *Current Research* 16 (2): 27-28. University of Agric. Sci., Bangalore, India. Hort. Abst. Vol. 58 No. 4: 2226, 1988.
- Gowda, J.V.N. and R. Jayanthi (1988):** Studies on the effect of spacing and pinching on growth and flowering of chrysanthemum. *Current Research* 17 (2) 21-22, University of Agric. Sci., Bangalor, India. Hort. Abst. Vol. 59 No. (3): 2265.

- Gowda, J.V.N. and R. Jayanthi (1986):** Studies on the effect of spacing and season of planting on growth and yield of marigold Tagetes erecta Linn - South Indian Horticulture 34 (3) 198-203. hort. Abst. Vol. 58 No. 5: 2947, 1988.
- Haenchen, E. (1984):** Application composon for increasing shoot number on rose bushes. Garten abou 1984-31 (2): 58.59.
- Hamza, A.M.; D.S. Karanski and M.N. Rocers (1981):** The effect of sequential application of different chemical growth regulators on growth and flowering of F hybrid geraniums (Pelargonium hortorum). J. Amer. Soc. for Hort. Sci., 106 (3): 299-303.
- Harig, R. (1989):** Bonzi-also called PP₃₃₃ and cultar. Trial with the growth retardant Bonzi in fuchsias. GB+ GW, Gartnerborse und Gartenwe (t 89 (35) 1694-1697, German Federal Republic. Hort. Abst. Vol. 60 No. 10: 6482, 1990.
- Hassan, A.H.; A.E. Awad and A.M. Twagen (1976):** Effect of CCC, Urea and Ethephon Spraying on the branching, flower, yield and flower quality of "Rouge Meilland" Roses. Ann. Agric. Sci., Moshtohor 1976- (5); 231-244.
- Hassan, A.H.; Abdel-Kuhman, E.A.; Mohamed H.O. and Shoukry M.S. (1980):** Effect of gibberellic acid on growth flowering and carbohydrate content in rose. Zagazig University, Faculty of Agriculture Res. Bull. No. 140, 1980.
- Hassan, H.A.; Agina, E.A.; Koriesh, E.M. and Mohamed, S.M. (1985):** Physiological studies on Anemone coromarial, and Ranunculusl. 3- Effect of foliar nutrition and gibberellic acid. Annals of Agricultural Science, Moshtohor (1985) 22 (2) 597-615 (En, ar, 15 ref) Zagtazig University, Moshtohor, Egypt.

- Hedden, P. (1978):** The metabolism of gibberellins. Annual. Rev. Plant Physiol., 29: 149-192.
- Helaly, M.N. (1977):** Some physiological studies in relation to salt tolerance of Egyptian henbane; Hoyscyamus muticus. Ph.D. Thesis. Fac. Agric. Cairo Univ., Egypt.
- Heursel, J. and Witt, H.H. (1985):** Bonzi-a new growth regulator for evergreen Azaleas. Deutscher Gartenbau (1985) 39 (37) 1742-1746 (De, B, ref) Institut Fur Zierpflanzenbau, Melle, Belgium. (C. F. Hort. Absts, 1986., 56: 1224).
- Heursel, J. (1985):** Bonzi, a new growth regulator for Azaleas. Verbondsineuws voor de Belgische Sierteelt (1985) 29 (14) 641, 643, 645-647 (Ni, ZPL). (C.F. Hort. Abst., 1986., 56: 7197).
- Hewedy, A. (1978):** Effect of some physiological treatments on some cucumber varieties. M. Sc. Thesis. Fac. Agric. Zagazig Univ. Egypt.
- Hewedy, A. (1988):** Effect of some physiological treatments on some tomato varieties. Ph. D. Thesis. Fac. Agric; Zagazig Univ. Egypt.
- Hoeven, A.P. van Der. (1990):** Plant spacing determines quality of chrysanthemums in the winter. Vakblad voor de Bloei misterij 45 (34) 46-47, Naaldwijk, Netherlands. Hort. Abst. Vol. 61 No. 1: 398, 1991.
- Holcomb, E.G. and J.W. Mastalerz (1979):** Plant density and spacing patterns for chrysanthemums pennsylvania flower Growers Bulletin (1979) No. 312, 3-5. Pennsylvania state University, Pennsylvania, USA. Hort. Abst. Vol. 50. No. 12: 9220, 1980.

- Horn, W. and M. Wischer (1987):** Bonzi, a growth retardant for Elatior begonias Gb+ GW 87 (51) 1894-1895 German Federal Republic. Hort. Abst. Vol. 60 No. 4: 2667, 1990.
- Hwang, E.G.; J.K. Suh and B.H. Kwach (1986):** The influence of PP₃₃₃ on growth and flowering of pot-grown gladiolus (Gladiolus gandavensis) Journal of the Korean Society for Horticultural Science 27 (1): 73-80 (1986) (C.F. Dialog Inform. Serv. Abst).
- Idem; C. (1981):** Effect of exogenous growth regulators on flower stalk and bud development in greenhouse carnation (C.F. Hort. Abst., 51: 4719, 1981).
- Jana, B.K. and T.K. Bose (1981):** Effect of bulb size, depth of planting and spacing on growth and flowering in Hippeastrum hybridum Hort. South Indian Horticulture 29 (4) 215-219. Hort. Abst. Vol 52 No. 8: 5590, 1982.
- Jaswinder Singh and J.S. Arora. (1980):** Effect of spacing and pinching on growth and flower production of marigold (Tagetes erecta cv. African Giant Double Orange. In National Seminar on Production Technology for Commercial Flower Crops. Coimbatore, India, Tamil Nadu Agricultural University. Hort. Abst. Vol. 51. No. 9: 7094, 1980.
- Jaworski, C.A.; L.C. Phatak and A. Lipty (1980):** Differential cultivar responses of Tomato transplant to ethephon (C.F. Hort. Sci., 15: 647-648).
- Jayahandran, B.K. and P. Sethumadhavan (1979):** Vegetative growth on ginger (Zingiber officinales) as influenced by cococel, ethrel and kinetin. Agric. Res. Kerala, 17 (1): 67-70 (C.F. Hort. Abst., 50: 5452, 1980).

- Jeffcoat, B. (1977):** Influence of the cytokinin (6-benzyl-amino-9-tetrahydropyrido[2,3-b]pyridine) on the growth and development of some ornamental Crops. J. Hort. Sci. 52 (1): 143-145 (C.F. Hort. Abst. 1977. 44: 8584).
- Jiao, J.; M.J. Tsujita and D.P. Murr (1986):** Effect of paclobutrazol and A-Rest on growth, flowering, leaf carbohydrate and leaf senescence in "Nellie white" Easter lily Lilium Longiflorum Thunb). Scientia Horticulturae 30 (1/2) 135-141.
- Johanson; C.R. (1973):** Carnation responses to spray application of growth regulators. Horticulturae 1. (4): 351-355 (C.F. Hort. Abst 1974. (44): 4842).
- Kaminski, W. (1989):** Alar and paclobutrazol use on roses. Acta Horticulturae 251: 407-410.
- Kandeel, A.M.A. (1987):** Physiological studies on the growth, oil yield and chemical constituents of basilplant, Ocimum basilicum L. Ph. D. Thesis, Fac. Agric, Ain Shams Univ.
- Kashyap, A.S.; H.S. Dhuria and H.S. Rana (1983):** Chemical regulation of growth in apple (*Malus domestica* Borkh) CV. Royal Delicious. Journal of three Sciences 1983. 2 (112): 97-99 (C.F. Hort. Abst): 7 W. (Plant growth regulator Abst).
- Kher, M.A. (1973):** Effect of B-9 and Ethrel on the growth and flowering in Chrysanthemum. Progressive Horticulture, 5 (2): 77-84 National Botanic Gardens, Lucknow, India (C.F.H.A. 45, 1975: 5110).

Kher, M.A. Yokoi, M. Kosugi, K. (1974): The effects of Ethrel on growth and flowering in pot chrysanthemum, Journal of the Japanese Society for Horticulture Science, 43 (1): 91-96 (C.F.H.A. 45, 1974 : 5111).

Kijuka, V.I. (1963): The biological characteristics of growth and development of the flower shoot on flower of essential oil-bearing rose as affected by gibberellin. Fisiol. Raste, 1963, 10: 595-7. (C.F. Hort. Abst. Vol. 34, 1964).

Kim, J.K.; K.Y.; Kim, M.D. Cho, J.S. and S.B. Kim (1986): The effect of paclobutrazol on growth yield. Fruit quality and flower bud formation in Fuji apple trees. Hort. Exp. Sta., Suwon 170, Korea Republic. Journal of the Korean Society for Horticultural Science 1986-27 (2): 143-148. (C.F. Dialog inform. Serve. Abst.).

Kim, J.S. and B.H. Kwach (1991): The effects of paclobutrazol on growth, chlorophyll content and tolerance of drought and rust in Korean lawngrass (*Zoysia japonica* Steud.). Journal of the Korean Society for Horticultural Science 32 (1): 111-116. Hort. Abst. Vol. 62 No. 4: 3149, 1992.

Knight, J.M.; J.E. Soencer, N.E. Looney and J.D. Lovell (1987): Chemical thinning of the apple cultivar spartan. J. Hort. Sci., 62 (1): 135-139.

Kogel, F. and Elema, J. (1960): Wirkungsbegiehungen Zwischen Indole-3 essigsaure und Gibberellinaure Naturwiss, 47-90. (C.F. Hort. Abst. 1960, Vol. 30).

Kopcewica, J. and z. Porazinski (1974): Effects of growth regulators steroids and estrogen fraction from stage plants on flowering on along day plant, *Salvia splendens* growth under non-inductive light conditions. Biol. Plant, 16 (2): 132-135.

- Kristensen, L. U. and E. Adriansen (1988):** Growth and flowering in Hebe X Franciscana CV. "Variegata" treated with plant growth regulators. *Scientia Horticulture* (1988) 36 (1-2): 139-149.
- Kumar, S. and K.K. Nanda (1973):** GA₃ and salicylic acid caused changes in RNA associated with floral induction in Impatiens balsamina exposed to inductive and non-inductive photoperiods. Ranjab Univ., Chandigarh 160014, indian. India, J. Experimental Biology, (1973) 19 (10): 961-965. (C.F. Hort Abstr., 43: 4165).
- Kwon, O.W. and J.C. Lee (1986):** Effect of PP₃₃₃ on the vegetative growth and flowering of fuji apple trees journal of the korean society for Horticultural Science. 1986. 27 (1): 49-44 (C.F. Hort Abst. 1987, 57).
- Lecani, D.R.; K.A.; Schekel and R.L. Wample (1986):** Growth retrading effects of paclobutrazol on weeping fig. Hort. Sci., 21 (5): Oct 1986.
- Lee, P.O. and J.S. Lee (1990):** Effects of ancymidol and paclobutrazol on growth and flowering of potted grbera. Journal of the korean Society of Horticultural Science 31 (3) 300-304. Hort. Abst. Vol 61: No. 12: 11232, 1991.
- Leong, C.C. (1987): Leong, C.C. (1987):** Chemical growth retardation of Bophia nitida with PP₃₃₃. *Gardens Bulletin* 40 (2) 139-144, Singapore. Hort. Abst. Vol. 58 No. 12: 9043, 1988.
- Letham, D.S. (1967):** Chemistry and physiology of kinetin-Like compounds.
Ann. Rev. Plant Physiol. 18:349.

- Lyons, R.E. and R.E. Widmer (1983):** Effects of GA₃ and NAA on leaf lamina unfolding and flowering of Cyclamen persicum. J. Amer. Soc. for Hort. Sci., (1983) 108 (5): 763-769.
- Maghazy, E.I. (1991):** Physiological studies on Viola odorata L, Ph. D. Thesis Fac. Agri. Suez Canal. Univ.
- Man, T. and C.R. Vonk (1974):** Effect of light and growth substances on flowering of Iris hollandica cv. wedgewood. Acta. Botanica Neer Landica 23 (3): 221-231. (C.F. Hort. Abstr., (1975), 45: 4269).
- Marczynsky, S.; G. Klimczyk and K. Maichrzak (1979):** Branching stimulation of budded roses with growth regulators (Acta. Horticulturae 1979 No. 91: 467-474).
- Ma, Z. S.; Hou and Y. Chang (1985):** Effects of ethephon and gibberelline on the flowering period and flower yield of kushui rose. (Acta. Horticulturae since (1985) 12 (2): 125-130.
- Maus, W.L. (1988):** Effect of paclobutrazol and Uniconazolep on Hibiscus rosasinensis. Proceedings of the florida state Horticultural Society (1987), publi 1988-100, 373-375 (En, 7 ref) 247 Jamica St., Dania, Fl 33004 U.S.A (C.F. Hort. Abst 1989., 59: 5127).
- Menhenett, R. (1979):** Effects of growth retardants, gibberellic acid and indol-3-ylacetic acid on stem extension and flower development in the pot Chrysanthemum (Chrysanthemum morifolium Ramat). Ann. Botany (1979) 43 (3) 305-318 (C.F. Hort. Abstr., 49: 6885).

- Menhenen, R. (1984):** Compariosn of a new triazole retardant paclobutrazol (PP₃₃₃) with ancymidol, chlorphonium chloride, daminozide and piproctanyl bromide on stem extension and inflorescence development in Chrysanthemum morifolium Ramat. Scientia Horticulturae 24 (3/4) 349-358.
- Michiewicz, M. and A. Kamienska (1964):** Flower formation induced by kinetin and Vitamin E treatment in coldrequiring plant (Cichorium intybus L.) grown under non-inductive conditions Naturwissensch ften 51: 295-296.
- Midah, A.R.A. and N.M. Malash, (1982):** Nutritional status of pea plants in relation to gibberellin and phosphorus application. Ann. Agric. Sci. Moshtohor, 17: 241-251.
- Miller, C.D. (1961):** Kinetin and related compounds in plant growth. Ann. Rev. Plant physiol., 12: 395-408.
- Misra, L.P. and M.M. Singh (1977):** Effect of growth regulators on growth and flowering of pansy (Viola tricolor). Progressive Hort., (1977), 9: 61-64. Ornamental Hort., 4, (4): 3694.
- Mohamed, A.M.E (1980):** Effect of different growth regulators on the yield and active ingredients of some medicinal plants M.Sc. Thesis. Fac, Agric., Zagazig Univ., A.R.E.
- Mohamed, E.I.M. (1981):** The effect of growth regulators on the flower quality and concrete oil yield of carnation. M. Sc. Thesis, Fac. Agric., Zagazig Univ.
- Mohamed, Safaa, M. (1984):** Physiological studies on Anemone coronaria and Ranunculus Asiaticus Ph. D. Thesis, Hort. Dept. Fac. Agric. Moshtohor, Zagazig Univ.

- Mohamed, Safaa, M. (1988):** Effect of plant density and GA₃ on the growth and flowering of Roug Meill and Baccara roses. Annals of Agric. Sc., Moshtohor, Vol. 26 (3), 1988.
- Mohamed, Safaa, M. (1992 A):** influence of some growth regulators on growth and flowering of white godth and Oskar gladiolus cvs. Egypt. J. Appl. Sci., 7 (3): 1992 653-667.
- Mohamed, Saffa, M. (1992 B):** influence of water regime and kinetin on the growth and flowering of carnation. Annals of Agric. Sc., Moshtohor, Vol. 30 (2): 1992.
- Mohamed, Saffa, M. (1992 C):** Effect of some growth regulating chemicals on growth, flowering and tuberous-root production. Annals of Agric. Sc., Moshtohor, Vol. 30 (1) 1992.
- Mohamed, Saffa, M. (1993 E):** Effects of planting distance and pinching on the growth-yield and pigments on Tagetes erecta. Egypt. J. Appl. Sci., 7 (12) 1992 446-461.
- Mohamed, Saffa, M. and El-Desouky, S.A. (1992):** Response of Chlorophytum comosum and pepromia clustiifalia to some growth regulators. Egypt. J. Appl. Sci., 7 (6): 1992. 625-645.
- Mohamed, Saffa, M.; Wahha, Hend El. and Omer, E.A. (1992):** Effect of some growth regulators on the growth, oil percentage and constituents of Alpinia nutans. (Hort). Annals of Agric. Sc., Moshtohor. Vol. 30 (3): 1992.
- Mohamed, Saffa, M. and M.M. Khalil (1992):** Effect of growth regulating chemicals on growth, flowering and seed yield of some winter annuals. Egypt. J. Appl. Sci, 7 (7) 1992. 256-269.

Mohamed, Saffa, M.; Wahba, and Hend, E. (1993): Effect of plating distance, pinching and tinc application of growth, flowering and carotene content of Tagetes. Annals of Agric. Sc., Moshtohor, Vol. 31 (2), 1993.

Mosser, B.C. and C.E. Hess (1968): The physiology of tuberous root development in Dahlia. Proc. Amer. Soc. hort. Sci., 93: 595-603. (C.F. Hort Abstr., 1970, 40: 1664).

Mothes, K. (1964): The role of kentitin in plant regulation (C.F. Schriber K. 1978, Reprint of European Biochem. Soc. 12 th Meeting, Dresden).

Mukhopadhyay, T.P. and L.P. Yadav (1984): Effect of corm size and spacing on growth, foweing and corm production in gladiolus. Haryana Journal of Horticultural Sciences 13 (3/4) 95-99, India. Nadia, West Bengal, Hort. Abst. Vol. 57 No. 4: 2704, 1987.

Mukhopadhyay, A.; G.J. Bankar and M.K. Sadhu (1986): Influence of bulb size, spacing and depth of planting on growth, flowering and bulls production in tuberosa. Haryana Journal of Horticultural Sciences 15 (1/2) 18/24. Indian Institute of Horticultural Research, Hesaraghatt Bangolore, India. Hort. Abst. Vol. 57 No. 7: 5736, 1987.

Mukhopadhyay, T.P.; P.Roy and L.P. Yadav (1988): A note on the effect of plant density on growth and flower production in rose. Haryana Journal of Horticultural Science 17 (3-4) 201-203, Nadia, West Bengal, india. Hort. Abst. Vol. 60 No. 10: 6462, 1990.

Mukhopadhyay, A. (1990): Responses of carnation to spray application of NAA and gibberellic acid.

Haryana, J. Hort. Sci. (1990), India (C.F. Hort Abstr., 1991, 61: 81261).

Nanda, K.K.; H.N. Krishnamoorthy and T.A. Anuradha (1968): Effect of gibberellic acid and cycocel on flowering and extension growth of Impatiens balsamina L. exposed to varying numbers of short day cycles. Indian J. plant physiol., 1968, 11: 104-121 (C.F. Hort. Abstr., 1970, 40: 1577).

Nanda, K.K.; S. Kumar and V. Sood (1977): Effect of gibberellic acid and some phenols on flowering of Impatiens balsamina a qualitative short day plant. Physiologia plantarum (1977) 38 (1): 53-56 Panjab Univ. Chandigarh 1600 14, India (C.F. Hort. Abstr., 47: 3792).

Nanda, K.K.; M. Kumar, S. Sawhney, and N. Sawhney (1973): Effect of cycloheximide on GA₃ response and on photoperiodic reactions of Impatiens balsamina L. Panjab Univ., Chandigarh, Indian Ann of Botany (1973) 37 (149): 107-111 (C.F. Hort. Abstr., 1973, 43: 4725).

Nanjan, K. and Muthswamy, S. (1975): Growth and flowering response of Edward rose (Rose bourboniana Desp.) to certain growth regulant sprays. South Indian Horticulture 23 (3/4) 94-99.

Nilimesh, R. (1989): Effect of plant spacing and growth regulators on growth and flower yield of gladiolus grown under polythene tunnel. Acta-Horticulturae. 246: 259-263.

Noack, L. and E. Adriansen (1988): Growth regulation and flowering in Hebe X franciscana variegata. Gartner Tidende 104 (15) 394-395, Denmark. Hort. Abst. Vol. 59 No. 6:5126, 1989.

Norremark, I. and A. Andersen (1990): Effect of paclobutrazol on seed propagated Pelargonium X hortorum L.H. Bailey. Gartenbauwissenschaft 55 (1) 1-8, Denmark. Hort. Abst. Vol. 61 No. 5: 9984, 1990.

Ohpanayikool, S.; B. Tjia and Butron (1974): Height control for poinsettia (Euphorbia pullherrima) with ethrel drench and show release Ethrel. Hort. Sci., 9 (3).

Osborne, D.J. (1965): Effect of kinetin on protein and nucleic acid metabolism in Xanthium leaves during senescence. Plant Physiol., 37: 595-602.

Pal, P.; R.G. Maity and T.K. Bose (1985): Effect of nitrogen, phosphorus and plant density on growth and yield of flowers in Jasminum sambac Sol. var. Khoya. South Indian Horticulture 33 (2) 118-121. Nadia, West Bengal India. Hort. Abst. Vol. 57 No. 1:1333, 1987.

Pal, A.K.; S.N. Das (1990): Effect of growth regulators on growth and flowering of lilium longiflorum. Orissa. J. Horticulture 18 (1-2): 18-21. (C.F. Hort-Abstr. 62: 9301-1992).

Pisarczyk, J.M. and W.E. Splittstoesser (1979): Response of Tomato to pre-transplanting application of chlormequate, Faminozide and Ethephone (C.F. Hort. Sci., 14: 263-264.).

Parups, E.V. (1970):

Use of gibberellic acid to improve flower characteristics of greenhouse grown stocks, Matthiola incana. Greenhouse, Garden, Grass, 1970, 9 (4): 1-3. (C.F. Hort. Abstr., 1972, 42: 1720).

- Parups, E.V. (1971):** Use of Benzylamino purine and Adenine to induce Bottom Break in Greenhouse Roses. Plant Research Institute Canada Department of Agriculture, Ottawa. Hort Sci. 6. 456.
- Paspatis, E.A. (1987):** Effect of the growth retardants paclobutrazol and chlormequat chloride on the height and colour of poinsettias. Annales de l'institute Phytopathologique Benaki 15 (2) 155-161. Hort. Abst. Vol. 59 No. 5: 4149, 1989.
- Patil, J.D.; Bhat, N.R.; Chougule, B.B.; Patil, B.A. (1987):** Flower and seed yield in aster (*Callistephus chinensis* L.) CV. ostrich plume blue as influenced by planting date and planting density. (1987) 3 (2) 46-48 (En) Mahatma Phule Agricultural University, Rahuri 413722 India.
- Phinney, B.O. and G.A.; West (1958):** Gibberellins as native plant growth regulator. Ann. Rev. Plant Physiol., 9: 411-436.
- Poole, T.T. (1965):** The effect of 2, 4 dichlorobenzyltributyl phosphonium chloride and 2-chloroethyl methyl ammonium chloride on growth, flowering and chemical composition of Chrysanthemum morifolium (C.F. Hort. Abst., 36 (1): 1336).
- Poole, R.T. and H.K. Ying (1965):** Effects of growth regulators on growth, flowering and chemical compositions of Chrysanthemum morifolium CV. Bluechip. Proc. Flo. ST. Hort. Soc., 1965. 78: 428-433 (C.F. Hort. Abstr., 1966, 36: 6958).
- Pregel, F. (1945):** Quantitative organic Microanalysis. 4th Ed. J. A. Churchill, London.

- Qiu, W.D. and K.B. Liu (1989):** Effects of paclobultrazol (PP₃₃₃) and B9 on stem elongation and flowering characteristics of chrysanthemum. Plant Physiology Communications No. 6 31-33. Hort. Abst. Vol. 62 No. 9: 7445, 1992.
- Quinn, J.; D.C. Kiplinger and H. Tayama (1977):** The effects of flor (ethephon) and shall Sp. 8339 (PBA) on Chrysanthemum. Chio Agric. Res. Development center Wooster, Ohio, USA (C.F. Hort. Abst., 47 : 11587).
- Qurunflesh, M.M. and A.I. Al-wir (1987):** Paclobutrozo potent growth retardant on Chrysanthemum (C.F. Hort. Abst, 1989., 59. 4025).
- Radwan, A.A. (1988):** Physiological studies on marigold plants Tagetes erecta Ph. D. Dissertation, Fac. Agric., Ain Shams Univ., A.R.E.
- Ram, H. Y.M. and U. Mehta (1978):** Effect of gibberellic acid on the growth of main shoot and axillary branches in Calendula officinalis. Proceedings of the Indian Academy of Sci. B. (1978), 87 (11): 255-270 (C.F. Hort. Abstr., (1979), 49): 1197).
- Ravindran, D.V.L.; R.R. Rao and E.N. Reddy (1986):** Effect of spacing and nitrogen levels on growth, flowering and yield of African marigold (Tagetes erecta L.) South indian Horticulture 34 (5) 320-323. Hort. Abst. Vol. 58 No. 11: 7856, 1988.
- Reda, A.A. (1982):** Physiological studies of flowering and fruit set of Ammi visinaga L. (in relation to chromosome. M.Sc. Thesis, Fac. Agric., Ain Shams Univ., A.R.E.)

- Reddy, Y.T.N. (1979):** Effect of growth substances on growth and flowering of Callistephus chinensis. Mysore J. Agric. Sci., 12 (3): 526 (C.F. Hort. Abstr., 1980, 50: 1196).
- Reist, A. and C.H. Rey (1976):** Trials on the application of growth regulators of snapdragon (Antirrhinum majus L.). Revue Suisse de Viticulture, Hort. (1976), 8 (2): 81-83. (C.F. Hort. Abstr., 1977, 47: 1685).
- Roberts, C.M.; G.W. Eton and F.M.; Seywerd (1990)** Production of Fuchsia and Tibouchina standards using paclobutrazol or chlormequat (Hort. Sci. 25. (101): 1442-1443 (1990).
- Roberts, C.M.; G.W. Eaton and F.M. Seywerd (1990):** Production of fuchsia and Tibouchina Standards using paclobutrazol or chlormequat-Hort science. 25. (10): 1242-1243.
- Roh, M.S. (1984):** Growth and flowering of gerbera (Gerbera jamesonii) influenced by temperature, light and growth regulators. Hortsci., (1984), 19 (3): 595.
- Roychoudhuri, N.J.; Biswa, R.S.; Duha and S.K. Mitra (1985):** Effect of chemicals on germination, growth flowering and corn yield of Gladiolus. Indian Agriculturist 1985: 29 (3): 215-217.
- Runkova, L.V. (1977):** interaction between exogenous and endogenous growth regulators as exemplified on ornamental plants. Brulleten Glavnogo Botanicheskogo sada (1977) No. 106: 62-70 (C.F. Hort. Abstr., 1978, 48: 7432).
- Runkova, L.V. (1981):** Gibberellin and retardants influences on some ornamental plants and a level of their native growth substances. Main Botanical Garden, Moscow (1981) (C.F. Hort. Abstr. 51: 1341).

- Runkova, L.V. (1985):** Cytokinis effect on some ornamental plants. Acta Hort., 167: 96-77. (C.F. Hort. Abst., 56:45013).
- Rusch, K.; J. Leinfelder and R. Rober (1987):** Growth retardants in Hydrangea forcing (C.F. Hort. Abst., 1989., 59: 4143).
- Sakr, S.S. (1985):** Effect of some growth regulators on propagation and production of Cassia acutifolia Delil. Ph. D. Thesis, Fac. Agric., Cairo Univ.
- Salem, M.A. (1984):** Effect of some growth regulators, lighting and low temperature on growth and flowering of marguerite (Chrysanthemum frutescens, L.) M.Sc. Thesis, Fac. Agric., Cairo Univ.
- Sansavini, S. and R. Bonomo (1986):** Growth and yield control in apple meadow orchard (Acta Horticulturae (1988) No. 179 Vol. (1): 263-266).
- Sciuchetti, L.A. (1964):** Effect of various concentrations and frequency of application of gibberellic acid on growth and formation of metabolic products of Datura stramonium J. Pharm. Sci., 1964, 53: 61-69.
- Selim, S.M. (1979):** Physiological study on rose. M.Sc. Thesis, Fac. Agric., Zagazig Univ.
- Semeniuk, P. and R. Carlson (1970):** Effects of growth retardants on growth of Geranium seedlings and flowering. Hort. Sci., 5: 393-394 (C.F. Hort. Abst., 41: 7089, 1971).
- Sen, S.K. and T. Maharana (1971):** Growth and flowering response of Chrysanthemum to growth regulator treatments. Punjab Hort. J. (1971) 11 (314) 274-277 (C.F. Hort. Abstr., 1973, 43: 2926).

- Sen, S.K. and T. Maharana (1972):* Effects of some regulators on the growth and flowering of chrysanthemum (Chrysanthemum morifolium Ram.) Indian, J. Hort., 29 (2): 236-240. (C.F. Hort. Abstr., (1975), 45: 4234).
- Seth, A and P.F. Wareing (1964):* Interaction between auxins, gibberellins and kinetin in hormone, directed transport. Life Sci., (3): 1483-86.
- Shaltout, A.D.; A.T. Salem and A.S. Kilany (1988):* Effect of pre-bloom sprays and soil drenches of PP₃₃₃ on growth, yield and fruit composition of Roumi Red grapes. Hort. Dept. Fac. Agric. Ain Shams Univ., Egypt.
- Shanks, J.B. (1968 A) :* Some effects of potential uses of ethrel on ornamental crops. Hort. Sci., 4 : 56 - 68.
- Shanks, J.B. (1968 B):* The response of several flower crops to foliar sprays of ethylene producing compound (Hort. Sci (3) : 118).
- Shanmugam, A. and S. Muthuswamy, (1974):* Influence of photoperiod and growth regulators on the nutrients status of Chrysanthemum. Ind. J. Hort., 31 (2) : 186 - 193 [C.F. Hort. Abstr., 1976, 46 : 3466].
- Shanmugam, A.S.; Muthuswamy and N.N.M. Rao, (1972):* The influence of artificial long day treatment on the growth and flowering of chrysanthemum (Chrysanthemum indicum). Yellow south Hort. (1972), 20 (1/4) : 66-70 [C.F. Hort. Abstr., (1974), 44, (3) : 2018].
- Shanmugaveli, K.; O. Rao; V.N.M. and G. Srinivasan, (1973):* Studies on the effect of certain plant regulators and boron on papaya "Carica papaya L.". South Indian Hort. (1973) 21 (1) 19 - 26. [C.F. Hort. Abstr., 1974, 44 (9) : 6370].

- Sharma, R. and S.N. Pande (1975):** Effect of uracil, thymine, kinetin, 2-tio uracil, 6-aze-thymine and their action on metabolic drifts during flowering of Lycopersicon esculentum CV. Best of all. Science and culture, 41 (4): 175-179.
- Shawareb, M.N. (1987):** Effect of cultar and Alar on four cultivars of pot chrysanthemum. (Dirasat, 14 (2) 178-179 University of Jordan, Amman, Jordan). (C.F. Hort. Abst., 1989., 59 : 4026.
- Shedeed, M.R.; K.M. El-Gamassy, M.E. Hashim and A.M.N. El-Mulla (1986):** Effect of some growth regulators on the growth flowering and seed production of some winter annuals. Annals Agric. Sci., Fac. Agric., Ain Shams Univ. 31 (1); 691-705.
- Singh, M.P.; A.P.; Singh and G.N. Singh (1992):** Effect of GA and Ethrel the growth and flowering of African marigold. (Tagetes erecta linn). Haryana. J. Hotr. Sci. 20 (1-2): 81-84.
- Smith, P.F.; M.A. Giller and P.A. Gasses (1956):** Colorimetric methods for determination of sugar and related substances. Annal. Chem., 28: 350.
- Sood, V. and K.K. Nanda (1979):** Effect of gibberellic acid and monophenols on flowering of Impatiens balsamina in relation to the number of inductive and non-inductive photoperiodic cycles. Physiologia plantarum (1979), 45 (2): 250-254. (C.F. Hort. Abstr., 49: 51 60).
- Sousa, M.A.; DEl, B. and S. Simao (1981):** Effect of plant density on the quality of carnations (Dianthus carvophyllus). Anais do Escola Superior de Agricultura "Luiz de Querioz" 38 (2) 623-641. Hort. Abst. Vol. 54 No. 11: 8322, 1984.

- Srinivasan, C.; D.R. Padmanabhaia, K.G. Shanmugavalu and V.N. Rao (1973):** Effect of ethrel on the rate of respiration and some biochemical changes during riping of persimmon. Indian Journal of Agricultural Sciences (1973). 43 (8): 746-750.
- Stamps, R.H. and R.J. Henny (1986):** Paclobutrazol and night interpution lighting effect Episcia growth and flowering. Hort Sci., 21 (4): 1005-1006 (C.F. Hort. Abst, 56 (12): 9876.
- Steffens, G.L.; S.Y. Wang, C.L. Steffens and M.T. Brnna (1983):** Influence of PP₃₃₃ on apple seedling growth and physiology. Plant growth regulator soc. Amer, Fact. Lansing. U.S.A.P.G.R. Soc. Amer., 1983: 195-206.
- Steffens, G.L. and S.Y. Wang (1984):** Physiological cahnges induced by paclobutrazol in apple. Acta Horticulturae 1984. No. 146: 135-142.
- Steffens, G.L.; S.Y. Wang and J.K. Byun (1984):** Effect of atlering gibberelling avilability on growth and chemical composition of apple seedlings. Proc. 11th Annual Meeting, Plant growth regulator Soc. Amer., Boston Massachusetts.
- Stpierre, J.C. and E.T. Trudel (1973):** influence de 1 acid 2 chloroethylpgosphonic sur La crolssance de La fle'ole des pres. Con. J. Plant. Sa., 53: 791-796.
- S.G. and H.D. Chung (1986):** Efect of paclobutrazol on growth, tolerance to chilling and drought stress in cucumber plants, Cucumis Sativus L. Journal of the Korean Society for Horticultural Science 27 (2): 111-118. C.F. Dialog inform. Serv. Abst.
- Swietlik, D. and S.S. Miller (1984):** The effect of PP₃₃₃ on the growth and uptake of Ca and K by apple seeding. J. plant Nutrition, 7 (11): 1555-1565.

- Swietlik, D. and S.S. Miller (1984):* The effect of PP₃₃₃ on mineral nutrition of apple seedling. J. plant Nutrition, 8 (5): 362-382.
- Syamal, M.M.; C.B.S. Rajput and S.P. Singh (1987):* Effect of corm size, plating distance and depth of planting on growth and flowering of gladiolus. Research and development Reporter 4 (1) 10-12. Banaras Hindu University, India. Hort. Abst. Vol. 60 No. 6: 4494, 1990.
- Syamal, M.M.; C.B.S.; Rojput; R.K. Upadhyay and J.N.; Singh, (1990):* Effects of GA₃ and MH on growth, flowering and seed yield of marigold and China aster. Ind. J. Hort., 47 (4): 439-441. (C.F. Hort. Abstr., 1991, 61: 8143).
- Szakiel, A. and Z. Kasprzyk (1987):* Flower and seed yield in aster (*callisephus chinensis* L.) CV. Ostrich plume Blue as influenced by planting data and planting density. Mahatma phule Agric. University. 3 (2) 46-48. (C. F. Hort. Abstr. 60: 9995-1990).
- Tawfik, M.S.H. (1986):* Studies on the physiological drought tolerance in lemon grass. Ph. D. Dissertation Fac. Agric. Moshtohor, Zagazig Univ., A.R.E.
- Tayama, H.K. and S.A. Carver (1990):* Zonal Geranium growth and flowering response to six growth regulator. Hort. Sci., 25 (1), Jan. 1990.
- Tymoszuk, S. and A. Mika (1986):* Growth control of apple trees with cultur and Alar. Acta. Horticultural, 179 (1): 195-198.

- Umesha, K.; Bojappa, K.M.; Faroogt, A.A. and Suesh, N.S. (1990):** influence of plant density on growth and yield of clocimum (Ocimum gratissium L.) Indian perfumer 34 (3): 173-175. (C.F. Hort. Abst. 1991, 61 (9) No. 8332).
- Van Onsen, J. Haeen, J. and Torfa, P. (1962):** Gibberellin treatment for glasshouse roses, Pykastata. Sierplvered. lelle, 2, 1-6. (C.F. Hort. Abst. 34: 3159-1964).
- Verzilov, V.F. and L.V. Runkova, (1972):** The effect of gibberellin and chromequat on ornamental plants. Izvestiya Akademii Nack SSSR, Biologicheskaya, (1972). No. 5, 761-766. (C.F. Hort. Abstr., 1973,43: 6987).
- Vijayakumar, K.T.; A.A. Patil and N.C. Hulmani (1988):** Effect of plant density and nitrogen on growth characters and flower yield of china aster (Callistephus chinensis Nees) CV. Ostrich plume Mixed. South Indian Horticulture, 36 (6) 318-320, Dharwar, India. Hort. Abst. Vol. 60 No. 10: 8242, 1990.
- Waller, P.A. and D.B.;Ducan (1969):** Abays rule for the semmetric multiple comparison problem. Amer. Stat. Assoc. J., 1485-1503.
- Wang, S.Y. and M. Faust (1986):** Effect of PP₃₃₃ on accumulation of carbohydrate in apple wood. Hort, Sci., 21 (6). (C.F. Hort. Abst., 70).
- Wang, Y.T. and T.M. Blessington (1990):** Growth of four tropical treated with paclobutrazol or uniconazole. Hort. Sci., 25 (2), Feb. 1990.

- Wang, Y.T. and I.L. Gregg (1991):** Modification of hibiscus growth by treating unrooted cuttings and potted plants with with uniconazole or paclobutrazol. *Journal of plant Growth Regulation* 16 (1): 47-51.
- Wedad, S.M. (1977):** Studies on growth and structure of pepper plants under certain environmental conditions and application of growth substances. Ph. D. thesis Fac. Agric., Cairo Univ., A.R.E.
- Welker, E. (1986):** Benzi, a new growth regulator for Azalea. Bonzi ein neuer Wachstumsregulator Fur Azaleen zienpflanzenbay (1986) 26 (6) 230-231 (De, I Fig.) Sottrum Stuckenborstel German Federal Republic. *Hort. Abst.*, 56 (11): 9084.
- Wettstein, S. (1957):** Chlorophyll Lathal and der submikro. uskopscke from wechsel der plastiden. *Exp. Cell. Res.*, 12: 527-533.
- White, J.W. (1990):** Garden bulb crops as pot plants using growth regulators. *Bulletin-Pennsylvania Fower Growers* No. 402: 1-4. *Hort. Abst. Vol. 61 no. 12: 11235, 1991.*
- Wieland, W.F. and R.L. Wample (1985 A):** Root grwoth, water relations and mineral uptake of young Delicious apple trees with soil and stem aplied PP₃₃₃. *Scientia Horticulturae*, 26 (2): 129-137.
- Wieland, W.F. and R.L. Wample (1985 B):** Effects of paclobutrazol on grwoth photosynthesis and carbohdyrate content of Delicious apples. *Scientia Horticulturae*, 26 (2): 139-147.
- Wilfret, G.J.; J.A.; Otte, and B.K. Harbaugh (1977):** Chrysanthemum peduncle elongation and a coat analysis of three production methods. *Proceedings of the Florida state Hort. Soc.* (1976, Publ. 1977) 89, 316-319 (C.F. Hort. Abstr., 1978, 48: 4738).

- Wilfret, G.J. (1984):** Effect of plaitng data and growth regulator on poinsettia height. Proceeding of the Florida state Horticultural Society 97: 289-291.
- Wilkinson, R.I. and D. Richards (1987):** Influence of paclobutrazol on the growth and flowering of camellia X Williamsii. Hort Science 23 (2): 359: 360.
- William (1984):** Use of bioregulators to control regetative growth of fruit trees and improve fruiting efficiency. Acta Horticulturae. 146: 97-104.
- Wilkinson, R.I. and D. Richards (1987):** Effect of palcobutrazol on growth and flowering of Bouvardia humboldtii. Hort. Science 1987. 22 (3): 444-445.
- Witt, H.H. (1986):** "Bonzi promises economy" subfili: oc (Horticultural Abst); 7C) ornamental Horticultural) 7w. Plant growth regulators Abst.
- Yang, H. and Clore (1973):** induction of aerial crown in Asparagus officinalis L. by kinetin and IAA treatments. Hort. Sci., 8 (6): 490-491.
- Youssef, M.S. and M. El-Din (1982):** Effect of some treatments on yield and quality of sweetmelon. Ph. D. Thesis, Fac. Agric., Zagazig Univ., A.R.E.
- Zieslin, N.; I. Biran and A.H. Halvery, (1974):** Effect of growth regulators on the growth and pigmentation of Baccara rose flows. Plant and Cell Physiology (1974), 12 (2) 341-349. (C.F. Hort. Abst., 1975, Vol. 45).

- Zieslin, N. and Halevy, A.H. (1976):* Interaction between cytokinis and (CCC) in bud breaking, flower bud atrophy and the gibberellin content of roses. *Zeitschrift fur pflanzenphysiologie* 77 (2) 160-166.
(C.F. Hort. Abst. 46: 10558, 1976.).
- Zieslin, N. (1977):* Formation fo rennewal shoots in Rose plants. *israel J. Botany*, 26 (1): 41. (C.F. Hort. Abst., 4833, 1978).
- Zizzo, G. (1988):* Planting density and quality and production of dried stems of Launaria annua. *colture protette* 17 (6) 77-81, Sanremo, Italy. Hort. Abst. Vol. 59 No. 7:5899.