

CONTENTS

	page
1- INTRODUCTION	1
2- REVIEW OF LITERATURE	3
2-1-Copper oxychloride compound	3
2-2-Copper oxychloride fungicide toxicity	4
2-3-Feed intake	6
2-4-Hematological changes	7
2-5-Biochemical blood assessments	9
2-6-Copper residues in different tissues	11
2-7-Copper excretion	13
2-7-1-Via feces	13
2-7-2-Via urine	14
2-8-Histopathological changes	15
2-8-1-Liver	15
2-8-2-Kidney	17
2-8-3-Ovary	19
2-8-4-Uterine horn	21
2-9-Reproductive and productive performance	21
2-9-1-Ovarian weight	22
2-9-2-Oviduct weight and length	23
2-9-3-Corpus luteum	23
2-9-4-Fetus and embryonic mortality	24
2-9-5-Litter traits	25
2-10-Cytogenetic studies	26
2-10-1-Structural aberrations	27
2-10-1-1-Gaps and breaks	27
2-10-1-2-Deficiency or deletion	28
2-10-1-3-Centromeric attenuation (Cent. separation)	28
2-10-1-4-Centric fusion	28
2-10-1-5-End to end association	29
2-10-1-6-Ring chromosome	29
2-10-2-Chromosome condensation (stickiness)	29
3-MATERIALS AND METHODS	33
3-1-Experimental design	33

3-2-Experimental animals and management	33
3-3-Experimental procedures	34
3-4-Preparation a stock of feed	35
3-5-Data collected	36
3-6-Histological study	37
3-7-Blood parameters	37
3-7-1-Hemoglobin (Hb)	37
3-7-2-Packed cell volume (PCV%)	37
3-7-3-Erythrocytes counts (RBC _s)	37
3-7-4-Total leucocytic count (WBC _s)	38
3-7-5-Creatinin	38
3-7-6-Urea	38
3-7-7-Biochemical analysis	38
3-8-Determination of copper residues in tissues	39
3-8-1-Preparation of equipment s	39
3-8-2-Preparation of samples	39
3-8-2-1-Digestion	39
3-8-2-2-Filtration	39
3-8-2-3-Measurement	40
3-9-Cytogenetic study	40
3-9-1-Chromosome prepared	40
3-10-Statistical analysis	41
4-RESULTS AND DISCUSSION	42
4-1-Fed intake.	42
4-2-Hematological assessment.	42
4-2-1-Hemoglobin (Hb).	42
4-2-2-Packed cell volume (PCV%).	48
4-2-3-Erythrocytes counts (RBC _s).	49
4-2-4-Total leucocytic count (WBC _s).	49
4-3-Biochemical blood assessment.	51
4-3-1-Aspartate amiontransferase (AST)	51
4-3-2-Alanine amiontransferase(ALT)	53
4-3-3-Creatinie	56
4-3-4-Urea	57
4-4-Copper residues in different tissues	59

4-4-1-Serum	59
4-4-2-Liver	63
4-4-3-Kidney	64
4-4-4-Muscle	66
4-5-Copper excretion	66
4-5-1-Feces	66
4-5-2-Urine	67
4-6- Histopathological changes	69
4-6-1-Liver	69
4-6-2-Kidney	72
4-6-3-Ovary	77
4-6-4-Uterine horn	80
4-7-Reproductive and productive performance.	83
4-7-1-Ovarian weight.	83
4-7-2-Oviduct length.	86
4-7-3-Corpus luteum.	87
4-7-4-Fetus and embryonic mortality.	90
4-7-4-1-Implantation sites.	90
4-7-4-2-Fetuses resorbtion.	93
4-7-5-Litter traits.	93
4-7-5-1-Litter size.	93
4-7-5-2-Litter weight.	98
4-7-5-3-Pre-weaning mortality rate.	101
4-8-Cytogenetic study.	101
4-8-1- Gaps and breaks.	103
4-8-2- Deficiency or deletion.	114
4-8-3-Centromeric attenuation (Cent. separation).	114
4-8-4-Centric fusion.	115
4-8-5- End to end association.	115
4-8-6-Ring chromosome.	116
4-8-7-Chromosome condensation (stickiness).	116
5- CONCLUSION AND RECOMMENDATION.	118
6- SUMMARY	120
7- REFERENCES	125
8- ARABIC SUMMARY	