

6- REFERENCES

- Abd El All, Th. S.; Aamer, A.A.; Ibrahim, H.; Ismail, M. N and Mohamed, M. E.R. (1990):** Some metabolic profiles at late pregnancy and parturition in ewes at Assiut Governorate. Assiut.Vet. Med. J. (24), 47, 172 – 179.
- Abd-Elmoty, A.K.I., Hassan, G.A., Fahmy, S.T.M. and Sayed,S. A.M.(1991):**Some physiological responses of sheep feed bagasse with different chemical reagents . J.of Anim. Prod. Vol. 28,no.,2,147-157.
- Abou-EL-Roos.M.A.,(1996) :**Some studies on the reproduction in female balady goats. Ph.D.Thesis , Faculty of Vet. Med.Moshtohor. Zagazig University (Benha Branch).
- Anderson, A. B. M.; Flint, A. P.F and Turnbull, A. C. (1975):** Mechanism of action of glucocorticoids in induction of ovine parturition: Effect on placental steroid metabolism. J. Endocrinol. 66, 61 – 70.
- Anderson, R.R- and Harness, J.R.(1975) :** Thyroid hormone secretion rates in mature goats. J.Anim-Sci.,. 40. (6) : 1130-1135.
- Anderson, R.R.; Wippler, M.H.L.U. and Hilderbrand ,E.S.(1972):** Thyroid hormone secretion rates in growing Jersey cattle . J.Dairy Sci.56 (9) , 1159-1163.

- Archer, R.K. and Jeffcott, L. B. (1977) :**Comparative clinical haematology (ed.) : Black well Scientific Publications Qxford London Edinburgh.
- Armstrong ,W.D. and Carr C.W. (1964):** Labortory Directions In physiological Chemistry 3rd edition, PP. 75 – 79. Burges Publishing Company, Minneapolis, Minnesota.
- Ashmawy, G. M.; El - Fouly, M.; EL-Talty, Y. and Salama, O. (1984):** Rahmani sheep lambing performance and post-partum oestrus manifestation as affected by season of matting and type of feed. *Egypt .J.Anim, Prod*, 24, (1-2) : 119-125 .
- Austin and Short (1972) :** The effect of hypophyseal gondotrophins on ovarian follicular population in immature rate. *Annals .Biol.Anim. Biochim.Biophys. Suppl.* 13:177-192.
- Awa,O.A.(1983):** Reproductive characteristics of Syrian Awassi Sheep. Publication , Arab Center for the Studies of Arid Zones and Dry Lands.*Animal , Breeding , Abstracts.*56. (2) : 792.
- Ayhan Ozturk (1995):** Repeatability estimates of birth weight and gestation period in Awassi sheep. *Ind. Vet. J.* 72: 1057 – 1060.
- Badawy, A. A.; El- Bashary, A. S. and Mohsen, M. (1973):** A study of sexual behaviour of the female Barki sheep – Alex. *J. Agric. Res.* 21 : 1-9.

- Baird,D.T.(1983) :** Factors regulating the growth of the preovulatory follicle in sheep and human .J.Reprod.Fert.69,343-352.
- Baird ,D. T. and McNeilly, A. S.(1981):** Gonadotrophic control of follicular development and function during the estrous cycle of the ewe. J.Reprod .Fertil-(Supp.30):119-133.
- Baird, D. T. and Scaramuzzi, R. J. (1976) :**The Source of ovarian oestradiol and androstenedion in sheep during the luteal phase. Acta Endocrinol .(Copenhagen) 83,502-509.
- Barbas,P., Mascarenhas, R.,Vasques, M.I.and Belo,C.C.(1987):**Post-partum anoestrus in Serra da Estrela ewes :a comparison between two groups of animals lambing during autumn or winter Animal,Breeding ,Abstracts, 56 (5) : 2712 .
- Bassett, J.M. and Thorburn, G.D.(1969):**Foetal plasma corticosteroids and the initiation of parturition in sheep . J.Endocrinol.44,285.
- Bassett, J. M. and Thorburn, G. D.(1973):**Circulating levels of progesterone and corticosteroids in the pregnant ewe and its foetus.In: Endocrinology of pregnancy and parturition Experimental studies in the sheep., PP : 126.Ed.C.G.Pierrepoint .Cardiff. Alpha Omega Alpha Publishing.

Beck, T. W. and Convey, E. M. (1977): Estradiol control of serum luteinizing Hormone concentrations in the Bovine. *J. Anim. Sci.*, 45, (5) : 1096-1101.

Bekeova, E.; Lecko, J.; Krajnicakova, M.; Hendrichovsky, V. and Mavacek, I. (1991): Changes in the concentration of cholesterol and thyroid in blood serum in the post partum in ewes. *Vet. Met., J.* 36 (11) : 673 – 684.

Bergerson , B.S.(1979):Endocrine hormones In : pharmacology in nursing (1st Ed), pp : 566-601.The C.V.Mosby Co.,St-Louis .

Bhasreker, M.R.;Daniel, S.J.and Mullik , D.N.(1967):A study on pules and respiration rates , rectal temperature and blood serum composition of lactating dairy cows . *Ind.J.Dairy Sci.* 20,49 - 55.

Birgel, E.H. and De Araujo ,L.M. (1968) :Blood protein levels in female goats (*Copra hircus*) raised in the state of Sao. Paulo ,Brazil .*Rev.Fac.Med.Vet., South Africa*,7,953-956.

Boulfehar, L.and Brudiendieux, R.(1980):Peripheral concentration of progesterone , cortisol, aldosteronge, sodium and potassium in the plasma of the Tadmit ewe during pregnancy and parturation .*J.Endocr* –84,25-33.

- Brandon, M.R. and D.L. Watson (1971) :**The mechanism of transfer of immunoglobulin into mammary secretion of cows. *Austration J.Exp.Biol.Med. Sci.*49:623.
- Buys , N;Peeters, R., Declerck.B.; Vanisterdael, J.; Kuhn,E.R. and Decuypere, E.(1990) :** Seasonal variations in prolactin, growth hormone and thyroid hormones and the prolactin surge at ovulation do not affect litter size of ewe during pregnancy in the oestrous or the anoestrous season. *J. Reprod. Fert.* 90 , 47 – 53.
- Calderbank , G.(1963):**Animal health , production and pasture . Eds. A.N. Worden, K.C. Sellers D.E. Tribe .PP. 681-736. (Longmans :London).
- Capote, J. and Vazquez, J. (1986):** Reproductive performance in a flock of Suffolk x Cuban Criollo ewes. *Animal Breeding Abstracts*, 56. (7) : 4446.
- Challis, J.R.G.(1971):**Sharp increase in free circulating estrogens immediately before parturition in sheep . *Nature –Lond.*208-229.
- Challis, J. R. G; Kendall, J. Z.; Robinson, J. S. and Thorburn, G. D. (1977):** The regulation of corticosteroids during late pregnancy and their role in parturition. *Biol. Reprod.*16, 57-63.

-
- Chan, G.L. and Perezgrovas Gazza, R.(1988):**Determination of the stages of reproduction in criollo ewes in the chiapas Mountains. Animal Breeding Abstract. 56 (12) : 2543.
- Cheville,N.F.(1983):**Blood and vascular system .I.Cell pathology (2nd Ed) Pp 183-235. Iowa state Univ. Press , Ames .
- Chiboka , O. and Thomas , K.D.(1985) :**Changes in the blood and foetal fluid composition at different stages of gestation in ewes. J-Veterinarmedizin , 23 : 65-71.
- Comline ,R.S.; Nathanielsz, P.W.and Marian Silver (1969) :**Passage of thyroxin across the placenta in the fetal sheep .Proceedings of the physiological Society , 3-4.
- Cox , R.I.(1975) :**The endocrinologic changes of gestation and parturition in the sheep. Adv.Vet.Sci.Comp.Med. 19,287-291.
- Currie, W.B; Wong, M.S.F; Cox, R.I.and Thorburn, G.D.(1973):** Spontaneous or dexamethasone – induced parturition in the sheep and goats :changes in plasma concentrations of maternal prostaglandin in $F_2\alpha$ and fetal estrogen sulfate .Mem .Soc.Endocrinol. 20,95-98.

- Daghash, H.A; Shetaewi ,M.M. and Saad,N.M.(1993):**Changes in certain blood and milk constituents during the first 5 weeks post lambing in Coarse –wool ewes of upper Egypt Amer. Conf.Physiol .Anim-Prod.,EL-Fayoum : 99-106.
- Davies, I. J. and Ryan, K. J. (1972):** Comparative endocrinology of gestation. Vet. And Horm. 30, 223-227.
- Dhoble, R.L. and Groupta , S.K.(1981) :**Total plasma protein and haemoglobin status during oestrous cycle and anoestrous in post-partum buffaloe . Vet.J.,58:544-557.
- Dimov, V. and Banskalieva, V. (1986):**Free fatty acids in plasma of pregnant ewes. Zhivotonv dni-Nauki. 23 (5) : 79 -83.
- Dobeli, M. and Schwander, B. (1983):**Pregnancy diagnosis in a sheep flock froms estimations of plasma progesterone- Kleinvieh Zuchter, 31 (1) ,27-28.
- Domanovszky, A. and Cserjes, I. (1978):** Investigations on the estrous and conception rate in Hungatian combing wool Merino ewes. Animal Breeding Abstracts, 47, (5) : 2350.
- Doumas, B. T.; Watson, W. A .and Biggs, H.G.(1971):** Albumin in standard and measurements of serum albumin with bromocresol green Clinico chimica,Acta.(31) : 87-96.

- Driancourt, M. A., Gibson, W. R. and Cahill, L. P. (1985):** Follicular dynamics throughout the oestrous cycle in sheep. A review. *Reprod. Nute. Develop.* 25, 1-15.
- Duncan, J.R. and Prasse, K.W. (1986):** Veterinary laboratory medicine (2nd Ed.). Iowa State Univ. Press. Ames. Iowa.
- Dunn, T.G., Ingalls, J.E.; Zimmerman, R. and Wiltbank, J.N. (1969):** Reproductive performance of 2-Year-old Herford and Angus heifers as influenced by pre-and post-Calving energy intake *J. Animal -Sci*:29:719.
- Dussault, J. H.; Hobel, C. J. and Fisher, D. A. (1971):** Maternal and fetal thyroxine secretion during pregnancy in the sheep. *Endocrinology*, 88 : 47 -50.
- Dyrmundsson, O. R. and Lees, J. L. (1972):** Attainment of puberty and reproductive performance in clun forest ewe lambs. *J. Agric. Sci, UK.*, 78, 39 –45.
- EL-Fouly, M. A.; Shafie, M. M.; Abdel-Aziz, A. S. and Kandeal, S. A. (1977):** Seasonal variation in estrus activity in Ossimi and Rahmani ewes. *Egyptian -J-Anim-Prod*, 17(1) :75-85.

- EL-Fouly, M. A.; Ashmawi, G. M.; El- Talty, Y. and Salama, O. (1984):** Rahmani sheep: Oestrus and mating performance as affected by season of mating and type of feed. Egypt. J. Anim. Prod. 24 (1-2): 111 – 117.
- EL-Ghoneimy , M.A.(1994) :** Relation between some blood parameters and both productive and reproductive performance in sheep .M. Sc.Thesis, Faculty of Agriculture , Menofiya University, Shibin EL-Kom,Egypt.
- El- Sabbagh, K. M. (1998):** Some triats for improvement of fertility in ewes. Ph. D. Thesis, Faculty of Vet. Med. Moshtohor Zagazig University (Benha Branch).
- El- Sayed, A. E. A. (1986):** The effect of feeding treatment on goats productivity and some blood constituents. Ph. D. thesis Ain Shams Univ., Cairo, Egypt.
- El-Sayed,A.I.M.(1988):** Some physiological aspects related to the productive and reproductive efficiency in sheep. Ph .D.Thesis,Faculty of Agric.Zagazig .University Benha Branch.
- El-Sayed, A. I. M. and Abdel – Gaffar, A. E. (1998):** Cytological Picture of vaginal smears and plasma estradiol - 17β and progesterone profiles during estrous cycle, pregnancy and anestram in ewes. Zagazig. Vet. J. 26, (3) pp : 138 – 150.

- EL-Sheikh, A. S., Salem, M. H; Ibrahim, I. I; Mohamed, A. A; El-Sherbini, A. A. and Yosef, M. K.(1981a) :**Relative adapted of some local and foreign breeds of sheep in sahara Desert. Egypt.J.Anim-Prod.,21:109-120.
- El-Sheikh, A. S, Ibrahim, I. I., Salem, M. H; Mohamed, A. A; and Yosef, M. k. (1981b) :**Phsiological adaptation of sheep in sahara Desert.Egypt .J.Anim-Prod.,21(2):99-108.
- El- Wishy, A. B., El- Sawaf, S. A. and Fouad, K. (1976):** Some aspects of reproduction in fat-tailed sheep in subtropies: 11- Seasonal variation in ovarian activity. Sonderduck aus zeitschrift fur Tierzuchtumg und Zuchtundsbiologic Bd. 93 11. 2, 5. 121 – 134.
- Feldman,S.D.;Valencia,M.J. and Zarco,Q.L.(1988):**Post-Partum ovarian activity of the ewe in Mexico.Animal Breeding Abstracts, 56. (12) : 7556.
- Fletcher,I.C.(1973):**Effects of lactation ,suckling and oxytocin on post-partum ovulation in ewes J.Reprod.Fertil.33:293-298.
- Foote,W.C.(1968):**Control of reproduction with or without hormones. Wool Technology and Sheep Breeding 15(11):87-97.

- Foxcroft, G. R.; Show, H. J. Hunter, M. G; Both, P. J. and Lancaster, R. T. (1978):**Relationships between luteinizing hormone , follicle – stimulating hormone and prolactin secretion and ovarian follicular development in the weaned Sow . Biol.Reprod . 36: 175-191.
- Gadsby , J.E.; Heap , R.B.; Powell, D.G and Walters ,D.E.(1972):** Diagnosis of pregnancy and the number of foetuses in sheep from plasma progesterone concentrations .Vet.Rec.90, 339 - 343.
- Gamal .M.H (1986) :** Studies on hormonal pattern in sheep during estrous cycle . M.Sc.Thesis .Faculty of Agriculture , at Mashtohor (Benha Branch), Zagazig University .
- Gartener , R.J.W., Wryley, J. and Beattie , H.W.(1966):** Values and variations of blood in biological fluids with methyl blue. Am.J.Clin . Path ., 58: 378-382 .
- Goding, J. R.; Catt, K. J.; Brown, J.M.;Kaltenbach, C. C.; Cumming, I. A. and Mole, B. J. (1969):** Radioimmunoassay for ovine luteinizing hormone. Secretion of luteinizing hormone during estrous and following estrogen administration in the sheep. Endocrinol. 85: 133 136.
- Goodman , R.L.; Pickover , S.M. and Karsch , F.J. (1981):**Ovarian feedback control of follicle-stimulating hormone in the ewe : Evidence for selective suppression. Endocrinology, (108): 772-777.

- Gordon, A (1983):** Controlled Breeding in Farm Animals. Text book 1st Ed. Printed in great Britain by wheaton and Co. L td, Exter.
- Gupta , P.P. (1973):**A study on quantitative changes in the liver lipids of Indian Piges suffering from sever protein malnutrition . J.Anim . Sci .43 (9) : 854-858.
- Hafez, E. S. E. (1952):** Studies on the breeding season and reproduction of the ewe J.Agric.Sci., Camb., 42 : 189 – 265.
- Hafez, E. S. E. (1987):** Reproduction in farm animal. 5th Ed. P.P. 92. Lea and Febiger, Philadelephia. J. Agric. Sci. 47 (1) : 208-211. :
- Hallford . D.M. and Galyean , M.L. (1982) :** Serum profiles in fine – wool sheep . Bovine practice . 3 (4) : 26 - 32 .
- Hallfrod , D.M.; Hudgens R.E., Moorrical D.G., Schoenenmann H.M., Kiesling H.E., and Smith G.S. (1982):**Influnce of short-term consumption of sewage solids on productivity of fall-lambing ewes performanc of their offspring .J.Anim .Sci., 54: 922-932
- Hamon, M. H .and Heap , R.B.(1990) :** Progesterone and oestrogen concentration in plasma of Barbary sheep (aoudad , Ammotragus lervia) compared with those of domestic sheep and goats during pregnancy .J.Repard .Fert . 90 : 207-211.
- Hopkins, P.S. (1972) :**The role of the thyroid gland in foetal development. Ph.D. Thesis, Macquarie University, New South Wales .

- Hulet , C.V. and Stormshak , F. (1972) :** Some factors affecting response of anestrous ewes to hormone treatment .J.Anim .Sci . 34, (6) : 1011-1019 .
- Hunaiti, A.A.;Muwalla, M.M.;Abuirjeie ,M.A. and Tawfeequ,F.(1989):** Determination of plasma progesterone in Awasi ewes using radiomunoassay. An. Breed .Abst., 57 (11) : 7294.
- Hunter , G.L. (1968):** Increasing the frequency of pregnancy in sheep , 11. Artificail control of rebreeding , and problems of concenption and maintenance of pregnancy during the post-partum period .Animal Breeing Abstracts, 36 : 533-553 .
- Hunter , G.L.(1971):** Is there a lactation anestrous in the sheep ? S.African .J.Anim .Sci. 1:55.
- Hunter , G.L. and Van Aarde , I.M.R.(1973) :**Infulence of season of lambing on post-partum intervals to ovulation and estrus in lactating and dry ewes at different nutritional levels .J.Reprod. fertil . 32: 1 .
- Ibrahim , M.K.; EL-Sayed , A.I.; Hamdieh , H. Kalil ; Attia , S.M.and Tantawy , M.A.(1993) :** Some physiological aspects of Ossimi and Ossimi crossbred lambs as affected by surgical castration and ethinyl estradiol implantation. 1.Concentration of some blood plasma components. Annals of Agric .Sci., Moshtohor , 31 (2) : 819-833.

- Kahl, S. and Bitman, J. (1983):** Relation of plasma thyroxin and triiodothyronine to body weight in growing male and female Holstein Cattle .J.Dairy Sci.66, 2386 –2390 .
- Kaneko , J.J.(1980) :** Thyroid function .In: Clinical Biochemistry of Domestic Animals (3rd E.d.) .PP. 491 –512 .
- Klos, Yu, S. (1990):**Changes in total protein fraction in blood serum of nonpregnant pregnant and lactating ewes. J. Selskokhozyaistvennaga. Biologiya., 4:48-51.
- Kolb, E.; Lippmann , R., Schwabe, H.; Kirbach, H.; Kricke , A.; Wahren, M. and Wallentin , G.(1993) :**Content ration of ascorbic acid , total protein , alfa –amino –N, glucose , 3 hydroxy butyrate , cholesterol and activity of adenosine deaminase in the plasma of sheep in 5 different periods of pregnancy as well as the content of ascorbic acid in 14 different tissues .J.Berliner und muchener tierarz Hiche wochenshrift, 106 (1) : 10-14.
- Krajnicakova, M., Bekeova, E. Hendrichovsky, V.and Maracek, I. (1993) :** Concentration of total lipids, cholesterol and progesterone during oestrus sgnchronization and pregnancy in sheep. J. Veter, Medi., 38 (6) : 349 –357.

- Kudari,F.A.A.(1992):** Factors affecting productive efficiency in sheep under subtropical conditions. M.Sc.Thesis,Faculty of Agric . Zagazig Univeristy,Benha Branch .Egypt.
- Leon,J.B.;Smith,B.B.;Timm,K.I.AndLeCren, G. L. (1990):** Endocrine changes during pregnancy parturition and the early post :– partum period in the llama (lama glama). J. Reprod. Fert. 88 : 503– 511.
- Liggins , G.D.; Grieves , S.A.; Kendall, J.Z. and Knox , B.S.(1972) :** The physiological role of progesterone , estradiol -17 β and prostaglandin F_{2 α} in the control of ovine parturition .J.Reprod . Fertile , 16, 85-90 .
- Long, J.F.; Hibbs , J.W. and Glimore , L. O. (1953):**The effect of thyrotropin feeding on the blood level inorganic iodine , PBI and cholesterol in dairy cows . J.Dairy Sci . 36: 1049 .
- Mabrouk, M. M.; Galal, E. S. E.;Ghanem, Y. S. and EL-Oksh, H. A. (1976):** A study of some reproduction aspects in sheep under semi – arid conditions. Egyptian. J. Anim. Prod. 16 (1): 1- 6.
- Madian , A.H. (1989) :** Effect of starvation on some physiological parameters in sheep . M.Sc. Thesis , Al-Azhar University , Faculty of Agriculture , Cairo, Egypt .

- Magdus, M., Galambos, L., Husveth, F. and Mucsy, E. (1984):** Lipid metabolism of ewe during the perinatal period. Landler, J. Magyar Allatorvosk. Lapje, 39 (11) : 673 – 680.
- Magdus, M.; Galambos, L., and Husveth, F.(1985)** :Studies on the lipid metabolism of ewe in the periparturient period .Medicic, Univ. Veter. Hungarica, 33 (2) :89-100 .
- Manalu, W.; and Sumaryadi, M.Y. (1998):** Maternal serum progesterone concentration during pregnancy and lamb birth weight at parturition in Javanese Thin-Tail ewes with different litter sizes. Small – Ruminant – Research. 30 (3) : 163 – 169.
- Manalu, W.; Sumaryadi.; M.Y. and Kusumorini, N. (1996):** Effect of fetal number on the concentrations of circulating maternal serum progesterone and estradiol of does during late pregnancy .Small Ruminant Research 23, 117 –124 .
- Manunta, T.A.; Naitrna, S.; Fioris, B and Dessna, G. (1984):** La fase declinata della lattazione negli ovini di razza sarda gravidi. Note 1-11. Profile –metabólica non mineral la clinica veterinaria Vol. 107 Gennaio 1-18 .
- Matter, H.E.(1988) :** Reproductive periods in Karakul sheep .Animal Breeding Abstracts, 56 (10) : 6319.

- McNatty, K. P.; Cibb, M.; Dobson, C.; Thurley, D. C. and Findlay, J. K. (1981):** Changes in the concentration of gonadotrophic and estradiol hormone in the antra fluid of ovarian follicles throughout the estrous cycle of the sheep T. Biol. Sci., 34, 67 –80.
- Miller , W.L.; Knight , M.M.; Grimek , H.J. and Corski , J.(1977):** Estrogen regulation of follicle stimulating hormone in cell cultures of sheep pituitaries .Endo., 100 (5) : 1306-1316 .
- Mixner , J.P.; Szabo, K.T. and Mather , R.E.(1966):**Relation of thyroxin secretion rate to body weight in growing female .Holestein –Friesian cattle . J.Dairy Sci. 49 : 199-201 .
- Mounib, M.S., Ahmed , I.A. and Hamada , M.K.O. (1956):** A study of the sexual behaviour of the female Rahmani sheep Alex . J. of Agric . Rcs. 4(2):85-108.
- Mourad , H.M.; Ibrahim , I.I and Youssef , H.I.(1981):**Thyroid function in relation to age at puberty in Egyptian water buffalo heifers. Egyptian J.Anim .Prod. 21(2),199-209 .
- Mousa, M. E. (1995):** Physiological studies on sheep reproduction M. Sc. Agric. Sci. Faculty of Agriculture, Zagazig Univeristy Benha Branch.

- Mukasa–Mugerwa,E.;Ezaz,Z.andViviani,P.(1990):** Plasma concentrations of progesterone during estrous cycles of Ethiopian Menz sheep using enzyme immunoassay .Small Ruminant Res . 3(1). 57-62 .
- Nathanielsz , P.W.(1975) :**Thyroid function in the fetus and newborn mammals . Brit. Med. Bull., 13:51.
- Nathanielsz , P.W. Comline , R.S; Silver , M and Thomas , .L.(1973a):**Thyroid function in the foetal lamb during the last third of gestation . J. Endocr., 58, 535-546 .
- Nathanielsz, P.W.Silver , M. and Comline , R.S. (1973 b):**Plasma triiodothyronine concentration in the foetal and Newborn lamb .J.Endocr., 58 : 683 –684 .
- Novoa , C.(1986) :**Interrelationships between source and level of progesterone and number of fetuses at different stages during pregnancy in sheep .Animal Breeding Abstracts, 55 (3) :1536 .
- Nuryadi,A.M.,Winantea,A.andBruchem, J. Van. (1986):** Reproductive performance of fat tailed sheep in east Java-First oestrous in young ewes related to type of birth and in adult ewes as affected by time of weaning .Animal Breeding Abstracts, 56 (12) : 7574.

- Okab, A.B; Elbanna , I.M., Mekkawy .M.Y.; Hassan , G.A.; El-Nouty, F.D. and Salem , M.H. (1993):** Seasonal changes in plasma thyroid hormones, total lipids, cholesterol and serum transaminases during pregnancy and at parturition in Barki and Rahmani ewes . Indian J.of Ani - Sci., 63(9): 946-951.
- Osbladiston , G.W.(1972) :**Serum protein fractions in domestic animals Br. Vet. J., 128 : 386 -371.
- Peeters . R., Buys , N.; Pauweles , I.; Kuhn , E.R.; Decuypere ,E.; Slau, O. and Isterdael ,J.Van (1989):** Relationship between the thyroidal and gonadal axes during the estrous cycle of ewes of different breeds and ages Reproduction , Nutrition ,Development , 29(3) 237-245.
- Pichaicharnarong , A.; Loypet , J.R.A. and Chaiyabutr , P.(1982) :** Thyroid activities on non-pregnant , pregnant , post –partum and new born Swamp Buffaloes . J.Agric. Sci. Camb. 98,483-486 .
- Pieragostini, E., Petazzi, F., Dario, C., Satriani, A. (1991):** Total protein content and protein fraction of blood serum in leccese sheep. J. Produzione – Ruminati, 1:187 – 193.

- Ranilla , MJ., Sulon . J.; Mantecon , AR., Beckers, JF.; Carro, MD., (1996):** Plasma pregnancy-associated glycoprotein and progesterone concentrations in pregnant ewes carrying single and twin lambs . Small-Ruminant-Research , 24 (2) : 125-131 .
- Ramos, J.J., Verde, M.T., Marca , M.C. and Fernandez, A.(1994):** Clinical chemical values variation in Rasa Aragonesa ewes and lambs . Small -Ruminant –Research, J.,13 (2) :133-139.
- Rawal , C.V.S., Singh , R. and Luktuke , S.N.(1987):** Serum cholesterol level during different phases of pregnancy in Muzaffarnagri sheep . Indian Vet. Med .J., 11 (1): 34 –36 .
- Rawal , C.V.S, Card , R.C and luktuke , S.N.(1991):**A note on serum cholesterol level in Muzaffarnagri sheep Indian during different seasons. J.Anim .Repr . 12 (1) :82 –48 .
- Rawlings , N.C. and Ward , W.R.(1978):**Correlations of maternal and fetal endocrine events with uterine pressure changes around parturition in the ewe .J.Reprod . Fert . 54,1-8.
- Reddy ,V.S.C.; Rao, P.N.; Reddy , B.B. and Murthy , A.S.N. (1989a):** Plasma levels of progesterone in cycling and pregnant ewes. Animal Breeding Abstracts, 59 (4) : 2528 .

- Reddy ,V.S.C.; Rao, P.N. and Sadhnani, P. (1990):** Oestrogens in jugular venous plasma of ewes during oestrous cycle and early pregnancy . Ind.J. Anim ., Sci., 60 (9) 1088 – 1099 .
- Rhind , S.M., Gunn ,R.G. and Doney, J.M. (1983):**A note on reproductive performance and plasma progesterone level during early pregnancy of scottish Black Face and Cheviot ewes in relation to body condition and level of nutrition prior to mating Anim .Prod. 37: 455-458.
- Rizk, F. Y. (1999):** Some Factors affecting reproductive traits in sheep. M. Sc. Thesis. Faculty of Agriculture (Moshtohor). Zagazig University Banha Branch.
- Robertson, H.A. and Smeaton, T.C. (1973):**The concentration of unconjugated oestrone, oestradiol-17 β in the maternal plasma of the pregnant ewe in relation to the initiation of parturition and lactation . J.Reprod .Fert. 35 ,461-468
- Romero . R.C.; Damian , M.P.; Lueje ,T .V. and Morato . C.T.(1988)**
: Reference values for serum progesterone during the oestrous cycle in ewes .Animal Breeding Abstracts, 56 (7) : 4471 .

- Ross , G.T.; Corgille , C.M.; Lipestt , M.D.; Rayford , P.L.; Marschell, J.R. Strott, C.D. and Rodbard, D.(1970):** Pituitary and gonadal hormone during spontaneous induced ovulatory cycle .Recent . Progr . Hormone Res . 26:1-62.
- Roth, G.; Pop .P.; Falca, C. and Mot , M . (1987) :** Variation in some biochemical parameters in energy and protein metabolism of Corriedale sheep . J.Medicina . Veterinara , 22:123-127 .
- Salem , I.A.; Kamal , G.; Ali, A. M.A.; Hassan , A..H.S and Aziza , A.A. Selim (1986) :**Quantitative histological studies on the thyroid gland of ewe during estrus cycle and pregnancy. Assiut Vet .Med.J.17 (34) : 99 -105.
- Samak , M.A., Hassan, G.A., El-Nouty ,F.D., Zahras, Abo-EL-Ezz and Badawy(1986):** Seasonal differences in some blood components of Egyptian sheep and goats .J.Anim.Prod.,26:135-145.
- SAS(1996) :**SAS User's Guide statistics , SAS Institute , Cary , N.C.
- Schmidt, G.H.(1971):** Biology of lactation .1st end Freeman and Co., San Fransisco.
- Schmidt,G.M.(1964):**Thesis ,Iyon .(Total lipids determination method).
- Schneider,F.A.and Hallford,D.M.(1996) :**Use of a rapid Progesterone radioimmunoassay to prediet pregnancy and fetal numbers in ewes. Sheep and Goats-Research,J.12 (1) : 33-38.

- Shaffer, L.; Roussel, J. D and Koonea, K. L. (1981):** Effect of age temperature season and breed on blood characteristics of dairy cattle. J. Dairy Sci. 64, 62-67.
- Shalaby, T.H. (1985):** Performance and adaptation of local sheep to varied environmental and managerial conditions. Ph . D. Thesis . Anim . Prod . Dept . Fac. of Agric .Cairo . Univ. Egypt .
- Shetaewi, M.M and Daghash , H-A. (1993) :**Effects of pregnancy and lactation on some biochemical components in the blood of Egyptian coarse –wool ewes .Assiut Vet. Med .J. 30 (59).
- Shetaewi , M. and Ross , T.T.(1990):** Effect of lasalocid on performance , serum chemistry and hormone profiles of feedlot lambs . Sid sheep Research .Sid sheep Research J. 6 (3).
- Shetaewi , M.M. and Ross , T.T.(1991):**Effect of concentrates supplementation and lassalocid on serum chemistry and hormone profiles in Rambouillet ewes . Small-Rumin .Res., 4 (3) : 365 –377 .
- Shetaewi , M.M.; Daghash , H.A.; Abd-El – Salam , M.N. and Abd-EL-All , T.S.(1991):**Effect of supplemental iodine on performance , hematology and selected serum constituents of Coares – wool lambs . Assuit Vet . Med. J. 26 (51).

Shetaewi , M.M.; Daghash , H.A and Abd-EL-All , T.S.(1992):

Growth performance , hematology and serum profiles of coares wool lambs as influnced by supplemental vitamin E. Assiut Vet. Med . J. 27 (54).

Short , and Bulman , D.C. (1972) : Interrelationship between the pituitary , the corpus luteum , the uterus and the hypothalamus in sheep .In : Reproduction in mammals . Book 3 ; Austin and short (eds.) Cambridge .

Sommer ,H. and Marex , O.(1969):Die fruchtlourcheit des Rinds und thre Bazilung zum soffwechsel vorlaujige mittailung uber Bluserumwerte (GOT.LHD Blutzucker, Cholesterin , Glucose). Bert .Munch . Tieraztle wschr ., 82 : 201 –204 .

Southan,E.R.;Hulet,C.V.and Botkin, M. P. (1971): Factors influencing reproduction in ewe lambs. J. Anim. Sci. 33 : 1282 –1287.

Stabenfeldt, G. H, Drost, M. and Franti, C. E. (1972): Peripheral plasma progesterone levels in the ewe during pregnancy and parturition. Endocrinology 90, 144-150.

Steele, P.A.; Flint, A. P. F. and Turnbull, A. C. (1976): Increased utero–ovarian androstendione production before parturition in sheep. J. Prod – Fertil. 46 : 443-447.

- Suliman,A.H.;El-Amin, F, M. and Osman, A. H. (1978):** Reproductive performance of Sudan indigenous sheep under irrigated Gezira conditions. *Animal Breeding Abstracts*, 46, 12 : 6058.
- Sulu , N.; Ozsar , S. and Guven , B. (1988):**Determination of blood progesterone concentration in Sakiz sheep by means of radioimmunoassay . *Animal Breeding Abstracts* , 58 (9) : 6006 .
- Sutherland , R.Ll. and Irvine , C.H.G.(1974):** Effect of season and pregnancy on total plasma thyroxine concentration in sheep. *Am. J. Vet. Res.* 35, 311 – 312.
- Swerdloff , R.S. and Odell, W.M. (1969) :**Serum lutenizing and follicle stimulating hormone levels during sequential and non sequential contraceptive treatment of eugonadol woman . *J. Clin-Endoc* . 29 : 157 – 163 .
- Symonds , M.E . ; Bryant , M.J. and Lomax , M.A.(1990):** Metabolic adaptation during lactation in winter –shorn sheep .*J. Agri-Sci. Camb.*, 114 : 201-205 .
- Tata , J.R.(1964):**Biological action of thyroid hormones at the cellular and molecular levels. In : G Litwack and D. Kritchevsky (Ed.) Actions of hormones on Molecular Processes . J. Wiley and Sons , New York , N. Y. P . 58-60 .

- Thorburn , G.D; Nichol, D. H ; Bassett , J.M.; Shutt , D.A and Cox, R.I. (1972):**Parturation in the goats and sheep : Changes in corticosteroids, Progesterone , estrogen and prostaglandin . Repord . Fertil . (Supple .) 16 : 61 – 67 .
- Tsang , C.P.W. (1978):**Plasma levels estrone sulfate free estrogens and progesterone in the pregnant ewe through out gestation .Theriogenology, 10, 97-110.
- Usami, S., Chien, S. and Gregersen, M. I. (1969):** Usometric characteristics of blood of the elephant, man doy. Sheep and goat .Am. J. Physiol . 277-284 .
- Wallace, A.L.C.; Gleeson, A.R; Hopkins, P.S.; Mason , R.W. and White , R.R.(1978):**Plasma thyroxine concentrations in Grazing sheep in Several Areas of Australia Aust . J.Biol .Sci .; 31 (1), 39-47
- Watson, D. (1960):** A simple method for the determination of serum cholesterol – Clinical Chemistry Acta, 5: 637 – 639.
- Whitemen, J. V.; Zollinger, W. A.; Thrift, F. A. and Gould, M. B. (1972):** Postpartum mating performance of ewes involved in a twice – yearly lambing program. J. Anim. Sci. 35 : 836-840.
- Zarkawi , M. (1997):**Monitoring the reproductive performance in Awassi ewes using progesterone radioimmunoassay .Small – Ruminant- Research , 26 (3) : 291 –294 .

Zarrow , M.X., Yochim , J.M. and Mc Carthy , J.L. (1964):

Experimental endocrinology. A source book of basic techniques

(Academic Press Inc ., New York).

Zeing , G.Q. and Jiang , G.T.(1984) : Blood progesterone content of

Nigxia Tan ewes during pregnancy J. Anim . Sci ., 1, 6-7.