


A decorative border composed of repeating floral and leaf motifs, arranged in a rectangular frame around the central text.

REFERENCES

REFERENCES

- ABDEL-AL, H.R., R.M. ABDEL-SATTAR, A.M. EL-SHERBINI, M.H. SHATA & H.B.A. ABDEL-AZIZ (1984): Activities of enzymes during development of certain citrus fruit rot diseases. *Egyptian Journal of Phytopathology* 16, 11-21.
- ABDEL-HAFIZE, N.F. (1982): Studies on malformation disease of mango in the A.R.E and its control. M. Sc Thesis; Fac. Agric., Zagazig Univ., Egypt.
- ABDEL-SATTAR, M.A. (1973): Histopathology of mango malformation. M. Sc. Thesis, Fac. Agric., Al-Azhar Univ., Cairo.
- ABDEL-SATTAR, M.A. (1978): Studies on banana fruit rot during developing, harvesting and ripening. PH. D. Thesis, Fac. Agric. Cairo Univ., Egypt.
- ABO-EL-HAMED, A.S.A (1981): Physiological studies on the developmental stages, handling and storage of tomato fruits. Ph. D. Thesis, Fac. Agric., Al-Azhar Univ.
- ADISA, V.A. (1985): Fruit rot diseases of guava (*Psidium guajava*) in Nigeria. *Indian Phytopathology* 38, 427-430.
- AHMED, F.A.S. (1978): Studies on Fusarium basal rot disease of Onion. M. Sc. Thesis, Fac. Agric. Assiut Univ., Egypt.
- AHMED, H.U. & H. HUQ. (1973): Utilization of carbon by three Jute pathogens. *Bangladesh Jour. of Biological and Agric. Science* 2 32-33 (c. f. Rev. Pl. Pathol., 52, 577).
- ALICBUSAN, R.V. & L.A. SCHAFER (1958): *Diplodia* rot of mango. *Philipp. Agriculturist*. 42, 319- 322.

- ALI, S.S. (1976): Changes in the sugar content of Musambi fruits infected with *Botrydiplodia theobromae* Pat. Acta Botanica Indica 4, 63-65.
- ALI, N., M. ASLAM, H. INAYATULLAH & F. LODHI (1979): Chemical control of decay in citrus reticulata blanco cv. Kinnow. Journal of science and technology (c.f. Rev. Appl. Mycol. 58, 1949.-1979)
- ALVAREZ-GARCIA, L.A. & J. LOPEZ-GARCIA (1971): Gummosis, die-back and fruit rot disease of mango (*Mangifera indica* L.) caused by *Physalospora rodina* (B and A) Cke. in Puerto Rico J. Agric. Univ. Res. 55, 435-450.
- ANONYMOUS, (1975-1985): Studies on post harvest diseases of mango and thier control. Ann. Res. Rep. ; central Mango Research Station, Lucknow India.
- ANONYMOUS, (1986b): Pest Control Program. Min. of Agric. A. R. E. pp. 335. (In Arabic).
- ANWAR, N. & S.S. HUSSAIN (1983): Studies on nutrition of fungi ; Part VII. Effect of amino acids and thier combinations on the growth of different fungi. Pakistan Journal of Scientific and Industerial Research 26, 247-250.
- A. O. A. C. (1970): Official methods of Analysis of the association of official agricultural chemist,s.puplished by A. O. A. ., P O Box Washington, D. C.
- ARINZE, A.E. (1985): The adsorption of a polygalacturonase isoenzyme of *B. theobromae* on plant tissues and the implication on the pathogenicity of the fungs. Phytopath. Z., 114, 13-20
- ARINZE, A.E. & I.M. SMITH (1979): Proudution of a polygalacturonase complex by *B. theobromae* and ist involvement in the rot of sweet potato. Physiological Plant Pathology 14, 141-152.

- ARINZE, A.E. , S.H.Z. NAQVI & I.A. EKUNDAYO (1975): Storage rot of sweet potato and the effect of fungicides on extracellular cellulolytic and pectolytic enzymes of the causal organism. *International Biodeterioration Bulletin* 11, 41-47.
- ARINZE, A.E. , S.H.Z. NAQVI & I.A. EKUNDAYO (1976): Production of extracellular cellulytic and pectic enzymes by *Lasiodiplodia theobromae* on sweet potato (*Ipomea patatas*) tubers. *International Biodeterioration Bulletin* 12, 15-18.
- ASPINALL, G.O. (1980): Chemistry of cell wall polysaccharides. In *The Biochemistry of Plants*. Vol. 3, Ed. by J. Preiss, pp. 473-500. Academic Press , New York.
- BAILEY, B.A., D.F.J. DEAN & ANDERSON (1990): An ethylene biosynthesis-inducing endoxylanase elicits electrolyte leakage and necrosis in *Nicotiana tabacum* cv. Xanthi leaves. *Plant Physiology* 94, 1849-1854.
- BANDYOPADHYAY, B. & S. MUKHOPADHYAY (1981): Effect of Quinoline fungicide on the culture characteristics of some plant pathogens. *Science and Culture* 46, 342-343. (c. f. *Rev. Pl. Pathol.* 60, 526).
- BARAKA, M.A. (1983): Pathological studies on mango fruit rots. Ph. D. Thesis, Fac. Agric., Suez Canal Univ., Egypt.
- BARAKAT, F.M , A.M. ABDEL-SALAM , K.A. ABADA & A.K.M. KORRA (1990): Pathogenicity of fungi associated with die-back of peach and some pome and stone fruit trees. *The Sixth Congress of phytopathology, Cairo* , 311-323.
- BARASH, I., J.M. KLISIEWICS & T. KOSUGE (1964): Biochemical factors affecting pathogenicity of *Botrytis cinerea* on Safflower. *Phytopathology* 54, 923-927
- BARNETT, H.J. (1960): *Illustrated Genera of Imperfect fungi*. Burgess, Minneapolis, U.S.A. 225pp.

- BHARGAVA, S.N., A.K. GHOSH, M.P. SRIVASTAVA, R.H. SINGH & R. N. TANDON (1965): Studies on fungal diseases of some tropical fruits. VII Effect of temperature on the decay of Mango, Banana and Guava caused by some important pathogens. Proc. Natn. Acad. Sci. India, Sect. B 35, 393-398.
- BILGRAMI, K.S. & R.N. VERMA (1980): Physiology of fungi 2 nd ed. p.26. vikas Publishing House PVT. Lid.
- BOOTH, C (1971): The genus *Fusarium*. Commonwealth Mycological Institute, Kew, Surrey, England.
- BORGET, M. (1949): Further studies on the fungi parasitic on Hevea in Indo-China. Rev. Bot. Appl. 29, 317-318 (c. f. Rev. Appl. Mycol.).
- BRADFORD, M. (1976): A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. Anal. Biochem. 72, 248-256.
- BRAIN, P.M. , A.W. DAWKINGS , J.F. GROVE , H.G. HEMMING , D. LOWE & G.L.F. NERRIS (1961): The genus *Fusarium*. j. Exp. Bot. 12, 1-12. (c.f. Booth, C. 1971. the genus *Fusarium*. commonwealth Institute, Kew, Surrey, England).
- BROWN, G.E. (1986) Effectiveness of postharvest fungicides for the control of citrus fruit decays. Proceeding of the Florida State Horticultural Society 98, 208-211.
- BURHAN, M.J. (1987): Outbreaks and new records. United Arab Emairats. *Botryodiplodia* on Mangoes and Banana. FAO Plant Protection Bulletin 35, 34.
- BURKE, D., P. KAUFMAN, M. McNEIL & P. ALBERSHEIM (1974): The structure of plant cell walls VI. A survey of the walls of suspension-cultured monocots. Plant Physiology 54, 109-115

- CARDOSO, R.M.G. (1963): the *Diplodia* rot of Rubber. *Biologico*. **29**, 3-5 (c.f. Rev. App. Mycol. **42**, 570).
- CHATTOPADHYAYA, P.K. , S.K. SADHUKHAN & M.K. SADHU (1978): Studies on the physiology of fruit growth in mango. *Indian, Agriculturist* **22**, 199-206 (c.f. Hort. Abst. **51**, 351)
- CHI, C.C. & E.W. HANSON (1964): Mechanism of wilting incited by *Fusarium* spp. in red clover. *Phytopathology* **54**, 646.
- CHILE, S.K. (1984): Oxidative metabolism under *Botryodiplodia* fruit rot Pathogenesis. *Indian Journal of Myco. and Plant Pathol.* **14**, 138-142 (c. f. Rev. pl. Pathol. **65**, 1368).
- COJOCARU, M., S. DROBY, E. GLOTTER, A. GOLDMAN, H. GLOTTER, E. JACOBY & D. PRUSKY (1986): 5-(Heptadecenyl)-Resorcinol, the major component of the antifungal activity in the peel of mango fruit. *Phytochemistry* **25**, 1093-1095.
- CUTLER, J. (1980): Identified two toxins in *Diplodia macrospora*. *Agric. Food. Chem.*, **28**, n1. pp. 135- 142. (c.f. The Agrochemical Industry and the environment, Rhone-Poulenc Agrochimie 14-20, rue Pierre- Baizet, Lyon 9, B.P. 9163-69263. Lyon Cedex 09 France.
- DARVAS, J.M. & J.M. KOTZE (1987): Fungi associated with pre and postharvest diseases of avocado fruit at westfaliaa Estate, South Africa. *Phytophylactica* **19**, 83-85.

- DAS GUPTA, S.N. & A.T. ZACHARIAH (1945): Studies in diseases of *Mangifera indica* V. On the die-back diseases of mango tree. J. Indian Bot. Soc. XXIV 3, 101-108.
- DAWOOD, N.A. (1962): Studies on fruit rot of mango caused by *Botryodiplodia theobromae* Pat. M. Sc., Thesis, Faculty of Agric, Cairo Uni.,.
- DEAN, J.F. D. & D.J. ANDERSON (1991): Ethelene biosynthesis-inducing xylanase II. Purification and physical characterization of the enzyme produced by *Trichoderma viride*. Plant Physiology 95, 316-323
- DINGLE, J., W.W. REID & G.L. SOLOMONS (1953): The enzymatic degradation of pectin and other polysaccharides. II. Application of the cupplate assay to the estimation of enzymes. J. Sci. Food Agric. 4, 149-155.
- DROBY, S., D. PRUSKY, B. JACOBY & A. GOLDMAN (1986): Presence of antifungal compounds in the peel of mango fruits and their relation to latent infections of *Alternaria alternata*. Physiological and Molecular Plant Pathology 29, 173-183.
- EKUNDAYO, J.A. & T. M. DANIEL (1973): Cassava rot and its control. Trans. Brit. Mycol. Soc. 61, 27-32.
- EL-ADAWY, A.A. (1969): Studies on the die back of mango. Ph. D. Thesis. Faculty of Agric. Cairo Univ.
- EL-GHANDOUR, M.A. , M.S. FADL & H. A. HAMAWI (1975): Biological studies for exploring interaction between some native growth regulators and abnormal growth of mango shoots. Egyption Journal of horticulture 2, 173-176.

- EL-GHANDOUR, M.A. , A.S. KHADER & S.A. HUSSEIN (1979): Some biological, biochemical and nutritional change *Fusarium moniliforme* sheld. Egypton Journal of Horticulture 6, 13-22.
- EL-GOORANI, M.A. & M.A. EL-MELIGI (1972): Die-back of by *Botryodiplodia theobromae* Pat. in Egypt. Phytopathol. Medit. 11, 210-211.
- EL-HELALY, A.F. , I.A. IBRAHIM & H.M. EL-AROSI (1955): Studies on *Botryodiplodia* Fruit-rot on Banana in Egypt. Alex. Jour. Agric. Res. 3, 109-121.
- EL-KADY, S.M.A. (1982): Effect of gamma radiation and some growth regulators on ripening and senescence in mango fruits. M. Sc. Thesis, Fac. Agric. Moshtohor, Zagazig Univ.
- FAHMY, T. (1923): The production by *Fusarium solani* of toxic excretory substance capable of causing wilt in plant. Phytopathology 13, 543-550
- FARKAS, G.L. & Z. KIRALY (1962): Role of phenolic compounds in the physiology of plant disease and disease resistance. Phytopathol. Z. 44, 105- 150.
- FCCHS, Y., A. SAXENA, R.H. GAMBLE & D.J. ANDERSON (1989): Ethylene biosynthesis-inducing protein from cellulysin is an endoxylanase. Plant Physiology 89, 138-143
- FERNANDO, M. (1937): A note on a soft rot of stored mangoes caused by *Botryodiplodia theobromae* Pat. Trop. Agriculturist. 6, 381-387.
- FILER, T.H. (1969): Sycamore canker caused by *Botryodiplodia theobromae*. Phytopathology 59, 76-78.

- FRAIRE, MORA, R. (1973): Evaluation of fungicides on the prevention of anthracnose, *Colletotrichum gloeosporidies*. Agriculture Tecnicean Mexico **3**, 236 (c. f. Rev. Pl. Pathol. **53**, 1028).
- GAFAR, K. , S. ABDEL-MONEM & K. ABDEL-MAGIED (1979): Pathological studies on the Phenomena of mango fruit dropping. Agric. Res. Rev. **57**, 11-27. Cairo.
- GAUMANN, E. (1957): Fusaric acid as a wilt toxin. *Phytopathology* **47**, 324-327
- GHOSH, A.K. , R.N. TANDON , K.S. BILGRAMI & M. P. SRIVASTAVA (1964): Post infection changes in sugar contents of some fruits. *Phytopathol. Z.* **50**, 250-261.
- GILMAN, J.C. (1957): A manual of soil fungi (2 ED). The Iowa State College Press. Ame. Iowa, USA, 1957, 450p.
- GOLLIFER, D.E. & R.H. BOOTH (1973): Storage losses of taro corms in the British solomon Islands Protectorate. *Annals of Applied Biology* **73**, 349-356.
- GOODMAN, R.N. , Z. KIRALY & M. ZAITLIN (1976): The biochemistry and physiology of infections plant diseases. D. van Nostrand Company. INC. Toronto. New York & London.
- GUPTA, J.S. & S.C. GUPTA (1964) Effects of *Protomyces macrosporous* on the sugar make up in the leaves and fruits of *Coriandrum sativum*. *Proc. nat. Acad. Sci. India*, **32B**, 91-92
- HALOS, P.M. & G.G. DIVINAGRACIA (1970): Histopathology of mango fruits infected by *Diplodia natalensis*. Phillip. *Phytopatho.* **6**, 16-28.
- HANSEN, H.N. (1926): A simple method of obtaining single spore. *Cultures Science* (n.s) **64**, 384.

- HAWKER, L.E. (1950): Physiology of fungi. Univ. of London Press, LTD. warwich square, London.
- HOLLIDAY, P. (1960): A spraying and harvesting trials in Trinidad against Cocoa pod disease. Trop. Agriculture Trin. **37**, 235-242. (c. f. R. A. M. **40**, 215).
- HUSSEIN, S.A. (1975): Studies on vegetative and floral malformation in mango. M. Sc. Thesis, Faculty of Agric. Cairo Univ.
- HUSSIN, N.A. (1976): Studies on mango fruit-rot. M. Sc. Thesis Faculty of agric. Ain-Shams Univ. Egypt.
- ISHII, S. (1988): Factors influencing protoplast viability of suspension-cultured rice cells during isolation process. Plant Physiology **88**, 26-29
- JOHANSON, L.F. (1957): Effect of antibiotics on the numbers of bacteria and fungi isolated from soil by the dillution-plate method. Phytopathology **47**, 630-631.
- JU-LURIC (1978): Hand Book of Analytical Chemistry. (Translated from Russian) MIR Publishers, Moscow, U. S. S. R. 129-820.
- KIM, C.H. , H.D. SEO , W.D. CHO & S.B. KIM (1982): Studies on varietal resistance and chemical control to the wilt of strawberry caused by *Fusarium oxysporum*. Korean Journal of Plant Protection **21**, 61-67. (c. f. Rev. Pl. Pathol. **62**, 103).
- KORRA, A.M.K. (1989): Die-back of pome and stone fruit trees with special reference to peach die back. M. Sc. Thesis, Fac. Agric., Cairo Univ. 169 pp.
- KOHLER, W., G. SCHACHTEL & P. VOLESKE (1984): Biometrie, Einführung in die Statistik für Biologen und Agrarwissenschaftler. Springer. Verlag. Berlin Heidelberg New York.

- KULIK, M.M. & E.C. TIMS (1960): Screening of fungicides and chemotherapeutants for control of pink root of onions and shallots. *Plant Disease Reporter* **44**, 379-382.
- LEWIS, R.J. (1978): Influence of infection court, host vigor and culture filtrates of canker production by *B. theobromae* conidia in sycamore. *Pl. Dis. Repr.* **62**, 934-937.
- LEWIS, R.J. & E.P. VAN-ARSDDEL (1978): Development of *Botryodiplodia* cankers in Sycamore at controlled temperature. *Pl. Dis. Repr.* **62**, 125-126.
- LINGARAL, D.S. (1969): Mango disease and pests (*Mangifera indica* L.) *Int. Mysore Hort. Soc.* **14**, 15-18. (c. f. *Rev. Pl. Pathol.* **50**, 831).
- LIU, X.J. (1985): Control of the infection of mango by latent pathogenic fungi during storage. *Chinese Journal of Tropical Crops* **5**, 107-112
- LOEVE BIOCHEMICA CO. (1994) Soluble dye-labeled substrates for the detection of polysccharude-degrading microorganisms and enzymes. Germany.
- LOTAN, T. & R. FLCHR (1990): Xylanase, a novel elicitor of pathogenesis-related proteins in tobacco, uses a non-ethylene pathway for induction. *Plant Physiology* **93**, 811-817.
- MANSOUR; I.M. (1986): Die-back of branches and twigs and fruit rot of pear in Egypt. *Proc. 6th* Conf. Egyption Society of applied Microbiology, Cairo, No. 59.
- MCMILLAN, R.T. (1973): Control of anthracnose and podery mildew of mango with systemic fungicides. *Trop. Agriculturist* **50**, 245-248. (c. f. *Rev. Pl. Pathol.* **53**, 1029).

- MEAH, M.B. , R.A. PLUMBLEY & M.J. JEGER (1991): Growth and infectivity of *Botriodiplodia theobromae* causing stem-end rot of mango. Mycol. Res. **95**, 405-408.
- MILLER, W.R. , R.E. McDONALD & J.L. SHARP (1991): Quality changes during storage and ripening of 'Tommy Atkins' Mangos treated with heated forced air. Hortscience **26**, 395-397.
- MOUSTAFA, A.F. & A.A. AL-MUSALLAM (1975): Contribution of the fungal flora of Kuwait. Trans. Brit. Mycol. Soc. **65**, 547-553.
- MUKHERJEE, S.K. (1953): The mango- its botany, cultivation uses and future improvement. especially as observed in India. Economic Botany **7**, 130-162.
- MUSTARD, M.J. & J.S. LYNCH (1945): Effect of various factors upon the ascorbic acid content of some Florida grown mangoes. Flo. Agric. Exp. Sta. Bull. **406**.
- MUTING, D. & E. KAISER (1963): Hoppe-Sayler's Zschr. *Physiol. Chem.*, 332-376. (c. f. HASSAN, N.S. 1980: Ecological and physiological studies of certain algae. M. Sc. Thesis, Fac. of Science, Ain Shams Univ., Egypt)
- NARENDRA, D.U. , T. NEZZAL & J.C. SAUTIAGO (1979): Heart rot of date palm. FAO Plant Protection Bulletin **27**, 132-133.
- NOON, R.A. (1978): Storage and market diseases of Yams. Tropical Science **20**, 177-188.
- OGUNDANA, S.K. (1972): The control of soft rot of Yams in Nigeria. International Biodeterioration Bulletin **8**, 75-78. (c. f. Rev. Appl. Mycol. **52**, 268).
- OGUNDANA, S.K. (1983): Life cycle of *B. theobromae*, a soft rot pathogen of yam. Phytopathol. Z. **106**, 204-213.

- OGUNDANA, S.K. , S.H.Z. NAGVI & J.A. EKUNDAYO (1970): Fungi associated with soft rot of Yams (*Dioscorea spp.*) in storage in Nigeria. Trans. Brit. Mycol. Soc., **54**, 445-451.
- OGUNDANA, S.K. , S.H.Z. NAGVI & J.A. EKUNDAYO (1971): Studies on soft rot of Yams in storage. Trans. Brit. Mycol. Soc. **56**, 73-80.
- OGUNDERO, V.W. (1987): Crown rot fungi of Nigerian bananas cv. Robusta and the effects of benomyl on their exo-enzymes. Journal of Basic Microbiology **27**, 43-47.
- OKEY, E.N. & A.V. ADISA (1988): Some nutritional requirements and the effects of four enviromental factors on spore germination and growth of *Lasiodiplodia theobromae* and *Pseudocercospora timorensis*. Cryptogamie Mycologie **9**, 67-74.
- OLUTIOLA, P.O. (1978): Growth and sporulation in *F. oxysporum*. Trans. Brit. Mycol. Soc. **70**, 109-114.
- OMAMOR, I.B. (1988): Black rot of date fruit: a new post harvest decay caused by *B. theobromae*. Date Palm Journal **6**, 299-305.
- PATHAK, V.N. & D.N. SRIVASTAVA (1969): Epidemiology and prevention of *Diplodia* stem-end rot of mango fruits. Phytopathologie Z. **65**, 164-175.
- PIDOPLICHKO, V.M. (1970): Phytotoxicity of *Fusarium* spp. causal agents of root rot of witer wheat . Mykrobiol. Zh. **32**, 700-704. (c.f. Rev. Appl. Mycol. **50**, 2876)
- POPENOE, W. (1927): Manual of tropical and sub-tropical fruits. The Mc Million Co. Chapt., 111.

PRAKASH, OM & A.M. RAOOF (1988): Control of mango fruit decay with post harvest application of various chemicals against black rot, stem end rot and anthracnose disease. *International Journal of Tropical Plant Diseases* 6, 99-105.

PRAKASH, OM & C.K. SRIVASTAVA (1987): Mango diseases and thier management.

Book. New Delhi India. PRASAD, M. & S.K. CHAUDHARY (1977): Effect of different concentration of DL-Isoleucine, DL-Valine and Alanine on growth and sporulation in *Fusarium oxysporum* and *Fusarium undum*. *Zentralblatt für Bakteriologie, Parasitenkunde. Infektionskrankheiten und Hygiene* 132, 735-739.

PRASAD, S.S. (1965a): Influence of Carbohydrates on the growth of three imperfect fungi associated with leaf spot of *Nephelium litchi* Camb, at Muzaffarpur, India, *Flora*, 55, 382-399. (c. f. *Rev. Appl. Mycol.*, 44, 3116).

PRASAD, S.S. (1965b): Utilization of amino acids by three pathogenic fungi associated with the leaf spot of *Nephelium litchi* Camb. *Phytopathol. Z.* 53, 317-322.

PRASAD, S.S. & K.A. SINHA (1981): Effect of temperature and humidity on fruit rot of mango. *National Academy Science Letters* 4, 345-347.

PRASAD, S.S. & K.A. SINHA (1987): *In vivo* and *in vitro* production of pectolytic enzymes by *Botryodiplodia theobromae* and *Macrophoma mangiferae*, causing soft rot of mango. *Inperspectives in mycological research volume-1*, 101-109 (1987) New Delhi, India.

PRASAD, S.S. & K.A. SINHA (1987): Post infection changes in Amino acid contents of mango fruits. *Indian J. Plant Pathol.* 5, 37-40

- PRUSKY, D., T.N. KEEN & L.I. EAKS (1983): Further evidence for the involvement of a performed antifungal compound in the latency of *Colletotrichum gloeosporioides* in unripe avocado fruits. *Physiological Plant Pathology* **22**, 189-198.
- RADWAN, F.M. (1985): Studies on grapevine fruit-rot in A. R. E. *M. Sc. Thesis*, Fac. Agric. Cairo Univ., Egypt.
- RAGAB, M.M. (1961): Fruit rot of mangoes. First Horticultural Conference, Cairo Egypt. *J. Agric. Res.*, **49**, 69-82.
- RAGAB, M.M. , K.A. SABET & N.A. DAWOOD (1971): *Botryodiplodia theobromae* Pat. the cause of fruit-rot and die-back of mango in A. R. E. *Agricultural Research Review* **9**, 81-97.
- RAJAK, R.K. & P.G. AGARWAL (1986): Glucose catabolism Pathway enzymes of *Botryodiplodia theobromae*. *National Academy of Science Letters* **9**, 103-104.
- RANGASWAMI, G. (1984): Diseases of crop Plants in India. Prentice Hall of India, New Delhi-11001 Second Ed. pp.530.
- RAO, V.G. (1968): Studies on market and storage diseases of fruits and vegetables in Maharashtra, *Jour. Univ. Poona*. **34**, 21-50
- RAPER, K.B. & C. THOM (1949): *Manual of Penicillia*. Williams and Wilkins Co. Baltimore, Madison, U. S. A.
- RASHED, M.F. (1991): Pathological studies on fungi causing deterioration of date palm of shoots in Egypt. *M. Sc. Thesis*, Fac. Agric. Cairo Univ. Egypt.
- RATH, G.C. , C.N. SWAIN & K. M. MOHANAN (1979): A note on die-back of mango orissa. *Indian Phytopathology* **31**, 384-386.

- REDDY, D.B. (1975): Pest and disease control and post harvest handling and storage, pre and post harvest protection problems in mango. Adhoc. Govt. Consultation on the improvement and development of mango industry in Asia and in the far East, Bangkok (Thailand), 13-15 oct.
- REDDY, M.S. , S.K. PANDU & A.A. RAO (1981): Persistence of acquired tolerance of fungi to fungicides. Indian Journal of Mycology and Plant Pathology 11, 221-224. (c. f. Rev. Pl. Pathol. 62, 130).
- RIKER, R.J. & R.S. RIKER (1936): Introduction to Reaserch on Plant Diseases. John. S. Swift Co. Inc. New York 117pp.
- SAMPAIO, V.R. , D. BARBIN & C.G.B. DEMETRIO (1981): Post-harvest control of mango rots. Revista de Agricultura, Piracicaba, Brazil, 56, 173-182.
- SANGCHOTE, S. (1988): *Botryodiplodia* stem-end rot of mango and its control. Kasetsart Journal, Natural Sciences 22, 67-70.
- SAURIKAR, S.S. & P.P. MEHTA (1973): Effect of different hydrogen Ion concentration and temperature on the growth and sporulation of *Fusarium moniliforme* Sheld. Journal of the Indian, Botanical Society, 53, 146-150. (c. f. Rev. Pl. Pathol. 54, 394).
- SEEVER, F.J. & J.M. WATERSTON (1942): Contributions to the mycoflora of Bermuda. Mycologia 34, 515-524.
- SEIF.EL-NASER, M.M. (1973): Studies in ear and grain rot of Maize. M. Sc. Thesis, Fac. Agric. Cairo Univ.
- SHATA, H.M.A. (1979): Studies on geranium (*Pelargonium graveolens* L.) disease in A. R. E. and thier control. PH. D. Thesis Fac. Agric. Al-Azhar Univ.

- SHUKLA, d.N. & S.N. BHARGAVA (1977): some studies on *Fusarium solani* (Mart.) Sacc. isolated from different seeds of pulses and oil crops. Proceedings of the National Academy of Sciences India 47, 199-203 (c. f. Rev. Pl. Pathol., 60, 396).
- SINGH, L.B. (1960): The mango (Botany, Cultivation and Utilization) Leonard Hill Books, London, 438pp.
- SNELL, F.D. & C.T. SNELL (1953): Colormetric methods of analysis including some colormetric methods of analysis including some turbidimetric and nephelometric methods. D. Van. Nostrand Co. Inc. Toronto, New York,; London, vol. III Organic,1
- SOLOMON, M.E. (1951): Control of humidity with Potassium hydroxide, Sulphric acid and other solutions. Bull. Ent. Res. 42, 543-554.
- SPALDING, D.H. (1982): Resistance of mango pathogens to fungicides used to control post-harvest diseases. Plant Disease 66, 1185-1186
- SRIVASTAVA, M.P. (1968): Studies on post-harvest disease of some fruits and vegetables 1-*Botryodiplodia* rot of citrus Sinense Z. Pflkrankh Pflpath., Pflschutz. 75, 674-682. (c. f. Rev. Appl. Mycol., 48, 327).
- SRIVASTAVA, M.P. (1969): Biochemical changes in certain tropical fruits during pathogenesis. Phytopathol. Z. 64, 119-123.
- SRIVASTAVA, M.P. & R.N. TANDON (1970): Factor affecting growth, sporulation and spore germination of three isolates of *B. theobromae*. Effect of pH and Temperature. Proc. Nat. Acad. Sci. India, 40, 43-48.
- SRIVASTAVA, M.P. , R.N. TANDON , S.N. BHARGAVA & A.K. GHOSH (1965): Studies on fungal disease of some tropical fruits. III Some post harvest diseases

of Mango (*Mngifera indica L.*). Proc. Matn. Acad. Sci. India, Sect. B, **35**, 69-75.

(c. f. Rev. Appl. Mycol. **45**, 550)

SURYANARAYANAN, T.S. , V. MURUGANANDAM & G. SAMPATH (1987): Effect of Congo red on hyphal morphogenesis and sporulation of *Botryodiplodia theobromae*. Canadian Journal of Botany **65**, 815-816.

TANDON, R.N (1967): Final Technical Report PL-480 Scheme No. FG-in-133, University of Allah abad, India

TANDON, R.N. & A.N. MISHRA (1969): Fruit rot disease of *Caria papaya* and *Musa paradistica* caused by *Rhizopus stolonifer*. Indian Phytopath. **22**, 334-341.

THOMAS, W. & R.A. DUTCHER (1924): The colormetric determination of carbohydrates in plants by Picric acid reduction methods. 1-The estimation of reducing sugars and sucrose. J. Amer. Chem. Soc. **46**, 16629.

TSAI, Y.P. (1971): Effect of thiophanate on banana crown rot. Pl. Prot.Bull. Taiwan, **13**, 97-100. (c. f. Rev. Appl. Mycol. **51**, 608).

TURNER, J.G. & S.K. OGUNDANA (1983): Production of yam cell wall-degrading enzymes by *B. theobromae*. Trans. Br. Mycol. Soc. **80**, 163-166

UGOJI, E. & A. UDUEBO (1986): Histochemical investigations on yam tubers infected with *Botryodiplodia theobromae* Pat. International Biodeterioration **22**, 301-306.

UMEZURIKE, G.M. (1969): Cellulolytic activities of *B. theobromae* Pat. Ann. Bot., **33**, 451-462. (c. f. Rev. Appl. Mycol., **48**, 488).

UTIKAR, P.G., B.V. SHERKAR & P.A. SHINDE (1986): Evaluation of fungicides under field conditions against some fruit spotting/rotting fungi of pomegranate. Pesticides **20**, 24-29.

- VAFLECT, D.S. (1972): Histochemistry and function of endodermis. *Bot. Review*, 27, 65-220.
- VALSANGIACOMO, C & C. GESSLER (1992): Purification and characterization of an exo-polygalacturonase produced by *Venturia inaequalis*, the causal agent of apple scab. *Physiological and Molecular Plant Pathology* 40, 63-77
- VANKATA-RAM, C.S. (1960): A reassessment of the *Diplodia* root disease to tea plants. The 7th Annu. Conference of the scientific Department of The United Planters Association of Southern India, 1960. *Bull. Un. Plant Ass. S. India* 19, 86. (c. f. *Rev. Appl. Mycol.* 40, 183).
- VERMA, A. , V.C. LELE , S.P. ROYCHAUDURI , A. RAM & A. SANDY (1974): Mango malformation : a fungal disease. *Phytopathology Z.* 79, 254-257.
- VERMA, O.P. & R.D. SINGH (1970): Epidemiology of mango die-back caused by *B. theobromae* Pat. *Indian Jour. Agric. Sci.* 40, 813-818.
- WASFY, E.H., A.S. FARAG, M.Y. ELFAHAM, K.M. DAWOOD & A.S.H. EL-GHANI (1985): Pectolytic enzymes production and ethylene evolution in *Botryodiplodia* rot of apple fruits. *Journal of Agricultural Sciences*.10, 92-97. Egypt.
- WILSON, L.C., A. EL-GHAOUTH, E. CHALUTZ, S. DROBY, C. STEVENS, J.Y. LU, V. KHAN & J. ARUL (1994): Potential of induced resistance to control postharvest diseases of fruits and vegetables. *Plant Disease* 78, 837-844.
- YOUSSEF, B.A. (1968): Etiological studies on *Fusarium* of cotton. M. Sc. Thesis, Fac. Agric. Cairo Univ., Egypt.
- YOUSSEF, Y.A. & K.A. YOUSSEF (1971): Studies on *Fusarium* wilt of cotton. V. A. R., *Jour. Phytopathology* 3, 33-48.