



REFERENCES



7. REFERENCES

- Abdel-Ghaffar, S. A. M. (1976). Some factors affecting nodulation and nitrogen fixation of soybean (*Glycine max L.*) M.Sc. Thesis, Fac. Agric., Alexandria Univ., Egypt.
- Abdel-Maksoud, H. K. ; Eleneklawy, A. S. and Maatouk, M. A. (1985). Effect of *Rhizobium* inocula combined with nitrogen on grain yield of faba bean (*Vicia faba*) in Noba region, Egypt. Annals Agric. Sci., Moshtohor, 23: 921.
- , H. K.; Saber, M. S. M. and Keyse, H. H. (1990). Evaluation of the composting sheath of peanut pods as local carrier for *Rhizobium* inoculants production. Egyptian J. Microbiol., 23: 473-484.
- Abdel-Nasser, M.; Ali, F.S.; Abdel-Moneem, and Abdelatife, O. (1986). Studies on nodulation of beans. 1- Effect of seed diffusates on *Rhizobium phaseoli*. Proc. 2 Con. African Association For Biological Nitrogen Fixation. Dec.15-19, 1986. p. 85- 94.
- Abdel-Salam, A. A. (1986). Effect of different fertilizers on yields of faba bean (*Vicia faba*) and dry beans (*Phaseolus vulgaris*). Ph.D. Thesis. Fac. Agric. Alexandria, Univ., Egypt.
- Abdel-Samee, M.E. (1976). Growth of *R. japonicum* and *R. trifolii* as affected by soybean seed diffusates. M.Sc. Thesis, Fac. Agric. Univ. Cairo, Egypt.
- Abdel-Wahab, A. F. (1992). Effect of soil amendments on nodulation and nitrogen fixation in certain Egyptian soil. M. Sc. Thesis Fac. Agric. Ain Shams Univ. Egypt.
- Affify, Nagwa M.; Amal A. Moharrum; El-Nady, M. A.; Hamdi, Y.A. El-Sherbini, M. F. and Loutfi, M. (1968). Studies on the carriers of root nodule bacteria. Effect of organic materials on longevity of rhizobia in the carriers. Agric. Res. Rev., Cairo, 46: 1-5.

- Alaa El-Din, M. N.; El-Sayed, M. and Hamouda, F. M. (1982). Effect of type and method of application of inoculants on nodulation and seed yield of soybean .The first OAU/ STRC Inter-African Conf. On Bio-fertilizers, Cairo (Egypt), 22-26 March.
- , M. N.; Hassan, M. E.; Saleh, A. S. and Hassan, M. Z. (1984). Response of some soybean varieties to *Rhizobium* inoculation. Second Conf., ARC., Giza, 9- 11 April.
- Alcaraz, M.M; Pastor, M. D. and Balatti, A.P. (1994). Kinetics of survival of *Rhizobium meliloti* B-36 on *Lucerne* seed pre-inoculated with different adhesives and coatings. Revista de la Facultad de Agronomia Universidad de Buenos Aires.14: 167-171.
- Ali, F.S. and Abdel-Moneem, A. A. (1986). Studies on nodulation of two lima bean and six cowpea cultivars. 1. Effect of seed diffusates on *Rhizobium* sp. Zbl.Microbiology, 141:25-30.
- and Loynachan, T. E. (1990). Inhibition of *Bradyrhizobium japonicum* by diffusates from soybean seed. Soil Biology and Biochemistry 22: 973- 976.
- Allen, O. N. (1959). Experiments in soil Bacteriology. Burgess Publ. Co. Minn. Minnesota USA, pp: 69-71.
- Allen, E. k. and Allen, O. N. (1950). Biochemical and symbiotic properties of rhizobia. Bacteriol. Rev. 14:273. 330.
- Al-Rashidi, R.K.; Loynachan, T. E. and Frederick, L. R. (1982). Desiccation tolerance of four strains of *Bradyrhizobium japonicum*. Soil Biol. And Biochem., 14: 489-493.
- Anber, H. A. (1991). Studies on microorganisms fixing atmospheric nitrogen. M. Sc. Thesis, Fac. Agric., Zagazig, Univ. Egypt.
- AOAC, (1970). Official method of analysis of association of official agriculture chemists 11thEd. Washington.

- Asanuma, S. and Ayanaba, A. (1990).** Variation in acid-Al tolerance of *Bradyrhizobium japonicum* strains from African soils. *Soil Sci. Plant Nutr.*, 26: 309- 317.
- Beck, P.P, Materon, L. A. and Afandi, A. (1993).** Practical *Rhizobium*-Legume technology Manual. (Technical Manual No.19) International Center for Agricultural Research in the Dry Areas). p. 267-269.
- Beyene, D. (1988).** Biological nitrogen fixation research on grain legumes in Ethiopia-an overview. In: Nitrogen fixation by legumes in Mediterranean Agriculture (Eds. D.P. Beck and L.A. Materan). Dordrecht, Netherlands, Martinus, Nijhoff. p: 73-78.
- Boonkerd, N. and Weaver, R. W. (1982).** Survival of cowpea *Rhizobium* soil as affect by soil temperature and moisture. *Appl. Environ. Microbiol.*, 43:583-589.
- Bowen, G. D. (1961).** The toxicity of legume seed diffusates toward rhizobia and other bacteria. *Plant and Soil*, 15:155-165.
- and **Rovira, A. D. (1976).** Microbial colonization of plant roots. *Ann. Rev Phytopathol.* 14: 121-144.
- Brasileiro, B. G.; Reis, M. S.; Sedyama, T.; Sedyama, C. S. and Gomes, J. L.L. (1989).** Effect of soybean (*Glycine max (L.) Merrill*) seed treatment with mineral oil on seedling emergence and root nodulation. *Revista Ceres.*, 36: 483-491.
- Brockwell, J. (1962).** Studies on seed pelleting as an aid to legume seed inoculation. 1-Coating materials adhesives and methods of inoculation. *Aust. J. Agric. Res.*, 13: 638- 649.
- **(1963).** Seed pelleting as an aid to legume seed inoculation. Commonwealth of Australia. Commonwealth Scientific and Industrial Research Organization, *World Crops*. 15 : 334-338.

- (1977). Application of legume seed inoculants. In A Treatise in Dinitrogen Fixation Section IV : Agronomy and Ecology, Eds. Hardy, R. W. F. & Gibson A. H. pp. 277-309. New York: John Wiley.
- ; Gault, R. R.; Chase, D. L.; Hely, F. W.; Zorin, M. and Corbin, E. J. (1980). An appraisal of practical alternatives to legume seed inoculation: field experiments on seedbed inoculation with solid and liquid inoculants. Aust. J. Agric. Res., 31: 47-60.
- Brunel, B.; Cleyer-Marel, J.C.; Normand, P. and Bardin, R. (1988).** Stability of *Bradyrhizobium japonicum* inoculants after inoculation into soil. Appl. Environ. Microbiol., 54: 2636-2642.
- Burton, J. C. (1967).** *Rhizobium* culture and use. In: Microbial technology (Ed. H. J. Peppler). p: 1- 33, Reinhold; New York.
- (1979 a). *Rhizobium* species. In Microbial Technology, 2nd end, 1 Ed. Pappler, H. J. pp. 29-58. New York : Academic Press.
- (1979 b). New developments in inoculating legumes. In: Recent Advances in Biological Nitrogen-Fixation, (Ed. N. S. Subba Rao). PP: 380-405, Oxford. IBH Publishing Co., New Delhi.
- (1981). *Rhizobium* inoculants for developing countries. Trop. Agric. (Trinidad), 58: 291-295.
- and Curley, R. L . (1965). Comparative efficiency of liquid and peat-based inoculants on field-grown soybean (*Glycine max*). Agronomy J. 57: 379-381.
- Bushby, H. A. V. (1990).** The role of bacterial surface charge in the ecology of root-nodule bacteria: a hypothesis. Soil Biol. Biochem., 22: 1- 9.
- and Marshall, K. C. (1977). Some factors affecting the survival of root-nodule bacteria on desiccation. Soil Biol. Biochem. 9: 143-147.
- Carter, J. M.; Gardner, W. K. Gibson, A. H. (1994).** Improved growth and yield of faba bean (*Vicia faba* C V. Fiord) by inoculation with strains of

- Rhizobium leguminosarum* bv. *viciae* in acid soils in South-West Victoria. Aust J. Agric. Res., 45: 613- 623.
- Chao, W. and Alexander, M. (1982). Influence of soil characteristics on the survival of *Rhizobium* in soils undergoing drying. Soil Sci. Soc. Amr. J., 46: 949 - 952.
- Chhonkar, P. K.; Iswaran, V. and Jouhri, K. S. (1971). Seed pelleting in relation to nodulation and nitrogen fixation by *Phaseolus aureus* L. in a saline alkaline soil. Plant and Soil., 35: 449 - 451.
- Dadson, R. B. and Acquah, G. F. (1984). *Rhizobium japonicum*, nitrogen and phosphorus effect on nodulation, symbiotic nitrogen fixation yield of soybean (*Glycine max* (L.) Merrill) in the Southern Savanna of Ghana. Field Crop Res., 9: 101- 108.
- Danso, S. K. A. (1988). Nodulation of soybean in an acid soil: the influence of *Bradyrhizobium* inoculation and seed pelleting with lime and rock phosphate. Soil Biology Biochem., 20: 259 - 260.
- Dart, p. J. and Pate, J. S. (1959). Nodulation studies in legumes. III- The effect of delaying the inoculation on the seedling of symbiosis of barrel medic *Medicago tribuloides*. Desr. Aust. J. Boil. Sci., 12: 427 - 444.
- Date, R. A. (1965). Legume inoculation and legume inoculant production. FAO Rep. No. 2012, pp. 1-9, Rome.
- (1970). Microbiological problems in the inoculation and nodulation of legumes. Plant and Soil. 32,703-725.
- and Cornish, P. S. (1968). A comparison of lime and rock phosphate for pelleting temperate and tropical legume seed. Journal of the Australian Institute of Science. 34: 172-174.
- Dubey, S. K. (1995). Interaction between *Bradyrhizobium japonicum* inoculants and soybean (*Glycine max*) cultivars. Indian J. Plant Physiol., 38: 54- 56.
-

- Elegba, M .S. and Rennie, R. J. (1984).** Effect of different inoculant adhesive agents on rhizobial survival, nodulation and nitrogenase (acetylene – reduction) activity of soybeans (*Glycine max* (L.) Merrill). Canadian Journal Soil of Science. 64: 631- 636.
- El-Mallah, M. I. M. (1974).** Studies on soybean root nodule bacteria. M.Sc. Thesis Fac. Agric. Al-Azhar Univ. Egypt.
- El-Sherbeeney, M. H.; Ali, A.; Nassib, I. A. and Hassan, M. Z. (1982).** Effect of nitrogen fertilization and *Rhizobium* inoculation on soybean production in Egypt. The first OAU/STRC Inter - African Conf. On Bio- Fertilizers Cairo, Egypt. March, 22- 26.
- Evans, J.; Wallace, C. and Dobrowolski, N. (1993).** Interaction of soil type and temperature on the survival of *Rhizobium leguminosarum* bv. *viceae*. Soil Biol. Biochem. 25: 1153 - 1160.
- Evans, L. S.; Lewin, K. F. and Vella, F. A. (1980).** Effect of nutrient medium pH on symbiotic nitrogen fixation by *Rhizobium leguminosarum* and *Pisum sativum*. Plant and Soil, 56:71-80.
- Farria, S. M.; De Polli, H. and Franco, A. A. (1985).** Adhesives for inoculation and pelleting of legume seed. Resquisa Agropecuaria Brasileira, 20: 169-176.
- Fawaz, K. M. (1969).** Studies on the Root-Nodule Bacteria of Bean Plants "*Phaseolus vulgaris*" Ph.D. Thesis, Fac. Agric. Alexandria Univ. Egypt.
- FAO (Food And Agricultural Organization of the United Nations) 1984.** Legumes inoculants and their use. pp: 24-26 , 63.
- Franco, A. A. and Munns, D. N. (1982).** Acidity and aluminum restraints on nodulation, nitrogen fixation and growth of *Phaseolus vulgaris* in solution culture. Soil Sci. Soc. Amer. J., 46: 296-300.

- Fred, E.B.; Baldwin, I. L. and Mcloy, Elizabeth (1932).** Root -nodule bacteria and leguminous plants. Univ. of Wisc. Studies in Sci. No. 5. Madison, U. S.A.
- Frederick, R. (1985).** Ecological manipulation to improve legume nodulation for N-fixation Biological Nitrogen Fixation in Africa. Published by Nairobi *Rhizobium*. MIRCEN (1985).
- Graham, P. H. (1992).** Stress tolerance in *Rhizobium* and *Bradyrhizobium* and nodulation under adverse soil conditions. Can. J. Microbiol. 38: 475-484.
- and **Rosas, J. C. (1978).** Nodule development and nitrogen fixation in cultivars of *Phaseolus vulgaris* L. as influenced by planting density. J. Agric. Sci., 90: 19-29.
- ; **Viteri, S. E.; Mackie, F.; Vargas, A. T. and Palacias, A. (1982).** Variation in acid soil tolerance among strains of *Rhizobium phaseoli*. Field Crops. Res., 5: 121- 128.
- Green, J. T. Mueller, J. P. and Chamblee, D. S. (1984).** Inoculation of forage legumes. AG-226 North Carolina Agricultural Extention Service, Raleigh, North Carolina.
- Halliday, J. and Graham, P. H. (1978).** Coal compared to peat as carrier of rhizobia. Turrialba, 28: 348- 349.
- Hamdi, Y. A.; Abd El-Samea, M. E. and Loutfi, M. (1973).** Nodulation of soybean under field conditions. Zentralblatt fur Bakteriologie, 11 Bd., 120: 574- 578.
- ; **Alaa El-Din, M. N. and Abdel Wahab, S. M.(1979).** Nodulation and response to inoculation of soybean under Egyptian conditions. Proc. Conf. Irrigated Soybean Production in arid and semi-arid regions, Cairo, Sep. 1-6, PP. 165-180.

- ; Amal, A. Moharram and Abdel-Samie, M. E. (1978). Survival and efficiency of cowpea rhizobia on pelleted and non- pelleted peanut seeds, treated with fungicides. Zbl. Bakt, II Abt., Bd. 133: 204- 210.
- (1982). Symbiotic nitrogen fixation in faba bean: Faba bean. Conf., Cairo, Egypt, March 7-11
- Haque, I. and Jutzi, S. (1985).** Potential and limitation to the biological nitrogen contribution from forage legumes in subsaharan Africa. Biological Nitrogen Fixation in Africa. Pub. By Nairobi *Rhizobium*, 1985.
- Hardarson, G. and Jones, D. G. (1979).** The inheritance of preference for strains of *Rhizobium trifolii* by white clover (*Trifolium repens*). Ann. Appl. Biol. 92:329-333.
- Harlod, L. P. and Thomas, E. L. (1981).** The significance and application of *Rhizobium*. In agriculture Intern. Rev. of Cytolgy, 311.
- Harris, J. R. (1954).** Rhizosphere relationships of *subterranean* clover. 1- Interactions between strains of *R. Trifolii* Aust. J. Agric. Res. 5,247.
- Hartel, P. G. and Alexander, M. (1983).** Growth and survival of cowpea rhizobia in acid, aluminum-rich soils. Soil Sci. Soc. Amr. J. 47: 502- 506
- Hassan, M. Z. (1981).** Effect of rhizobial inoculation and nitrogen fertilization on growth, yield components and seed quality of some soybean varieties. Ph. D. Thesis, Fac. Agric. Cairo Univ., Egypt.
- ; Sharaf, A. E. and Eisa, M. S. (1988). Effect of inoculation, nitrogen and phosphorus fertilization (*Glycine max (L.) Merr.*) in Sudan. 13th Int. Cong. State. Comuter. Sci., Social and Demographic Res., Egypt, 26- 31 March: 225- 236.
- Herridge, D. F.; Roughley, R. J. and Brockwell, J. (1984).** Effect of rhizobia and soil nitrate on the establishment and functioning of the soybean symbiosis in the field. Aust. J. Agric. Res. 35:149-161.

- Hinson, K. and Hartwig, E. E. (1982). Soybean production in the tropics. FAO Plant Production, Paper 4 Rev. / 1, p. 118- 138.
- Hoben, H. J.; New Aung; Somasegaran, P. and Ui-Gum Kang (1991). Oils as adhesives for seed inoculation and their influence on the survival of *Rhizobium spp.* and *Bradyrhizobium spp.* on inoculated seeds. World J. Microbiol. 7 : 324-330.
- Hoeflich, G. and Ruppel, S. (1990). Seed pelleting and seed coating for lengthening survival of inoculated bacteria in the seed and in the rhizosphere. Zentralblatt Fuer Mikrobiologie. 145: 99-106.
- Horikawa, Y. and Ohtsuka, H. (1996 a). Effects of coating and adhesive on the inoculation of *Rhizobium meliloti* to alfalfa (*Medicago sativa* L.) seed for nodulation and seedling growth. Grassland Science. 41: 275-279.
- and Ohtsuka, H. (1996 b). Storage conditions and nodule formation of coated alfalfa (*Medicago sativa* L.) seed inoculated with *Rhizobium meliloti*. Grassland Science. 42: 7-12.
- Ibrahim, A. N.; EL-Mallah; M. I. and Kecsek, M. (1975). Strain variation of *R. japonicum* with special reference to the effect of inoculation on yield of Microbiological society of Hungarian Academe of Sciences.
- Iswaran, V. (1970). Soaking of soybean seed and its effect on nodulation and yield. Mysore J. Agric. Sci. 4: 364- 366.
- Jackson, M. L. (1973). Soil Chemical Analysis. Prentice-Hall of India Private Limited, New Delhi, 38-251.
- Jansen, J. P.; Schiffers, B. C.; Mathot, P. and Brakel, J. (1994). Use of bacteria protections in pelleting for preinoculation of bean seeds (*Phaseolus vulgaris* L.). Seed Science and Technology, 22: 329-336.
- Jawson, M. D; Franzluebbers, A. J. and Berg, R. K. (1989). *Bradyrhizobium japonicum* survival in and soybean inoculation with fluid gels. Appl. Environ. Microbiol. 55: 617-622.

- John, K. P. (1966). A coir dust-soil compost for *Rhizobium*. J. Rubber Res. Inst. Malaya., 19: 173- 175.
- Katiyar, A. K. and Pant, L. M. (1993). Effect of methods of *Bradyrhizobium* inoculation on nodulation, nitrogen fixation and yield of soybean. Legume Res. 16: 79-85.
- Kato, K., Arima, Y., and Hirata, H. (1997). Effect of exudate released from seed and seedling roots of common bean (*Phaseolus vulgarize* L.) on proliferation of *Rhizobium* sp. (*Phaseolus*). Soil Sci. Plant Nutr. 43: 275-183.
- Kevien, C. S. and Ham, G. E. (1985). Effect of soil temperature inoculum rate on the recovery of three introduced strain of *Bradyrhizobium japonicum*. Agron. J., 77: 484- 489.
- Kim, S. D.; Yoo, I. D.; Hong, E. H.; Shin, M. K.; Choe, J. H.; Song, S. H.; Kim, D. Y.; Cha, Y. H.; Song, I. M. and Park, R. K. (1988). Effect of *Rhizobium* inoculant application on nodulation and nitrogen fixation in different soil types in soybeans. Research Reports of the Rural Development Administration, Upland and Industrial Crops.30: 9-13.
- Kishinvesky, B. D. and Weaver, R. W. (1992). Effect of high root temperature on *Bradyrhizobium*-peanut symbiosis. Plant and Soil 143: 275- 282.
- Krishan-Chandra; Mukherjee, P.K.; Karmakar, J.B.and Chandra,K.(1995). Lime pelleting of inoculated seed and their influence on the survival of *Rhizobium* in acidic soil of N.E.H. region. J. Hell Res. 8:199-202.
- La-Faver, A. K. and Eaglasham, R. J. (1986). The effect of high temperature on soybean nodulation and growth with different strains of *Bradyrhizobium*. Can J. Microbiol, 32: 22-27.
- Lie, T. A. (1981). Gene centers, a source for genetic variants in symbiotic nitrogen fixation host induced ineffectively in *Pisum sativum* ecotype Fulvum. Plant and Soil, 61: 124-134.

- Lonergran, J. F.; Mayer, D.; Fawcett, R. G. and Anderson, A. J. (1955).**
Lime pelleted clover seeds for nodulation in acid soil. J. Aust. Inst. Agric. Sci. 21 : 264-265.
- Lowendorf, H. S. and Alexander, M. (1983).** Selecting *Rhizobium meliloti* for inoculation of alfalfa planted in acid soils. Soil Sci. Soc. Amer. J., 47: 935-938.
- Lowther, W.L. and Littlejohn, R. P. (1984).** Effect of strain of rhizobia, inoculation level, and pelleting on the establishment of oversown *Lotus pendunculatus* "Grasslands Maku" New Zealand J. of Exp. Agric. 12: 287-294.
- Lu, S. L.; Min, S. D.; Jiang, X. X. and Wallis, E.S. (Ed.); Byth, D. E. (1987).**
Effect of seed pelleting on rhizobial survival on inoculated seed and yield. legume improvement for Asian farming systems. 281; ACIAR Proceedings No.18.
- Marshall, K. C. (1964).** Survival of root-nodule bacteria in dry soils exposed to high temperatures. Aust. J. Agric. Res., 15: 273 -281.
- Moawad, H, Badr El-Din, S. M. S. and Khalafallah, M. A. (1988).**
Persistence and competitiveness of three *B. japonicum* inoculants strains in clay loam Nile Vally soil. Plant and Soil. 108: 137-141.
- and Abd El-Maksoud, H. K, (1989). Yield and N₂-fixation response of faba bean to different densities of inoculation with *Rhizobium leguminosarum*. Egypt. J. Microbiol., 24: 293-298.
- ; Badr El-Din, S. M. S. and khalafallah, M. A. (1991).
Assessment of faba bean (*Vicia faba*) response to inoculation with *Rhizobium leguminosarum* in clay loam Nile Delta soil. World J. Microbiol. Biotechnol. 7: 191- 195.

Mora de Gonzalez, N.; Ayunda, A. de; Gomez, M. and Gonzalez, R. (1986).

Evaluation of some materials as carriers of rhizobia in inoculants. Turrialba, 36:4, 447-452.

Mukhtar, N. O. and Naib, S. A. A. (1988). Biological nitrogen fixation by faba bean, lentil and chickpea in the traditional versus the new areas of the Sudan. In: Nitrogen fixation by legumes in Mediterranean Agriculture (Eds. D. P. Back and Matern). Dordrecht, Netherlands, Mertinus Nijhoff, pp. 321-328.

Munevar, F. and Wollum, A. G. (1988). Growth of *Bradyrhizobium japonicum* strains at temperature above 27⁰ C. Appl. Environ. Microbiol., 42: 272- 276.

Munns, D. N. (1986). Acid soil tolerance in legumes and rhizobia. Adv. Plant Nutr., 2: 63- 91.

----- ;Fogle, V.M. and Hallock, B.G. (1977). Alfalfa root nodule distribution and inhibition of nitrogen fixation by heat. Agron. J., 69: 377-380.

Newbould, F. A. S. (1951). Studies on humus type legume inoculants. 1. Growth and survival in storage. Sci. Agric., 31: 463-469.

Neves, M. C. P.; Ramas, M. L.; Martinazzo, A. F.; Botelho, G. R. and Dobereiner, J. (1992). Adaptation of more efficient soybean and cowpea rhizobia to replace established population. In: Biological Nitrogen Fixation and Sustainability of Tropical Agriculture, K. Melange; M. Guess and D. S. C. Spencer (Eds.). 219- 233.

Norris, D. O. (1973). Seed pelleting to improve nodulation of tropical and subtropical legumes. 5. The contrasting response to lime pelleting of two *Rhizobium* strains on *Leucana leuccephala*. Australian J. Exp. Agric. Animal Husb.13: 98-101.

- and Date, R. A. (1976). Legume bacteriology. In Tropical Pasture Research Principle and methods, Eds. Shaw, N. H. & Bryan, W. W. pp. 134-174. Commonwealth Agricultural Bureau, Bulletin 51. Oxford: Alden Press.
- Olufajo, O. O.; Adu, J. K. and Okoh, P. N. (1989). Cultivar and *Bradyrhizobium japonicum* strains effects on the performance of promnodulating soybean (*Glycine max (L.) Merr.*) in the Nigerian Savanna. Biol. Agric. Hortic., 6: 47- 58.
- Osa-Afiana, L. O. and Alexander, M. (1982). Clays and the survival of *Rhizobium* in soil during desiccation. Soil Sci. Soc. Amr. J., 46: 285- 288.
- Patrick, H. N. and Lowther, W. L. (1992). Response of *Lotus corniculatas* to inoculation and pelleting on a range of Otago tussock grassland environments. Proceeding of the New Zealand Grassland Association. 54: 105- 109.
- Pfleger, I. and Jahn, O. (1988). Influence of *Rhizobium* inoculation on root growth of selected legumes in model and field experiments. Zentralblatt fur Mikrobiologie .143: 249- 258.
- Pijnenborg, J. W, M. and Lie, T. A. (1990). Effect of lime-pelleting on the nodulation of Lucerne (*Medicago sativa* L.) in an acid soil: A comparative study carried out in the field, in pots and rhizotrons. Plant and Soil. 121: 225-234.
- Provost, D. and Bromfield, E. S. P. (1991). Effect of root temperature on symbiotic nitrogen fixation and competitive nodulation of *Onobrychis vicifolia* (sainfoin) by strains of aretic and temperate rhizobia. Biol. Fertil. Soils, 12: 161- 164.
- Purwantarl, N. D.; Date, R. A. and Dart, P. J. (1995). Nodulation and N₂-fixation by *Colliandra colothyrsus* and *Sesbania sesban* growth at different root temperature. Soil Biol. Biochem.27: 421- 425.

- Ragab, A. A. H. (1998).** Integration of microbial inoculation and mineral fertilization for better soybean-environment management. Ph. D. Thesis, Fac. Agric. Cairo Univ., Egypt.
- Rao, A. V. and Venkateswarlu, B. (1987).** Nitrogen fixation as influence by water stress in selected crop legumes of the Indian arid zone. *Arid Soil Research and Rehabilitation*, 1:89-96.
- Rennie, R. J. and Elegba, M.S. (1985).** Proper inoculation of legumes. *Research Highlights*, 1984. 1985, 66- 68.
- Rice, W. A. and Olsen, P. E. (1988).** Root-temperature effects on competition for nodule occupancy between two *Rhizobium meliloti* strains. *Biol. Fertil. Soils*. 6: 137- 140.
- Richardson, A. E. and Simpson, R. J. (1988).** Enumeration and distribution of *Rhizobium trifolii* under a *Subterranean* clover based pasture growing in an acid soil. *Soil Biol. Biochem.*, 20: 431- 438.
- and Simpson, R. J. (1989). Acid tolerance and symbiotic effectiveness of *Rhizobium trifolii* associated with *Trifolium subterranean* L. based pasture growing in acid soil. *Soil Biol. Biochem.*, 20: 431-438.
- Rossum, D.V.; Muyotcha, A.; De Hoop, B.M. and Van Verseveld, H.W. (1994).** Soil acidity in relation to groundnut- *Bradyrhizobium* symbiotic performance. *Plant and Soil*, 163: 165-175.
- Roughley, R. J. (1968).** Some factors influencing the growth and survival of the root nodule bacteria in peat culture. *J. Appl. Bacteriol.*, 31:259-265.
- (1970). The preparation and use of legume seed inoculants. *Plant and Soil*, 32: 675 -701.
- ; Date, R. A. and Walke, M, H. (1966). Inoculation and lime pelleting legume seed. *Agric. Gazette, N.S.W.*, 77: 142-146.
- Rovira, A. D. (1956).** Plant root excretions in relation to the rhizosphere effect. II: A study of the properties of root exudate and its effect on the growth of

- microorganisms isolated from the rhizosphere and control soil. Plant and Soil 7:195-208.
- Saleh, A. S., (1981). Development of new methods for preparing legume inoculants. M.Sc. Thesis, Fac. Agric., Ain Shams, Univ., Egypt.
- Scott, W. O. and Aldrich, S. R. (1970). Modern soybean production. Library of Congress Catalog Card Number 73- 113066.
- Scudder, W. T. (1975). *Rhizobium* inoculation of soybean for subtropical and tropical soil.1.Initial field trails. Soil and Crop Sci. Soc.Fla. Proc., 34:79-82.
- Shahidullah, M.; Ahmed, S. A.; Joarder, G. K.; Razzaque, M. A.; Begum, F. and Begum, H. (1985). Locally isolated strains of *Rhizobium japonicum* and the inoculum carriers. Bangladesh J. Agric. 10: 43- 47.
- Sinclair, T. R.; Muchow, R. C.; Ludlow, M. M.; Leach, G. J.; Lawn, R. J. and Fool, M. A. (1987). Field and model analysis of the effect of water deficits on carbon and nitrogen accumulation by soybean, cowpea and black gram. Field Crop Research, 17:121-140.
- Singleton, P. W. and Tavares, J. S. (1986). Inoculation response of legumes in relation to the number and effectiveness of indigene *Rhizobium* population. Appl. Environ. Microbiol., 51: 1013- 1018
- Smith, D. L. and Hume, D. J. (1983). The effect of high soil water potential on N₂-fixation and tissue N-content of *Phaseolus vulgaris* and *Glycine max*. 9th North American *Rhizobium* Con. Boyc. Tompson Inst. Cornell. Univ. Ithaca, New York.
- Snedecor, G. W. and Cochoran, W. G. (1980). Statistical methods. Seventh. Ed., Iowa State Univ. Press, Amr., USA, p p.255 -269.
- Somasegaran, P. and Hoben, H. J. (1985). Methods in legume *Rhizobium* technology. NifTAL project and MIRCEN, Department of Agronomy and Soil Science, College of Tropical Agriculture and Human. Resources, University of Hawaii. USA. P.5

- Sparrow, S. D. and Ham, G. E. (1983).** Survival of *R. phaseoli* in six carrier materials. Agron. J. 75: 181-184.
- Stecher, G. P. (1968).** The Merck Index, An Encyclopedia of chemical and drugs, Eighth Edition, Edited by Martha Windholz: and published by Merck & Co., INC. Rahway, N J., USA. pp.190-1011.
- Stout, D.G.; Hall, J.W. Brooke, B.M.; Baalim, G. and Thompson, D. J. (1993).** Effect of storage temperature and time on viability rhizobia on lime-coated alsike clover (*Trifolium hybridum*) seeds. J. Agric. Sci. 120:205-211.
- Subba Rao, N. S. (1982).** Biofertilizers in agriculture. Oxford & IBH Publishing Co. PVT. LTD. New Delhi, Bombay, Calcutta. pp. 16-76.
- ; **Maga, S. P. and Sarma, K. S. P. (1971).** The effect of gum arabic on infection and nodulation of cluster clover by *Rhizobium*. Archives of Microbiology. 77: 96-98. Biofertilizers in agriculture pp. 55- 60.
- Suman, Mor; Dogra, R. C. and Dudeja, S. S. (1995).** Effect of adhesives on rhizobial survival, distribution, nodulation and nitrogen fixation in summer and winter legumes. Indian J. Microbiol. 35: 115- 120.
- Swelim, D. M. (1987).** Studies on symbiotic N₂-fixation under soybean Egyptian soil. M. Sc. Thesis, Fac. Agric., Moshtohor, Zagazig, Univ., Egypt.
- Sylvester-Bradley, R.; Mosquera, D. and Mendez, L. E. (1988).** Selection of rhizobia for inoculation legumes in savanna and rainforest soils of forage of tropical America. In: Nitrogen Fixation by Legumes in Mediterranean Agriculture. (Eds.) D. P. Beck and L. A. Materon Martinus Nijhoff, Dordrecht, the Netherlands., PP. 225- 233.
- Tilak, K. V. B. and Subba Rao, N. S. (1978).** Carriers for legume (*Rhizobium*) inoculants. Fertilizer News, 23: 25-28.
- Thirukumaran, P. and Pain, A. (1986).** Identification of carrier for soybean inoculant production in Sri Lanka. Tropical Agriculturist, 142: 25-33.

- Thompson, J. A. (1960).** Inhibition of nodule bacteria by an antibiotic from legume seed coats. *Nature*, London, 187: 619-620.
- **(1961).** Studies on nodulation responses to pelleting of subterranean clover seed. *Aust. J. Agric. Res.* 12, 578- 592.
- ; **Brockwell, J. and Roughley, R. J. (1975).** Preinoculation of legume seed. *The Journal of Australian Institute of Agricultural Science*.p. 253-254.
- Toro, N. (1996).** Nodulation competitiveness in the *Rhizobium*-legume symbiosis. *World J. of Microbiology and Biotechnology*. 12: 157-162.
- Trinick, M. J.; Rhodes, R. L. and Galbraith, J. H. (1983).** Competition between fast- and slow growing rhizobia for nodulation of *Vigna unguiculata*. *Plant and Soil*, 73: 105-115.
- Van Rossum, D; Muyotcha, A.; De-Hoop, B. M. and Van-Verseveld, H. W. (1994).** Soil acidity in relation to groundnut-*Bradyrhizobium* symbiotic performance. *Plant and Soil*, 163: 165-175.
- Van Schreven, D. A. (1970).** Some factors effecting growth and survival of *Rhizobium spp.* in soil-peat culture. *Plant and Soil*, 32: 113-130.
- Varma, L. N. and Rawat, A. K. (1991).** Survival of *B. japonicum* as affected by different levels of moisture and organic matter in sandy soils. *Microbial.*, 146: 545-547.
- Vargas, A. A. T.; Athayde, J. T. and Graham, P. H. (1990).** Methods of bean inoculation with *Rhizobium leguminosarum bv. phaseoli*. *Revista de Microbiologia*. 21: 5-10.
- Venkateswarlu, B. and Roa, A.V. (1987).** Quantitative effects of field water deficits legumes on N_2 (C_2H_2) fixation in the Indian desert. *Biology and Fertility of Soils*, 5: 18-22.
- Vincent, J. M. (1954).** *J. Aust. Inst. Agric. Sci.* 20 : 247- 249. (Cited from Brockwell 1963).

- (1958). Survival of the root nodule bacteria. In "Nutrition of the legumes" (Ed. Hallth worth), 108-123. Academic Press., New York.
- (1965). Environmental factors in the fixation of nitrogen by the legumes. In: Soil Nitrogen (Eds. W. V. Bartholomew and Francis E. Clarc), pp. 387-412. American Society of Agronomy. Inc., Publisher. Madison, Wisconsin, USA.
- (1968). Basic considerations affecting the practice of legume seed inoculation. In: Festskrifttil Hans Lourits Jensen, pp. 145-158. Gadgaard, Nielsens Bogtrykkeri, Lemvig, Denmark.
- (1970). A manual for the practical study of root-nodule bacteria. IBP Handbook No.15.Blackwell Scientific Publications, Ltd., Oxford, UK.
- ,Thompson, J. A. and Donovan, K. O. (1962). Death of root nodule bacteria on drying. Aust. J. Agric. Res. 13, 258 – 270.
- Wallace, R. H. and Lochhead. A. G. (1951). Bacteria associated with seeds of various crop plants.Soil.Sci.71, 159.
- Waller, R. A. and Duncan, D. B. (1969). A bays rule for the symmetric multiple comparison problem. Amr. Stat. Assoc. J., Dec., 1485-1503.
- Weaver, R. W. and Frederick, L. R. (1972). Effect of inoculation size on nodulation of *Glycine max (L.) Merrill* variety. Agronomy Journal. 64: 597-599.
- White, J. G. H. (1967). Establishment of lucerne on acid soil. In R.H. M. Langer, (Ed), The lucerne crop. A. H. and A. W. Reed, Wellington, Auckland. p . 105-114.
- Yousef, A. N. and Abdul-Rtha, H. A (1987). Effect of temperature on survival and efficiency of root nodule bacteria. J. Agric. and water Resources Res. Soil and eater Resources, 6: 17-41.