

References

REFERENCES

- A.O.A.C. 1985.** Official methods of analysis of the Association of Official Agricultural Chemists. Published by The A.O.A.C., 14th Ed. Washington. DC.
- Abd-El- Lateef, E.M.; N.I. Ashour, and A.A. Farrag, 1998.** Effect of foliar spray with urea and some micronutrients on mung bean (*Vigna radiata* (L.) Wilczek) growth, yield and seed chemical composition. National. Research. Center (NRC) Cairo. Bull. 23(2): 219 – 232.
- Abd-El-Aziz, I. M.; M.H., Mohamed and M.A. Ashour. 1985.** Interactive effects of IAA and salinity on the germination and growth of soy bean seedling. Annals of Agric. Sci. Ain Shams Univ., 30 (2): 1093 – 1108.
- Abd-El-Lateef, E.M.; T.G., Behairy and N.I., Ashour. 1998.** Effect of phosphate potassic fertilization on yield and its components of mung bean (*Vigna radiata* (L.) Wilczek) varieties. Arab Univ. J. of Agric. Sci., 6(1): 167 – 181.
- Abel- G.H, and A.J. Mackenzie. 1964.** Salt tolerance of soy bean varieties (*Glycine max* L. Merrill) during germination and later growth. Crop Sci., 4: 157 – 161.
- Agwah, E.M. and Hosna, A.F. Mahmoud (1994).** Effect of some nutrient, sucrose and cultivars on tomato fruit set and yield. Bulletin of Fac. of Agric. Univ. Cairo 45 (1): 137-148.
- Ahmed, A.M.; A.A. Shalaby; S.S. Tag El-Din and A.M. Hegazi (1983).** Effect of NPK-fertilization and K and Mg foliar-spraying on growth, nutritional status and yield of sunflower in desert calcareous soil. Desert Institute, Matarya, Cairo, Egypt.

- Arora, S., P.P., Saradhi and A. Sandeep. 1995.** Light induced enhancement in proline levels in *Vigna radiata* exposed to environmental stresses. *Austrain J. of plant physio*, 22(3):383– 386.
- Arvadia, L.K., C.L., Patel and M.K., Arvadiya. 1996.** Effect of irrigation, weed management and phosphorus on yield of summer green gram (*Vigna radiata* (L.). wilczek Gujarat Agric. Univ. Res. Journal, 21(2): 104 – 106.
- Ashour, N.I., M.E., Haggah, E. El-Ghareib, A., Nour. and M.F., Karamany. 1998.** Effect of sowing date, plant density and phosphatic fertilizer on yield and yield components of mung bean (*Vigna radiata* (L.) Wilczek). *Proc. 8th Conf. Agron.*, 28 – 29 Nov. Suez Canal Univ., Ismailia, Egypt.
- Ashour, N.I.; T. G. Behairy; E. M. Abd El Lateef and M. M. Selim 1991.** A preliminary study on the potentiality of intercropping of intercropping of mung bean (*Vigna radiata*) with dwarf grain sorghum (*Sorghum bicolor* Moench) in Egypt *Bull. NRC. Egypt*, 16 (1): 53-60
- Ashour, N.I.; T. G. Behairy; E. M. Abd El Lateef and M. M. Selim 1992.** mung bean (*Vigna radiata*) a new introduced crop in Egypt 2-Varietal differences in growth and yield. *Proc. 5th Conf. Agron. Zagazig Univ., Egypt*, Sept. (1): 361-370.
- Ashraf, M. and E., Rasul. 1988.** Salt tolerance of mung bean (*Vigna radiata* (L.) Wilczek) at two growth stages. *Plant and soil*, 110(1): 63 – 67.
- Azab, M.A. 1997.** Salt tolerance of two varieties of mung bean (*Vigna Radiata* (1) Wilczek). *Agron. Dept. Faculty off Agric. Al-Azhar Univ., Cairo, Egypt*.
- Bates, L.S.; R.P Waldren, and L.D. Teare, 1973.** Determination of proline water-stress studies. *Plant and Soil*, 39: 205-207.

- Beckett R.P. and J vanstaden. 1992.** The effect of thidiazuron on the yield of salinity stressed wheat. *Annals of Botany*, 70:47-51.
- Brown J. D. and D. Lilleland. 1964.** Rapid determination of potassium and sodium in plant material and soil extract by flame photometry *Proc Amer. Hort. Sci.* 73-813.
- Chaplin, M. H. and M. N. Westwood. 1980.** Relationship of nutritional factors to fruit set. *J. plant Nut.* 2, 4 : 477 - 505..
- Chapman, H.D. and P.F., Pratt. 1961.** Methods of analysis for soils plant and water. Univ. of Calif. Division of Agric. Sci., August. 2nd printing.
- Cherry, J.H. 1973.** Molecular biology of plants test- Manual. Clombia Univ. Press. New York and London 68-71.
- Dhingra, H.R. and T.M. Varghese. 1997.** Flowering and Sexual reproduction under salt stress "In Haiwal, P.K.; R.P. Singh and A. Gulati (1997). Strategies for improving salt tolerance in higher plants. Science Puld. Inc. USA: 221-245.
- Dubey, S.K.; A.K., Sinha and B.R., Yadav. 1992.** Effect of irrigation water quality and applied phosphorus on P uptake and grain yield of green gram (*Phaseolus radiatus*). *Indian J. of Agron.*, 37(1): 119 – 122.
- Eata, A.E.M. 2001.** Response of some tomato cultivars to natural soil salinity and use of some treatments to reduce salt injury. Ph.D. Thesis, Fac. of Agric., Mansoura Univ., Egypt.
- El-Khatib, H.A. 1996.** Effect of irrigation water salinity and potassium fertilization on growth, yield and mineral contents of some potato cultivars. Ph.D. Thesis Fac. Of Agric. Alex. Univ.
- Ellis, R.; J.F. Davis, and Thurlow, D.L. 1964.** Zn-availability in calcareous soils as influenced by phosphorus level and temperature. *Soil Sci. Soc. Amer. Proc.* 28:83-86.

- El-Mansi, A.A. M.A. El-Beheidi, M.H. El-Sawah and S.A. Swidan 1990a.** The importance of interaction of NAA, Boron and zinc on peas. I- Plant growth and pigments content. Zagazig. J. Agric. Res., 17(2): 361-368.
- El-Mansi, A.A. M.A. El-Beheidi; M.H. El-Sawah and S.A. Swidan 1990b.** The importance of interaction of NAA, Boron and Zinc on peas. II- Yield and yield components. Zagazig. J. Agric. Res., 17(2): 369-375.
- El-Mansi, A.A.; M.A. Khalil. E.A. El-Ghamriny and F.H. Afia 1991.** Effect of foliar spray with zinc, manganese and yield of broad bean plants. Zagazig J. Agric. Res. 18(6): (1947- 1958).
- El-Mansi, A.A.; M.A. Khalil; E.A. El-Ghamriny and F.H. Afia 1994.** Effect of foliar spray with Zn and / or B on growth and seed yield and its quality of cowpea. Zagazig J. Agric. Res. 21(3B): 897-906.
- El-Sheikh. M.H. 1981.** Studies on faba bean. Effect of major cultural practices and microelements on faba bean. M. Sc. Thesis, Fac. of Agric., Alex. Univ. Egypt.
- El-Sherif, A.F.; S.M., Shata and R.A., Youssef. 1990a.** Response of tomato seedlings to zinc application under different salinity levels. 1- Dry matter, Ca, Mg, K, and Na content. Egypt. J. Hort., 17(2): 131 – 142.
- El-Sherif, A.F.; S.M., Shata and R.A., Youssef. 1990b.** Response of tomato seedlings to zinc application under different salinity levels. 2- Micronutrients content. Egypt. J. Hort., 17(2): 143 – 150.
- El-Shobaky, S.A. and Y.T. Abd El- Mageed. 1996.** Response of two pea cultivars to GA₃ and zinc sulphate as foliar spray. Egypt J. Appl. Sci, 11(1): 87-103.

- El-Sawah, M. H. , M. R. Gabal, A. A. Gad, and A. M. Metwally .1985
Effect of P and K fertilizer level on growth , mineral
components on broad bean plants . Zagazig J. Agric. Res. 12(2):
87-114.
- El-Zeiny. H.A.; A.K. El-Halim; AA., El-Noemani, and A.k. Abd-El-
Halim. 1990. Effect of foliar spraying of urea and super-
phosphate on growth and yield of faba bean (*Vicia faba*) plants
grown under different levels of water supply. Egyptian-j. of
Agron., 15 (1-2): 125-137.
- Fadeel, A.A. 1962. Location and properties of chloroplasts and pigment
determination in roots. *Physiol. Plant*, 15 : 130 - 147.
- Farag, S.A.; F.A. Abo- Sedera, and M.Z. Farag 1989. Effect of some
micronutrients foliar spray on plant growth, chemical
composition, flowering and dry seed yield of pea (*Pisum
sativum*, L.) *Annals of Agric. Sci., Moshtohor*, 27(1): 541 –
556.
- Farrag, A.A. 1970. Effect of phosphorus nutrition on growth and
development of broad bean plants grown under saline condition.
M. Sc. Thesis, Fac. of Agric., Cairo Univ. (A. R. E.).
- Fawzi, A.F.; M.M. El-Fouly, and M.M. Moubarak 1993. The need of
grain legumes for iron, manganese, and zinc fertilization under
Egyptian soil conditions: Effect and uptake of metal states. *j.
of Plant Nutr.* 16(5): 813-823.
- Gabal , M. R. ; T. A. Abed , I. M. Abd Allah and F. M. EL- Assiouty.
1984. Effect of Cu , Mn and Zn foliar application on common
bean growth , flowering and seed yield . 10th African Hort.
Symposium ,Addis Ababa 16-20 January 1984 , ISHS. Ethiopia
. *Acta. Hort. (ISHS)* , 158 : 307-313.

- Gabal, M. R. 1995.** "Vegetable Crops nutrition" Lecture for post graduate students in Arabic. Hort. Dept. Faculty of Agric, Moshtohor : 150 Pages.
- Garg, B. k. 1987.** Sodium carbonate and bicarbonate induced growth and some metabolic changes in green gram seedlings. Current Agric., 11 (1-2): 41 – 44.
- Gheeth. R. H. 1993.** Effect of rhizobium application and Nitrogen and phosphorus fertilization rates on growth and yield of peas (*Pisum sativum* L.) M.Sc. Thesis, Fac. of Agric., El-Minia Univ., Egypt.
- Gill K.S. 1985.** Effect of saline irrigation at various growth stages on growth, yield attributes and ionic accumulation pattern in green gram. Indian J. of Agric. Sci., 60 (4): 280 – 284.
- Gomaa, M.A.; H.A. Zied, and F.I. El-Araby, 1986.** The effect of spraying with some micronutrients elements on growth and yield of broad bean (*Vicia Faba*, L.) Annals of Agric. Sci., Moshtohor, Vol. 24:657-666.
- Gomez, K. A. and A. A., Gomez. 1984.** Statistical procedures for agricultural research. 2nd Edt.. John Wiley and Sons publis. 139 – 153.
- Guerrier, G. 1995.** Specific characteristics of sodium and potassium accumulation and time to germination in NaCl tolerant plants. Phyton. Argentina 45 (1): 1 - 11 (C.F. Hort. Abstr. 55 (12): 9607).
- Hafeez, F.; Z., Aslan and K.A., Malik. 1988.** Effect of salinity and inoculation on growth, nitrogen fixation and nutrient uptake of *Vigna radiata* (L.) Wilczek. Plant and soil, 106: 3 – 8.
- Hamada, A.M. and A.E., EL-Enany. 1994.** Effect of NaCl salinity on growth, pigment and mineral element contents, and gas

- exchange of broad bean and pea plants. *Biologia plantarum*, 36(1): 75 – 81.
- Harbir, S., B.P., Malik, H.C., Sharma and H., Singh. 1989.** Relative performance of mung bean (*Vigna radiata* (L.) Wilczek) cultivars under varying levels of soil salinity. *Haryana J. of Agron.*, 5(2): 171 –173.
- Hassan, E.H.A.1999.** Physiological studies on the adaptation of some tomato varieties under saline condition. M. Sc. Thesis, Fac. of Agric., Ain Shams Univ., Cairo, Egypt.
- Hassan, H. Kh. 1989.** Physiological studies for improving salt tolerance of wheat plants. Ph. D. Thesis, Fac. of Agric., Ain Shams Univ., Cairo.
- Ibrahim, S.A. 1989.** Growth, yield and nutrients uptake responses of pea plants to phosphorus and microelements. *Egyptian, Soil Sci.*, 29 (3). 251-259.
- Jackson, M.L. 1958.** Soil chemical analysis. Constable and Co., Ltd., London, 38, 325.
- Jaiwal , P. K. ; R.P. Singh and A. Gulati . 1997.** Strategies for improving salt tolerance in higher plants. Science publ.Inc. USA: 234.
- Kalloo (1986).** Tomato. Allied Publishers Pvt., Ltd., New Delhi, 470 PP.
- Kanwar, J.S. and R.M. Thakur. 1972.** Effect of phosphorus and zinc on growth and flowers initiation in four varieties of kidney bean. *Punjab Hort. J.* 12(2/3): 162-170. [C.F. Hort. Abst. Vol. 44, 1568].
- Kanwar, J.S. and R.M. Thakur. 1973.** Plant health as influenced by the application of zinc and phosphorus in four varieties of kidney bean (*Phaseolus vulgaris* L.) *Punjab Hort. J.* 13(1): 39-45.

- Kastori, R.; N. Petrovic and M. ubavic. 1987.** Effect of foliar application of the complete crystalline fertilizers plantazor on the field of some vegetable crops. *Agrohemija*. No. 2 : 153-160.
- Khadr A.A. 1979.** Chelated and unchelated iron and Zinc influence on growth and chemical composition of per seedlings grown in soil mixed with calcium carbonate. *Annal of Agric., Moshtohor*, Vol., 12 : 147-156.
- Khan, I. A. 1988.** Induced variability for salt tolerance in mutants of mung bean (*Vigna radiata* (L.) Wilczek). *Thai J. of Agricu. Sci.*, 21(2): 167 – 172.
- King, C.C.; C.Y., Hsu and G.A., Jini. 1963.** Action of benzimidazole on protein synthesis in detached leaves. *Acta Biol. Exper. Since*, 8(2): 163 – 169. (C.F. Biol. Abst, 45 part II: 92866, 1964).
- Kishk, E.T. ; A .A Shalaby , and M. A.Ozoris .1983.** Yield and chemical components of barley as affected by gradual and sudden salinization at various levels . *Desert Research Center (DRC) Cairo. Bull.* 14: 16-39.
- Maddah, M.S. 1984.** Efficiency of some growth regulators on the tolerance of seed and seedling of soy bean to salinity and their effect of morphology and anatomy of plant. *Ph.D. Thesis of Agric. Botony, Cairo Univ., Egypt*.
- Mahmoud, A.E. 1998.** Effect of some micronutrients on the growth and yield of peas (*pisum staivum* l.) under sandy soil conditions. *M. Sc. Thesis, Faculty of Agric. Minia Univ., Egypt*.
- Masthan, S.C.; S.N. Reddy; M. Shaik and S. Mohammed. 1999.** Potential of rice, sunflower and green gram cropping system as influenced by rational use of phosphorus. *Indian. J. of Agron.*, 44(2) : 232 – 236 .

- Melton, J.R.; G.B. Ellis, and C.E. Doll, (1970):** Zinc, phosphorus, and lime interactions yield and zinc uptake by *Phaseolus vulgaris*. Soil Sci. 34:91-93.
- Mengel. K. and E.A. Kirkby (1978).** Principals of plant nutrition. Inter. Potash Inst. P.O. Box. Ch-3048 Wprblaufen-Bern witzerland.
- Minhas PS and Gupta RK 1990.** Using high salinity and SAR water for crop production some Indian Experience. In: Towards rational use of high salinity tolerant plants (Eds. Leith H and Al-Masoom A.), Vol 2. Kluwer Acad. Pub. pp. 423-432.
- Misra, A.N.; B., Murmu; P., Singh and M., Misra. 1996.** Growth and proline accumulation in mung bean seedlings as affected by sodium chloride. Biologia Plantarum, 38 (4): 531 – 536.
- Mohamed M. F., P. E. Read and D.P. Coyna 1992.** Dark preconditioning, CPPU, and thidiazuron promote shoot organogenesis on seedling node explants of common and faba beans. J. Amer. Soc. Hort. Sci., 117 : 4, 668-672.
- Mok, M.C.; D.W., Mok; D.J., Armstrong; A., Rabakoarihanta and S.G., Kim. 1980.** Cytokinin autonomy in tissue culture of *Phaseolus*: a genotype. specific and heritable trait. Genetics, 94: 675 – 686.
- Murphy, J. and Riley, J.H. 1962.** A modified single solution method for the determination of phosphate in natural waters. Anal. Chim Acta, 27: 31 - 36.
- Nadini , C., M., Subhendu and N., Chakrabati . 1994.** Effect of indole – 3 acetic acid, gibberellic acid and kinetin pretreatment as foliar spray on chlorophyll's enzyme activity, photosynthetic non- cyclic electron transport and CO₂ uptake in C₃ glycophyte *Vigna radiata* (L.) Wilczek under salt stress. Plant physi. and Bioch. , New Delhi, 21 (2): 59 – 64.

- Nassar, H.H.; K.A. El-Fadaly, and N.A. El-Sawah 1992.** Influence of Fe and Zn foliar application on vegetative growth, yield and yield components in bean (*Phaseolus vulgaris* L.) Al-Azhar J. Agric. Res. Vol. 15:137-151.
- Niasi, B.N. and C., Tahira. 1986.** Effect of sodium chloride and zinc on the growth of tomato. Pakistan J. of Agric. Res., 7(1): 74 – 54. (C.F. Hort. Abstr, 57: 7834, 1987).
- Okuse. I. 1994.** Influences of the sexuality in flower stalk explants on the callus formation and growth in spinach (*Spinacia oleracea* L.) Bull of the fac. of Agric. Hirosaki Univ. No. 57, 55-62.
- Pandurangi. R.B.; S.G., Wankhade; and R.A., Nasre. 1991.** Response of mung (*Phaseolus aureous* L.) to soil and foliar application of phosphatic fertilizers. Legume Research. 14 (4): 187 – 188.
- Pascale, S.; G., Barbieri and S., Pascale. 1997.** Effect of soil salinity and top removal on growth and yield of broad bean as a green vegetable. Scientia Hort., 71 (3 – 4): 147 – 165.
- Patil, S.L., C.S., Hunshal ; B.T., Nadagouda and R.N., Kori . 1992.** Dry matter accumulation in a green gram as influenced by saline water irrigation. Advances in Agric. Res. in India, 6: 79 – 87.
- Patil, S.L.; C.S., Hunshal; S.R., Salakinakop and R.N., Kori. 1996.** Effect of use of saline water to supplement good water on leaf growth and yield of green gram in black soil. Legume Research, 19: 162 – 166.
- Patil, S.L.; C.S., Hushal; D.P., Vishwwanath and V.P., Chimmad. 1995.** Effects of use of saline water to supplement good water on uptake of nutrients by green gram on black soil. Indian J. of Agric. Res., 29 (4): 181 – 187.
- Piper, C.S. 1950.** Soil and plant analysis. Inter Science Publishers, New York, 213 – 217.

- Prasad, M.R.; A.P., Singh and B., Singh. 1998.** Yield, protein and nitrogen content and potassium uptake of summer mung as affected by water deficit and potassium application. *Indian Agriculturist*, 42(1): 21 – 25.
- Pupl Ication 1993.** Iron-zinc relationship in pea. *Annals of Agricultural research*. 14:497-499.
- Ram, S.N. and R.S., Dixit. 2000.** Effect of dates of sowing and phosphorus on nodulation, uptake of nutrients and yield of summer green gram (*Vigna radiata* (L.) wilczek). *Crop Research Hisra*, 19(3): 414 – 417.
- Ramadan M.M. 1997.** Effect of some agricultural treatments on the growth and yield of peas. M. Sc. Thesis, faculty of Agric. Zagazig Univ., Egypt.
- Ravikovitch, S. and J., Navrot. 1976.** The effect of manganese and zinc on plants in saline soil. *Soil Sci.*, 121(1): 25 – 31.
- Reddy, S.N.; B.G., Singh and I.V., Rao. 1989.** Physiological efficiency of green gram and black gram with phosphate fertilization. *Indian Wassif J. of Agric. Sci.*, 59(11): 749 – 751.
- Saad; A.O.; M.G. Yakout and A.T. Thaloorth 1980.** Effect of method of phosphorus application and spraying with micronutrients on broad bean (*Vicia Faba* L.) Egypt. *J. Agron*, 5 (2): 109-118.
- Safia, M., E.H., Abou-El-Salehein and A.M., Abd-Alla. 1996.** Effect of N and K fertilizers as foliar spray on tomato under green house conditions. *Zagazig J. Agric Res.*, 23(4): 929 – 940.
- Said, A. M.; A. A , Sherif and Abd El-Naby., H. A., 1998.** Responc of mung bean to plants dinsety and rate of Nitrogin and phophorus application. *Conf. Agron.*, Suez Canal Univ., Ismailia, Egypt, 28-29.

- Salam – ASAA. 1998.** Effect of soil and foliar application of nitrogen in combination with zinc on the biomass yield and grain quality of faba bean grown on lacustrine soil. Alexandria. J. of Agric. Research. 43: 1, 129 – 139; 24 ref.
- Satti, S.M. and M., Lopez. 1994.** Effect of increasing potassium levels for alleviating sodium chloride stress on the growth and yield of tomatoes. Common. Soil Sci. Plant Anal, 25(15&16): 2807 – 2823.
- Satti, S.M.; A.A., Ibrahim and S.M., Al-Kinidi. 1994.** Enhancement of salinity tolerance in tomato: implication of potassium and calcium in flowering and yield. Common. Soil Sci. Plant Anal, 25(15&16): 2825 – 2840.
- Satti, S.M.; M., Lopez and F.A., Al-Said. 1994b.** Salinity induced changes in vegetative and reproductive growth in tomato. Common. Soil Sci. Plant Anal, 25(5&6): 501 – 510.
- Shafashak, N.S. 1989.** Response of broad bean to irrigation frequency with drainage water under different levels of phosphorus fertilizer. Annals of Agric. Sci. Moshtohor, 27(3): 1791 – 1804.
- Sharma, P.K 1992.** Study on reproductive behaviour of mung bean (*Vigna radiata* (L.) Wilczek) under saline conditions M.SC. Thesis, HAU, Hisar.
- Sharma, P.K.; S. S. Kolhe and R. S. Tripathi 1994.** Influence of level of phosphorus interculture and indol -3- acetic acid on growth and nodulation in mung bean (*Phaseolus radiatus*) Indian journal of Agronomy. 39 (3): 479-481.
- Sharma, s.K. and Gupta, I.C. (1986).** Metabolic processes in relation to salinity. In Saline Environment and Plant Growth. Agro. Botanical Publishers (India), pp 78-104.

- Singh, B.G. and S.M., Hiremath. 1990.** Effect of phosphate fertilization on physiological aspects of mung bean. J. Of Maharashtra Agric. Universities, 15 (2): 176 – 178.
- Singh, O.P.; P.N., Tripathi; S., Room and R., Singh . 1999.** Effect of phosphorus and sulphur nutrition on summer green gram (*Phaseolus radiata*). Indian J. of Agric. Sci., 69(11): 798 – 799.
- Singh, T.; N. Tiwari and A.N. Pathak 1988.** Effect of zinc on seed yield and nutrient of pea (*Pisum sativum* L.) Indian J. of Plant Physiol. 31 (3): 321-315. (C.F. Hort. Abst., 59(9) : 7465) .
- Soliman, M.M.; I.I. El-Oksh., And S.M.H. El-Gizy. 1991.** Effect of organic manure, P, Zn Mo on growth and yield of common bean (*Phaseolus vulgaris* L.) Annals of Agric. Sci. 36:587-598.
- Soni, K.C. and S.C., Gupta. 1999.** Effect of irrigation schedule and phosphorus on yield, quality and water use efficiency of summer mung bean (*Phaseolus radiata*). Indian J. of Agron., 44(1): 130 – 133.
- Soubeih, K.A.A. 1998.** Productivity improvement of tomato crop under environmental saline conditions. M. Sc. Thesis, Fac. of Agric., Ain – Shams Univ., Cairo (A.R.E.).
- Stepanok- VV; Golenetskii – SP. 1990.** Effect of various zinc compounds on crop yield and zinc uptake by plants. Agrokhimiya. No.3: 85 – 91.
- Sudhakar, C., P.S., Reddy and K., Veeraneyulu. 1990.** Effect of salt stress on dry matter production and mineral content during growth of horse gram (*Macrotyloma uniform* (L) Verdc.) and green gram (*Vigna radiata* (L.) Wilczek) . Plant physiol. and Biochemistry, New Delhi, 17 (2): 88 – 91.
- Sudhakar, C.; P.S., Reddy and K., Veeranjaneyulu .1993.** Effect of salt stress on the enzymes of proline synthesis and oxidation in

- green gram (*Phaseolus aureus* Roxb.) seedlings J. of Plant Physio., 141 (5): 621 – 623.
- Sushil, K.; N.K., Matta and S., Kumar. 1997.** Status of mung bean protein fractions under changing nutrient regime. J. of Plant Biochem. And Biotechno. 6(1): 41 – 43.
- Tomar, S.S.; U.K., Shrivastava; S.S., Bhadouria and A.S., Tomar. 1996.** Moisture use pattern and yield of summer mung in relation to seed rate, moisture regimes and phosphorus levels. Agric. Sci. Digest Karnal, 16(3): 182 – 184.
- Tripathi, K.P.; N.L., Sharma; A.S., Faroda and N.L., Joshi . 1999.** Effect of poor quality waters on nutrient uptake and performance of green gram (*Vigna radiata*). Recent advances in management of arid ecosystem. Proceedings of a symposium held in India, 291 – 294.
- Upadhyaya, A. 1988.** Effect of salinity on nitrogen metabolism in mung bean (*Vigna radiata* (L.) Wilczek). Indian J. of forestry, 11(4): 333-335.
- Wassif, M. M. ; M. A. EL-Kadi, I. H. EL-Bagouri and A. A. Robishy 1983.** Yield of fodder bean as a function of micro-nutrientes application and saline water irrigation . Desert Research Center (DRC) Cairo. Bull. 14: 167-180.
- Yadav- SS., Yadav- AC. 1998.** Effect of chloride and sulphate salinity and yield of pea (*Pisum sativum*). Crop Research Hisor. 16 (3): 415-417.
- Younis, M.E.; M.A., Abbas and W.M., Shukry. 1994.** The combined effects of salinity and $\text{Ca}(\text{NO}_3)_2$ or KNO_3 on growth and metabolism of *Phaseolus vulgaris*. Egypt. J. of Physio. Sci., 18 (2): 393 – 406.