

CONTENTS

	<i>page</i>
1.INTRODUCTION	1
2.REVIEW OF LITERATURE	3
2.1.Effect of Feed Additives on Digestibility Coefficient	3
2.1.1. <i>Aspergillus oryzae</i> (Bospro)	3
2.1.2.Gustor XXI	6
2.1.2.1.Malic acid	6
2.1.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	7
2.2.Effect of Feed Additives on Nutritive Value..	12
2.2.1. <i>Aspergillus oryzae</i> (Bospro)	12
2.2.2.Gustor XXI	12
2.2.2.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	12
2.3.Effect of Feed Additives on Feed Intake	13
2.3.1 . <i>Aspergillus oryzae</i> (Bospro)	13
2.3.2.Gustor XXI	15
2.3.2.1 .Malic acid	15
2.3.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	16
2.4.Effect of Feed Additives on Feed Conversion	18
2.4.1. <i>Aspergillus oryzae</i> (Bospro)	18
2.4.2.Gustor XXI	19
2.4.2.1.Malic acid	19
2.4.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	20
2.5.Effect of Feed Additives on Rumen Parameters	21
2.5.1.Ruminal pH value	22
2.5.1.1 <i>Aspergillus oryzae</i> (Bospro)	22
2.5.1.2.Gustor XXI	23
2.5.1.2.1.Malic acid	23

2.5.1.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	24
2.5.2.Ruminal ammonia nitrogen concentration	26
2.5.2.1. <i>Aspergillus oryzae</i> (Bospro)	26
2.5.2.2.Gustor XXI	27
2.5.2.2.1.Malic acid	27
2.5.2.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	28
2.5.3.Ruminal total volatile fatty acids concentration	30
2.5.3.1. <i>Aspergillus oryzae</i> (Bospro)	31
2.5.3.2.Gustor XXI	32
2.5.3.2.1.Malic acid	32
2.5.3.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	33
2.6.Effect of Feed Additives on Blood Parameters	34
2.6.1.Total protein	34
2.6.1.1. <i>Aspergillus oryzae</i> (Bospro)	34
2.6.1.2.Gustor XXI	35
2.6.1.2.1.Malic acid	35
2.6.1.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	35
2.6.2.Albumin	37
2.6.2.1_ <i>Aspergillus oryzae</i> (Bospro)	38
2.6.2.2.Gustor XXI	38
2.6.2.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	38
2.6.3.Globulin	39
2.6.3.1. <i>Aspergillus oryzae</i> (Bospro)	40
2.6.3.2.Gustor XXI	40
2.6.3.2.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	40
2.6.4.Urea-N	40
2.6.4.1. <i>Aspergillus oryzae</i> (Bospro)	41
2.6.4.2.Gustor XXI	41
2.6.4.2.1.Malic acid	42
2.6.4.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	42

2.7.Effect of Feed Additives on Growth Performance	42
2.7.1. <i>Aspergillus oryzae</i> (Bospro)	44
2.7.2.Gustor XXI	44
2.7.2.1.Malic acid	45
2.7.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>) ...	45
2.8.Effect of Feed Additives on Body Weight.....	46
2.8.1. <i>Aspergillus oryzae</i> (Bospro)	48
2.8.2.Gustor XXI	48
2.8.2.1.Malic acid	48
2.8.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>)	48
2.9.Effect of Feed Additives on Body Dimensions	49
2.9.1.Heart girth	51
2.9.1.1.Gustor XXI	51
2.9.1.1.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	51
2.9.2.Body length	51
2.9.2.1.Gustor XXI	51
2.9.2.1.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	51
2.9.3.Height at withers	52
2.9.3.1.Gustor XXI	52
2.9.3.1.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	52
2.9.4.Height at hook	52
2.9.4.1.Gustor XXI	52
2.9.4.1.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	52
2.9.5.Width at hook	53
2.9.5.1.Gustor XXI	53
2.9.5.1.1.Yeast culture (<i>Saccharomyces cerevisiae</i>)	53
2.10.Effect of Feed Additives on Carcass Characteristics	53
2.10.1. <i>Aspergillus oryzae</i> (Bospro)	53
2.10.2.Gustor XXI	54
2.10.2.1.Malic acid	54

2.10.2.2.Yeast culture (<i>Saccharomyces cerevisiae</i>).....	54
3.MATERIALS AND METHODS	57
3.1.Feeding Trial	57
3.1.1.Experimental animals and the schemed treatments	57
3.1.2.tiospro and Ciustor XXI structures	58
3.1.3.Experitritional rations and feedstuffs	59
3.1.4.ManaQement	60
3.2.Digestibility Trail	60
3.3.Rumen Liquor Sampling	63
3.4.Blood Sampling	63
3.5.Slaughter Test	64
3.6:Live Body Weight	65
3.7.Feed Conversion	66
3.8.Body Dimensions	66
3.9.Analytical methods	67
3.9.1.Rumen liquor	67
3.9.2.Blood plasma	69
3.9.3.Meat analysis	69
3.10.Statistica I Analysis	69
4.RESULTS AND DISCUSSION	72
4.1.Digestibility Coefficient	72
4.2.Nutritive Values.	75
4.3.Daily Feed Intake	75
4.4.Feed Conversion	77
4.5.Economical Feed Efficiency	79
4.6.Ruminal Liquor Parameters	82
4.6.1.Ruminal pH value	82
4.6.2.Ruminal ammonia-nitrogen concentration	85
4.6.3.Ruminal TVFA's concentration	88
4.7.Blood Plasma Parameters	91

4.10.7.5.Index of <i>L. dorsi</i>	123
4.10.8.Physical characteristics of meat of rib cut	123
4.10.8.1.pH values	123
4.10.8.2.Color intensity	125
4.10.8.3.Meat tenderness	125
4.10.8.4.Water holding capacity	126
4.10.9.Chemical composition of meat rib cut	126
4.10.9.1.Moisture	126
4.10.9.2.Crude protein	127
4.10.9.3.Ether extract	127
4.10.9.4.Ash	129
5.SUMMARY AND CONCLUSION	130
6.REFERENCES	137
7.APPENDIXES	165
ARABIC SUMMARY	

4.8.Body Weight and Weight Gain	94
4.9.Body Dimensions	97
4.9.1.Heart girth	98
4.9.2.Body length	100
4.9.3.Height at withers	101
4.9.4.Height at hook	102
4.9.5.Width at shoulders	103
4.9.6.Width at hook	103
4.9.7.Width at pinbone	104
4.9.8.Rump length	104
4.9.8.Abdomen girth	105
4.9.9.Abdomen height	105
4.9.10.Abdomen depth	105
4.9.11.Chest depth	107
4.10.Carcass Characteristics	108
4.10.1.Carcass dimensions	108
4.10.3.Carcass components	112
4.103.1.Bone less meat	112
4.10.3.2.Bone	112
4.10.3.3.Meat / bone ratio	114
4.10.4.Fore and hind quarters	114
4.10.5.Offals, organs and fat of some organs	116
4.10.6.Carcass physical dissection (lean, fat and bone percentages in cut)	9-10-11 th rib 119
4.10.7.Physical characteristics of <i>Longissimus dorsi muscle</i>	121
4.10.7.1 .Area of <i>Longissimus dorsi</i> (cm ²)	121
4.10.7.2.Fat depth over <i>L. dorsi</i> (mm)	121
4.10.7.3.Width of <i>L. dorsi</i> (cm)	123
4.10.7.4.Length of <i>L. dorsi</i> (cm)	123

