




REFERENCES



VI- REFERENCES

- Abadir,H.H.(1987).Effect of some nutrient elements on growth and yield of Egyptian cotton. Ph.D. Thesis, Fac. Agric., Assiut Univ., Egypt.
- Abdallah,M.M.(1986).Response of cotton to plant population and nitrogen fertilization.Assiut J. of Agric.Sci.,17(2):243-255.
- (1987).Effect of drought conditions at squaring and flowering stage under different nitrogen rates on productivity of cotton plants. Assuit J. of Agric.Sci.,18(11):221-235.
- Abd Allah-Amany,M.(1995).Cotton fertilization under drip irrigation requirement.M.Sc. Thesis, Fac. of Agric., Cairo Univ., Egypt.
- Abd El-Aal,H.A;A.I.Yasseen and S.F.El-Gahel (1990). Effect of NPK on yield and some yield components of Giza 75 cotton variety. Annals Agric.Sci.,Fac. of Agric, Ain Shams Univ.,32(2): 709-722
- H.Ziedan; A.A. Darwish and W.M. El-Shazly (1996). Influence of topping dates and phosphorus fertilization levels on growth and yield of transplanted cotton. Minufiya, J. Agric. Rcs.,21(1): 23-33.

-
- (2000). Proper hill spacing and optimum NPK rate for cotton Giza 89. *Alex.Sci.Exch.*,21(3): 197-210.
- Abd El-Gawad,A.A;A.M.Samra; A.Y. Ashoub and B.M. El-Kadi (1985). Effect of nitrogen fertilizer and micro-nutrients (ferrous, zinc and manganes) on yield, yield components and plant height of Giza 75 cotton cultivar. *Agric.Res. Review*,63(6): 87-97.
- Abd El-Ghany, A.A; I.A. Marwad; S.A. El-Sayed and B.A. El-Said (2001). The effect of two yeast strain or their extracts on vines growth and cluster quality of thompson seedless grape vines. *Assiut Journal of Agricultural Science.*, 32(1): 215-224.
- Abd El-Hadi,A.H.;A.A. Moustafa; A.A. Abd El-Haleem; M.A.M. Hassan and Y.H. Mohamed (1987). Effect of nitrogen phosphorus and potassium fertilization on cotton yield production in Egyptian soils. First Conference of Fertilizers Availability Needs. April 13-16, ARC. Cairo. Egypt.
- Abd El-Malak,K.K; M.M. El-Razaz and F.M.Ghaly (1997) . Effect of phosphorus levels and topping dates on yield of transplanted cotton cultivar Giza 83. *Egypt. J. Agric.Res.* ,75(2):504-512.
- Abd El- Malik, R.R.(1998). Response of new cotton cultivar Giza 89 to sowing dates under different nitrogen

levels. J. Agric. Sci. Mansoura Univ., 23(12): 5255-5267.

-----and S.A.I. Abd El-Aal (1998). Effect of thinning dates and nitrogen levels under late sowing on Giza 89 cotton cultivar. J.Agric.Sci. Mansoura Univ., 23 (1): 27-34.

Abd El-Reheem,M.A; E.N. Gendy and F.G. Youns(1991). Effect of phosphorus and zinc application on some plant constituents and yield of dandra cotton variety grown on alluvial soils. Egypt . Agric.Res., 69: 455 –464.

Abd El-Shafy,N.A;M.E.El- Menshawi and E.A.Girgis (2001). Effect of some macro and micro-nutrients fertilization on cotton yield. Minufiya J.Agric.Res.,26(3): 673—687

Abou El-Nour, M.Sh; O.M.M. Wassel and S.A. Ismail (2001). Response of Giza 80 cotton cultivar to some cultural practices to control excessive vegetative growth. Egypt J.Agric.Res.,79(1):191-204

Abou-Zaid, M.K.M. and E.H.EL-Haddad (1997). Future of Egyptian cotton production in the new desert land of Egypt.3-yield and yield components of Giza70 cultivar as affect by nitrogen and potassium fertilization. Alex. J. Agric.Res.,42.(1):73-80

Ahmed- Fatma. M.; M.S. Ismail and M.A. Azab (1991). Physiological response of cotton to foliar application

of urea, copper and boron. Zagazig J. Agric. Res., 19
(4) A:1683-1694.

- Ahmed, F.F; A.M. Aki; F.M. Morsy and M.A. Raggab (1997).
The beneficial effect of biofertilizer on red Roomy
grape vines. The effect on growth and vine nutritional
status. Annals of Agric. Sci. Moshtohor, 35(1): 489-495
- Akabari, K.N; A.P. Gandhi; J.C. Patel (1987). Response of
rainfed cotton to nitrogen and phosphorus. Gujarat
Agricultural University Research Journal, 13(1):50-52.
- Ali, M.R.(1970). Effect of some cultural methods on cotton yield
and technological properties of cotton. M.Sc. Thesis,
Fac. of Agric. Moshtohor. Zagazig Univ., Egypt.
- Ali, M.T.(1983). Effect of chemical defoliation on the yield and
technological properties of cotton .M Sc. Thesis, Fac.
of Agric. Moshtohor., Zagazig Univ., Egypt.
- Ali, S.A.; H.A. Abd El-Aal and A.K. Ahmed (1996). Response
of Giza75 cotton cultivar to phosphorus level. J.
Agric. Sci. Mansoura Univ. 21(1):54-59
- Anisimov, A.A and T.A. Bulatova (1982). The content of auxins
and growth inhibitors in plants under various mineral
condition. Fiziol .Rest. (Moscow), 29:908-914
- A.O.A.C(1985). Association of Official Agricultural Chemists-
"Official Methods of Analysis". A.O.A.C. 14th
Washington D.C., USA.

- Arshad, M. and W.T. Frankenberger (1989). Biosynthesis of Ethylene Soil .Biol. Biochem 21:633-638.
- A.S.T.M. (1967). American Society for Testing and Materials Standards on Textil Materials, D 1447,D1448 and D1449. The Society, Washington, D.L.
- Baisen, C.H. Jianzhang; X. Jianping; C. Bs; H.Jz and Xu. Jp. (1998). Application of active microbial fertilizer .Biol.I.F. ETMT cotton field. Jaingsu-Agricultural-Science No.3,47.
- Black, C.A.(1965). Methods of Soil Analysis. Amer.Soc. Agron. Inc. Pub. Madison ,Wisconsin , U.S.A .
- Bonde, W.C.(1992). Achievement in cotton production technology. Achievement of All-India Co-ordinated Cotton Improvement Project, Silverjubilee (during 1967-1992) . pp 73-96.
- Breitenbeek, G.A. and D.J. Boguet (1995). Effect of N fertilization on nutrient uptake by cotton. Beltwide Cotton Conf. New Orleans LA: 1298-1300.
- Chand, M.; M. Prasad and H. Sing (1997). Effect of fertilizers on growth and quality of cotton (*Gossypium hirsutum*). Indian .J.Agron., 42(3): 528-530.
- Chhanker, P.K. and J.C. Taraedar (1984). Accumulation of phosphates in soils J.Indian Soc.soil.Sci.,32: 266-272.

- Constable, G.A. and I.J.C. Rochester (1988). Nitrogen application to cotton on clay soil. Timing and soil testing .Agronomy Journal, 80(3): 498-502 .
- Darwish, A.A.(2001). Effect of nitrogen fertilization and foliar application of calcium on growth, yield and quality of Egyptian cotton cultivar Giza 89. Minufiya. J. Agric. Res.,26(2): 409-418.
- and S.A.M. Hegab (2000). Effect of foliar application of zinc under different levels of nitrogen fertilization on growth, yield and quality of cotton cultivar Giza 89. Minufiya. J. Agric. Res., 25(4): 987-997.
- Dawood, A.M.(1980). Response of some cotton varieties to nitrogen fertilization at different planting dates . M.Sc. Thesis, Fac.Agric.,Alex. Univ., Egypt .
- Ebaid, M.M.; H.A. Dawwam; I.Kh. Mohamed and S.H. Mohamed (1988). Effecet of nitrogenous phosphatic fertilizers on Egyptian cotton. Minufiya. J. Agric. Res.,13(3): 1502-1533.
- Edmisten, K.L.; C.W. Wood ; C.H. Burmester; C.C. Mitchell (1993). Foliar fertilization of seedling cotton. Proceedings Beltwide Cotton Conferences, 10-14 Journal, New Orleans, Louisiana .USA. 1304-1306.
- El-Debaby, A.S; G.Y. Hammam and M.A. Nagib (1995). Effect of planting date and N and P application levels on

growth characters of Giza 80 cotton cultivar.
Ann.Agric .Sci. Moshtohor, 33: 441-454.

El-Deeb, A.A. (1980). Effect of cotton defoliation and fertilization on yield and quality. M.Sc. Thesis, Fac. Agric., Cairo Univ., Egypt.

El-Gala, A.; A. El-Laboudy and A. Sabri (1976). Growth and status of cotton plants subjected to foliar spray with certain nutrient solutions. Agric. Res. Rev., Cairo, 54 (4): 141-152.

El-Gahel, S.M.; M.M. El-Razaz and H.M. Abou-Zeid (1991). Effect of plant population and N and P fertilization on Giza 81 cotton variety. Egypt. J. Agric. Res., 69:2251-2261.

El-Gawad, A.A.A.; A.E. El-Tabbakh; M.T. Fayed and S.I.S. Abou-Zahra (1980). Growth analysis and efficiency of solar energy conversion for various rates of nitrogen .Egyptian Journal of Agronomy,5(2): 171-178.

El-Halawany, S.H and A.S.M. Azab (1989). Influence of leaf defoliation and nitrogen fertilization on earliness, yield and fiber quality of Egyptian cotton cv. Giza 80. Ann. Agric. Sci. Ain Shams Univ. Egypt, 34: 845-855.

El-Hamawi, M.A.(1977). Plant growth regulator in crop production. Agric. Res., Rcv. 46 (1).

El-Kalla, S.E.; A.T. El-Kassaby; A.A.A. Leilah; M.H. Ghonema and M.M. Ismail (1994). Effect of sowing dates,

population and distribution of plants and nitrogen fertilizer levels on growth and yield of Egyptian cotton Giza 75. Proc. 6th Conf. Agron. Al -Azhar. Univ.Cairo.Egypt.V(1) Sept:95-108 .

El-Khawas, H.(1990). Ecological, physiological and genetic studies of Azospirillum. Ph.D. Deseration. Bayreuth. Univ., Germany.

El-Kholany, A.A and Z.M Sawan.(1980). Effect of plant population, cycocel and nitrogen fertilizer on yield, physical and chemical characteristics of cotton seed. Egyptian Journal of Agronomy, 5(1):25-34.

El-Okkia, A.F.M.; M.H. El-Akkad; H.R. El-Hanafi and M.A. Bdl El-Dayem (1981). Effect of nitrogen fertilizer levels and its split application on yield earliness in Giza 69 cotton variety. Agric. Res. Rev., 59(9): 111-130.

El-Sayed, E.A.(1999). Optimum plant density through intra and inter row spacing under different nitrogen levels of new cotton cultivar Giza 88.J.Agric.Mansoura Univ., 24(10): 5309-5318.

El-Shaer, M.H.(1988). Introducing short season and high yielding cotton in Egyptian rotation. Annual Report (80-84). Academy of Scientific and Technology Research (in Arabic).

- El-Shahawy, M.I.M.; M.M. El-Razaz and M.A. El-Biely (1997).
Response of Giza 87 cotton variety to plant population
density and nitrogen fertilizer levels. J. Agric. Sci.
Mansoura Univ., 22(3): 673-679.
- El-Shazly, W.M.O and A.A. Darwish (2001). Response of cotton
Giza 89 cultivar to nitrogen levels and biofertilization
with microbein. Minufiya J.Agric.Res., 26(3): 635-
658.
- El-Sheikh-Nadia, M. and M.I.M, Slawu (1993). Cotton yield and
fiber properties as affected by nitrogen and
phosphorus levels and time of nitrogen application.
Annals of Agric. Sci. Moshtohor, 31(1): 168-187.
- El-Shinnawy, A.H.; A.A. Hosny and F.M. Ghaly (1983). Effect
of sowing date and nitrogen level on yield and some
yield components of Giza 80 cotton variety .Proc. 1st
Conf. Agron. (2) : 755-771 .
- (1984). Effect of
hill spacing and nitrogen levels on Giza 80 cotton
variety. Agric. Res. Rev., 62(6): 101-111.
- El-Shishtawy, M.M. (1979). The relationship between yield and
its components in Egyptian cotton under some
different agricultural practices M.Sc. Thesis. Fac. of.
Agric., Al-Azhar Univ., Egypt .

- El-Zaree, A.M.S.(1985). Effect of some agricultural treatments on Egyptian cotton. Ph.D. Thesis. Fac. of Agric., Al-Azhar Univ., Egypt .
- Epestein, E. (1972). Mineral Nutrition of Plants Principles and Prospects. John Wiley and Sons. Inc. New York USA.
- Feibo-Wu. And M.A.Omar (1998). Selection of certain nitrogen fixing organisms from the cotton (*Gossypium-barbdensel*) rhizospher Egypt.J.Appl.Sci., 13(5): 116-126.
- Ferguson, J.J.; W.T. Avigne; L.H. Allen. and K.E. Koch (1987). Growth of CO₂ enriched sour orange seedlings treated with gibberellic and cytokinins. Proc.Florida State Hort.Soc., 99: 37-39.
- Foaad, M.M.(2002). Effect of biofertilization on phosphorus availability in Egyptian soils.Ph.D.Thesis.Fac.of Agric., Minia Univ., Egypt.
- Genaidy, S.; M. Hegazy and M.Sobh (1991). Cotton requirements of nitrogen, phosphorus and zinc fertilizers. Egypt. J. Res., 69(2): 379-392 .
- Ghourab, M.H.H.; O.M.M. Wassel and M.S. Saeed (1995). Effect of some nitrogenous fertilizers and nitrogen rates on yield and quality of Egyptian cotton. Zagazig. J. Agric. Res., 22(4): 955-961.
- Gill, K.H.; M.Akram.; M.N. Malik and M.I. Makhdom (1985). Response of cotton to phosphorus in sandy loam soil

of Pungab. Pakistan Cotton , 29(2): 89-92.(C.F.Soil and Fert.,49(3):7521-1986).

Gindy, E.N.;M.A.Abd El-Reheem and F.G.Younis (1991). Effect of rate and time of nitrogen application on yield and some constituents of Dandara cotton variety. Egypt. J. Agric. Res., 69: 369-377.

Girgis,E.A.;M.H.I.Fouad; M.S.Ismail and A.E. El-Ganayni (1985). Influence of application method of phosphorus fertilizer on Giza 45 growth, yield and earliness. Agric. Res. Rev., 62(6): 123-130.

Halevy,J.; A. Marani and T. Markovitz (1987). Growth and NPK uptake of high yielding cotton grown at different nitrogen levels in a permanent-plot experiment.Plant and Soil.,103 (1): 39-44.

Hamissa,M.R.;K.A.Zaidch and M.F. El-Masri (2000). Response of cotton to biofertilizer and nitrogen fertilization. Minufiya J. Agric. Res., 25 (2): 371-388 .

Hearn, A.B.(1975). Response of cotton to nitrogen and content of tropical environment, 1-Frequency of watering and method of application of nitrogen .J.of.Agric.Sci.,UK 84-407.(C.F. Field Crop Abst.1981. 34(1)).

Hefni,El-S.H.M.; A.M.Samra and M.E.Abd El-Salam (1978). Effect of hill spacing and nitrogen fertilization on some agronomic and fiber characteristics of Egyptian cotton .Egyptian J.Agric., 3(1): 75-84.

- and A.A.El-Kholany (1981). Effect of nitrogen fertilization and some micro-nutrients on the yield, oil content and viability of cotton seed (*Gossypium barbadense* L.). *Acta Agronomica Academiae Scientiarum Hungaricae*, 30:67-72.
- Hegab, A.A.T.; M.A.Mahgoub ; M.E.Abd Ellah and M.M.Syiam (1983). Effect of macro- and micro-nutrients on growth, yield and quality as well as yarn properties of Egyptian cotton (*Gossypium barbadense* L.) in two locations .*J. Agric. Crop Sci.*, (125): 135-145 .
- Hiremath, G.M.; G.Hunsigi (1995). Effect of nitrogen and potash levels on concentration of nitrogen and potassium in petiole of two cotton hybrids (*Gossypium* sp). *Karataka. Journal of Agricultural Science*, 8 (1):99-101.
- Hons, F.M.; N.W. Hopper and T.V. Hick (1990). Applied phosphorus and potassium effect on emergence yield and planting seed quality of cotton. *Journal of Production Agriculture*, 3(3):337-340.
- Hosny, A.A.; H.A.Abd El-Aal and H.M.H.Mohamed (1989 a). Effect of phosphorus levels and pix (Mepiquate chloride) on yield and yield components of Giza 75 cotton variety. *Annals of Agric.Sci. Moshtohor*, 27(4): 2019-2032.
- ; H.M.H.Mohamed and W.Kadry (1989 b). Effect of plant desity and phosphirus on yield and yield

components of Giza75 cotton variety Annals of Agric.
Sci. Moshtohor, 27(1):11-20

-----;M.T.Ragab and M.I.M.Slawu (1991). Effect of
topping and nitrogen level on yield components and
fiber properties of cotton cv.Giza75.Annals of Agric.
Sci. Moshtohor, 29(4): 1313-1323

Hussein, M.A.; D.A. Elkadi; H.M. Abou Zeid; M.A.
EL.Lakandy and M.Z. Kherallah (1979). Response of
some Egypt cotton cultivars to different levels of
nitrogen application, 1-Growth attributes 2-yield and
its component and lint and seed characters.Ain Shams.
Univ. Fac.of Agric. Res.Bulletin,1031:21pp

-----; I.I.Abou El-Soud (1999). Effect of mycorrhizal
fungus inoculation of organic fertilizer treated-soil on
yield and elemental composition of cotton crop in
relation to phosphorus fertilization .Adv .Agric . Res.,
4(2):813-826.

Hutmacher, R.B.; S.S. Vail; K.R. Davis; M.S. Peters; C.A.
Hawk; T.Pflaum; D, Clark; D.A. Ballard; N. Hudson;
B. Weir; M. Keeley (1996). Acala cotton response to
limiting nitrogen., plant and soil N status and growth.
Proceeding Beltwide Cotton Conference, Nashville,
TN, USA, Journal 9-12,1996:volume 2-1366-1373 .

Ibrahim,M.E;M.S.EL-Haroun;A.A.Ali and E.A.El.Sayed (1997).
Studies on cotton requirements from some nutrients.
Minufiya J. Agrom. 42 (3): 528-530 .

- Idso, S.B.;K.E.Idso;R.L.Garcia;B.A.Kimball and J.K. Hooper (1995). Effect of atmospheric CO₂ enrichment and foliar method application on net photosynthesis of sour orange tree (*Citrus aurantium*-Rutaceae) leaves. *Amer.J.of Botany*, 82(1):26-30 .
- Ike,I.F. (1987). Influence of tillage practice and nitrogen and phosphorus fertilizer rates on crop yeild in the tropical savanna. *Soil Science*, 143:3,213-219 .
- Ismail,F.M.and A.M.Esmail (1987). Response of upland cotton variety. MC Nair220. (*Gossypium hirsutum* L.) to nitrogen and phosphorus fertilization under the conditions of Middle Egypt. *J.Agron.*, 7 (2): 101-110.
- Ismail, S.A.; M.S.Abou El-Nour and A.A.Nagib (2000). Influence of nitrogen fertilization and hill spacing on the productivity of Giza 80 cotton cultivar in Middle Egypt. *Fayoum J. Agric. Res.and Develop.*, 14 (1): 179-189 .
- Jackson, M.L. (1973). " Soil Chemical Analysis ". Prinitice of Indian Private Limited New Delhi, India.
- Jambunathan, L.R.; N.P. Metha; C.J. Sanandia and Y. Subramanyam (1986). Study of the effect of the application of nitrogen, phosphorus and potash on the economic and quality characteristics of cotton- Hybrid 4. *J. of the Indian society for cotton improvement*. 11 (1):26-29.(C.F.Field crop Abstr.40(8)5329-1987)

- Kamal, M.A.M.; G.M. Khaled and M.S. El-Gazzar (1974). Seed yield and oil content of Egyptian cotton variety Menoufi-66 as influenced by some fertilizer treatment. *Agric. Res. Rev. Cairo*, 52(5):197-200 .
- Kasem.M.M.;H.R.Ael-Deepah and A.A.El-Hosary (1987). Effect of fertilization on yield and fiber properties of some cotton cultivars. *Annals of Agric. Sci. Moshtohor*, 25(2):645-657 .
- Khalil,F.A.(1998). Effect of some nitrogen fertilizers on the yield and composition of cotton plant. *Assiut Journal of Agricultural Sciences*, 29 (4):145-154.
- Khistaria,M.K;R.B.Patel and J.C.Patel (1980). Effect of different levels of nitrogen and phosphorus on the yeild of cotton. *Indian J. Agric.*, 25(2):315-317.(C.F. Soil and Fert. 44 (11) 264)
- Khune, N.N.; S.O. Kolt; A.J. Chitriv and P.O. Wangkar (1989). Biofertilizer in Vidarbha, present and prospects. *Pkv, Research Journal*,13 (2): 168-169.
- Kim, S.K; J.K. Bang; C.B. Park; V.S. Jang; S.P. Pho; and D.H. Choi (1987). Effect of fertilizer level on major agronomic characters of yield and development of fiber in muiched cotton cultivation. *Res. Rep. Rur-Devel- Admi Crop, Korae. Repub.* 29: 278-283. (C.F. Field Crop Abst.42(11):1109,1989).

- Krishnasamy, S.; A.A. Mhamed and S. Monoharan (1995). Productivity and profitability of intercropping in summer cotton and its nitrogen management. Madras Agricultural Journal, 82(11):584-587 .
- Kubde,K.J. and B.A.Lakhdiva (1993). Effect of nitrogen, phosphorus and spacing on yield quality and nutrient uptake of Hirsutum cotton. Pkv. Research—Journal, 17(2):231-232 .
- Lindsay, W.L and W.A. Norvell (1978). Development of DTPA soil test for Zinc, iron, manganese and copper. Soil Sci. Soc. Am. J., 42:421-428 .
- Makram, E.A (1988). Effect of foliar nutrition feeding by commercial formulation of macro- and micro-elements on growth, yield and some fiber properties of the cotton cultivar pan 575.Fac.of Agric; Ain Shams Annals of Agric Sci., 33(2).903-915 .
- Malik,M.N.A;M.I.Makhdom and K.H.Gill (1990). Response of cotton to different doses of phosphatic fertilizer at Sahiwal. (Punjob) Sarhad.Journal of Agriculture, 6(2):169-173 .
- Manolov,I. And I.Atanassov (1999). Response of cotton grown in Central Greece to different levels of mineral fertilization. Special Issue Genesis, classification quality and sustainable used of soil in regions with mediterranean type climate .4th International Meeting on Red Mediterranean Soils. Plovdiv,Bulgaria,

27May-2 June,1999. Bulgarian-J. of Agric.Sci.,
5(1):97-102 .

Mansour,A.E.M.(1998):Response of Anna apples to some
biofertilizers Egypt. J.Hort. 25(2) .

Maples,R. and M.Frizzell (1985). Effect of varing rates of
nitrogen on three cotton cultivars. Bulletin-
Agricultural-Experiment Station University of
Arkansas, 882:15 .

Matbully-Amany,M.A.(2000). Irrigation studies on Egyptian
cotton under different fertilizer levels. Ph.D. Thesis,
Fac. of Agric. Cairo. Univ., Egypt .

Mc Connell, J.S. and M.H. Wilkerson (1988). Irrigation methods
and nitrogen fertilization rates relationships in cotton.
Proceeding, Beltwide Cotton Production, Research
Conferences, 3-8 Jan.1988, New Orleans Louisiana.
USA. 498.

-----;W.H. Bakari; B.S. Frizzel and J.J. Vor, Vit.
(1993). Response of cotton grown on compacted soil
to P and K fertilization and deep tillage. Res. Series-
Arkansas. Agric. Exp. Station, 4(28): 58-63.

Mohamed, H.M; A.A. Hosny and W.A. Kardy (1984). Effect of
irrigation intervals and nitrogen level on yield and
yield components of Giza75 cotton variety.
Agric.Res.Rev., 62(6):123-130 .

- and A.S.M. Azab (1988). Effect of application methods of phosphorus on yeild and yield components of Giza 75 varity .Res.Bull.Fac.of Agric., Univ. of Cairo,39(2):449-458 .
- Moore, S.H. and G.A. Breitenbeck (1993). Nitrogen rate effect on yield and nutrient uptake in cotton. Proceedings, Beltwide Cotton Conferences 10-14 January 1993,New Orleans, Louisiana,USA.1333-1334.
- Moursi, M.A.; A.A. Abd-El-Gawad; N.A. Nour El-Dine; N. Ashour and A.O. M. Saad (1981). Effect of level and method of phosphorus application on nitrogen, phosphorus and potassium content and yield of cotton plant grown on two different soils .Agric. Res .Rev., 59(9)159-176 .
- Nagib,M.A.(1990). Effect of some cultural practices on the productivity of Giza 80 cotton cultivar in Middle Egypt. M.Sc.Thesis.Fac. of Agric., Moshtohor Zagazig Univ., (Benha Branch), Egypt .
- Navarro,J.;C.Silvertooth and A.Galadima (1997). Fertilizer nitrogen recovery in irrigated upland cotton. Preceedings Beltwide Cotton Conferences. New Orleans.
- Nijjar,G.S.(1985). Nutrition of fruit tree.Mrsusha Raja kumar, Kelyani. New Delhi. India, pp306-308. LA. USA. January 6-10-1987; Volum1: 581- 583 .

Pandey,A.and S.Kumar (1989). Potential of Azotobacters and Azospirilla as biofertilizers for upland Agriculture. A Review Journal of Scientific and Industrial Research, 48:134-144 .

Pandurangi, R.B; S.G. Wankhade and G.S. Kedar (1992). Response of cotton (*Gossypium hirsutum* L.) to N and P grow under rainfed condition. Crop Res..Hiscr.5:54-58.(C.F.Field Crop Abst.47 (3): 1749-1994).

Patil, D.B.; K.T. Naphade; S.G. Wankhade; S.S. Wanjari and N.R. Potduke. (1996). Effect of nitrogen and phosphorus levels on gossypol and oil content of cotton genotypes (*Gossypium hisutum* L.). Agricultural-Science Digest- Karnal.16 (3):163-166.

------(1997). Effect of nitrogen and phosphate levels on seed protein and carbohydrate content of cotton cultivars. Indian. J. of Agric. Res. 31 (2): 133-135.

Prasad, M. and R. Prasad.(1998). Nutrient management in cotton (*Gossypium hirsutum*).Indian.J.Agric., 43(1):162-164

Prathibha, C.K.; A.R. Alagawadi; M.N. Sreenivasa (1995). Establishment of inoculated organisms in rhizosphere and their influence on nutrient uptake and yield of cotton Karnataka. Journal of Agricultural. Sciences, 8 (1): 22-27 .

- Radwan,F.I. (1998). Effect of VA-mycorrhiza inoculation and nitrogen fertilization on growth, yield and yield components of some cotton cultivars. Adv. Agric. Res., 3(1): 121-137.
- Radwan,F.I.; and K.K.Abd El-Malak (1995). Effect of cotton N and P on cotton transplanting , yield and its component. Assiut.J.of Agric. Sci.26(2): 93-104.
- Sabik,F.A..(1997). Effect of some macro- and micro-nutrients on growth and yield of Egyptian cotton. Ph.D. Thesis. Fac. of Agric .Moshtohor , Zagazig Univ., Egypt .
- Said-Samia, E.B.(1997). Study of some factors affecting overgrowth in Egyptian cotton. M.Sc. Thesis. Fac. of Agric., Cairo Univ., Egypt .
- Seif.El-Yazal, S.A.(1990). Response of some cotton varieties to some nutrients. M.Sc. Thesis. Fac. of Agric., Fayoum, Cairo Univ., Egypt .
- Salamah, G.G.D.(1975). Effect of weed control and cultural practices on cotton. M.Sc. Fac. of Agric., Assiut Univ., Egypt .
- Salem, M.S. and A. Roshdy (1981). Effect of soil application of phosphorus and zinc on growth and yield of cotton (*Gossypium barbadense* L.) Egypt. J. Agron., (6): 75-90.
- Sawan, Z.M.(1985). Effect of nitrogen fertilization and foliar application of calcium and micro elements on yield,

yield components and fiber properties of Egyptian cotton. *Egypt. J. Agron.*, 10(1-2):25-37.

----- (1986). Effect of nitrogen, phosphorus fertilization and growth regulators on cotton yield and fiber properties. *J. of Agron. and Crop Sci.*, 156(4):237-245.

-----; A.A. El-Farra and S.A. El-Latif (1988). Cotton seed protein and oil yield and oil properties as affected by nitrogen and phosphorus fertilization and growth regulators. *Journal of Agronomy and Crop Science*, 161(1):50-56.

-----; H.M. Mohamed and A.M. Osama (1997). Influence of nitrogen fertilization and foliar application of plant growth retardants and zinc on quantitative and qualitative properties of Egyptian cotton (*Gossypium barbadense* L. var. Giza 75). *J. Agric. Food Chem.*, 45: 3331-3336.

Selim, M.S.M. (1998). Crop yield as affected by rotation and nitrogen rate: 1-cotton. *Zagazig J. Agric. Res.*, 25 (6): 911-920.

Shafshak, S.E.; M.S. Salem; E.I. El-Sayed and I.M. Shahin (1983a). Effect of different levels and forms of nitrogen fertilizer on Egyptian cotton Giza 69 cultivar, 1- Effect on growth and developmental characters. *Annals of Agric. Sci. Moshtohor*, 20:117-135.

------(1983 b).

Effect of different levels and forms of nitrogen fertilizer on Egyptian cotton Giza 69 cultivar, 2-Effect on yield and yield components. Annals of Agric.Sci.Moshtohor, 20:137-154 .

------(1983 c).

Effect of different levels and forms of nitrogen fertilizer on Egyptian cotton Giza 69 cultivar. 3-Effect on fiber properties and chemical content . Annals of Agric. Sci. Moshtohor, 20:159-182.

Sharma,J.C.;A.D.Taneja ;A.P.Sharma and M.S.Kairon (1988).

Effect of phosphorus application on yield and uptake of nutrients in different parts of cotton plant at different stages of crop growth. Cotton Development, 17 (3-4): 3-7 .

Silvertooth,J.C; T.A.Thacker and S.W.Stedman (1989). Effect of banded phosphorus fertilizer on cotton. Proceeding of the 1989, Beltwide Cotton Production Research Conferences , 501-503 .

Slawu,M.I.M.(1994). Effect of nitrogen levels and number of plants per hill on yield and yield components of cotton .Zagazig. J. Agric. Res., 21(5) :1427-1439 .

Snedecor,G.W. and W.G.Cochran (1980).” Statistical Methods “
7th Edin. Iowa State Univ. Press, Iowa ,U.S.A .

- Sobh,M.M.; S.Genaidy and M.Hegazy (2000). Comparative studies on mineral and bio-fertilization for some main field crops in Northern Delta soil. Zagazig. J. Agric. Res., 27(1):171-179 .
- Stanev, V.(1976). Changes in indices of photosynthetic of sunflower in relation to fertilizers and plant density. Fiziol, Rast. 11.2 ,28
- Subba-Rao, N.S.(1984). Biofertilizers in Agriculture.Oxford IBH Company, New Delhi, India .
- Tiwari, B.P. and C.R. Bisen (1972). Response of different forms of nitrogen and their time of application with and without phosphorus on the yield of rainfed American cotton. Indian J. Agric. Sci., 42 : 313-317.
- Tomer,R.S.S;A.L.Kushwaha;R.Julka and K.C.Mandle(2000). Productivity of upland cotton (*Gossypium hirsutum*) genotypes under different levels of fertility and spacing. Indian Journal of Agronomy, 45(4): 776-781.
- Towolde,H.;C.J.Fernandez and D.C.Foss (1994). Maturity and lint yield of pima cotton as affected by nitrogen and phosphorus deficient. Agron .J., 86:303-309.
- Varma,S.K.(1982). Endogenous nitrogen content in flower buds and abscission. Agric. Sci. Dig. India 2,113-115.
- Vireshwar,S.;S.S.Verma;K.P.Singh and V.Singh (1988). Pattern of dry matter production under weed control systems

and nitrogen levels in cotton. Journal of Indian Society for Cotton Improvement, 13 (2):163-168 .

Wahdan;G.A.(1981). Studies on growth of cotton plants in relation to date of planting and nitrogenous fertilizer levels. M.Sc. Thesis, Fac .of Agric. Shebin El-Kom, Minufiya Univ., Egypt.

Wassell,O.M.M;M.H.H.Ghourab and G.A.Wahdan (2000). Response of cotton plant to nitrogen fertilizer and some micronutrients. Minufiya. J. Agric. Res., 26(3):673-687 .

Yasseen,A.M. (1993). Studies on endomycorrhizae in Egypt. M.Sc. Thesis. Fac.of Agric, Ain Shames Univ., Egypt.

Zayed,G.(1998). Can the encapsulation system protect the useful bacteria against their bacteriophages Plant and Soil, 197:1-7.