Contents

| | | Page |
|----------|--|------|
| 1. | Introduction | 1 |
| 2. | Review of literature | 3 |
| 2.1. | Nutrients in the soil plant system | 3 |
| 2.2. | General information about leucaena | 3 |
| 2.2.1 | Leucaena and soil fertility | 5 |
| 2.2.2. | Leucaena as food and feed source and feedstuff | 6 |
| 2.2.3. | Leucaena as a source of fuel and conservation cropping | 7 |
| 2.2.4. | Leucaena and its content of polyphenols | 7 |
| 2.3. | Composts and composting of organic matter | 8 |
| 2.3.1. | Decomposition processes in composting | 9 |
| 2.3.2. | Organisms involved in composting | 10 |
| 2.3.3. | Compost and the CN ratio | 10 |
| 2.3.4. | Composting techniques | 11 |
| 2.4. | Organic manure and mineralization— immobilization | 12 |
| | processes | |
| 2.5. | Mineralization and the C/N ratio of organic materials | 14 |
| 2.6. | Residue management and soil fertility | 16 |
| 2.6.1. | Complete removal of residues | 16 |
| 2.6.2 | Partial removal of residues | 17 |
| 2.6.3. | Incorporation of all plant residues in soil | 18 |
| 2.7. | N–recovery and the use of ¹⁵ N technique | 18 |
| 2.7.1. | Loss and recovery of added N | 19 |
| 3. | Materials and Method | 23 |
| 3.1. | Materials | 23 |
| 3.1.1. | Soil | 23 |
| 3.1.2. | Plants | 23 |
| 3.1.3. | Chemical reagents and fertilizers | 23 |
| 3.1.4. | Organic materials | 27 |
| 3.2. | Experimental work | 27 |
| 3.2.1. | Inoculation experiment | 28 |
| 3.2.2. | Pot experiments | 28 |
| 3.2.2.1. | Experimental design and treatments of the pot | 30 |
| | experiments | |
| 3.2.3 | Field experiments | 30 |
| 3.2.3.1. | The lupines field experiment | 31 |
| 3.2.3.2. | The barley field experiment | 31 |
| 3.3. | Analytical procedures | 31 |
| 3.3.1. | Soil analysis | 31 |
| 3.3.2. | Plant analysis | 31 |
| 3.4. | Isotope dilution | 31 |

| 3.4.1. | Principles and equations | 31 |
|-------------|---|-----------|
| 3.4.2. | ¹⁵ N analysis | 32 |
| 3.4. | 3 Calculation of N derived from various sources | 33 |
| 3.4.4. | Calculation of % recovery of fertilizer ¹⁵ N (% RFN) | 34 |
| 3.4.5. | Calculating labile N (L value) | 35 |
| 4. | Results and Discussion | 36 |
| 4. 1. | The inoculation experiment | 36 |
| 4.1.1. | Content of available N in soil as affected by time, | 36 |
| | inoculation and organic source. | |
| 4.1.1.1. | Assessment of the effect of time | 37 |
| 4.1.1.2. | Assessment on the effect of inoculation | 39 |
| 4.1.1.3. | Assessment of the effect of organic source | 41 |
| 4. 2. | ¹⁵ N pot experiment | 44 |
| 4. 2. 1. | The lupine ¹⁵ N experiment | 44 |
| 4.2.1.I. | Dry weight of lupine shoots | 45 |
| 4.2.1.II. | Nitrogen-uptake of lupine shoots | 47 |
| 4.2.1.III. | Dry weight of lupine roots | 49 |
| 4.2.1. IV. | Nitrogen-uptake of lupine roots | 51 |
| 4.2.1.V. | Dry weight of lupine nodules | 53 |
| 4.2.1. VI. | Nitrogen-uptake by lupine nodules | 55 |
| 4.2.1.VII. | Available nitrogen remaining in soil after lupine harvest | 56 |
| 4.2.2 | The Barley ¹⁵ N experiment | 58 |
| 4.2.2.I. | Dry weight of barley shoots | 58 |
| 4.2.2.II. | Nitrogen-uptake of barley shoots | 60 |
| 4.2.2.III. | Available nitrogen remaining in soil after barley harvest | 61 |
| 4.2. 3. | Follow-up of fertilizer ¹⁵ N in plant parts | 63 |
| 4.2.3.I. | Fertilizer ¹⁵ N absorbed by lupine | 63 |
| 4.2.3.II. | Fertilizer 15N absorbed by barley | 63 |
| 4.2.4. | Recovery of fertilizer ¹⁵ N concerns the portion of | 67 |
| | fertilizer ¹⁵ N recovered in plant tissues | |
| 4.2.4.I. | Recovery of ¹⁵ N in lupine plant | 68 |
| 4.2.4.II. | Recovery of ¹⁵ N in barley plant | 68 |
| 4.2.4. III. | Labile N in soil "L value" | 69 |
| 4. 3. | Field Experiment | 70 |
| 4. 3.1. | Lupine experiment | 70 |
| 4.3.1I. | Weight of whole plants of lupine | 71 |
| 4.3.1II. | Weight of dry roots of lupine | 71 |
| 4.3.1.III. | Nitrogen-uptake by dry roots of lupine | 72 |
| 4.3.1IV. | Weight of dry shoots of lupine | 74 |
| 4.3.1.V. | Nitrogen-uptake by dry shoots of lupine | 76 |
| 4.3.1.VI. | Yield of seeds of lupine | 78 |
| 4.3.1.VII. | Nitrogen-uptake by seeds of lupine | 79 |

| 4.3.1. VIII. | Available nitrogen remaining in soil after lupine | 82 |
|--------------|--|-----|
| | harvested | |
| 4. 3. 2. | Barley experiment | 84 |
| 4.3.2.I. | Yield of whole plants of barley | 84 |
| 4.3.2.II. | Weight of grains with spikes of barley | 86 |
| 4.3.2.III. | Nitrogen-uptake by grains with spikes of barley | 88 |
| 4.3.2.IV. | Yield of shoots straw of barley | 90 |
| 4.3.2.V. | Nitrogen-uptake by straw of barley | 92 |
| 4.3.2.VI. | Yield of roots of barley | 94 |
| 4.3.2.VII. | Nitrogen-uptake by roots of barley | 96 |
| 4.3.2.VIII. | Available nitrogen which remained in soil after barley | 98 |
| | harvested | |
| 5. | General conclusion, overall trends, and practical | 100 |
| | implications | |
| 5.1. | Inoculation experiment | 100 |
| 5.2. | Greenhouse experiments (15N) | 100 |
| 5.3. | Field experiments | 103 |
| 5.4. | Practical implication | 106 |
| 6. | Reference | 107 |
| 7. | Appendixes | 121 |
| 8. | Arabic summary | 1 |