




REFERENCES

REFERENCES

- Acea, M. J. and Carballas, T. (1996). Microbial response to organic amendments in forest soil. *Bioresource Technology* 57: 193-199.
- Anon, (1994). *Leucaena leucocephala* (Lamarck) De Wit, Agroforestry Uses of *Leucaena leucocephala*. Cornell University, edu. courses.
- Ali, M. M. (2004). M. Sc thesis, Response of lupine plants to the *Rhizobium* inoculation under drip irrigation with saline water, using ¹⁵N isotope dilution. Instituto Agronomico Mediterraneo di Bari, Italy.
- Allison, F. E. (1973). Organic matter and soil concentration. In: *Soil organic matter and its role in crop nutrition*. 538– 557.
- Asten, P., Bodegom, P., Mulder, L., and Kropff, M. (2005). Effect of straw application on rice yields and nutrient availability on an alkaline and a pH-neutral soil in a Sahelian irrigation scheme. *Nutrient Cycling in Agro-ecosystems*, 72 (3): 255-266.
- Aulakh, M. S., Khera, T. S. and Doran, J. W. (2000). Mineralization and denitrification in upland, nearly saturated and flooded subtropical soil II. Effect of organic manures varying in N content and C:N ratio. *Biology and Fertility of Soils* 30: 168-174.
- Azam, F., Simmons, F. W. and Mulvaney, R. L. (1993). Mineralization of N from plant residues and its interaction with native soil N. *Soil Biology and Biochemistry* 25: 1787– 1792.

Balasubramaniam, V. and Nanadi, L.A.I (1980). Crop residue management and soil productivity in savanna areas of Nigeria. Organic recycling in Africa, FAO Soils Bull. 43.

Blagodatsky, S. A., Richter, O. (1998). Microbial growth in soil and nitrogen turnover: a theoretical model considering the activity state of microorganisms. Soil Biology and Biochemistry 30 (13): 1743-1755.

Bremner, J. M. and Mulvaney, C. S. (1982). Nitrogen total In: " Methods of Soil Analysis 2nd edition ". (ed. Page, A. L.) Part 2. ASA. Madison, Wisconsin, USA.

Brewbaker, J. L. (1987b). Leucaena: A multipurpose tree genus for tropical agroforestry. In Agroforestry: A Decade of Development, ed. H. A. Steppeler & P. K. R. Nair, 289-323. Nairobi, Kenya: ICRAF.

Bromfield, A. R. (1974a). The deposition of sulphur in dust in Nigeria. J. Agric. Sci. 83: 423-425.

Bromfield, A.R. (1974b). The deposition of sulphur in the rain-water in northern Nigeria. Tellus 26: 92-95.

Burger, M. and Jackson, L. E. (2004). Plant and microbial nitrogen use and turnover: Rapid conversion of nitrate to ammonium in soil with roots. Plant and Soil 266: 289-301.

Chapman, H. D. and Pratt, P. F. (1961). Methods of analysis for soils, plants and waters. Division of Agricultural Sciences, University of California, San Francisco, USA.

Chapman, S. J. (1997) Carbon substrate mineralization and sulphur limitation. Soil Biology and Biochemistry 29: 115-122.

Charreau, C., (1974) Soils of tropical dry and dry-wet climatic areas and their use and management. A series of lectures given in 1974 at Cornell university.

Christensen, B. T. (1996). Carbon in primary and secondary org-mineral complex. In: Carter M. R. and Stewart B. A., eds, Advances in soil science-structure and organic matter storage in agricultural soils, CRC Lewis Publishers, Boca Raton, Florida, USA. 97-165.

Chu, G. X., Shen, Q. R. and Cao, J. L. (2004). Nitrogen fixation and N transfer from peanut to rice cultivated in aerobic soil in an intercropping system and its effect on soil N fertility. Plant and Soil 263 (1-2): 17 - 27.

Crews, T. E., and Peoples, M. B., (2004). Legume versus fertilizer sources of nitrogen: ecological tradeoffs and human needs. Agric. Ecosyst. Environ. 102: 279–297.

Danso, S. K. A., Zapata, F., Bowen, G. D. and Sanginga, N. (1990). Application of ¹⁵N method for measuring nitrogen fixation in trees. Proceeding of A Symposium, Vienna, 1–5 October, 1990. Jointly Organized by IAEA and FAO.

De Neve, S., Gaona, S., Daguiar, B. C., Sleutel, S. and Hofman, G. (2004). Manipulating N mineralization from high N crop residues using on–and–off–farm organic materials. Soil Biology and Biochemistry 30: 127-134.

Eghball, B., Ginting, D., and Gilley, J. E. (2004). Residual effect of manure and compost application and soil properties. Agr. J. 96: 442– 447.

El-Kholi, A. F., El-Sherif, S. M., Abdou, F. M. and Galal, Y. G. M. (2005). Comparative efficiency of nitrogen sources and its priming effects on uptake of soil–N by soybean and wheat crop.

Proceedings 3rd International Nitrogen Con., 297-301,, Science Press, USA Inc.

El-Kholi, A. F., and Galal, Y. G. M. (2005). ¹⁵N isotopic study on decomposition of organic residues incorporated into alluvial and sandy saline soils. Proceedings 3rd International Nitrogen Con., 164-168, Science Press, USA Inc.

Field, J. A. and Lettinga, G. (1992). Toxity of tannic compounds to microorganisms. In: Hemingway R. W., Laks P. E. (eds) Plant polyphenols. Synthesis, properties, significance. Plenum Press, New york, 673-692.

Fielder, R. and Proskch, G. (1975). The determination of nitrogen ¹⁵N by emission and mass spectrometry in biochemical analysis: a review. Analytic Chimica Acta 78: 1– 62.

Fosu, M., Kühne, R. F. and Vlek, P. G. (2003). Recovery of cover-crop-N in the soil-plant system in the Guinea savannah zone of Ghana. Biology and Fertility of Soils 39 (2): 117-122.

Fritsch, F. B., Roberts, B. A., William, R. D., Travis, R.L. and Hutmacher, R. B. (2005). Recovery of residual fertilizer –N and cotton residue–N by Acala and Pima cotton. Soil Sci. Soc. Am. J. 69: 718–728.

Fu, M. H., Xu, X. C. and Tabatabai, M. A. (1987). Effect of pH on nitrogen mineralization in crop residue treated soils. Biology and Fertility of Soils 5: 115-119.

Gaillard, V. Chenu, C. and Recous, S. (2003). Carbon mineralization in soil adjacent to plant residues of contrasting biochemical quality. Soil Biology and Biochemistry 35: 93-99.

Glendining, M. J., Poulton, P. R., Powlson, D. S., MacDonald, A. J. and Jenkinson, D. S. (2001). Availability of the residual

nitrogen from a single application of ^{15}N -labeled fertilizer to subsequent crops in a long-term continuous barley experiment. *Plant and Soil* 233 (2): 231–239.

Goyal, S., Chander, K., Mundra, M. C. and Kapoor, K. K. (1999). Influence of organic fertilizers and organic amendments on soil organic matter and soil microbial properties under tropical conditions. *Biology and Fertility of Soils* 29: 196-200.

Graves, A., Matthews, R., and Waldie, K. (2004). Low external input technologies for livelihood improvement in subsistence agriculture. *Adv. Agron.* Vol. 82.

Greenland, D. J. (1972). Biological and organic aspects of plant nutrition in relation to needed research on tropical soils. *Com. Sem. on Tropical Soils*, International Institute of Tropical Agriculture (IITA), Ibadan, Nigeria.

Hadas, A., Doane, T. A., Kramer, A. W., Van Kessel, C. and Horwath, W. R. (2002). Modeling the turnover of ^{15}N -labeled fertilizer and cover crop in soil and its recovery by maize. *European J. of Soil Science* 53 (4): 541.

Hadas, A., Kautsky, L., Goek, M., and Kara, E. E. (2004). Rates of decomposition of plant residues and available nitrogen in soil, related to residue composition through simulation of carbon and nitrogen turnover. *Soil Biology and Biochemistry* 36: 255-266.

Haggar, J. P., Tanner, E. V. J., Beer, J. W. and Kass, D. C. L. (1993). Nitrogen dynamics of tropical agroforestry and annual cropping system. *Soil Biology and Biochemistry* 25: 1363– 1378.

Haider, J., Marumoto, T., and Azad, A. K. (1991). Estimation of microbial biomass carbon and nitrogen in Bangladesh soils. *Soil Science and plant Nutrition* 37: 591-599

Hardarson, R. and Danso, S. K. A. (1990). In: "Use of nuclear techniques in-plant relationships", eds. Hardarson R. and Danso S. K. A. Training course series N, 1990, FAO / IAEA.

Hartl, W. and Erhart, E. (2005). Crop nitrogen recovery and soil nitrogen dynamics in a 10-year field experiment with biowaste compost. J. of Plant Nutrition and Soil Science 168 (6): 781–788.

Hättenschwiler, S. and Vitousek, P. M. (2000). The role of polyphenols in terrestrial ecosystem nutrient cycling. Trends Ecol Evol 15: 238-243.

Hauck R. D. and Bremner J. M. (1976). Use of tracers for soil nitrogen research. Adv. Agron. 28: 219–266.

Hesse, P. R. (1971). A book of soil chemical analysis. Joh Murray, London.

IAEA, (1976). Tracer manual on the crops and soils. Technical Report series No. 171. International Atomic Energy Agency, (IAEA) of the United Nations, Vienna, Austria.

Ichir, L. L. and Ismail, M. (2003). Recovery of wheat residue nitrogen and residual effects of fertilization in a wheat– wheat cropping system under Mediterranean conditions. African Crop Science J. 11 (1).

Ikerra, S. T., Maghembe, J. A., Simithon, P. C. and Buresh, R. J. (1999). Soil nitrogen dynamics and relationships with maize yield in gloricidia-maize inter crop in Malawi. Plant and Soil 211: 155-164.

Jenkinson, D. S., Fox, R. H., Rayner, J. H. (1985). Interaction between fertilizer nitrogen and soil nitrogen–so-called priming effect. J. Soil Science 36: 425-444.

Jensen, A. and Paustian, K. (1989). Nitrogen and Carbon transformations. In: Hansen J. A. and Henriksen K. (eds) Nitrogen in organic wastes applied to soils. Academic Press, London.

Jensen, E. S. (1994). Availability of nitrogen in ^{15}N -labeled mature pea residues to subsequent crops in the field. Soil Biology and Biochemistry 26: 465-472.

Jones, R. J. (1979). The value of *Leucaena leucocephala* as a feed for ruminants in the tropics. World Animal Review. (31) 13-23

Jones, M. J. (1976). The significance of crop residues to the maintenance of fertility under continuous cultivation at Samaru, Nigeria. J. Agric. Sci. Camb. 86: 117–125.

Jones, M. J. and Bromfield A. R. (1970). Nitrogen in the rainfall at Samaru, Nigeria. Nature of London 227: 86 (04 July 1970)

Jung, C. W., Ahi, J. S., Mo, L. S., Myong, R. H. and Ho Y. S. (2001). Corn uptake and microbial immobilization of ^{15}N -labeled urea-N in soil as affected by composted pig manure. Plant and Soil 235 (1): 1-9.

Jung, C. W., Myong, R. H. and Chang, S. X. (2004). Recovery of fertilizer-derived inorganic- ^{15}N in a vegetable field soil as affected by application of an organic amendment. Plant and Soil 263 (1-2): 191–201.

Khalil, M. I., Hossain, M. B. and Schmidhalter, U. (2005). Carbon and nitrogen mineralization in different upland soils of the subtropics treated with organic materials. Soil Biology and Biochemistry 37 (8): 1507-1518.

Khalil, M. I., Rosenani, A. B., Van Cleemput, O., Shamshuddin, J. and Fauziah, C. I. (2002). Nitrous oxide production from an

ultisol treated with different nitrogen sources and moisture regimes. *Biology and Fertility of Soils* 36: 59-65.

Khalil, M. I., Van Cleemput, O., Boeckx, P. and Rosenani, A. B. (2001). Nitrogen transformations and emission of greenhouse gasses from three acid soils of humid tropics amended with N sources and moisture regime. 1. Nitrogen transformations, *Comm. in Soil Sci. and Plant Analysis* 32: 2893-2907.

Kramer, A. W., Doane, T. A., Horwath, W. R., and Kessel, C. (2002). Short-term nitrogen-15 recovery vs. long-term total soil N gains in conventional and alternative cropping systems. *Soil Biology and Biochemistry* 34: 43-50.

Kraus, T. E. C., Dahlgren, R. A., and Zasoski, R. J. (2003). Tannins in nutrient dynamics of forest ecosystem. A review. *Plant and Soil* 256: 41-66.

Ladd, J. N. and Amato, M. (1986). The fate of nitrogen from legume and fertilizer sources in soils successively cropped with wheat under field conditions. *Soil Biology and Biochemistry* 18: 417-425.

Ladd, J. N., Oades, J. M. and Amato, M. (1981). Distribution and recovery of nitrogen from legume residues decomposing in soils sown to wheat in the field. *Soil Biology and Biochemistry* 13: 251-256.

Lionel, I., Wesley W. C. and Dennis, A. S. (2000). Decomposition and nitrogen release of prunings from hedgerow species assessed for alley cropping in Haiti. *Agron. J.* 92: 501-511.

Luxhøi, J., Nielsen, N. E., and Jensen, L. S. (2003). Influence of $^{15}\text{NH}_4^+$ -application on gross N turnover rates in soil. *Soil Biology and Biochemistry* 35: 603-606.

Mary, B., Recous, S., Darwls, D. and Robin, D. (1996). Interactions between decomposition of plant residues and nitrogen cycling in soils. *Plant and Soil* 181: 71-82.

Mayer, J., Buegger, F., Jensen, E. S., Schloter, M. and Heb J. (2004). Turnover of grain legume N rhizodeposition and effect of rhizodeposition on the turnover of crop residues. *Biology and Fertility of Soils* 39: 153–164.

Mengel, K. (1996). Turnover of organic nitrogen in soils and its availability to crops. *Plant and Soil* 181: 83-93.

Muller, M. M. (1988). The fate of clover–derived nitrogen (^{15}N) during decomposition under field conditions: Effects of soil type. *Plant and Soil* 105: 141–147.

Muller, M. M. and Sandman, V. (1988). The fate of nitrogen (^{15}N) released from different plant materials during decomposition under field condition. *Plant and Soil* 105: 133-139.

Nanadi, L. A. and Balasubramaniance, V. and Singh, L. (1977). Yield and mineral composition of grain legumes. *Ghana J. Agric. Science*.

N.A.S. (1977). *Leucaena: promising forage and tree crop for the tropics*. National Academy of Sciences, Washington, DC.

Nicolardot, B., Recous, S., Murray, B., (2001). Simulation of C and N mineralization during crop residue decomposition: a simple dynamic model based on the C:N ratio of the residues. *Plant and Soil* 228: 83-103.

Nicolson, F. A., Chambers, B. J. and Smith, K. A. (1996). Nutrient composition of poultry manures in England and Wales, *Bioresource Technology* 58: 279-287.

Nishio, T., Komada, M., Arao, T., Kanamon, T. (2001). Simultaneous determination of transformation rates of nitrate in soil. Japan Agriculture Research 35: 11-17.

Ocio, J. A., Brookes, P. C., Jenkinson D. S. (1991). Field incorporation of straw and its effects on soil microbial biomass and soil inorganic N. Soil Biology and Biochemistry 23: 171-176.

Palm, C. A. and Sanchez, P. A. (1991). Nitrogen-release from leaves of some tropical legume as affected by their lignin and polyphenol contents. Soil Biology and Biochemistry 23: 83-88.

Parkin, T. B. and Kaspar, T. C. (2002). Oat plant effects on net nitrogen mineralization. Plant and Soil 243 (2): 187-195.

Pilbeam, C. J., Gregory, P. J., Tripathi, B. P. and Munankarmy, R. C. (2002). Fate of nitrogen-15-labelled fertilizer applied to maize-millet cropping systems in the mid-hills of Nepal. Biology and Fertility of Soils 35: 27-34.

Piper, C. S. (1955). "Soil and plant analysis". Interscience Publishers, Inc., New York.

Powlson, D. S., Jenkinson, D. S. Pruden, G. and Johnston A. E. (1985). The incorporation on the uptake of nitrogen by winter wheat. J. Sci. Food Agric. 36: 26-30.

Probert, M. E., Delve, R. J., Kimani, S. K. and Dimes, J. P. (2005). Modeling nitrogen mineralization from manure: representing quality aspects by varying C:N ratio of sub-pools. Soil Biology and Biochemistry 37 (2): 279-287.

Rahman, M. M., Takahisa, A., Inoue, H. and Matsumoto, Y. (2004). Nitrogen accumulation and recovery from legumes and N-fertilizer in Rice-based cropping systems. Proceedings of the 4th International Crop Science Congress, p. 1-8.

Rahman, S. M., Haque, M. E., Ahmed, S., Khalil, M. I., and Wahab, M. A. (2001). Organic matter management for increased and sustainable agricultural production in Bangladesh. In: Final RCM of the Joint FAO/IAEA {Food and Agriculture Organization / International Atomic Energy Agency} on Coordinated Research Project held at Kuala Lumpur, Malaysia from 26-30 March 2001, p. 27.

Raiesi, F. (2006). Carbon and N mineralization as affected by soil cultivation and crop residue in calcareous wetland ecosystem in Central Iran. Agriculture, Ecosystems and Environment 112: 13–20.

Recous, S., Robin, D. and Mary, B. (1995). Soil inorganic N availability: effect on maize residue decomposition. Soil Biology and Biochemistry 27: 1529-1538.

Redman, M.H., Wiggleso, W. S. A. and Vinten, A. J. A. (1989). Nitrogen dynamics of leguminous green manure. pp. 98-112. In: Hansen J. A. and Henriksen K. (eds) Nitrogen in organic wastes applied to soils. Academic Press, London.

Saber, M., (1994). Bio–organic farming system for sustainable agriculture. National Research Center Dokki, Cairo, Egypt.

Shengmao, Y., Fengmin, L., Malhi, S. S., Ping, W., Dongrang, S. and Jianguo, W. (2004). Long-term fertilization effect on crop yield and nitrate nitrogen accumulation in soil in Northwestern China. Agron J. 96: 1039-1049.

Shindo, H. and Nishio, T. (2005). Immobilization and remineralization of N following addition of wheat straw into soil: determination of gross N transformation rates by ¹⁵N-ammonium isotope dilution technique. Soil Biology and Biochemistry 37 (3): 425-432.

Soltan, S. A., El-ghandour, I. A. and Abdel-Aziz, H. A. (2001). Contribution of leucaena prunings in providing nutrients to maize grown with leucaena trees in an alley cropping system. *Annals of Agric. Sc., Moshtohor* 39 (3): 1853-1864.

Shigeru, T., Shigeru, U. and Shinichi, O. (2003). Short-and long-term effects of rice straw application on nitrogen uptake by crops and nitrogen mineralization under flooded and upland conditions. *Plant and Soil* 251 (2): 291- 301.

Shigeru, T., Hideto, U. and Shigekazu, Y. (2004). Comparison of Nitrogen mineralization from ¹⁵N-labeled organic amendments under flooded and upland conditions. *Plant and Soil* 259 (1-2): 307-314.

Thomsen, I. K., Olesen, J. E. Schjonning, P., Jensen, B. and Christensen, B. T. (2001). Net mineralization of soil N and ¹⁵N-ryegrass residues in differently textured soils of similar mineralogical composition. *Soil Biology and Biochemistry* 33: 277-285.

Thonnissen, C., Midmore, D. J., Ladha, J. K., Olk, D. C. and Schmidhalter, U. (2000). Legume decomposition and nitrogen release when applied as green manures to tropical vegetable production systems. *Agronomy J.* 92: 253-260.

Tian, G., Kang, B. T. and Brussard, L. (1992). Biological effects of plant residues with contrasting chemical compositions under humid tropical conditions– decomposition and nutrient release. *Soil Biology and Biochemistry* 24: 1051–1060.

Vanlauwe, B., Swift, M. J. and Merckx, R. (1996). Soil litter dynamics and N use in a Leucaena {*Leucaena leucocephala* Lam (De Witt)} Alley cropping system in south–western Nigeria. *Soil Biology and Biochemistry* 28: 739-49.

Verkaik, E., Jongkind, A. G. and Berendse, F. (2006). Short-term and long-term effects of tannins on nitrogen mineralization and litter decomposition in kauri {*Agathis australis* (D. Don) Lindl.} forests. *Plant and Soil* 287: 337–345.

Vos, J. and Van-der-Putten, P. E. L. (2001). Field observations on nitrogen catch crops. III. Transfer of nitrogen to the succeeding main crop. *Plant and Soil* 236 (2): 263–273.

Wickramasinghe, K. N., Rodgers, G. A. and Jenkinson, D. S. (1985). Transformation of nitrogen fertilizers in soil. *Soil Biology and Biochemistry* 17: 625-630.

Xu, Z., Saffigna, P. G., Myers, R. J. K. and Chapman, A. L. (1993). Nitrogen cycling in *Leucaena* (*Leucaena leucocephala*) alley cropping in semi-arid. 1. Mineralization of nitrogen from leucaena residues. *Plant and Soil* 148: 63–72.