

6- REFERENCES

- Abd- Allah, A.E.A. (1988).
Effect of water quality on some physical, chemical
and pedological characteristics of soils.
Ph.D. Thesis, Fac. of Agric., Ain Shamns Univ., Cairo.
- Abdel- Fattah, K.S. (1977).
Effect of varying Ca- Mg ratios on micronutrients up-
take by wheat (Triticum durum) in water culture expe-
riment.
J. Soil Sci. 17: 67- 77.
- Abdou, F.M.; El- Damaty, A.H.; El- Kholi, A.F. and Massoud,
M.A. (1971).
Efficient methods for the utilization of native and
fertilizer phosphorus in calcareous soils.
Isotope and Rad. Res. U.A.R. 4: 99- 106.
- .; El- Kobbia, T. and El- Nennah, M. (1974).
The effect of seed pretreatment on phosphorus uptake
by alfalfa.
Plant and Soil 40: 343- 348.
- .; Metwally, S.Y.; Hamdi, H. and El- Nennah, M.
(1969).
The influence of soil moisture on phosphorus uptake
by corn and on the efficiency of added superphosphate.
J. Soil Sci. U.A.R. 9: 175- 183.
- Abichandani, C.T. and Ramish, K. (1951).
Treatment of rice seed in nutrient solution as means
of increasing yield.
Curr. Sci. 20: 270- 271.
(c.f. Indian J. Agric. Sci. 43: 326- 327, 1973).
- Adepetu, J.A. and Akapa, L.K. (1977).
Root growth and nutrient uptake characteristics of
some cowpea varieties.
Agron. J. 69: 940.
- Ahmed, S.U. (1985).
Germination and seedling growth characteristics of
some cultivated and wild selections of wheat cultured
in sea water.
J. of Arid Environments 8 : 133- 139.
(c.f. Field Crop Abst., 38- 5233, 1985).

- Amer, A.F. (1989).
Plant growth in some desert soils irrigated with sea water.
Ph.D. Thesis, Fac. of Agric., Al- Azhar Univ., Cairo.
- Amin, M.A.A.; Abd- El- Aziz and El- Sherbeny, M.A. (1981).
Phosphorus- zinc relationship with their respect to their absorption in corn plants grown on calcareous soil.
Zagazig Agric. Univ. Res. Bull. No. 412.
- Andrews, R.E. and Newman, E.J. (1970).
Root density and competition for nutrients.
Oecol. Plant 5: 319- 334.
- Asana, R.D.; Mani, V.S. and Prakash, V. (1955).
Effect of auxins on growth and yield of wheat.
Physiologia Pl. 8: 279- 287.
(c.f. Indian J. Agric. Sci., 41: 998- 1003, 1971).
- , and Kaile, V.R. (1965).
A study of salt tolerance of four varieties of wheat.
Indian J. Plant Physiol., 8: 5- 22.
- Ashour, N.I.; Abdel- Halim, M.A.; Raafat, A. and Nour, T.A. (1977).
Increasing salt tolerance of wheat at early stage of growth under chloride and sulphate types of salinity.
Acta Agronomica Academiae Scientiarum, Hungaricae, 26 : 127- 134.
- Balki, A.S. and Padole, V.R. (1982).
Effect of presoaking seed treatments with plant hormones on wheat under conditions of soil salinity.
Indian J. Soc. Soil Sci., 30: 361- 365.
(c.f. Field Crop Abst., 37- 00084, 1984).
- Barber, S.A. (1962).
A diffusion and Mass- flow concept of soil nutrient availability.
Soil Sci., 93: 39- 49.
- , (1974).
Properties of the plant root that influence fertilizer practice.
Plant Analysis and Fertilizer Problems, Hanover, Germany 25.

- Barber, S.A.; Walker, J.M. and Vassey, E.M. (1962).
Principles of ion movement through the soil to the
plant root.
Trans. Joint Meeting Comm. IV and V. Int. Soc. Sci.
(New Zealand) 121.
- (1963).
Mechanisms for the movement of plant nutrients from
the soil and fertilizer to plant root.
Agric. and Food Chem. 11: 204- 207.
- Bass Becking, L.G.M. and Everson, R.G. (1953).
Tissue tensions in Bryophyllum Calycinum Salisbury.
Aust. J. Biol. Sci. 6: 347- 368.
- Bastianpillai, V.A.; Stark, C. and Franke, G. (1982).
The influence of gibberellin (GA₃), auxin (1-NAA),
and Cytokinin (Kinetin, 6- FAP) on the salt tolerance
of wheat under greenhouse conditions.
Beitrage Zur Tropischen Landwirtschaft und Veterina-
rmedizin. 20 : 365- 370.
(c.f. Field Crop Abst., 37- 02124, 1984).
- Bear, F. (ed.) (1964).
"Chemistry of the soil".
Pub. by Mohan Primalni, Oxford & IBH. Publ. Co.
- Bhardwaj, S.N. (1962).
Influence of presoaking of seeds with synthetic phy-
tohormones on yield and growth of wheat.
Indian J. Bot. Soc. 41: 326- 335.
- and Rao, I.M. (1955).
Studies on the effect of 2,4- D, naphthalene acetic
acid and indole acetic acid on growth and maturity of
wheat.
Indian J. Bot. Soc. 34: 21- 28.
- Bhola, S.N.; Dhir, R.P. and Sharma, B.K. (1980).
Effect of saline irrigation water on the protein con-
tent of wheat.
Indian J. Agron. 25: 546- 548.
- Bilski, J. (1988).
Response of plants to mineral stresses caused by aci-
dification and salinity of the medium. VII- Effect of
N, Ca, K and Zn on growth and chemical composition of
two wheat varieties under induced salinity conditions.
Biuletyn Instytutu Hodowlii Aklimatyzacji- Roslin. No.
167: 163- 175.
(c.f. Field Crop Abst., 43- 07708, 1990).

- Black, C.A.; Evans, D.D.; Enslinger, L.E.; White, J.L. and Clark, F.E. (1965).
"Methods of soil analysis" (Part II).
Amer. Soc. Agron. Inc. Publisher, U.S.A.
- Brewster, J.L. and Tinker, P.B. (1972).
Nutrient flow rates into roots.
Soils and Fertilizer 35: 355.
- Chaudhary, T.N.; Bhatnagar, V.K. and Prihar, S.S. (1974).
Growth response of crops to depth and salinity of ground and soil submergence. I- Wheat (Triticum aestivum L.).
Agron J., 66.
- Chauhan, R.P.S.; Pathak, D.C. and Chauham, C.P.S. (1991).
Nitrogen and phosphorus requirements and irrigation schedule of wheat irrigated with saline water.
Fertiliser- News. 36: 11- 18.
- Chhipa, B.R. and Lal, P. (1978).
Effect of presoaking of seeds with salt and hormone solutions and different quality water on wheat.
Indian J. Soc. Soil Sci., 26: 390- 396.
- (1988).
Effect of presoaking seed treatment in wheat grown on sodic soils.
Indian J. Plant Physiol., 31: 183- 185.
- Cornforth, I.S. (1968).
Relationships between soil volume by roots and nutrient accessibility.
J. Soil Sci., 19: 291- 301.
- Cusido, R.M.; Palazon, J.; Altabell, T. and Morales, C. (1987).
Effect of salinity on soluble protein, free amino acids and nicotine contents in (Nicotiana rustica L.)
Plant and Soil, 102: 55- 60.
- Dahiya, S.S. and Singh, M. (1976).
Effect of salinity, alkalinity and iron application on the availability of iron, manganese, phosphorus and sodium in pea (Pisum sativum L.) crop.
Plant and Soil 44, 697- 702.

- Darmenko, M.S. and Ryabets, N.D. (1962).
Presowing treatment of crop seeds with trace-elements
Primenenie Mikroelementov, Polimerovi Radio aktivn.
Izotopy Sel'sk. Khaz., Ukr Akad. Sel'shokhoz. Nauk
Tr. Koordinats. Soveshch, 176- 181.
(c.f. Albrigo, G.L., Szakfrank, C.R. and Childers,
F.N.P. 30, 1965).
- Darra, B.L.; Jain, N. and Singh, H. (1970).
Effect of growth regulators and salts on the germination of wheat (Triticum aestivum L.) under high salinity sodium- adsorption ratio and boron levels.
Indian J. Agric. Sci., 40: 438- 443.
- . and Saxena, S.N. (1971).
Effect of the gibberellic acid presoaking seed treatment at different salinity regimes on germination, growth and yield attributes of hybrid maize (Ganga-3)
Indian J. Agron., 16.
- . (1973).
Role of IAA on the mineral composition of maize (Zea mays) crop under various osmotic stressed conditions.
Plant and Soil 38 657- 661.
- . (1974).
Effect of presoaking seed treatment with IAA on wheat under different salinity regimes coupled with SAR and boron levels.
Indian J. Agric. Res. 8: 215- 222.
- .; Seth, S.P.; Singh, H. and Mendiratta, R.S. (1973).
Effect of hormone- directed presoaking on emergence and growth of osmotically stressed wheat (Triticum aestivum L.) seeds.
Agron. J., 65: 292- 295.
- Dave, I.C. and Gaur, B.K. (1970).
Effect of presowing treatment with gibberellic acid and L. ascorbic acid on growth and development of barley.
Plant Physiol., 13: 76- 85.
- Devender Kumar and Singh, A.K. (1980).
Effect of different levels of water salinity, presoaking of seeds and nitrogen on wheat var. HD 200 g.
Indina J. Agron. 25: 422- 426.

- Devlin, M.R. (1969).
"Plant Physiology"
2nd Edition Van Nostrand Reinhold Company, New York.
Cincinnati. Toronto- London- Melbourne.
- Digby, J. and Wareing, P.F. (1966).
The effect of growth hormones on cell division and
expansion in a liquid suspension culture of *Acer*
Pseudo Platanus.
J. Exp. Bot., 17: 718- 725.
- Dravid, M.S. and Goswami, N.N. (1986).
Soil salinity- fertility- moisture interaction in
relation to yield and nutrient uptake by wheat
(*Triticum aestivum* L.) and maize (*Zea mays* L.).
Ann. Agric. Res., 7: 89- 102.
(c.f. Field Crop Abst., 40- 07516, 1987).
- Dutoit, J.J. (1962).
Molybdenum deficiency in maize.
S. African J. Agric. Sci. 5: 127- 132.
(c.f. Albrigo, G.L., Szafrank, C.R. and Childers,
F.N.P. 144, 1965).
- Eaton, S.V. (1952).
Effects of phosphorus deficiency on growth and
metabolism of black mustard.
Bot. Gaz. 133: 301- 312.
- Efimov, M.V. (1961).
The effect of trace-elements on the yield of green
matter and the physiological index of oat and corn.
Mikroelementy V. Pochvakh, Vodakhi Organizmakh Vost.
Sibiri Dal'nago Vostokey ikh Rol Zhizni Rast., Zhivotn-
ykh Ioheloveks, Akad. Nauk SSSR, Sibirsk Otd. Tr.
Pervoi. Konof., Vlan- Ude 1960, 182- 193.
(c.f. Albrigo, G.L., Szafrank, C.R. and Childers, F.
N.P. 145, 1965).
- Ehsan, B.A.; Nazir, A.; Piracha, I.A. and Khan, M.A. (1986).
Salt tolerance of three wheat varieties.
J. Agric. Res. Pakistan, 24: 53- 58.
(c.f. Field Crop Abst., 42-09366, 1989).
- El- Bisary, E.A. (1961).
Studies on the phosphorus nutrition of cotton plant.
Ph.D. Thesis, Fac. of Agric., Cairo Univ.

- El- Gabaly, M.M. and Madkour, M.H. (1965).
Salt tolerance of berseem, clover, barley, wheat and
beans.
Suppl. Agrochim. Talajt, 14: 377- 379, 1966.
E.V. Univ. Alexandria Egypt.
- El- Gayar, H.S. (1988).
Effect of salinity and fertilizer treatments on
growth, chemical composition and yield of flax plant.
Ph.D. Thesis, Fac. of Agric., Cairo Univ.
- El- Gendy, F.H.K. (1973).
A preliminary study on the activation of phosphate
absorption by plant.
M.Sc. Thesis, Fac. of Agric., Ain Shams Univ., Cairo.
- (1983).
Root growth in relation to phosphorus and potassium
uptake.
Ph.D. Thesis, Fac. of Agric., Al- Azhar Univ., Cairo.
- El- Leboudi, A. and Maoukhtar, M.M. (1975).
Behaviour of growth and nutrition of plants as affected
with salinity applied to soils of various texture.
Agric. Res. Rev. Egypt. 53: 147- 152.
- Ells, J.E. (1963).
The influence of treating tomato seeds with nutrient
solutions on emergence rate and seedling growth.
Proc. Amer. Soc. Hort. Sci. 33: 684- 687.
- El- Sherbieny, A.E.; Rabie, R.K.; Mohammed, E.A. and Ahmed,
W.E. (1986).
Effect of sodium chloride and nitrate on dry matter
production and micronutrient content of wheat plant.
Soil Sci. and Plant Nutrition, 32: 201- 210.
- El- Sheweikh, A.E. (1980).
Physiological studies on some wheat varieties grown
under different salinity conditions.
M.Sc. Thesis, Fac. of Agric., Menoufia Univ., Egypt.
- Filatova, L.A. (1984).
Effect of exogenous growth regulators on some indices
of redox processes in wheat seedlings under saline
conditions.
(c.f. Field Crop Abst., 39- 01040, 1986).

- Filatova, L.A. (1986).
Effect of exogenous growth regulators on protein accumulation in wheat seedlings under saline conditions.
Voprosy Ekol. Fiziol. Rastenii, 111- 119. Perm, USSR.
(c.f. Field Crop Abst., 41- 01579, 1988).
- , and Malyugina, N.A. (1984).
Effect of exogenous growth regulators on some indices of nucleic acid metabolism in wheat seedlings under saline conditions.
(c.f. Field Crop Abst., 39- 01039, 1984).
- .; Osetrova, I.V. and Zvereva, L.A. (1985).
Some physiological features of wheat growing under saline conditions and changes in them under the influence of exogenous growth regulators.
Biologicheskie Osnovy Regulyatsii Rosta Razvitiya Rastenii. 90- 102. Perm, USSR.
(c.f. Field Crop Abst., 40- 07517, 1987).
- Frear, E.H. (1956).
"Agricultural Chemistry". I. Principles.
3rd edn., pp. 442- 463.
New Jersey, New York.
- Gill, K.S. (1983).
"Physiological basis of salt tolerance in plants; pp. 101-108 in Annual Report ICAR, central soil salinity research institute, Karnal, 132001, India".
- Gleris, J.D. and Tamassy, I. (1962).
The effect on crop yields of combined applications of biologically active trace- elementss. II- The effect of trace-element treatments of seeds on the yield of different varieties of peas.
Magy Tud. Akad. Agrartud Ost. 21: 181- 184.
(c.f. Albrigo, G.L., Szafranek, C.R. and Childers, F.N.P. 45, 1965).
- Goas, M. (1965).
Bull. Soc. Fr. Physiol. Veg. 11, 309- 316.
(After Stewart and Larher, 1980, in the book "The biochemistry of plants, Vol. 5, 17, pp. 609- 635" by Stumpf. P.K. and E.E. Conn.).
- Greenway, H.A. (1973).
Salinity, plant growth and metabolism.
Aust. J. Agric. Sci. 39: 24- 34.

- Gupta, U.S. (1977).
Crop response to soil salinity and sodicity. In physiological aspects of crop nutrition and resistance". ed., US Gupta. Atma Ram & Sons. Delhi, pp. 316- 317.
- Gupta, A.; Huffaker, R.C. and Rains, D.W. (1982).
"The effect of salinization on nitrogen metabolism and osmotic adjustment of barley".
Agron. Abst. Univ. of California, Davis, U.S.A.
- Gusev, E.P. and Rajdrogov, N.N. (1938).
Application of phosphate to barley seeds.
Himiz. Soc. Zemled No. 2: 72- 81. (Fide Herb. Abst. 9: 42; Abst., 175, 1939).
(c.f. Indian J. Agric. Sci., 43: 326- 327, 1973).
- Haqqani, A.M.; Rauf, A. and Zahid, M.A. (1984).
Salt tolerance studies on wheat in farmer's fields.
Pakistan J. Agric. Res., 5: 78- 82.
(c.f. Field Crop Abst., 38- 03374, 1985).
- Hassan, N.A.K.; Drew, J.V.; Dudeen, D. and Olsen, R.A. (1970).
Influence of soil salinity on production of dry matter and uptake and distribution of nutrients in barley and corn. II. Corn (Zea mays L.).
Agron. J. 62: 46- 48.
- Harvinder, S.; Darra, B.L. and Jain, N. (1974).
Role of some phytohormones as a presoaking seed treatment on growth and yield attributes of wheat (Triticum aestivum, L.) irrigated with saline- alkali water in conjunction with different levels of boron.
Agric. Chem. Lab., Kota, Rajasthan.
Indian Ann. Arid Zone, 13: 84- 93.
- Hayashi, T. (1940).
Effect of gibberellin activity of amylase in germinated cereal grains.
J. Agric. Chem. Soc. Japan, 16: 531- 538.
(c.f. Indian J. Agron., 16, 1971).
- Hayward, H.E. and Bernstein, L. (1958).
Plant- growth relationships of salt- affected soils.
Bot. Rev. 24: 584- 635.
- Hunter, A.H. and Pratt, P.F. (1957).
Extractions of potassium from soils by sulphuric acid.
Soil Sci. Soc. Amer. Proc. 21: 595- 598.

- Jackson, M.L. (1958).
"Soil Chemical Analysis"
Printice Hall. Inc., Englewood Cliffs., New- Jersey,
U.S.A.
- Jain, N.K. (1968).
Effect of IAA and GA on inorganic and organic chemicals make up of maize plants grown under saline conditions.
M.Sc. Thesis, Udaipur Univ., Rajasthan, India.
Plant and Soil 38: 657- 661 (1973).
- Janardhan, K.V.; Panchaksharaiah, S.; Balakrishna Rao, K. and Batel, B.N. (1979).
Effect of varying K: Na ratios in saline irrigation water on grain yield and ionic composition of wheat.
Curr. Sci., 48: 739- 741.
- Jones, D.B. (1926).
A new factor for converting the percentage of nitrogen in wheat into that of protein.
Cereal Chem., 3: 194- 198.
- Jones, R.G.W. and Gorham, J. (1986).
"Aspects of salt and drought tolerance in higher plant". In "Genetic Engineering of Plants" An agricultural perspective. Edt. Kosuge, T.; Meredith, C. P. and A. Hollaender, New York. USA, Plenum press (1983), pp. 365- 370.
Soils and Fertilizers, 49, 1986.
- Joshi, G.; Dolan, T.; Gee, R. and Saltman, P. (1962).
Sodium chloride effect on dark fixation of CO₂ by marine and terrestrial plants.
Plant Physiol. 37: 446- 449.
- Kang, S. and Judel, G.K. (1984).
Effect of NaCl salinity on CO₂ assimilation and incorporation of C¹⁴ in vrious chemical fractions of young spring wheat plants.
Zeitschrift fur Pflanzenernahrung und Bodenkunde, 147 : 565- 571.
(c.f. Soils and Fertilizers, 48-02735, 1985).
- Kelley, W.P. (1934).
The function of manganese in plants.
Bota. Gaz., 57: 213- 227.

- Kemal, U.R. and Rahim, K. (1988).
The effects of salinity on photosynthesis and other physiological processes in spring wheat varieties. Dissertation Abstracts International, B. Sciences and Engineering. 49: 5, 1470.
(c.f. Field Crop Abst., 42- 03950, 1989).
- Khalil, M.A.; Anter, I.; Bokhati, H. and Ismail, A. (1977).
Interaction effects of soil alkalinity and salinity of irrigation water on yield of grain and protein of Giza and Mexican wheat.
Agric. Res. Rev., 55: 63- 70.
- King, E.J. (1951).
"Micro-analysis in medical biochemistry".
2nd Ed. Churchill, London.
- Klimok, A.I.; Puchkov, M.M.; Botoroeva, N.I.; Il' Ina, L.I.; Pekker, E. G.; Tokarev, B. I. and Levitsckii, E. A. (1986).
Basis of a method for increasing the biological potential of seeds.
Sibirskii Vestnik Sel' Skokhozyaistvennoi Nauki. No. 4, 18- 24.
(c.f. Field Crop Abst., 40- 04109, 1987).
- Koszanski, Z. and Karczmarczyk, S. (1985).
Use of saline water for irrigation of spring barley and oats.
Zeszyty Naukowe Akademii Rolniczej w. Szczecinie, Rolnictwo.
(c.f. Field Crop Abst., 41 -02947, 1988).
- Kramer, P.J. (1955).
Water relations of plant cells and tissues.
Ann. Rev. Plant Physiol. 6: 253- 272.
- Kumar, D.; Sharma, Sc. and Gupta, Sc. (1986).
Correlation and path studies in wheat under normal and saline conditions.
Wheat Information Service, No. 61/ 62: 64- 67.
(c.f. Soils and Fertilizers, 50- 05701, 1987).
- .; Singh, B. and Singh, R.K. (1983).
Salt tolerance in wheat varieties.
Sabrao J. Haryana Agric. Univ. Haryana, Indian 5 (1): 71- 76.
(c.f. Field Crop Abst., 37-00822, 1984).

- Kumar, V.; Kumar, D. and Chauhan, C.P.S. (1987).
Effect of saline waters with varying Cl: So₄ ratios
and phosphorus levels on the growth and yield of
bread wheat and soil properties.
Indian J. Agric. Sci., 57: 668- 671.
(c.f. Field Crop Abst., 42- 06844, 1989).
- Labanauskas, C.K.; Stolzy, L.H. and Handy, M.F. (1981).
Protein and free amino acids in wheat grain as affected
by soil types and salinity levels in irrigation
water.
Plant and Soil, 59: 299- 316.
- Lal, R. and Lal, P. (1990).
Effect of irrigation water quality and NPK fertilizers
on nutrient uptake by wheat.
Agrokemia es Talajtan, 39 (1, 2): 67- 73.
(c.f. Field Crop Abst., 44- 00008, 1991).
- Larher, F. and Hamelin, J. (1975).
In phytochemistry, 14, 203- 208.
(After Stewart and Larher, 1980, in the book". The
Biochemistry of Plants vol. 5, 17, pp. 609- 635" by
Stumpf. P.K. and E.E. Conn).
- Lindsay, W.L. and Norvell, W.A. (1969).
A micronutrient soil test for Zn, Fe, Mn and Cu.
Agron. Abst. pp. 84.
- Lone, M.I. and Wyn Jones, R.G. (1985).
"Physiological role of glycine betaine and proline
in salt tolerance of cultured barley embryos".
(c.f. Abst. of papers, US- Pakistan Biosaline Res.
Workshop, September, 22- 26.
- Maas, E.V. and Poss, J.A. (1989).
Salt sensitivity of wheat at various growth stages.
Irrigation Science, 10: (1) 29- 40.
(c.f. Soils and Fertilizers, 52- 05039, 1989).
- Manchanda, H.R. and Bhandari, D.K. (1976).
Effect of presoaking of seeds in saline solutions on
the yield of wheat and barley irrigated with highly
saline waters.
Indian J. Soc. Soil Sci., 24: 432- 435.
- Manolov, A.L. (1957).
Breaking dormancy of tobacco seeds.
IZW. Inst. Biol. Net. Popov, BAN.
Hort. Abst., 29 : 2610.

- Massoud, M.A. (1969).
Influence of phosphorus application methods on the yield, the uptake of P, Fe, Mn and B by plant, in calcareous soils.
(Bourg El- Arab Zone) using radioactive P³².
M.Sc. Thesis, Fac. of Agric., Ain Shams Univ. Cairo.
- Mehta, P.C.; Puntamkar, S.S. and Seth, S.P. (1979).
Effect of presoaking of seeds in different salts with varying concentration on the germination and yield of wheat grown on salinized soil.
Indian J. Soc. Soil Sci., 27: 99- 100.
(c.f. Field Crop Abst., 33- 03911, 1980).
- Meinl, G. and Guttenberg, H. Von (1952).
"Über den Einfluss von Wirkstoffen auf die Permeabilität des Protoplasmas".
Der Einfluss des Hetero auxins auf Quellung, Viskosität und Wasserpermeabilität von Gelatin und Agar.
Planta 41: 167- 179.
(c.f. Plant Physiol., 34: 3- 10).
- Mengel, D.B. and Barber, S.A. (1974).
Development and distribution of the corn root system under field conditions.
Agron. J. 66: 341.
- Metwaly, A.I.; El- Damaty, A. and Moustafa, M. (1978).
Salt influence on nitrate and phosphate uptake by broad and barley in sand culture.
(c.f. Z.F. Pflunzenernahr und Bodenk, 141: 411).
- Milikan, G.R. (1963).
Effect of different levels of zinc and phosphorus on the growth of subterranean clover (Trifolium subterraneum, L.).
Aust. J. Agric. Res., 14: 180- 205.
- Mironova, M. and Muzaleva, L. (1964).
Effects of trace elements on some physiological processes and yield of red clover.
Tr. Karel. S.K. Filiala Akad. Nauk SSSR. 37: 98- 102.
(c.f. Albrigo, G.L., Szafranek, C.R. and Childers, F.N.P. 26, 1965).
- Moriya, M.S. (1956).
The effect of phosphate on the hardness of rice seedlings transplanted under unfavourable climatic conditions. 2. The effect of various phosphate treatments on rice seeds.
Proc. Crop Sci. Soc. Japanese, 27: 40.
(c.f. Soils and Fertilizers, 22, 1958).

- Mortvedl, I.I.; Giordano, P.M. and Lindsay, W.L. (1972).
"Micronutrients in Agriculture" pp. 139- 169.
Soil Sci. Soc. Amer. Ind. Madison, Wisconsin, USA.
- Moshetal (1985).
"Genetic of salt tolerance in higher plants;
Theoretical and practical considerations".
Plant and Soil, 89: 199- 226.
- Murphy, J. and Riley, J.P. (1962).
A modified single solution method for the determination of phosphate in natural waters.
Annal. Chem. Acta. 27: 31- 36.
- Nabhan, H.M. and Cottenie, A. (1974).
Specific effects of salts on the mobility of Fe, Mn, Zn and Cu in soil and their uptake by corn.
Agrochimica 18: 359- 368.
- Nanda, K.K. and Kaur, Pritipal (1967).
Effect of sucrose and indole acetic acid on extension of wheat coleoptile segments.
Indian J. Plant Physiol. 10: 1- 110.
(c.f. Singh and Darra, 1971).
- Narayanan, R.R. and Gopal Krishnan, S. (1949).
A note on presoaking in phosphate solution for increasing yield of rice.
Madras Agric. J., 36 : 319- 322.
(c.f. Singh and Darra, 1971).
- Nason, A. and McElroy, W.D. (1963).
"Plant Physiology" (F.C. Stewart, ed.), Vol. 3,
pp. 451- 536. Academic Press, New York.
- Nath, J.; Raj, M.; Singh, A.; Dev, S. and Singh, R. (1982).
Performance of sorghum, sunflower and wheat as affected by salinity of irrigation water.
Transactions of Indian Soc. Desert Techn. and Univ. Centre of Desert Studies, 7: 59- 61.
- Newman, E.I. (1966).
A method of estimating the total length of root in a sample.
J. Appl. Ecol. 3: 139.
- and Andrews, R.E. (1973).
Uptake of phosphorus and potassium in relation to root growth and root density.
Plant and Soil 38: 49.

- Nour, T.A.; Hussein, M.M. and Lotfi, A. (1989).
Nitrogen forms and chloride salinity and its effects
on growth and chemical status of wheat seedlings.
Egyptian J. Agron., 14: 1- 12.
- Nuzhnova, T.I. (1955).
Effect of trace elements on the fruit yield of tomato
plants and their resistance to brown spot disease
when grown under greenhouse conditions.
Mikroelementy v Sel'sk. Khoz. i. Med., Akad. Nauk
Latv. S.S.R. Otd. Biol. Nauk, Tr. Vses.
Soveshch. po Mikroelementam, Riga., 437- 442.
(c. f. Albrigo, G. L., Szafranek C. R. and Childers,
F.N.P. 45, 1965).
- Nye, P.H. (1966).
The effect of the nutrient intensity and buffering
power of a soil and the absorbing power, size and
root hairs of root, on nutrient absorption by
diffusion.
Plant and Soil 25 : 81.
- Oliver, S. and Barber, S. (1966).
Mechanisms for the movement of Mn, Fe, B, Cu, Zn, Al,
Sr from soil to the surface of soybean roots.
Soil Sci. Soc. Amer. Proc., 30: 468- 470.
- Olsen, S.A.; Cole, O.U.; Watanable, F.S. and Dean, S.A.
(1954).
"Estimation of available phosphorus in soils by ext-
raction with sodium bicarbonate".
U.S. Dep. Agric. Circ. 939, p. 19.
- Osawa, T. (1973).
Heavy metal toxicities in vegetable crops.
The effect of iron concentration in the nutrient
solution of zinc toxicities in vegetable crops.
Hort. Abst. 44- 8480.
- Padole, V.R. (1979).
Effect of presoaking seed treatment of wheat seed
with chemicals and hormones on yield and uptake of
NPK.
Indian J. Maharashtra Agric. Univ., 4: 85- 88.
- Parasher, A. and Varma, S.K. (1988).
Effect of presowing seed soaking in gibberellic acid,
duration of soaking, different temperatures and their
interaction on seed germination and early seedling
growth of wheat under saline conditions
Indian Plant Physiol. and Biochem., 15: 189- 197.
(c.f. Field Crop Abst., 43- 00784, 1990).

- Piper, C.S. (1950).
"Soil and plant analysis".
Inter. Sci. Publ., Inc., New York.
- Porath, E. and Poljakoff Mayber, A. (1965).
Israel J. Bot., 13: 115- 121.
(c.f. Plant and Soil 98: 657- 661, 1973).
- Possingham, J.V. (1956).
The effect of mineral nutrition on the content of
free amino acids and amids in tomato plants.
1- A comparison of effects of deficiencies of copper,
zinc, manganese, iron and molybdenum .
Aust. J. Biol. Sci., 9: 539- 545.
- Pregle, F. (1945).
Quantitative organic micro-analysis.
4th ed. J & A. Churchill, Ltd., London.
- Price, C.A. (1970).
"Molecular Approaches to Plant Physiology"
McGraw- Hill, New York.
(c.f. Plant Biochem., 1976).
- Promis, S.F. (1953).
New idea- fertilizing rice seed before planting .
Rice. J. 53: 43.
- Puntamkar, S.S.; Mehta, P.C. and Seth, S.P. (1971).
Note on the inducement of salt resistance in two
wheat (Triticum aestivum L.) varieties by presoaking
with different salts of varying concentrations.
Indian J. Agric. Sci., 41: 717- 718.
- Rabie, R.K.; Matter, M.K.; Khamis, A.E. and Mostafa, M.M.
(1985).
Effect of salinity and moisture content of soil on
growth, nutrient uptake and yield of wheat plant.
Dep. of Soil Sci. and Water, Suez Canal Univ.,
Ismailia, Egypt.
- Radford, P.J. (1967).
Growth analysis formulae- their use and abuse.
Crop Sci., 7: 171.
- Ragab, A.M. and Mohamed, F.A. (1983).
Effect of saline irrigation on mineral composition
and growth of soybean plants.
1st Conf. of Egypt Soc. Crop Sci. 2, Proceed.

- Richards, L.A. (1954).
"Diagnosis and improvement of saline and alkali soils".
U.S.D.A. Hand book No. 60, Washington.
- Roberts, O.W. (1948).
Prevention of mineral deficiency by soaking seeds in nutrient solution".
J. Agric. Sci., Camb. 38: 458- 468.
- Roth, H. (1985).
Application of gibberellic acid (GA₃), 1- naphthyl acetic acid (NAA), and 6-furfurylaminopurin (kinetin) for improving the salt tolerance of Hordeum vulgare and Oryza sativa under laboratory conditions.
Beitrage Zur Tropischen Landwirtschaft und Veterinarmedizin 23 (3): 287- 294.
(c.f. Field Crop Abst., 39-04873, 1986).
- Russell, E.W. (1973).
"Soil conditions and plant growth ".
10th Ed. Printed in Great Britain by William Clowes & Sons., Limited, London, Beccles and Colchester. Longman, London and New York.
- Salama, F.M. and Abdel- Basset, R. (1987).
Amino acids and protein metabolism as affected by the interaction of salinity and phytohormones in wheat and kidney bean plants.
Assiut J. Agric. Sci., 18: 201- 213, 1987.
- Salim, M.H. and Todd, G.W. (1968).
Seed soaking as a presowing. Drought hardening treatment in wheat and barley seedlings.
Agron. J., 60: 179- 182.
- Sarin, M.N. (1961).
Physiological studies on salt tolerance in crop plants. XIII. Influence of IAA on the deleterious effect of sodium sulphate on root growth in wheat.
Proc. Natn. Acad. Sci. Indian, 31: 287- 295.
- (1962).
Physiological studies on salt tolerance of crop plants. V. Use of IAA to overcome the depressing effect of sodium sulphate on growth and maturity of wheat.
Agric. Univ. J. Res. Sci., 11: 187- 196.

- Sawhney, J.S. (1986).
Effect of diluting sea water on the initial growth of wheat and barley.
Técnicas de Agricultura, Unda, No. 20: 1, 2- 19.
(c.f. Field Crop Abst., 39 -06547, 1986).
- Sethi, P. (1968).
Masters Thesis, University of Udaipur- Rajasthan, Indian.
(c.f. Plant and Soil, 38, 657- 661, 1973).
- Shannon, M.C. (1984).
" Breeding, selection and the genetics of salt tolerance of plants from salinity tolerance in plants".
Strategies for Crop Improvement; Edited by : Richard C. Staples, Copyright by John Wiley and Sons., INC.
Page 231- 254.
- Sharma, B.M. and Yadav, J.S.P. (1988).
Effect of exchangeable sodium percentage on availability of iron and manganese to rice and wheat.
Indian J. Soc. Soil Sci., 36: 138- 141.
(c.f. Field Crop Abst., 42- 01714, 1989).
- Shkol'nik, M.Ya. and Chirkova, T.V. (1958).
The effect of boron, zinc and molybdenum on growth, development, carbohydrate metabolism, photosynthesis and redox- processes in corn two genotypes.
Tr. Bot. Inst. Akad. Nauk. SSSR ser 4/12: 169- 192.
(c.f. Albrigo, G.L., Szafranek, C.R. and Childers, F.N.P. 242, 1965).
- Sillanapaa, M. (1972).
Trace elements in soils and agriculture.
Food and Agriculture Organization of the United Nations, Rome.
- Singh, H. and Darra, B.L. (1971).
Influence of presoaking of seeds with gibberellin and auxins on growth and yield attributes of wheat (Triticum aestivum L.) under high salinity, sodium adsorption ratio and boron levels.
Indian J. of Agric. Sci., 41: 998- 1002.
- , and Narain, P. (1980).
Effect of the salinity of irrigation water on wheat yield and soil proportion.
Indian J. of Agric. Sci., 50: 422- 427.

- Skoog, F. (1940).
Relationship between zinc and auxin in growth of
higher plants.
Amer. J. Bot. 27: 939.
- Snedecor, G.W. and Cochran, W. (1969).
"Statistical methods".
7th Ed., Iowa State Univ., Press., Ames., Iowa, USA.
- Stakman, W.P. (1966).
"Determination of pore size by the air bubbling
pressure method proceeding".
Unesco. Symp. on water in the unsaturated zone, 366-
372.
- Starck, Z. and Kozinska, M. (1980).
Effect of phytohormones on absorption and distribu-
tion of ions in salt stressed bean plants.
Acta Societatis Botanicorum Poloniae 49 (1/2):
111- 125.
(c.f. Soils and Fertilizers, 44, 1981).
- Stewart, G.R. and Larher, F. (1980).
"Accumulation of amino acids and related compounds
in relation environmental stress".
In "The Biochemistry of Plants vol. 5, 17, pp. 609-
635" by Stumpf. P.K. and E.E. Conn.
- .; Ahmed, I. and Lee, J.A. (1978).
In" Ecological processes in coastal environments" by
A. Effries and A.J. Davy, eds, pp. 211- 227.
Blackwell, Oxford (After Stewart and Larher, 1980, in
the look "The Biochemistry of Plants, Vol. 5, 17, pp.
609- 635" by Stumpf. P.K. and E.E. Conn.).
- and Lee, J.A. (1974).
Planta, 120, 279- 289.
(After Stewart and Larher, 1980 in the book" The Bio-
chemistry of Plants, vol. 5, 17, pp. 609- 635" by
Stumpf. P.K. and E.E. Conn.).
- Story, R.; Ahmed, N.A. and Wyn Jones, R.G. (1977).
Oecologia, 27, 319- 332.
(After Stewart and Larher, 1980, in the book "The
Biochemistry of Plants Vol. 5, 17, pp. 609 - 635" by
Stumpf. P.K. and E.E. Conn.).
- and Wyn Jones, R.G. (1975).
Plant Sci. Lett. 4, 161- 168.
(After Stewart and Larher, 1980, in the book" The
Biochemistry of Plants, vol. 5, 17, pp. 609 - 635" by
Stumpf. P.K. and E.E. Conn.).

- Strogonov, B.P. (1964).
"Physiological basis of salt tolerance of plants"
"Akad. Nauk. SSSR".
(c.f. The Biochemistry of Plants, vol. 5, 17, (1980).
pp. 609- 635; by Stumpf, P.K. and E.E. Conn.).
- .; Shevyakova, N.I. and Kabanov, V.V. (1972).
Fiziol Rast. 19, 1098- 1104.
(c.f. The Biochemistry of Plants, vol. 5, 17, (1980)
pp. 609- 635; by Stumpf, P.K. and E.E. Conn.).
- Torello, W.A. and Ricf, L.A. (1986).
Effects of NaCl stress on proline and cation accumu-
lation in salt sensitive and tolerant turfgrasses.
(c.f. Plant and Soil, 95: 241- 247).
- Triechel, S. (1975).
Z. planzen physiol. 76, 56- 68.
(After Stewart and Larher, (1980), in the book "The
Biochemistry of Plants, vol. 5, 17, pp. 609- 635" by
Stumpf. P.K. and E.E. Conn.).
- Trishin, F.; Zhdanora, M.; Pryadko, G.; Pirus, N. and
Dekhterenko, F. (1963).
Trace elements and yield.
Kukuruza 8 (5): 19- 20.
(c.f. Albrigo G.L., Szafranek, C.R. and Childers,
F.N.P. 249, 1965).
- Turner, N.C. and Jones, M.N. (1980).
Turgor maintenance by osmotic adjustment: a review
and evaluation. In : "Adaptation of plants to water
and high temperature stress" (N. S. Turner and P.J.
Kramer, eds), pp. 87- 103. John Wiley and Sons.,
New York. ISBN 0-471- 05372- 4.
- Twyman, B.S. (1951).
The iron and manganese requirements of plants.
New Phytol. 50: 210- 226.
- Valee, B.L., and Wacker, W.E.C. (1970).
Metalloproteins In. H. Neurath (ed.).
"The proteins" (2nd ed.) vol. 5 Academic Press, New
York, 192 p.
- Van-Hoorn, J.W. and Hoorn, J.W. Van. (1991).
Development of soil salinity during germinaiton and
early seedling growth and its effect on several
crops.
Agricultural Water Management 20 (1): 17- 28.
(c.f. Soils and Fertilizers, 55- 02774, 1992).

- Vasileva, D.V. (1957).
Effect of trace elements on yield of sugar beet and summer wheat grown in soils of Alma-Ata region.
Tr. Inst. Pochvoved., Akad. Nauk Kaz. SSSR. 7: 137-157.
(c.f. Albrige, G. L., Szafranck, C. R. and Childers, F.N.P. 126, 1965).
- Venger, S.S.; Surkov, V.A. and Nigal, V.P. (1983).
Effect of presowing treatment of wheat seed with solutions of mineral fertilizers on protein contents in the apical cone of a tiller and on morphogenesis.
(c.f. Soils and Fertilizers, 46: 817).
- Warren, M. and Pulich, J.R. (1986).
"Variations in leaf soluble amino acids and ammonium content in subtropical seagrasses related to salinity stress".
Plant Physiol. 80, 283-286 Short Communication.
- Webb, K.L. and Burley, J.W.A. (1965).
"Dark fixation of $C^{14}O_2$ by obligate and facultative salt marsh halophytes".
Can. J. Bot. 43: 281-285.
- Wedding, R.T.; Erickson, L.C. and Black, K. (1959).
Influence of 2,4-Dichlorophenoxy Acetic Acid on solute uptake by chlorella.
Plant Physiol., 34: 3-10.
- Wiggans, S.C. and Martin, L.V. (1961).
The effect of gibberellic acid on germination of peacons.
Proc. Amer. Soc. Hort. Sci. 71: 295.
- Williams, R.F. (1946).
The physiology of plant growth with special reference to the concept of net assimilation rate.
Ann. Bot. (N.S.) 10 : 41.
- (1948).
The effects of phosphorus supply on the rates of intake of phosphorus and nitrogen and upon certain aspects of phosphorus metabolism in gramineous.
Plants. Aust. J. Scient. Res. B 1. 333.
- Winifred, O.R. (1948).
Prevention of mineral deficiency by soaking seeds in nutrient solution.
J. Agric. Sci. 38: 458-468.