

REFERENCES

REFERENCES

- Abdalla, E.F. and Sammour, Elham A. (1991): Comparative study on the efficacy of neem seed extract and diflubenzuron against the Egyptian cotton leafworm, *Spodoptera littoralis* (Boisd.). *Bull. Ent. Soc. Egypt, Econ. Ser.*, 19: 207-214.
- Abdel-Baky, S.M. (1990): Biological behaviour of the cigarette beetle, *Lasioderma serricome* (F), emerging from gamma irradiated larval or pupal stages. *Bull. ent. Soc. Egypt. Econ. Ser.*, 18: 163-170.
- Abdel-Baky, Z.A.H. (1991): Biological and chemical studies on the irradiated rice meal moth, *Corcyra cephalonica* staint., *Ass. J. Agric. Sci.*, 22: 213-218.
- Abdel-Zaher, T.R. (1998): *Using some plant extracts and their mixtures with pesticides to control cotton pestes*. M.Sc. Fac. of Agric., Zagazig University.
- Abd-Elmeguid, A. and Haiba, I.M. (1995): The effect of gamma irradiation on the testes of male *Phthorimaea operculella*(Zeller). An ultrastructural study. *Arab. J. of Nucl. Sci. and Appl.*, 28(1): 137-148.
- Abd-Elmeguid, A. and Haiba, I.M. (1996): Effect of gamma irradiation on the ovaries of the potato tuber moth, *Phthorimaea operculella* Zeller. (Lepidoptera-Gelechiidae). An ultrastructural study. *Arab. J. Nucl. Sci. Appl.*, 29(1): 217-231.
- Abo El-Ghar, G.E.S.; Khalil, M.S. and Eid, T.M. (1994): Effects of plant extracts on development and fecundity

- of *Agrotis ipsilon* (Hufn.), (Lepidoptera : Noctuidae).
Bull. ent. Soc. Egypt. Econ. Ser., 21: 171-190.
- Abo El-Ghar, G.E.S.A.; Khalil, M.E. and Eid, T.M. (1996):
 Some biochemical effects of plant extracts in the black
 cutworm *Agrotis ipsilon* (Hufnagel) Lep. Noctuidae). *J.*
Appl. Entomol, 120 (8): 477-482.
- Ahmed, M.Y.Y.; Abd El-Baky, S.M.; El-Bamby, M.A. and
 Salem, Y.S. (1985): Gamma irradiation effect on the
 pupal stage of *Ephestia kuehniella* (Zeller). *Egypt. J. of*
Rad. Sci. and Appl., 2(1): 69-77.
- Ahmed, A.A.I.; Schmidt, G.H. and Breuer, M. (1997): The
 chinaberry fruit extract as a bioinsecticide against the
 black cutworm larvae. International Conference on Pests
 in Agriculture, 6-8 January 1997, at alecorum,
 Montpellier, France. V.3. 1997, 1163-1170.
- Alm El-Din, M.M.S. (1993): *Studies on inherited sterility*
induced in the progeny of gamma irradiated cotton leaf
worm, Spodoptera littoralis, M. Sc. Thesis, Fac. of
 Agric. Al-Azhar University.
- Alm El-Din, M.M.S. (2001): *Studies on the sterilization of*
Egyptian cotton leaf worm, Spodoptera littoralis
(Boisd.) in Egypt., Ph. D. Thesis, Fac. of Agric. Al-
 Azhar University.
- Al-Sharook, Z.; Balan, K.; Jiang, Y. and Rembold, H. (1991):
 Insect growth inhibitors from two tropical Meliaceae.
 Effect of crude seed extracts on mosquito larvae. *J. Appl.*
Entomol.; 111(5): 425-430.

- Al-Taweel, A.A.; Ahmed, M.S.H.; Kadhum, S.S. and Hameed, A.A. (1990):** Effects of gamma radiation on the progeny of irradiated *Ephestia cautella* (Walker), (Lepidopter-Pyralidae) males. *J. Storedprod. Res.*, 26(4): 233-336.
- Anderson, L.M. (1971):** Protein synthesis and uptake by isolated *Cecropia* moth. *J. Cell. Sci.*, 8: 735-750.
- Anderson, L. and Telfer, W.H. (1969):** Trypan blue inhibition of yolk deposition. A clue to follicle cell function in *Cecropia* moth. *J. Embryol. Morph.*, 22: 44-67.
- Anderson, L. and Telfer, W.H. (1970):** Trypan blue inhibition of yolk deposition. A clue to follicle cell function in *Cecropia* moth. *J. Embryol. Morph.*, 23: 35-52.
- Anisimov, A.I.; Lazurkine, N.V. and Shvedov, A.N. (1989):** Influence of radiation induced genetic damage on the suppressive effect of inherited sterility in the codling moth (Lepidoptera : Tortricidae). *J. Ann. Entomol. Soc. Am.*, 82(6): 769-777.
- Anwar, J.; Jabbar and Shakeel, M.A. (1993):** Plants with insecticidal activity against insect pests in Pakistan. *Rev. of Agric. Entomol.* (1994): 81-86.
- Ascher, K.R.S.; Ellyalu, M.; Nemny, N.E. and Meisner, J. (1983):** Neem seed kernel extract as an inhibitor of growth and fecundity in *Spodoptera littoralis*. *Proc. 2nd Int. Neeem Conf.*, p.331-344.
- Bahari, I.B. (1994):** Radiation induced changes in reproductive ability of diamond back moth (Lepidoptera : Plutellidae). *J. Econ. Entomol.*, 87(3):1190-1197.

- Bell, W.J. and Sams, G.R. (1974): Factors promoting vitellogenic competence and yolk deposition in the cockroach ovary: The post-ecdysis female. *J. Insect Physiol.*, 20: 2475-2485.
- Bloem, S.; Bloem, K.A.; Carpenter, J.E. and Calkins, C.O. (1999 b): Inherited sterility in codling moth (Lepidoptera : Tortricidae): Effect of substerilizing doses of radiation on insect fecundity, fertility and control. *Ann. Entomol. Soc. Am.*, 92(2): 222-229.
- Bodhade, S.N.; Borle, M.N.; Regupathy, A. (ed.) and Jayaraj, S. (ed.). (1985): Sterility effects of some indigenous plant material on cucurbit fruit-fly, *Behavioural-and-physiological- approaches- in- pest- management*. 1985, 38-46.
- Boshra, S.A. and El-Naggar, S.E.M. (1994): Effects of gamma irradiation on reproductive biology and histology of sex pheromone glands and ovaries of female *Plodia interpunctella* (Hubner). *Bull. Entomol. Soc. Egypt. Ser.*, 21: 1-11.
- Breuer, M. and Devkota, B. (1990): Control of *Thaumetopoea pityocampa* (Den. and Schiff.) by extracts of *Melia azedarach* L. (Meliaceae). *J. of Appl. Entomol.*, 110(2): 128-135.
- Carpenter, J.E.; Young, J.R.; Sparkes, A.N.; Cromroy, H.L. and Chowdhury, M.A. (1987): Corn earworm (Lepidoptera-Noctuidae): Effects of substerilizing doses of radiation and inherited sterility on reproduction. *J. Econ. Entomol.*, 80:483-489.

- Chen, C.C.; Chang, S.J.; Cheng, L.L. and Hou, R.F. (1996): Effects of the chinaberry fruit extract on feeding, growth and fecundity of the diamond back moth, *Plutella xylostella* L. (Lep. Yponomeu-tidae). *J. Appl. Entomol.*, 120(6) : 341-345.
- Dilawari, V.K.; Singh, K. and Dhaliwal, G.S. (1994): Effect of *Melia azedarach* L. on oviposition and feeding of *Plutella xylostella* L. *Insect Sci. Appl.* 15(2): 203-205.
- Dimetry, N.Z. and Abdalla, E.F. (1991): Feeding deterrent effects of various extracts of the bead tree, *Abrus precatorius* seeds towards *Spodoptera littoralis* (Boisd.). *Bull. ent. Soc. Egypt. Econ. Ser.*, 17: 85-92.
- Dimetry, Z. Nadia; Barakat, A.A.; Abdel-Salam, A.M.F.; El-Metwally, H.E. and Risha, M.M.R. (2001): Biological activity of different Neem based pesticides against the cigarette beetls, *Lasioderma serricorne* (F.), attacking stored medicinal plants. Practice oriented results on use plant extracts and pheromones in integrated and biological pest control. Abstracts of the workshop held on February 10-11, 2001, Cairo, Egypt.
- El-Dessouki, S.A.; Al-Awady, S.M.; Sallam, H.A.; El-Naggar, S.M. and Shible, M.M. (1996): Cotton leafworm inherited effects of low doses of gamma irradiation on the progeny of irradiated males *Proc. 6th Conf. of Nucl. Sci. and Appl.* Cairo, 15-20 March 1996.
- El-Kady, M.B.; Taybe, E.H.; Mesbah, H.A. and Saad, A.A. (1990): The relative efficiency of pregnancy inhibiting hormone, medroxy progesterone acetate (MPA) and the

- insect growth inhibitor (XRD) on the greasy cutworm *Agrotis ipsilon* (Hufn) (Noctuidae : Leiodoptera). *Bull. Ent. Soc. Egypt, Econ.*, 18: 93-104.
- El-Lakwah, F.A.; Mohamed, R.A. and Darwish, A.A. (1995): Evaluation of the toxic effect of chinaberry. *Ann. Agric. Sci. Moshtohor*, 33(1): 389-398.
- El-Nagar, S.; Megahed, M.M.; Sallam, H.A. and Ibrahim, S.M. (1984): Inherited sterility among *Agrotis ipsilon* Laboratory population exposed to gamma irradiation. *Insect Sci. Appl.*, 6: 501-503.
- El-Naggar, S.E.M. (1990): *Biological and histological studies in the progeny of gamma irradiated cotton leaf worm, Spodoptera littoralis*. Ph.D. Thesis, Fac. of Agric. Banha University.
- El-Naggar, S.E.M.; Abdel-Kawy, F.K. and El-Khayat, E.F. (1992): Relative suceptibility of gamma irradiated cotton leaf worm *Spodoptera littoralis* (Boisd.) to some plant extracts. *J. Annals of Agric. Sc. Moshtohor*, 30: 1955-1964.
- El-Naggar, S.E.M. and Boshra, S.A. (1993): Histological effects of gamma radiation on the testes of *Plodia interpuntella* (Hubner), (Lepidoptera-Phycitdae), *Bull. Entomol. Soc. Egypt. Econ. Ser.*, 20: 1-8.
- El-Naggar, S.E.M. and Abdel-Fattah, H.M. (1999): Effects of gamma radiation and plant oil extract of *Eucalyptus globulus* on the cotton leaf worm *Spodoptera littoralis* (Boisd.). *Bull. Ent. Soc. Egypt. Econ. Ser.*, 26(59): 60-69.

- El-Naggar, E.S.M. and Ibrahim, S.M. (1995):** Histopathological damage in the ovary of F1 females of the cutworm, *Agrotis ipsilon* (Hufn) after being irradiated as full grown males parents, pupae. *Bull. Entomol. Soc. Egypt.*, 73: 1-9.
- El-Shall, S.S.A.; El-Naggar, S.E.M. and Ibrahim, S.M. (1997):** Radiation induced inherited sterility and mating competitiveness in the maize worm, *Mythimna loreyi* (Dup.), *Bull. Entomol. Soc. Egypt. Econ. Ser.*, 24: 150-159.
- Etman, A.A.M.; El-Sayed, F.M.A. and Eesa, N.M. (1991):** Gross effects of gamma irradiation on the rice moth *Corcyra cephalonica* (Stainton) (Lepidoptera). *Isotope and Rad. Rese.*, 22(1): 57-63.
- Fadel, A.M.; El-Gengaihi, S.E.; El-Kholy, E.M.S. and Shoman, A.A. (2003):** Combined effects of gamma irradiation and two plant extracts, *Nicandra physaloides* and *Dodonaea viscosa* on the Mediterranean fruit fly, *Ceratitidis capitata* (Wiedemann). *Arab J. of Nucl. Sci. and Appl.*, 36(1): 163-169.
- Flint, H.M. and Kressin, E.L. (1969):** Transfer of sperm by radiation sterilized *Heliothis virescens* (Fab.) and its relationship to fecundity. *Can. Entomol.*, 101: 500-507.
- Gebre-Amlak, A. and Azerefegne, F. (1999):** Insecticidal activity of chinaberry, endod and pepper tree against the maize stalk borer (Lepidoptera : Noctuidae) in Southern Ethiopia. *Inter. J. Pest- Management*, 45(1): 9-13.

- Harwalker, M.R.; Shantharam, K.; Rananavare, H.D. and Rahalkar, G.W. (1991): Spotted bollworm: effects of substerilizing doses of gamma radiation to the male parent on development and level of sterility in progeny. *J. of Nucl. Agric. And Biology*, 20(3): 206-211.
- Hashem, H.O.; Kheirallah, A.M.; Swidan, M.H. and Osman, W.E. (1994): Effect of alcoholic fruit extract of *Melia azedarach* L. on the ovaries, fecundity and fertility of cotton leaf worm moths. *Spodoptera littoralis* (Boisd), *Alex. J. Agric. Res.*, 39(1): 211-227.
- Hazaa, M.A.M. (2002): *Effect of gamma irradiation and heat stress on some biological aspects of Spodoptera littoralis* (Boisd.). Ph. D. Thesis, Fac. of Sci., Ain Shams University.
- Ibrahim, S.M. (1981): *Studies on the effects of gamma irradiation on the black cut worm, Agrotis ipsilon* (Hufn). M. Sc. Thesis, Fac. of Agric., Cairo Univ.
- Ibrahim, S.M.; El-Naggar, S.E.M. and El-Shall, S.S.A. (1999): Inheritance of radiation induced partial sterility among F₁ larval and adult males of the cut worm, *Agrotis ipsilon* (Hufn.), (Histological studies). *Arab J. of Nucl. Sci. and Appl.*, 32(2): 301-309.
- Ibrahim, A.; Gaaboub and Hayes, D.K. (1984a): Biological activity of Azadirachtin, component of the Neem tree, in inhibiting molting in the Face Fly, *Musca autumnalis* De Geer (Diptera: Muscidae). *Environ. Entomol.*, 13: 803-812.

- Ibrahim, A.; Gaaboub and Hayes, D.K. (1984b): Effect of larval treatment with Azadirachtin, a molting inhibitory component of neem tree, on reproductive capacity of the Face Fly, *Musca autumnalis* De Geer (Diptera: Muscidae). *Environ. Entomol.*, 13: 1639-1643.
- Ismail, A.I.I. (2001): *Comparative biological and toxicological studies on the effect of *Bucillus thurigiensis* and Neem formulation on *Pectinophora gossypiella**. M. Sc. Thesis, Fac. of Sci. Ain Shams University.
- Jaipal, S.; Zile-Singh; Singh, Z.; Regupathy, A. (ed.) and jayaraj, S. (1985): Reproductive deterrent activity in crude extracts of some common Indian plants Behavioural -and- Physiological- approaches-in- pest-management, 1985: 34-37.
- Kenneth, C.H. and Leonard, H. (1977): Endocrine mechanism in the insecta, Hormones and reproduction. In "The comparative endocrinology of the invertebrates". p. 131-176. ELBS and Arnold.
- Kheirallah, A.M.; Matta, C.A.; Hashem, H.O.; Swidan, M.H. and Osman, W.E. (1994): Persistence in a laboratory population of *Spodoptera littoralis* exposed to a diet contaminated with -methanolic fruit extract from *Melia azedarach*. *Alex. J. Agric. Research*, 39(3): 375-390.
- Leuschner, K. (1972): Effect of unknown plant substance on a shield bug. *Naturwissenschaften*, 59: 217-218.
- Liu, Z.F.; Wang, D.; Cui, Z.Q.; Zhao, M.G. (ed.); Shi, J.L.(ed.); Pan, H.Y.(ed.) and Wnag, Y.Y. (1992): Primary laboratory studies on the control effect of the

- ether extract of *Melia* on *Cystidia couaggaria* Guenee. Collection of achievements on the technique cooperation project of P.R. China and F.R. Germany, 1992:60-62.
- Michigan State Univ., (1983): MSTA-C: Micro-computer statistical program. Ver. Sion 2.0 Michigan Univ., East Lansing.
- Mohamed, H.F. (2002): *Further studies on the effect of gamma irradiation on the spiny bollworm Earias insulana (Boisd.)*. Ph. D. Thesis, Fac. of Agric. Ain Shams University.
- Mostafa, M.S. (1996): *Some biological and physiological studies on the effect of some IGRs and plant extracts on Pectinophora gossypiella (Sound.) and Earias insulana (Boisd.)*. Ph. D. Thesis Fac. Agric. Al-Azhar University.
- Mulla, M.S.; Su, T.Y. and Su, T.Y. (1999): Activity and biological effects of neem products against arthropods of medical and veterinary importance. *Journal of the American Mosquito Control Association*, 15(2): 133-152.
- Novak, V.J.A. (1966): *Insect hormones*. Methuen and Co., London.
- Opende-Koul; Jain, M.P.; Sharma, A.K. and Koul, O. (2000): Growth inhibitory and antifeedant activity of extracts from *Melia dubia* to *Spodoptera litura* and *Helicoverpa armigera* , Larvae Indian. *J. Experimental Biolo.*, 38(1): 63-68.
- Oroumchi, S. and Lorra, C. (1993): Investigation on the effects of aqueous extracts of neem and chinaberry on

- development and mortality of the alfalfa weevil *Hypera postica* Gyllenh. (Col. Curculionidae). *J. Appl. Entomol.*, 116(4): 345-351.
- Osman, S.M. (1996):** *Evaluation of the biological activity of certain plant extracts on the black cutworm Agrotis ipsilon (Hufn.) (Noctuidae, Lepidoptera)*. M. Sc. Thesis, Fac. of Sci., Ain Shams University.
- Ostriakova-Varshaver, V.P. (1937):** The bee moth *Galleria mellonella*, as a new object for genetic investigations. II. Cytogenetic analysis of sterility initiated by X-rays in males. *J. Biol.* 6: 816-836 (in Russian).
- Proshold, F.I. and Bartell, J.A. (1970):** Inherited sterility in progeny of irradiated male tobacco budworm. Effects on reproduction developmental time and sex ratio. *J. Econ. Entomol.*, 63: 280-281.
- Proverbs, M.D. (1962):** Progress on the use of sexual sterility for the control of the codling moth, *Carpocapsa pomonella* (L.), (Lepidoptera : Olethreutidae). *Proc. Entomol. Soc. Ontario*, 92: 5-11.
- Qureshi, Z.A.; Ahmad, N.; Hussain, T. and Ali, S.S. (1995):** Effects of gamma radiation on one day adults of pink bollworm and their F_1 progeny. *Pak. J. of Zool.*, 27(1): 21-25.
- Rashad, A.M.; Taher, S.H.; Naguib, S.M. and Abd El-Salam, N.M. (1991):** Effect of *Melia azedarach* extract of *Earias insulana* and *Pectinophora gossypiella*. *Egypt. J. Biol. P. Cont.*, 1(1): 117-120.

- Rembold, H. (1989): Isomeric Azadirachtins and their mode of action. In. "The Neem tree", 1: 47-67.
- Rembold, H.; Forster, H.; Czoppel, C.; Rao, P.J. and Sieber, K.P. (1983): The Azadirachtin, a group of insect growth regulators from the *Neem tree*. *Proc. 2nd Int. Neem Conf.*: 153-162.
- Sallam, H.A. (1969): *Suppression of the reproductive potential of the cotton leaf worm, Spodoptera littoralis* (Boisd.) by gamma irradiation. M. Sc. Thesis, Fac. of Agric., Ain Shams University.
- Sallam, H.A. and Ibrahim, S.M. (1993): Inherited sterility in progeny of gamma irradiated male cotton leaf worm, *Spodoptera littoralis*. In: Radiation induced F₁ sterility in Lepidoptera area-wide control (Proc. Final, research Co-ordination meeting, Phoenix, AZ. 9-13 Sept. 1991 IAEA STI/PUB/929: 81-100.
- Sallam, H.A.; Elnagar, S. and Ibrahim, S.M. (1991): Effects of gamma radiation on reproductive potential of the black cut, *Agrotis ipsilon* (Hufn.). *Arab J. Nucl. Sci. and Appl.*, 24: 165-174.
- Sallam, H.A.; El-Dessouki, S.A.; El-Saedy, A.A. and Mohammed, H.F. (1996): Effect of gamma radiation on reproduction and mating competitiveness in the spiny boll worm, *Earias insulana* (Boisd.) *Proc. 6th Conf. of Nucl. Sci. and Appl.* Cairo, 15-20 March 1996.
- Sallam, H.A.; El-Shall, S.S.A. and Mohamed, H.F. (2000): Inherited sterility in progeny of gamma irradiated spiny

- bollworm boll, *Earias insulana* (Boisd). *Arab J. of Nucl. Sci. and Appl.*, 33(1) 263-270.
- Sallam, H.A. and Ibrahim, S.M. (1989): Inherited sterility in progeny of irradiated pink bollworm, *Pectinophora gossypiella* (Sound.), Proc. Int. Conf. Econ., Organized by Entomol. Soc. Egypt., 2: 163-173.
- Sams, G.R. Bohm, M. and Bell, W.J. (1974): Effects of juvenile hormone on in vitro follicle cell protein synthesis in a cockroach. *Insect Biochem.*, 89: 35-39.
- Saour, G. and Makee, H. (1996): Effect of gamma irradiation on fertility of potato tuber moths and study of inherited sterility phenomena in partially sterile males. Atomic Energy Commission, Damascus (Syria.) Dept. of Radiation Agriculture. Jan. 1996: p. 33.
- Schmidt, G.H.; Ahmed, A.A.I. and Breuer, M. (1997): Effect of *Melia azedarach* extract on larval development and reproduction parameters of *Spodoptera littoralis* (Boisd.) and *Agrotis ipsilon* (Hufn.) (Lep. : Noctuidae). *Anzeiger-fur-Schadlingskunde-Pflanzenschutz-Umweltschutz.*, 70(1): 4-12.
- Schmidt, G.H.; Rembold, H.; Ahmed, A.A.I. and Breuer, M. (1998): Effect of *Melia azedarach* fruit extract on juvenile hormone titer and protein content in the hemolymph of two species of noctuid lepidopteran larvae (Insecta : Lepidoptera : Noctuidae). *Phytoparasitica*, 26(4): 283-292.

- Schmutterer, H. (1990): Properties and potential of natural pesticides from the Neem tree, *Azadirachta indica*. *Annu. Rev. Entomol.*, 35: 271-297.
- Schulz, W.D. and Schluter (1983): Structural damages caused by Neem in *Epilachna varivestis*. A summary of histological and ultra-structural data, II. Tissues affected in adults. Proc. 2nd Int. Neem Conf., p. 237-251.
- Scott, I.M. and Kaushik, N.K. (1998): The toxicity of Margosan-O, a product of neem seeds to selected target and nontarget aquatic invertebrates. *Archives of Environmental Contamination and Toxicology.*, 35(3): 426-431.
- Shalaby, M.A.; Rashad, A.M.; El-Saeedy, A.A. and Gadallah, A.I. (1997): Effect of *Melia azadirachta* seed extract on *Pectinophora gossypiella* (Saund) and *Earias insulana* (Boisd.). *J. Bull. Ent. Soc. Egypt. Econ. Ser.*, 24: 127-142.
- Shantharam, K. and Rananavare, H.D. (1998): Effects of substerilizing doses on development and level of inherited sterility in spotted bollworm *Earias vittella* (Fabricius). *J. of Nucl. Agric. and Biolo.*, 27(2): 126-131.
- Shaurub, El. H.; Ahmed, Z.A. and El-Naggar, S.E.M. (1998): Impacts of pyriproxyfen and extract of *Schinus terebinthifolius* Raddi on development, Reproduction and - Reproductive organs in *Spodoptera littoralis* (Boisd.) *Egypt. Ger. Soc. Zool.*, 27(E): 57-82.

- Souza, A.P. (de) and Vendramim, J.D. (2001): Insecticidal activity of aqueous extracts of Meliaceae plants on the silverleaf whitefly, *Bemisia tabaci* (Genn.) Biotype B(Hemiptera : Aleyrodidae). *Neotrop. Entomol.*, 30(1): 133-137.
- Steinbauer, M.J. (1995): The insecticidal and repellent activity of *Schinus molle* L. (Anacardiaceae) against *Drosophila melanogaster* Meigen (Diptera : Drosophilidae) and *Tribolium confusum* Jacquelin du val (Coleoptera : Tenebrionidae) *General and Applied Entomol.*, 26:13-18.
- Subrahmanyam, B. and Rao, P.J. (1986): Azadirachtin effects on *Schistocerca gregaria* (F.) during ovarian development. *Cur. Sci.*, 55: 34-38.
- Tanzubil, P.B. and McCaffery, A.R. (1990): Effect of Azadirachtin and aqueous Neem seed extracts on survival, growth and development of the African armyworm, *Spodoptera exempta*. *Crop protection*, 9(5): 383-386.
- Wigglesworth, U.B. (1972): *The principles insect physiology*. Methenium, London.
- William, J.B. and Gary, R.S. (1974): Factors promoting vitellogenic competence and yolk deposition in the cockroach ovary: The post-ecdysis female. *J. Insect Physiol.*, 20: 2475-2485.
- William, J.B. and Gary, R.S. (1975): Factors promoting vitellogenic competence and yolk deposition in the cockroach ovary: larval-adult transition. *J. Insect Physiol.*, 21: 173-180.